


5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9094G	49.71	68.20	-18.49	6.02	3	Vertical	129	2.26	43.69	34.30	6.25	34.53
AV	6.3246G	100.23	Inf	-Inf	6.61	3	Vertical	129	2.26	93.62	34.70	6.40	34.49
PK	5.9106G	58.21	88.20	-29.99	6.03	3	Vertical	129	2.26	52.18	34.30	6.26	34.53
PK	6.3222G	109.91	Inf	-Inf	6.59	3	Vertical	129	2.26	103.32	34.69	6.39	34.49


5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9202G	50.46	68.20	-17.74	6.03	3	Horizontal	40	1.74	44.43	34.30	6.26	34.53
AV	6.3198G	99.48	Inf	-Inf	6.58	3	Horizontal	40	1.74	92.90	34.68	6.39	34.49
PK	5.9118G	59.67	88.20	-28.53	6.03	3	Horizontal	40	1.74	53.64	34.30	6.26	34.53
PK	6.3198G	107.12	Inf	-Inf	6.58	3	Horizontal	40	1.74	100.54	34.68	6.39	34.49

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX
6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68605G	47.22	54.00	-6.78	14.13	3	Vertical	53	2.68	33.09	39.27	8.92	34.06
PK	12.68707G	54.40	74.00	-19.60	14.14	3	Vertical	53	2.68	40.26	39.27	8.92	34.05

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX
6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.6917G	46.42	54.00	-7.58	14.15	3	Horizontal	3	2.15	32.27	39.28	8.92	34.05
PK	12.69058G	55.03	74.00	-18.97	14.15	3	Horizontal	3	2.15	40.88	39.28	8.92	34.05



6.425-6.525GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.90626G	49.59	68.20	-18.61	6.02	3	Vertical	0	2.98	43.57	34.30	6.25	34.53
AV	6.44306G	100.03	Inf	-Inf	6.97	3	Vertical	0	2.98	93.06	34.99	6.46	34.48
PK	5.90626G	59.10	88.20	-29.10	6.02	3	Vertical	0	2.98	53.08	34.30	6.25	34.53
PK	6.4821G	110.02	Inf	-Inf	7.01	3	Vertical	0	2.98	103.01	35.00	6.48	34.47

6.425-6.525GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.90382G	49.45	68.20	-18.75	6.02	3	Horizontal	43	1.61	43.43	34.30	6.25	34.53
AV	6.44184G	99.23	Inf	-Inf	6.96	3	Horizontal	43	1.61	92.27	34.98	6.46	34.48
PK	5.8233G	58.63	88.20	-29.57	5.67	3	Horizontal	43	1.61	52.96	33.99	6.21	34.53
PK	6.44916G	107.29	Inf	-Inf	6.98	3	Horizontal	43	1.61	100.31	35.00	6.46	34.48

6.425-6.525GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01296G	47.65	68.20	-20.55	15.21	3	Vertical	276	2.24	32.44	39.69	9.01	33.49
PK	13.01275G	55.66	88.20	-32.54	15.21	3	Vertical	276	2.24	40.45	39.69	9.01	33.49

6.425-6.525GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01375G	47.18	68.20	-21.02	15.21	3	Horizontal	248	1.96	31.97	39.69	9.01	33.49
PK	13.01372G	55.78	88.20	-32.42	15.21	3	Horizontal	248	1.96	40.57	39.69	9.01	33.49

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6364G	100.68	Inf	-Inf	7.84	3	Vertical	0	2.72	92.84	35.82	6.56	34.54
AV	7.215G	52.27	68.20	-15.93	8.72	3	Vertical	0	2.72	43.55	36.73	6.76	34.77
PK	6.6023G	109.46	Inf	-Inf	7.63	3	Vertical	0	2.72	101.83	35.61	6.55	34.53
PK	7.2084G	61.07	88.20	-27.13	8.71	3	Vertical	0	2.72	52.36	36.72	6.76	34.77


6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6496G	100.59	Inf	-Inf	7.91	3	Horizontal	47	1.50	92.68	35.90	6.56	34.55
AV	7.2029G	52.59	68.20	-15.61	8.70	3	Horizontal	47	1.50	43.89	36.71	6.75	34.76
PK	6.6947G	110.06	Inf	-Inf	7.97	3	Horizontal	47	1.50	102.09	35.99	6.56	34.58
PK	7.1699G	60.47	88.20	-27.73	8.62	3	Horizontal	47	1.50	51.85	36.64	6.74	34.76

**6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX
6665MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33366G	47.51	54.00	-6.49	16.02	3	Vertical	226	2.15	31.49	39.87	9.11	32.96
PK	13.32625G	57.00	74.00	-17.00	15.99	3	Vertical	226	2.15	41.01	39.85	9.11	32.97

**6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX
6665MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33429G	47.76	54.00	-6.24	16.02	3	Horizontal	178	2.15	31.74	39.87	9.11	32.96
PK	13.33309G	56.23	74.00	-17.77	16.02	3	Horizontal	178	2.15	40.21	39.87	9.11	32.96



6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8058G	100.13	Inf	-Inf	7.74	3	Vertical	338	2.72	92.39	35.80	6.58	34.64
AV	7.125G	57.10	68.20	-11.10	8.41	3	Vertical	338	2.72	48.69	36.45	6.72	34.76
PK	6.7594G	108.32	Inf	-Inf	7.84	3	Vertical	338	2.72	100.48	35.88	6.57	34.61
PK	7.125G	64.75	88.20	-23.45	8.41	3	Vertical	338	2.72	56.34	36.45	6.72	34.76


6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8114G	99.86	Inf	-Inf	7.75	3	Horizontal	46	1.50	92.11	35.80	6.59	34.64
AV	7.1746G	56.12	68.20	-12.08	8.63	3	Horizontal	46	1.50	47.49	36.65	6.74	34.76
PK	6.8074G	109.64	Inf	-Inf	7.74	3	Horizontal	46	1.50	101.90	35.80	6.58	34.64
PK	7.1946G	65.72	88.20	-22.48	8.68	3	Horizontal	46	1.50	57.04	36.69	6.75	34.76

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6507G	48.32	68.20	-19.88	16.61	3	Vertical	276	2.22	31.71	40.15	9.21	32.75
PK	13.64943G	56.66	88.20	-31.54	16.60	3	Vertical	276	2.22	40.06	40.15	9.20	32.75

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6459G	48.66	68.20	-19.54	16.60	3	Horizontal	79	2.71	32.06	40.15	9.20	32.75
PK	13.65317G	57.32	88.20	-30.88	16.61	3	Horizontal	79	2.71	40.71	40.15	9.21	32.75



6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.923G	98.93	Inf	-Inf	7.69	3	Vertical	187	3.00	91.24	35.75	6.64	34.70
AV	7.141G	67.90	68.20	-0.30	8.52	3	Vertical	187	3.00	59.38	36.55	6.73	34.76
PK	6.961G	110.67	Inf	-Inf	7.64	3	Vertical	187	3.00	103.03	35.70	6.66	34.72
PK	7.141G	80.54	88.20	-7.66	8.52	3	Vertical	187	3.00	72.02	36.55	6.73	34.76


6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9555G	99.41	Inf	-Inf	7.64	3	Horizontal	49	2.22	91.77	35.70	6.66	34.72
AV	7.139G	67.88	68.20	-0.32	8.50	3	Horizontal	49	2.22	59.38	36.53	6.73	34.76
PK	6.926G	107.89	Inf	-Inf	7.69	3	Horizontal	49	2.22	100.20	35.75	6.64	34.70
PK	7.137G	79.69	88.20	-8.51	8.49	3	Horizontal	49	2.22	71.20	36.52	6.73	34.76

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX
6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96904G	48.69	68.20	-19.51	16.77	3	Vertical	58	1.99	31.92	40.34	9.30	32.87
PK	13.97176G	58.14	88.20	-30.06	16.77	3	Vertical	58	1.99	41.37	40.34	9.30	32.87

6.875-7.125GHz_802.11ax HEW160_Nss4,(MCS0)_4TX
6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97359G	48.53	68.20	-19.67	16.78	3	Horizontal	97	1.29	31.75	40.35	9.30	32.87
PK	13.96815G	56.76	88.20	-31.44	16.77	3	Horizontal	97	1.29	39.99	40.34	9.30	32.87



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.35012G	43.21	54.00	-10.79	3	Vertical	149	2.77
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.33146G	43.36	54.00	-10.64	3	Horizontal	358	1.47
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.29048G	43.41	54.00	-10.59	3	Vertical	284	1.70
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	12.68509G	43.78	54.00	-10.22	3	Horizontal	179	2.19
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	7.2038G	49.73	68.20	-18.47	3	Horizontal	168	1.64
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1766G	49.71	68.20	-18.49	3	Vertical	182	1.50
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	7.2058G	49.98	68.20	-18.22	3	Horizontal	30	1.50
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	5.9087G	47.48	68.20	-20.72	3	Horizontal	28	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	13.38547G	44.62	54.00	-9.38	3	Vertical	188	1.01
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	13.37362G	44.64	54.00	-9.36	3	Vertical	255	1.78
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	13.25032G	44.56	54.00	-9.44	3	Horizontal	19	2.60
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.33411G	44.62	54.00	-9.38	3	Vertical	358	1.37
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1838G	50.56	68.20	-17.64	3	Vertical	8	2.66
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1541G	50.37	68.20	-17.83	3	Vertical	13	2.67
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	7.1252G	56.47	68.20	-11.73	3	Vertical	15	2.03
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	7.125G	57.23	68.20	-10.97	3	Vertical	18	2.09



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9202G	47.37	68.20	-20.83	3	Vertical	0	1.76
5955MHz	Pass	AV	5.9586G	98.92	Inf	-Inf	3	Vertical	0	1.76
5955MHz	Pass	PK	5.8506G	60.20	88.20	-28.00	3	Vertical	0	1.76
5955MHz	Pass	PK	5.9604G	109.79	Inf	-Inf	3	Vertical	0	1.76
5955MHz	Pass	AV	5.9244G	47.49	68.20	-20.71	3	Horizontal	23	2.34
5955MHz	Pass	AV	5.9616G	99.58	Inf	-Inf	3	Horizontal	23	2.34
5955MHz	Pass	PK	5.9076G	60.35	88.20	-27.85	3	Horizontal	23	2.34
5955MHz	Pass	PK	5.9616G	109.96	Inf	-Inf	3	Horizontal	23	2.34
5955MHz	Pass	AV	11.90505G	42.31	54.00	-11.69	3	Vertical	278	2.20
5955MHz	Pass	PK	11.90809G	52.51	74.00	-21.49	3	Vertical	278	2.20
5955MHz	Pass	AV	11.90729G	42.30	54.00	-11.70	3	Horizontal	359	1.12
5955MHz	Pass	PK	11.91225G	53.02	74.00	-20.98	3	Horizontal	359	1.12
6175MHz	Pass	AV	5.8786G	47.17	68.20	-21.03	3	Vertical	181	1.33
6175MHz	Pass	AV	6.1762G	96.85	Inf	-Inf	3	Vertical	181	1.33
6175MHz	Pass	PK	5.899G	59.72	88.20	-28.48	3	Vertical	181	1.33
6175MHz	Pass	PK	6.1762G	107.68	Inf	-Inf	3	Vertical	181	1.33
6175MHz	Pass	AV	5.8762G	47.09	68.20	-21.11	3	Horizontal	33	1.97
6175MHz	Pass	AV	6.1786G	99.66	Inf	-Inf	3	Horizontal	33	1.97
6175MHz	Pass	PK	5.893G	59.46	88.20	-28.74	3	Horizontal	33	1.97
6175MHz	Pass	PK	6.1834G	110.84	Inf	-Inf	3	Horizontal	33	1.97
6175MHz	Pass	AV	12.35012G	43.21	54.00	-10.79	3	Vertical	149	2.77
6175MHz	Pass	PK	12.34977G	53.02	74.00	-20.98	3	Vertical	149	2.77
6175MHz	Pass	AV	12.34724G	43.18	54.00	-10.82	3	Horizontal	216	2.40
6175MHz	Pass	PK	12.35041G	54.14	74.00	-19.86	3	Horizontal	216	2.40
6415MHz	Pass	AV	5.887G	47.14	68.20	-21.06	3	Vertical	156	1.81
6415MHz	Pass	AV	6.4222G	96.19	Inf	-Inf	3	Vertical	156	1.81
6415MHz	Pass	PK	5.8462G	59.65	88.20	-28.55	3	Vertical	156	1.81
6415MHz	Pass	PK	6.4246G	105.91	Inf	-Inf	3	Vertical	156	1.81
6415MHz	Pass	AV	5.9014G	47.17	68.20	-21.03	3	Horizontal	33	2.00
6415MHz	Pass	AV	6.4078G	99.50	Inf	-Inf	3	Horizontal	33	2.00
6415MHz	Pass	PK	5.8414G	59.42	88.20	-28.78	3	Horizontal	33	2.00
6415MHz	Pass	PK	6.4078G	110.13	Inf	-Inf	3	Horizontal	33	2.00
6415MHz	Pass	AV	12.83256G	44.01	68.20	-24.19	3	Vertical	191	2.10
6415MHz	Pass	PK	12.83062G	53.64	88.20	-34.56	3	Vertical	191	2.10
6415MHz	Pass	AV	12.83075G	44.08	68.20	-24.12	3	Horizontal	226	2.68
6415MHz	Pass	PK	12.83195G	54.21	88.20	-33.99	3	Horizontal	226	2.68
6435MHz	Pass	AV	5.8926G	47.09	68.20	-21.11	3	Vertical	119	1.66
6435MHz	Pass	AV	6.4422G	100.06	Inf	-Inf	3	Vertical	119	1.66
6435MHz	Pass	PK	5.8566G	59.87	88.20	-28.33	3	Vertical	119	1.66
6435MHz	Pass	PK	6.4374G	109.45	Inf	-Inf	3	Vertical	119	1.66
6435MHz	Pass	AV	5.9238G	47.13	68.20	-21.07	3	Horizontal	28	1.50
6435MHz	Pass	AV	6.4302G	100.59	Inf	-Inf	3	Horizontal	28	1.50
6435MHz	Pass	PK	5.907G	59.02	88.20	-29.18	3	Horizontal	28	1.50
6435MHz	Pass	PK	6.4398G	110.65	Inf	-Inf	3	Horizontal	28	1.50
6435MHz	Pass	AV	12.86566G	44.23	68.20	-23.97	3	Vertical	116	1.08
6435MHz	Pass	PK	12.86867G	54.19	88.20	-34.01	3	Vertical	116	1.08
6435MHz	Pass	AV	12.87362G	44.25	68.20	-23.95	3	Horizontal	321	2.19
6435MHz	Pass	PK	12.86553G	54.75	88.20	-33.45	3	Horizontal	321	2.19
6475MHz	Pass	AV	5.9094G	47.21	68.20	-20.99	3	Vertical	152	1.43
6475MHz	Pass	AV	6.4666G	96.81	Inf	-Inf	3	Vertical	152	1.43
6475MHz	Pass	AV	7.147G	49.62	68.20	-18.58	3	Vertical	152	1.43
6475MHz	Pass	PK	5.8338G	59.33	88.20	-28.87	3	Vertical	152	1.43
6475MHz	Pass	PK	6.4666G	107.34	Inf	-Inf	3	Vertical	152	1.43
6475MHz	Pass	PK	7.1694G	61.77	88.20	-26.43	3	Vertical	152	1.43
6475MHz	Pass	AV	5.901G	47.28	68.20	-20.92	3	Horizontal	34	1.50
6475MHz	Pass	AV	6.4666G	100.41	Inf	-Inf	3	Horizontal	34	1.50
6475MHz	Pass	AV	7.1414G	49.59	68.20	-18.61	3	Horizontal	34	1.50
6475MHz	Pass	PK	5.9066G	59.82	88.20	-28.38	3	Horizontal	34	1.50
6475MHz	Pass	PK	6.4694G	110.87	Inf	-Inf	3	Horizontal	34	1.50
6475MHz	Pass	PK	7.1414G	61.72	88.20	-26.48	3	Horizontal	34	1.50



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6475MHz	Pass	AV	12.94689G	44.30	68.20	-23.90	3	Vertical	27	1.33
6475MHz	Pass	PK	12.94711G	54.73	88.20	-33.47	3	Vertical	27	1.33
6475MHz	Pass	AV	12.95239G	44.26	68.20	-23.94	3	Horizontal	90	1.82
6475MHz	Pass	PK	12.95342G	54.26	88.20	-33.94	3	Horizontal	90	1.82
6515MHz	Pass	AV	5.8598G	47.09	68.20	-21.11	3	Vertical	151	2.23
6515MHz	Pass	AV	6.5206G	100.24	Inf	-Inf	3	Vertical	151	2.23
6515MHz	Pass	AV	7.187G	49.67	68.20	-18.53	3	Vertical	151	2.23
6515MHz	Pass	PK	5.8962G	59.09	88.20	-29.11	3	Vertical	151	2.23
6515MHz	Pass	PK	6.5206G	110.71	Inf	-Inf	3	Vertical	151	2.23
6515MHz	Pass	PK	7.1954G	61.51	88.20	-26.69	3	Vertical	151	2.23
6515MHz	Pass	AV	5.8934G	47.10	68.20	-21.10	3	Horizontal	168	1.64
6515MHz	Pass	AV	6.5234G	100.38	Inf	-Inf	3	Horizontal	168	1.64
6515MHz	Pass	AV	7.2038G	49.73	68.20	-18.47	3	Horizontal	168	1.64
6515MHz	Pass	PK	5.8962G	60.14	88.20	-28.06	3	Horizontal	168	1.64
6515MHz	Pass	PK	6.5234G	109.29	Inf	-Inf	3	Horizontal	168	1.64
6515MHz	Pass	PK	7.1926G	61.35	88.20	-26.85	3	Horizontal	168	1.64
6515MHz	Pass	AV	13.0265G	44.36	68.20	-23.84	3	Vertical	145	1.26
6515MHz	Pass	PK	13.0286G	54.02	88.20	-34.18	3	Vertical	145	1.26
6515MHz	Pass	AV	13.02548G	44.36	68.20	-23.84	3	Horizontal	83	2.33
6515MHz	Pass	PK	13.03206G	54.52	88.20	-33.68	3	Horizontal	83	2.33
6535MHz	Pass	AV	5.8826G	47.21	68.20	-20.99	3	Vertical	148	2.39
6535MHz	Pass	AV	6.5322G	100.33	Inf	-Inf	3	Vertical	148	2.39
6535MHz	Pass	AV	7.2238G	49.78	68.20	-18.42	3	Vertical	148	2.39
6535MHz	Pass	PK	5.8546G	59.42	88.20	-28.78	3	Vertical	148	2.39
6535MHz	Pass	PK	6.535G	109.89	Inf	-Inf	3	Vertical	148	2.39
6535MHz	Pass	PK	7.1258G	62.40	88.20	-25.80	3	Vertical	148	2.39
6535MHz	Pass	AV	5.8966G	47.09	68.20	-21.11	3	Horizontal	36	1.57
6535MHz	Pass	AV	6.5266G	101.40	Inf	-Inf	3	Horizontal	36	1.57
6535MHz	Pass	AV	7.1846G	49.68	68.20	-18.52	3	Horizontal	36	1.57
6535MHz	Pass	PK	5.8742G	60.60	88.20	-27.60	3	Horizontal	36	1.57
6535MHz	Pass	PK	6.5266G	110.55	Inf	-Inf	3	Horizontal	36	1.57
6535MHz	Pass	PK	7.2182G	62.04	88.20	-26.16	3	Horizontal	36	1.57
6535MHz	Pass	AV	13.07054G	44.46	68.20	-23.74	3	Vertical	267	1.81
6535MHz	Pass	PK	13.07228G	54.93	88.20	-33.27	3	Vertical	267	1.81
6535MHz	Pass	AV	13.06647G	44.43	68.20	-23.77	3	Horizontal	51	2.56
6535MHz	Pass	PK	13.07461G	54.40	88.20	-33.80	3	Horizontal	51	2.56
6695MHz	Pass	AV	6.689G	99.82	Inf	-Inf	3	Vertical	0	1.84
6695MHz	Pass	AV	7.193G	49.72	68.20	-18.48	3	Vertical	0	1.84
6695MHz	Pass	PK	6.689G	110.78	Inf	-Inf	3	Vertical	0	1.84
6695MHz	Pass	PK	7.173G	61.78	88.20	-26.42	3	Vertical	0	1.84
6695MHz	Pass	AV	6.701G	101.05	Inf	-Inf	3	Horizontal	38	1.45
6695MHz	Pass	AV	7.191G	49.71	68.20	-18.49	3	Horizontal	38	1.45
6695MHz	Pass	PK	6.701G	111.03	Inf	-Inf	3	Horizontal	38	1.45
6695MHz	Pass	PK	7.143G	61.99	88.20	-26.21	3	Horizontal	38	1.45
6695MHz	Pass	AV	13.38547G	44.62	54.00	-9.38	3	Vertical	188	1.01
6695MHz	Pass	PK	13.39266G	55.21	74.00	-18.79	3	Vertical	188	1.01
6695MHz	Pass	AV	13.38865G	44.57	54.00	-9.43	3	Horizontal	154	2.35
6695MHz	Pass	PK	13.39215G	54.47	74.00	-19.53	3	Horizontal	154	2.35
6855MHz	Pass	AV	6.8634G	102.17	Inf	-Inf	3	Vertical	10	1.51
6855MHz	Pass	AV	7.1854G	49.84	68.20	-18.36	3	Vertical	10	1.51
6855MHz	Pass	PK	6.862G	111.03	Inf	-Inf	3	Vertical	10	1.51
6855MHz	Pass	PK	7.198G	62.49	88.20	-25.71	3	Vertical	10	1.51
6855MHz	Pass	AV	6.8494G	96.69	Inf	-Inf	3	Horizontal	356	1.50
6855MHz	Pass	AV	7.1742G	49.84	68.20	-18.36	3	Horizontal	356	1.50
6855MHz	Pass	PK	6.8466G	106.83	Inf	-Inf	3	Horizontal	356	1.50
6855MHz	Pass	PK	7.1826G	62.49	88.20	-25.71	3	Horizontal	356	1.50
6855MHz	Pass	AV	13.71253G	45.36	68.20	-22.84	3	Vertical	203	2.19
6855MHz	Pass	PK	13.70648G	57.10	88.20	-31.10	3	Vertical	203	2.19
6855MHz	Pass	AV	13.71496G	45.40	68.20	-22.80	3	Horizontal	36	1.44
6855MHz	Pass	PK	13.71114G	57.86	88.20	-30.34	3	Horizontal	36	1.44
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8734G	100.07	Inf	-Inf	3	Vertical	21	1.59
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1672G	49.74	68.20	-18.46	3	Vertical	21	1.59



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8734G	110.90	Inf	-Inf	3	Vertical	21	1.59
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1672G	62.49	88.20	-25.71	3	Vertical	21	1.59
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8773G	98.42	Inf	-Inf	3	Horizontal	209	2.11
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1711G	49.79	68.20	-18.41	3	Horizontal	209	2.11
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8734G	108.39	Inf	-Inf	3	Horizontal	209	2.11
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1698G	62.26	88.20	-25.94	3	Horizontal	209	2.11
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75417G	45.26	68.20	-22.94	3	Vertical	355	2.50
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75068G	56.36	88.20	-31.84	3	Vertical	355	2.50
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74616G	45.41	68.20	-22.79	3	Horizontal	32	1.54
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75262G	56.44	88.20	-31.76	3	Horizontal	32	1.54
6895MHz	Pass	AV	6.9006G	101.76	Inf	-Inf	3	Vertical	17	2.81
6895MHz	Pass	AV	7.1904G	49.87	68.20	-18.33	3	Vertical	17	2.81
6895MHz	Pass	PK	6.9034G	112.35	Inf	-Inf	3	Vertical	17	2.81
6895MHz	Pass	PK	7.1932G	62.58	88.20	-25.62	3	Vertical	17	2.81
6895MHz	Pass	AV	6.8992G	100.36	Inf	-Inf	3	Horizontal	99	2.84
6895MHz	Pass	AV	7.2044G	49.88	68.20	-18.32	3	Horizontal	99	2.84
6895MHz	Pass	PK	6.8978G	110.90	Inf	-Inf	3	Horizontal	99	2.84
6895MHz	Pass	PK	7.14G	62.28	88.20	-25.92	3	Horizontal	99	2.84
6895MHz	Pass	AV	13.79338G	45.21	68.20	-22.99	3	Vertical	255	1.79
6895MHz	Pass	PK	13.78989G	56.71	88.20	-31.49	3	Vertical	255	1.79
6895MHz	Pass	AV	13.79393G	45.22	68.20	-22.98	3	Horizontal	195	1.44
6895MHz	Pass	PK	13.7862G	57.01	88.20	-31.19	3	Horizontal	195	1.44
6995MHz	Pass	AV	6.988G	101.09	Inf	-Inf	3	Vertical	13	2.70
6995MHz	Pass	AV	7.155G	50.31	68.20	-17.89	3	Vertical	13	2.70
6995MHz	Pass	PK	6.994G	112.09	Inf	-Inf	3	Vertical	13	2.70
6995MHz	Pass	PK	7.191G	63.25	88.20	-24.95	3	Vertical	13	2.70
6995MHz	Pass	AV	7.002G	97.81	Inf	-Inf	3	Horizontal	105	2.87
6995MHz	Pass	AV	7.163G	50.09	68.20	-18.11	3	Horizontal	105	2.87
6995MHz	Pass	PK	7.003G	110.09	Inf	-Inf	3	Horizontal	105	2.87
6995MHz	Pass	PK	7.157G	62.60	88.20	-25.60	3	Horizontal	105	2.87
6995MHz	Pass	AV	13.99305G	45.59	68.20	-22.61	3	Vertical	122	1.37
6995MHz	Pass	PK	13.99253G	55.72	88.20	-32.48	3	Vertical	122	1.37
6995MHz	Pass	AV	13.99493G	45.62	68.20	-22.58	3	Horizontal	21	2.32
6995MHz	Pass	PK	13.98557G	55.52	88.20	-32.68	3	Horizontal	21	2.32
7095MHz	Pass	AV	7.1034G	100.70	Inf	-Inf	3	Vertical	8	2.66
7095MHz	Pass	AV	7.1838G	50.56	68.20	-17.64	3	Vertical	8	2.66
7095MHz	Pass	PK	7.1034G	112.65	Inf	-Inf	3	Vertical	8	2.66
7095MHz	Pass	PK	7.2084G	62.74	88.20	-25.46	3	Vertical	8	2.66
7095MHz	Pass	AV	7.089G	97.72	Inf	-Inf	3	Horizontal	104	1.50
7095MHz	Pass	AV	7.1256G	50.04	68.20	-18.16	3	Horizontal	104	1.50
7095MHz	Pass	PK	7.0884G	108.78	Inf	-Inf	3	Horizontal	104	1.50
7095MHz	Pass	PK	7.236G	63.01	88.20	-25.19	3	Horizontal	104	1.50
7095MHz	Pass	AV	14.18823G	45.81	68.20	-22.39	3	Vertical	139	1.50
7095MHz	Pass	PK	14.186G	56.37	88.20	-31.83	3	Vertical	139	1.50
7095MHz	Pass	AV	14.19104G	45.86	68.20	-22.34	3	Horizontal	86	1.57
7095MHz	Pass	PK	14.18667G	55.59	88.20	-32.61	3	Horizontal	86	1.57
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9227G	48.02	68.20	-20.18	3	Vertical	0	1.12
5965MHz	Pass	AV	5.9632G	98.29	Inf	-Inf	3	Vertical	0	1.12
5965MHz	Pass	PK	5.9203G	58.59	88.20	-29.61	3	Vertical	0	1.12
5965MHz	Pass	PK	5.9611G	107.14	Inf	-Inf	3	Vertical	0	1.12
5965MHz	Pass	AV	5.9221G	48.16	68.20	-20.04	3	Horizontal	33	2.37
5965MHz	Pass	AV	5.983G	100.94	Inf	-Inf	3	Horizontal	33	2.37
5965MHz	Pass	PK	5.8507G	58.48	88.20	-29.72	3	Horizontal	33	2.37
5965MHz	Pass	PK	5.9827G	108.78	Inf	-Inf	3	Horizontal	33	2.37
5965MHz	Pass	AV	11.93379G	42.37	54.00	-11.63	3	Vertical	181	2.12
5965MHz	Pass	PK	11.92717G	54.51	74.00	-19.49	3	Vertical	181	2.12
5965MHz	Pass	AV	11.93165G	42.36	54.00	-11.64	3	Horizontal	329	1.91
5965MHz	Pass	PK	11.92673G	54.21	74.00	-19.79	3	Horizontal	329	1.91
6165MHz	Pass	AV	5.898G	47.12	68.20	-21.08	3	Vertical	128	2.38
6165MHz	Pass	AV	6.1782G	100.23	Inf	-Inf	3	Vertical	128	2.38
6165MHz	Pass	PK	5.9046G	58.01	88.20	-30.19	3	Vertical	128	2.38



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6165MHz	Pass	PK	6.1758G	110.39	Inf	-Inf	3	Vertical	128	2.38
6165MHz	Pass	AV	5.9028G	47.17	68.20	-21.03	3	Horizontal	26	2.20
6165MHz	Pass	AV	6.1686G	100.85	Inf	-Inf	3	Horizontal	26	2.20
6165MHz	Pass	PK	5.8734G	58.03	88.20	-30.17	3	Horizontal	26	2.20
6165MHz	Pass	PK	6.1656G	109.90	Inf	-Inf	3	Horizontal	26	2.20
6165MHz	Pass	AV	12.33226G	43.31	54.00	-10.69	3	Vertical	327	2.96
6165MHz	Pass	PK	12.33421G	54.36	74.00	-19.64	3	Vertical	327	2.96
6165MHz	Pass	AV	12.33146G	43.36	54.00	-10.64	3	Horizontal	358	1.47
6165MHz	Pass	PK	12.32739G	53.32	74.00	-20.68	3	Horizontal	358	1.47
6405MHz	Pass	AV	5.907G	47.05	68.20	-21.15	3	Vertical	162	2.16
6405MHz	Pass	AV	6.3942G	99.88	Inf	-Inf	3	Vertical	162	2.16
6405MHz	Pass	PK	5.8626G	57.59	88.20	-30.61	3	Vertical	162	2.16
6405MHz	Pass	PK	6.393G	109.26	Inf	-Inf	3	Vertical	162	2.16
6405MHz	Pass	AV	5.8962G	47.21	68.20	-20.99	3	Horizontal	39	2.10
6405MHz	Pass	AV	6.4038G	102.59	Inf	-Inf	3	Horizontal	39	2.10
6405MHz	Pass	PK	5.8662G	57.44	88.20	-30.76	3	Horizontal	39	2.10
6405MHz	Pass	PK	6.4026G	111.78	Inf	-Inf	3	Horizontal	39	2.10
6405MHz	Pass	AV	12.81417G	44.09	68.20	-24.11	3	Vertical	145	1.23
6405MHz	Pass	PK	12.81474G	54.14	88.20	-34.06	3	Vertical	145	1.23
6405MHz	Pass	AV	12.80857G	44.12	68.20	-24.08	3	Horizontal	278	2.54
6405MHz	Pass	PK	12.80915G	54.22	88.20	-33.98	3	Horizontal	278	2.54
6445MHz	Pass	AV	5.8546G	46.98	68.20	-21.22	3	Vertical	316	2.74
6445MHz	Pass	AV	6.4342G	99.01	Inf	-Inf	3	Vertical	316	2.74
6445MHz	Pass	PK	5.9218G	56.09	88.20	-32.11	3	Vertical	316	2.74
6445MHz	Pass	PK	6.4342G	106.80	Inf	-Inf	3	Vertical	316	2.74
6445MHz	Pass	AV	5.9074G	47.17	68.20	-21.03	3	Horizontal	32	2.00
6445MHz	Pass	AV	6.4402G	99.64	Inf	-Inf	3	Horizontal	32	2.00
6445MHz	Pass	PK	5.8666G	58.04	88.20	-30.16	3	Horizontal	32	2.00
6445MHz	Pass	PK	6.439G	108.89	Inf	-Inf	3	Horizontal	32	2.00
6445MHz	Pass	AV	12.89381G	44.32	68.20	-23.88	3	Vertical	173	2.47
6445MHz	Pass	PK	12.88715G	56.07	88.20	-32.13	3	Vertical	173	2.47
6445MHz	Pass	AV	12.88547G	44.28	68.20	-23.92	3	Horizontal	78	2.00
6445MHz	Pass	PK	12.8851G	56.42	88.20	-31.78	3	Horizontal	78	2.00
6485MHz	Pass	AV	5.897G	47.08	68.20	-21.12	3	Vertical	182	1.50
6485MHz	Pass	AV	6.5004G	97.52	Inf	-Inf	3	Vertical	182	1.50
6485MHz	Pass	AV	7.1766G	49.71	68.20	-18.49	3	Vertical	182	1.50
6485MHz	Pass	PK	5.862G	57.54	88.20	-30.66	3	Vertical	182	1.50
6485MHz	Pass	PK	6.4892G	106.88	Inf	-Inf	3	Vertical	182	1.50
6485MHz	Pass	PK	7.1444G	59.74	88.20	-28.46	3	Vertical	182	1.50
6485MHz	Pass	AV	5.9012G	47.13	68.20	-21.07	3	Horizontal	31	1.50
6485MHz	Pass	AV	6.492G	99.96	Inf	-Inf	3	Horizontal	31	1.50
6485MHz	Pass	AV	7.1822G	49.66	68.20	-18.54	3	Horizontal	31	1.50
6485MHz	Pass	PK	5.8704G	57.93	88.20	-30.27	3	Horizontal	31	1.50
6485MHz	Pass	PK	6.492G	108.25	Inf	-Inf	3	Horizontal	31	1.50
6485MHz	Pass	PK	7.178G	59.70	88.20	-28.50	3	Horizontal	31	1.50
6485MHz	Pass	AV	12.97053G	44.32	68.20	-23.88	3	Vertical	59	2.86
6485MHz	Pass	PK	12.96683G	54.81	88.20	-33.39	3	Vertical	59	2.86
6485MHz	Pass	AV	12.96945G	44.33	68.20	-23.87	3	Horizontal	130	1.24
6485MHz	Pass	PK	12.96541G	54.42	88.20	-33.78	3	Horizontal	130	1.24
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.8978G	46.96	68.20	-21.24	3	Vertical	181	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5404G	98.81	Inf	-Inf	3	Vertical	181	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.1956G	49.52	68.20	-18.68	3	Vertical	181	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.8544G	57.27	88.20	-30.93	3	Vertical	181	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5376G	108.38	Inf	-Inf	3	Vertical	181	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1984G	60.71	88.20	-27.49	3	Vertical	181	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.867G	46.96	68.20	-21.24	3	Horizontal	337	2.19
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5306G	99.52	Inf	-Inf	3	Horizontal	337	2.19
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.1886G	49.61	68.20	-18.59	3	Horizontal	337	2.19
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.888G	57.58	88.20	-30.62	3	Horizontal	337	2.19
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5362G	109.69	Inf	-Inf	3	Horizontal	337	2.19
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1858G	60.14	88.20	-28.06	3	Horizontal	337	2.19
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.04612G	44.34	68.20	-23.86	3	Vertical	134	2.91



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04562G	54.04	88.20	-34.16	3	Vertical	134	2.91
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.0546G	44.36	68.20	-23.84	3	Horizontal	89	2.86
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.05177G	55.13	88.20	-33.07	3	Horizontal	89	2.86
6565MHz	Pass	AV	6.5662G	98.12	Inf	-Inf	3	Vertical	16	2.23
6565MHz	Pass	AV	7.1494G	49.63	68.20	-18.57	3	Vertical	16	2.23
6565MHz	Pass	PK	6.5506G	106.31	Inf	-Inf	3	Vertical	16	2.23
6565MHz	Pass	PK	7.1398G	60.09	88.20	-28.11	3	Vertical	16	2.23
6565MHz	Pass	AV	6.583G	100.34	Inf	-Inf	3	Horizontal	38	1.50
6565MHz	Pass	AV	7.147G	49.65	68.20	-18.55	3	Horizontal	38	1.50
6565MHz	Pass	PK	6.5818G	108.27	Inf	-Inf	3	Horizontal	38	1.50
6565MHz	Pass	PK	7.1386G	59.78	88.20	-28.42	3	Horizontal	38	1.50
6565MHz	Pass	AV	13.13411G	44.53	68.20	-23.67	3	Vertical	309	1.05
6565MHz	Pass	PK	13.1264G	55.20	88.20	-33.00	3	Vertical	309	1.05
6565MHz	Pass	AV	13.13066G	44.55	68.20	-23.65	3	Horizontal	58	1.05
6565MHz	Pass	PK	13.13439G	54.33	88.20	-33.87	3	Horizontal	58	1.05
6685MHz	Pass	AV	6.68G	99.64	Inf	-Inf	3	Vertical	124	1.97
6685MHz	Pass	AV	7.185G	49.55	68.20	-18.65	3	Vertical	124	1.97
6685MHz	Pass	PK	6.693G	109.16	Inf	-Inf	3	Vertical	124	1.97
6685MHz	Pass	PK	7.164G	61.39	88.20	-26.81	3	Vertical	124	1.97
6685MHz	Pass	AV	6.683G	98.71	Inf	-Inf	3	Horizontal	45	2.15
6685MHz	Pass	AV	7.184G	49.51	68.20	-18.69	3	Horizontal	45	2.15
6685MHz	Pass	PK	6.681G	107.15	Inf	-Inf	3	Horizontal	45	2.15
6685MHz	Pass	PK	7.132G	60.27	88.20	-27.93	3	Horizontal	45	2.15
6685MHz	Pass	AV	13.37362G	44.64	54.00	-9.36	3	Vertical	255	1.78
6685MHz	Pass	PK	13.36654G	55.05	74.00	-18.95	3	Vertical	255	1.78
6685MHz	Pass	AV	13.37128G	44.61	54.00	-9.39	3	Horizontal	87	1.12
6685MHz	Pass	PK	13.36597G	55.24	74.00	-18.76	3	Horizontal	87	1.12
6845MHz	Pass	AV	6.8492G	99.96	Inf	-Inf	3	Vertical	117	1.85
6845MHz	Pass	AV	7.1649G	49.80	68.20	-18.40	3	Vertical	117	1.85
6845MHz	Pass	PK	6.8499G	110.38	Inf	-Inf	3	Vertical	117	1.85
6845MHz	Pass	PK	7.1747G	60.45	88.20	-27.75	3	Vertical	117	1.85
6845MHz	Pass	AV	6.8282G	98.00	Inf	-Inf	3	Horizontal	352	1.67
6845MHz	Pass	AV	7.1929G	49.82	68.20	-18.38	3	Horizontal	352	1.67
6845MHz	Pass	PK	6.8275G	106.85	Inf	-Inf	3	Horizontal	352	1.67
6845MHz	Pass	PK	7.1502G	61.28	88.20	-26.92	3	Horizontal	352	1.67
6845MHz	Pass	AV	13.69307G	45.61	68.20	-22.59	3	Vertical	351	2.38
6845MHz	Pass	PK	13.68629G	55.73	88.20	-32.47	3	Vertical	351	2.38
6845MHz	Pass	AV	13.68538G	45.52	68.20	-22.68	3	Horizontal	39	2.76
6845MHz	Pass	PK	13.69273G	55.47	88.20	-32.73	3	Horizontal	39	2.76
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8892G	100.07	Inf	-Inf	3	Vertical	10	2.61
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.2301G	49.87	68.20	-18.33	3	Vertical	10	2.61
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8871G	108.83	Inf	-Inf	3	Vertical	10	2.61
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.2028G	60.81	88.20	-27.39	3	Vertical	10	2.61
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8689G	99.68	Inf	-Inf	3	Horizontal	92	3.00
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.2175G	49.85	68.20	-18.35	3	Horizontal	92	3.00
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8675G	109.06	Inf	-Inf	3	Horizontal	92	3.00
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1272G	61.20	88.20	-27.00	3	Horizontal	92	3.00
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76976G	45.34	68.20	-22.86	3	Vertical	25	1.05
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.77226G	57.09	88.20	-31.11	3	Vertical	25	1.05
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.77329G	45.27	68.20	-22.93	3	Horizontal	292	2.43
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76854G	57.09	88.20	-31.11	3	Horizontal	292	2.43
6925MHz	Pass	AV	6.9082G	100.47	Inf	-Inf	3	Vertical	15	2.61
6925MHz	Pass	AV	7.177G	49.85	68.20	-18.35	3	Vertical	15	2.61
6925MHz	Pass	PK	6.9322G	110.72	Inf	-Inf	3	Vertical	15	2.61
6925MHz	Pass	PK	7.129G	61.80	88.20	-26.40	3	Vertical	15	2.61
6925MHz	Pass	AV	6.9388G	98.03	Inf	-Inf	3	Horizontal	99	1.80
6925MHz	Pass	AV	7.1716G	49.90	68.20	-18.30	3	Horizontal	99	1.80
6925MHz	Pass	PK	6.943G	108.08	Inf	-Inf	3	Horizontal	99	1.80
6925MHz	Pass	PK	7.1692G	60.78	88.20	-27.42	3	Horizontal	99	1.80
6925MHz	Pass	AV	13.85115G	45.13	68.20	-23.07	3	Vertical	230	1.55
6925MHz	Pass	PK	13.84569G	56.73	88.20	-31.47	3	Vertical	230	1.55
6925MHz	Pass	AV	13.84503G	45.14	68.20	-23.06	3	Horizontal	129	2.47



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.84982G	55.46	88.20	-32.74	3	Horizontal	129	2.47
7005MHz	Pass	AV	6.9891G	100.04	Inf	-Inf	3	Vertical	13	2.67
7005MHz	Pass	AV	7.1541G	50.37	68.20	-17.83	3	Vertical	13	2.67
7005MHz	Pass	PK	6.9966G	110.30	Inf	-Inf	3	Vertical	13	2.67
7005MHz	Pass	PK	7.1493G	60.74	88.20	-27.46	3	Vertical	13	2.67
7005MHz	Pass	AV	6.9987G	97.58	Inf	-Inf	3	Horizontal	98	2.16
7005MHz	Pass	AV	7.1544G	49.87	68.20	-18.33	3	Horizontal	98	2.16
7005MHz	Pass	PK	6.9957G	107.74	Inf	-Inf	3	Horizontal	98	2.16
7005MHz	Pass	PK	7.1469G	60.79	88.20	-27.41	3	Horizontal	98	2.16
7005MHz	Pass	AV	14.00782G	45.72	68.20	-22.48	3	Vertical	228	2.09
7005MHz	Pass	PK	14.01211G	56.08	88.20	-32.12	3	Vertical	228	2.09
7005MHz	Pass	AV	14.00685G	45.74	68.20	-22.46	3	Horizontal	197	2.11
7005MHz	Pass	PK	14.01171G	55.71	88.20	-32.49	3	Horizontal	197	2.11
7085MHz	Pass	AV	7.0991G	100.10	Inf	-Inf	3	Vertical	0	1.50
7085MHz	Pass	AV	7.1282G	50.27	68.20	-17.93	3	Vertical	0	1.50
7085MHz	Pass	PK	7.0979G	110.05	Inf	-Inf	3	Vertical	0	1.50
7085MHz	Pass	PK	7.1861G	61.59	88.20	-26.61	3	Vertical	0	1.50
7085MHz	Pass	AV	7.0793G	99.55	Inf	-Inf	3	Horizontal	349	1.50
7085MHz	Pass	AV	7.2335G	50.29	68.20	-17.91	3	Horizontal	349	1.50
7085MHz	Pass	PK	7.0763G	108.89	Inf	-Inf	3	Horizontal	349	1.50
7085MHz	Pass	PK	7.2305G	61.24	88.20	-26.96	3	Horizontal	349	1.50
7085MHz	Pass	AV	14.16854G	45.77	68.20	-22.43	3	Vertical	108	1.45
7085MHz	Pass	PK	14.16663G	56.07	88.20	-32.13	3	Vertical	108	1.45
7085MHz	Pass	AV	14.16528G	45.78	68.20	-22.42	3	Horizontal	294	1.42
7085MHz	Pass	PK	14.17044G	55.81	88.20	-32.39	3	Horizontal	294	1.42
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9195G	50.02	68.20	-18.18	3	Vertical	357	1.34
5985MHz	Pass	AV	5.979G	100.56	Inf	-Inf	3	Vertical	357	1.34
5985MHz	Pass	PK	5.925G	64.61	88.20	-23.59	3	Vertical	357	1.34
5985MHz	Pass	PK	5.9625G	110.24	Inf	-Inf	3	Vertical	357	1.34
5985MHz	Pass	AV	5.9245G	50.64	68.20	-17.56	3	Horizontal	29	2.17
5985MHz	Pass	AV	6.011G	101.38	Inf	-Inf	3	Horizontal	29	2.17
5985MHz	Pass	PK	5.924G	60.55	88.20	-27.65	3	Horizontal	29	2.17
5985MHz	Pass	PK	6.0115G	110.62	Inf	-Inf	3	Horizontal	29	2.17
5985MHz	Pass	AV	11.97088G	42.53	54.00	-11.47	3	Vertical	301	1.74
5985MHz	Pass	PK	11.96591G	53.90	74.00	-20.10	3	Vertical	301	1.74
5985MHz	Pass	AV	11.97196G	42.40	54.00	-11.60	3	Horizontal	101	2.91
5985MHz	Pass	PK	11.97454G	54.47	74.00	-19.53	3	Horizontal	101	2.91
6145MHz	Pass	AV	5.9158G	47.32	68.20	-20.88	3	Vertical	360	1.00
6145MHz	Pass	AV	6.1228G	98.79	Inf	-Inf	3	Vertical	360	1.00
6145MHz	Pass	PK	5.8978G	59.35	88.20	-28.85	3	Vertical	360	1.00
6145MHz	Pass	PK	6.1222G	109.39	Inf	-Inf	3	Vertical	360	1.00
6145MHz	Pass	AV	5.9164G	47.52	68.20	-20.68	3	Horizontal	32	1.96
6145MHz	Pass	AV	6.1774G	100.10	Inf	-Inf	3	Horizontal	32	1.96
6145MHz	Pass	PK	5.92G	58.15	88.20	-30.05	3	Horizontal	32	1.96
6145MHz	Pass	PK	6.175G	109.83	Inf	-Inf	3	Horizontal	32	1.96
6145MHz	Pass	AV	12.29048G	43.41	54.00	-10.59	3	Vertical	284	1.70
6145MHz	Pass	PK	12.28713G	54.27	74.00	-19.73	3	Vertical	284	1.70
6145MHz	Pass	AV	12.29039G	43.37	54.00	-10.63	3	Horizontal	252	1.15
6145MHz	Pass	PK	12.29265G	53.94	74.00	-20.06	3	Horizontal	252	1.15
6385MHz	Pass	AV	5.9014G	47.10	68.20	-21.10	3	Vertical	149	1.43
6385MHz	Pass	AV	6.3982G	99.45	Inf	-Inf	3	Vertical	149	1.43
6385MHz	Pass	PK	5.9014G	58.69	88.20	-29.51	3	Vertical	149	1.43
6385MHz	Pass	PK	6.397G	108.80	Inf	-Inf	3	Vertical	149	1.43
6385MHz	Pass	AV	5.905G	47.21	68.20	-20.99	3	Horizontal	25	1.60
6385MHz	Pass	AV	6.391G	100.55	Inf	-Inf	3	Horizontal	25	1.60
6385MHz	Pass	PK	5.8798G	60.02	88.20	-28.18	3	Horizontal	25	1.60
6385MHz	Pass	PK	6.391G	107.35	Inf	-Inf	3	Horizontal	25	1.60
6385MHz	Pass	AV	12.77266G	43.89	68.20	-24.31	3	Vertical	21	2.30
6385MHz	Pass	PK	12.7712G	56.56	88.20	-31.64	3	Vertical	21	2.30
6385MHz	Pass	AV	12.7713G	43.97	68.20	-24.23	3	Horizontal	203	1.30
6385MHz	Pass	PK	12.77461G	54.78	88.20	-33.42	3	Horizontal	203	1.30



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6465MHz	Pass	AV	5.8994G	47.30	68.20	-20.90	3	Vertical	149	1.45
6465MHz	Pass	AV	6.4524G	100.95	Inf	-Inf	3	Vertical	149	1.45
6465MHz	Pass	AV	7.1468G	49.74	68.20	-18.46	3	Vertical	149	1.45
6465MHz	Pass	PK	5.8154G	57.95	88.20	-30.25	3	Vertical	149	1.45
6465MHz	Pass	PK	6.4524G	109.62	Inf	-Inf	3	Vertical	149	1.45
6465MHz	Pass	PK	7.1482G	59.94	88.20	-28.26	3	Vertical	149	1.45
6465MHz	Pass	AV	5.9092G	47.59	68.20	-20.61	3	Horizontal	33	1.50
6465MHz	Pass	AV	6.4678G	99.78	Inf	-Inf	3	Horizontal	33	1.50
6465MHz	Pass	AV	7.165G	49.74	68.20	-18.46	3	Horizontal	33	1.50
6465MHz	Pass	PK	5.9036G	57.96	88.20	-30.24	3	Horizontal	33	1.50
6465MHz	Pass	PK	6.4678G	108.66	Inf	-Inf	3	Horizontal	33	1.50
6465MHz	Pass	PK	7.1412G	61.42	88.20	-26.78	3	Horizontal	33	1.50
6465MHz	Pass	AV	12.92855G	44.34	68.20	-23.86	3	Vertical	313	2.34
6465MHz	Pass	PK	12.93133G	54.64	88.20	-33.56	3	Vertical	313	2.34
6465MHz	Pass	AV	12.93188G	44.26	68.20	-23.94	3	Horizontal	355	1.12
6465MHz	Pass	PK	12.93466G	54.39	88.20	-33.81	3	Horizontal	355	1.12
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.9024G	47.23	68.20	-20.97	3	Vertical	169	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.531G	100.33	Inf	-Inf	3	Vertical	169	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.1988G	49.85	68.20	-18.35	3	Vertical	169	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.859G	58.24	88.20	-29.96	3	Vertical	169	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5226G	108.55	Inf	-Inf	3	Vertical	169	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.168G	60.16	88.20	-28.04	3	Vertical	169	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.8954G	47.51	68.20	-20.69	3	Horizontal	30	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5786G	102.84	Inf	-Inf	3	Horizontal	30	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.2058G	49.98	68.20	-18.22	3	Horizontal	30	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.9234G	57.25	88.20	-30.95	3	Horizontal	30	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.58G	112.24	Inf	-Inf	3	Horizontal	30	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.1498G	60.10	88.20	-28.10	3	Horizontal	30	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.09466G	44.52	68.20	-23.68	3	Vertical	259	2.90
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.09223G	54.71	88.20	-33.49	3	Vertical	259	2.90
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.08914G	44.52	68.20	-23.68	3	Horizontal	32	2.69
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.0885G	55.55	88.20	-32.65	3	Horizontal	32	2.69
6625MHz	Pass	AV	6.5914G	99.97	Inf	-Inf	3	Vertical	164	2.95
6625MHz	Pass	AV	7.2094G	50.03	68.20	-18.17	3	Vertical	164	2.95
6625MHz	Pass	PK	6.6106G	108.61	Inf	-Inf	3	Vertical	164	2.95
6625MHz	Pass	PK	7.1998G	60.46	88.20	-27.74	3	Vertical	164	2.95
6625MHz	Pass	AV	6.619G	98.55	Inf	-Inf	3	Horizontal	40	1.50
6625MHz	Pass	AV	7.1494G	49.96	68.20	-18.24	3	Horizontal	40	1.50
6625MHz	Pass	PK	6.6202G	108.30	Inf	-Inf	3	Horizontal	40	1.50
6625MHz	Pass	PK	7.1338G	60.60	88.20	-27.60	3	Horizontal	40	1.50
6625MHz	Pass	AV	13.2476G	44.57	68.20	-23.63	3	Vertical	255	1.46
6625MHz	Pass	PK	13.25035G	55.75	74.00	-18.25	3	Vertical	255	1.46
6625MHz	Pass	AV	13.25032G	44.56	54.00	-9.44	3	Horizontal	19	2.60
6625MHz	Pass	PK	13.2477G	54.50	88.20	-33.70	3	Horizontal	19	2.60
6705MHz	Pass	AV	6.679G	103.91	Inf	-Inf	3	Vertical	12	2.60
6705MHz	Pass	AV	7.195G	49.99	68.20	-18.21	3	Vertical	12	2.60
6705MHz	Pass	PK	6.677G	110.05	Inf	-Inf	3	Vertical	12	2.60
6705MHz	Pass	PK	7.171G	60.47	88.20	-27.73	3	Vertical	12	2.60
6705MHz	Pass	AV	6.668G	100.29	Inf	-Inf	3	Horizontal	211	2.21
6705MHz	Pass	AV	7.171G	49.85	68.20	-18.35	3	Horizontal	211	2.21
6705MHz	Pass	PK	6.67G	109.58	Inf	-Inf	3	Horizontal	211	2.21
6705MHz	Pass	PK	7.128G	60.03	88.20	-28.17	3	Horizontal	211	2.21
6705MHz	Pass	AV	13.41153G	44.55	68.20	-23.65	3	Vertical	110	1.09
6705MHz	Pass	PK	13.40545G	55.76	88.20	-32.44	3	Vertical	110	1.09
6705MHz	Pass	AV	13.41379G	44.57	68.20	-23.63	3	Horizontal	152	2.57
6705MHz	Pass	PK	13.40629G	55.38	88.20	-32.82	3	Horizontal	152	2.57
6785MHz	Pass	AV	6.7507G	100.09	Inf	-Inf	3	Vertical	170	1.50
6785MHz	Pass	AV	7.1294G	49.83	68.20	-18.37	3	Vertical	170	1.50
6785MHz	Pass	PK	6.7668G	108.07	Inf	-Inf	3	Vertical	170	1.50
6785MHz	Pass	PK	7.1315G	61.07	88.20	-27.13	3	Vertical	170	1.50
6785MHz	Pass	AV	6.7472G	100.56	Inf	-Inf	3	Horizontal	96	1.58
6785MHz	Pass	AV	7.1329G	49.76	68.20	-18.44	3	Horizontal	96	1.58



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6785MHz	Pass	PK	6.7479G	108.38	Inf	-Inf	3	Horizontal	96	1.58
6785MHz	Pass	PK	7.1343G	59.94	88.20	-28.26	3	Horizontal	96	1.58
6785MHz	Pass	AV	13.57338G	45.37	68.20	-22.83	3	Vertical	198	2.73
6785MHz	Pass	PK	13.57434G	55.52	88.20	-32.68	3	Vertical	198	2.73
6785MHz	Pass	AV	13.56971G	45.36	68.20	-22.84	3	Horizontal	299	1.71
6785MHz	Pass	PK	13.56661G	55.84	88.20	-32.36	3	Horizontal	299	1.71
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8818G	100.04	Inf	-Inf	3	Vertical	0	2.76
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.2122G	50.22	68.20	-17.98	3	Vertical	0	2.76
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8818G	107.81	Inf	-Inf	3	Vertical	0	2.76
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1744G	60.52	88.20	-27.68	3	Vertical	0	2.76
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8713G	99.61	Inf	-Inf	3	Horizontal	97	2.64
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.2129G	50.17	68.20	-18.03	3	Horizontal	97	2.64
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.83G	109.93	Inf	-Inf	3	Horizontal	97	2.64
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1779G	61.37	88.20	-26.83	3	Horizontal	97	2.64
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.72966G	45.39	68.20	-22.81	3	Vertical	181	1.30
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73499G	55.45	88.20	-32.75	3	Vertical	181	1.30
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.72525G	45.34	68.20	-22.86	3	Horizontal	352	2.48
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.72755G	56.61	88.20	-31.59	3	Horizontal	352	2.48
6945MHz	Pass	AV	6.9216G	101.29	Inf	-Inf	3	Vertical	13	2.66
6945MHz	Pass	AV	7.1946G	50.42	68.20	-17.78	3	Vertical	13	2.66
6945MHz	Pass	PK	6.912G	110.67	Inf	-Inf	3	Vertical	13	2.66
6945MHz	Pass	PK	7.1514G	61.20	88.20	-27.00	3	Vertical	13	2.66
6945MHz	Pass	AV	6.9372G	98.22	Inf	-Inf	3	Horizontal	98	1.80
6945MHz	Pass	AV	7.1982G	50.53	68.20	-17.67	3	Horizontal	98	1.80
6945MHz	Pass	PK	6.936G	108.93	Inf	-Inf	3	Horizontal	98	1.80
6945MHz	Pass	PK	7.2312G	62.23	88.20	-25.97	3	Horizontal	98	1.80
6945MHz	Pass	AV	13.89452G	45.26	68.20	-22.94	3	Vertical	178	2.96
6945MHz	Pass	PK	13.89385G	56.09	88.20	-32.11	3	Vertical	178	2.96
6945MHz	Pass	AV	13.89378G	45.28	68.20	-22.92	3	Horizontal	7	1.92
6945MHz	Pass	PK	13.89441G	56.00	88.20	-32.20	3	Horizontal	7	1.92
7025MHz	Pass	AV	7.0433G	100.56	Inf	-Inf	3	Vertical	15	2.03
7025MHz	Pass	AV	7.1252G	56.47	68.20	-11.73	3	Vertical	15	2.03
7025MHz	Pass	PK	6.9899G	111.44	Inf	-Inf	3	Vertical	15	2.03
7025MHz	Pass	PK	7.1252G	68.77	88.20	-19.43	3	Vertical	15	2.03
7025MHz	Pass	AV	7.04G	98.59	Inf	-Inf	3	Horizontal	31	1.50
7025MHz	Pass	AV	7.1252G	52.45	68.20	-15.75	3	Horizontal	31	1.50
7025MHz	Pass	PK	7.0442G	109.19	Inf	-Inf	3	Horizontal	31	1.50
7025MHz	Pass	PK	7.1255G	63.20	88.20	-25.00	3	Horizontal	31	1.50
7025MHz	Pass	AV	14.04742G	45.86	68.20	-22.34	3	Vertical	217	2.90
7025MHz	Pass	PK	14.05036G	56.68	88.20	-31.52	3	Vertical	217	2.90
7025MHz	Pass	AV	14.05368G	45.82	68.20	-22.38	3	Horizontal	325	2.85
7025MHz	Pass	PK	14.04706G	56.00	88.20	-32.20	3	Horizontal	325	2.85
802.11ax HEW160-BF_Nss1.(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	7.0433G	100.56	Inf	-Inf	3	Vertical	15	2.03
6025MHz	Pass	AV	7.1252G	56.47	68.20	-11.73	3	Vertical	15	2.03
6025MHz	Pass	PK	6.9899G	111.44	Inf	-Inf	3	Vertical	15	2.03
6025MHz	Pass	PK	7.1252G	68.77	88.20	-19.43	3	Vertical	15	2.03
6025MHz	Pass	AV	7.04G	98.59	Inf	-Inf	3	Horizontal	31	1.50
6025MHz	Pass	AV	7.1252G	52.45	68.20	-15.75	3	Horizontal	31	1.50
6025MHz	Pass	PK	7.0442G	109.19	Inf	-Inf	3	Horizontal	31	1.50
6025MHz	Pass	PK	7.1255G	63.20	88.20	-25.00	3	Horizontal	31	1.50
6025MHz	Pass	AV	14.04742G	45.86	68.20	-22.34	3	Vertical	217	2.90
6025MHz	Pass	PK	14.05036G	56.68	88.20	-31.52	3	Vertical	217	2.90
6025MHz	Pass	AV	14.05368G	45.82	68.20	-22.38	3	Horizontal	325	2.85
6025MHz	Pass	PK	14.04706G	56.00	88.20	-32.20	3	Horizontal	325	2.85
6185MHz	Pass	AV	5.9218G	48.07	68.20	-20.13	3	Vertical	30	1.85
6185MHz	Pass	AV	6.2002G	98.27	Inf	-Inf	3	Vertical	30	1.85
6185MHz	Pass	PK	5.9226G	58.72	88.20	-29.48	3	Vertical	30	1.85
6185MHz	Pass	PK	6.2002G	108.60	Inf	-Inf	3	Vertical	30	1.85
6185MHz	Pass	AV	5.921G	48.55	68.20	-19.65	3	Horizontal	32	1.85
6185MHz	Pass	AV	6.1786G	99.73	Inf	-Inf	3	Horizontal	32	1.85
6185MHz	Pass	PK	5.9122G	58.94	88.20	-29.26	3	Horizontal	32	1.85



RSE TX above 1GHz_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	6.205G	109.47	Inf	-Inf	3	Horizontal	32	1.85
6185MHz	Pass	AV	12.36741G	43.23	54.00	-10.77	3	Vertical	233	2.13
6185MHz	Pass	PK	12.37092G	54.24	74.00	-19.76	3	Vertical	233	2.13
6185MHz	Pass	AV	12.36782G	43.16	54.00	-10.84	3	Horizontal	144	1.81
6185MHz	Pass	PK	12.37352G	54.12	74.00	-19.88	3	Horizontal	144	1.81
6345MHz	Pass	AV	5.9214G	47.60	68.20	-20.60	3	Vertical	164	1.32
6345MHz	Pass	AV	6.2886G	99.66	Inf	-Inf	3	Vertical	164	1.32
6345MHz	Pass	PK	5.823G	58.31	88.20	-29.89	3	Vertical	164	1.32
6345MHz	Pass	PK	6.2898G	109.57	Inf	-Inf	3	Vertical	164	1.32
6345MHz	Pass	AV	5.9238G	48.37	68.20	-19.83	3	Horizontal	29	2.24
6345MHz	Pass	AV	6.3162G	100.43	Inf	-Inf	3	Horizontal	29	2.24
6345MHz	Pass	PK	5.9238G	58.99	88.20	-29.21	3	Horizontal	29	2.24
6345MHz	Pass	PK	6.3126G	109.71	Inf	-Inf	3	Horizontal	29	2.24
6345MHz	Pass	AV	12.69302G	43.76	54.00	-10.24	3	Vertical	338	1.91
6345MHz	Pass	PK	12.69247G	53.44	74.00	-20.56	3	Vertical	338	1.91
6345MHz	Pass	AV	12.68509G	43.78	54.00	-10.22	3	Horizontal	179	2.19
6345MHz	Pass	PK	12.69399G	54.96	74.00	-19.04	3	Horizontal	179	2.19
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.90992G	47.38	68.20	-20.82	3	Vertical	140	2.26
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.44428G	99.41	Inf	-Inf	3	Vertical	140	2.26
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8843G	58.44	88.20	-29.76	3	Vertical	140	2.26
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.44916G	109.93	Inf	-Inf	3	Vertical	140	2.26
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9087G	47.48	68.20	-20.72	3	Horizontal	28	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.44306G	103.38	Inf	-Inf	3	Horizontal	28	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.92334G	57.98	88.20	-30.22	3	Horizontal	28	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.58092G	111.07	Inf	-Inf	3	Horizontal	28	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.0135G	44.34	68.20	-23.86	3	Vertical	292	2.01
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01203G	54.57	88.20	-33.63	3	Vertical	292	2.01
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.00693G	44.31	68.20	-23.89	3	Horizontal	199	1.27
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.00934G	56.01	88.20	-32.19	3	Horizontal	199	1.27
6665MHz	Pass	AV	6.61G	100.54	Inf	-Inf	3	Vertical	180	1.48
6665MHz	Pass	AV	7.1864G	50.01	68.20	-18.19	3	Vertical	180	1.48
6665MHz	Pass	PK	6.6045G	108.94	Inf	-Inf	3	Vertical	180	1.48
6665MHz	Pass	PK	7.1325G	61.03	88.20	-27.17	3	Vertical	180	1.48
6665MHz	Pass	AV	6.588G	100.53	Inf	-Inf	3	Horizontal	39	1.50
6665MHz	Pass	AV	7.1798G	50.03	68.20	-18.17	3	Horizontal	39	1.50
6665MHz	Pass	PK	6.588G	109.86	Inf	-Inf	3	Horizontal	39	1.50
6665MHz	Pass	PK	7.2117G	60.79	88.20	-27.41	3	Horizontal	39	1.50
6665MHz	Pass	AV	13.33411G	44.62	54.00	-9.38	3	Vertical	358	1.37
6665MHz	Pass	PK	13.33212G	54.81	74.00	-19.19	3	Vertical	358	1.37
6665MHz	Pass	AV	13.33045G	44.60	54.00	-9.40	3	Horizontal	224	1.91
6665MHz	Pass	PK	13.33306G	55.43	74.00	-18.57	3	Horizontal	224	1.91
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8138G	100.44	Inf	-Inf	3	Vertical	15	1.30
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1778G	50.39	68.20	-17.81	3	Vertical	15	1.30
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8098G	109.63	Inf	-Inf	3	Vertical	15	1.30
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.225G	60.73	88.20	-27.47	3	Vertical	15	1.30
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8266G	98.30	Inf	-Inf	3	Horizontal	93	2.92
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1546G	50.35	68.20	-17.85	3	Horizontal	93	2.92
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.7482G	108.66	Inf	-Inf	3	Horizontal	93	2.92
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.161G	61.36	88.20	-26.84	3	Horizontal	93	2.92
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.6526G	45.78	68.20	-22.42	3	Vertical	257	2.01
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64528G	56.45	88.20	-31.75	3	Vertical	257	2.01
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65205G	45.75	68.20	-22.45	3	Horizontal	246	2.05
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64787G	56.18	88.20	-32.02	3	Horizontal	246	2.05
6985MHz	Pass	AV	6.9205G	105.08	Inf	-Inf	3	Vertical	18	2.09
6985MHz	Pass	AV	7.125G	57.23	68.20	-10.97	3	Vertical	18	2.09
6985MHz	Pass	PK	6.998G	110.92	Inf	-Inf	3	Vertical	18	2.09
6985MHz	Pass	PK	7.1535G	69.85	88.20	-18.35	3	Vertical	18	2.09
6985MHz	Pass	AV	6.908G	97.98	Inf	-Inf	3	Horizontal	100	1.74
6985MHz	Pass	AV	7.126G	53.00	68.20	-15.20	3	Horizontal	100	1.74
6985MHz	Pass	PK	6.9225G	109.02	Inf	-Inf	3	Horizontal	100	1.74
6985MHz	Pass	PK	7.1335G	67.49	88.20	-20.71	3	Horizontal	100	1.74
6985MHz	Pass	AV	13.97493G	45.47	68.20	-22.73	3	Vertical	308	2.87




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.968G	55.74	88.20	-32.46	3	Vertical	308	2.87
6985MHz	Pass	AV	13.9716G	45.43	68.20	-22.77	3	Horizontal	162	1.43
6985MHz	Pass	PK	13.97396G	55.48	88.20	-32.72	3	Horizontal	162	1.43



5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9202G	47.37	68.20	-20.83	6.03	3	Vertical	0	1.76	41.34	34.30	6.26	34.53
AV	5.9586G	98.92	Inf	-Inf	6.04	3	Vertical	0	1.76	92.88	34.28	6.28	34.52
PK	5.8506G	60.20	88.20	-28.00	5.80	3	Vertical	0	1.76	54.40	34.10	6.23	34.53
PK	5.9604G	109.79	Inf	-Inf	6.04	3	Vertical	0	1.76	103.75	34.28	6.28	34.52


5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	47.49	68.20	-20.71	6.03	3	Horizontal	23	2.34	41.46	34.30	6.26	34.53
AV	5.9616G	99.58	Inf	-Inf	6.04	3	Horizontal	23	2.34	93.54	34.28	6.28	34.52
PK	5.9076G	60.35	88.20	-27.85	6.02	3	Horizontal	23	2.34	54.33	34.30	6.25	34.53
PK	5.9616G	109.96	Inf	-Inf	6.04	3	Horizontal	23	2.34	103.92	34.28	6.28	34.52

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90505G	42.31	54.00	-11.69	12.48	3	Vertical	278	2.20	29.83	38.51	8.67	34.70
PK	11.90809G	52.51	74.00	-21.49	12.49	3	Vertical	278	2.20	40.02	38.52	8.67	34.70


5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90729G	42.30	54.00	-11.70	12.48	3	Horizontal	359	1.12	29.82	38.51	8.67	34.70
PK	11.91225G	53.02	74.00	-20.98	12.49	3	Horizontal	359	1.12	40.53	38.52	8.67	34.70

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8786G	47.17	68.20	-21.03	5.92	3	Vertical	181	1.33	41.25	34.21	6.24	34.53
AV	6.1762G	96.85	Inf	-Inf	6.04	3	Vertical	181	1.33	90.81	34.20	6.34	34.50
PK	5.899G	59.72	88.20	-28.48	6.02	3	Vertical	181	1.33	53.70	34.30	6.25	34.53
PK	6.1762G	107.68	Inf	-Inf	6.04	3	Vertical	181	1.33	101.64	34.20	6.34	34.50


5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8762G	47.09	68.20	-21.11	5.91	3	Horizontal	33	1.97	41.18	34.20	6.24	34.53
AV	6.1786G	99.66	Inf	-Inf	6.05	3	Horizontal	33	1.97	93.61	34.21	6.34	34.50
PK	5.893G	59.46	88.20	-28.74	5.99	3	Horizontal	33	1.97	53.47	34.27	6.25	34.53
PK	6.1834G	110.84	Inf	-Inf	6.07	3	Horizontal	33	1.97	104.77	34.23	6.34	34.50

**5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6175MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35012G	43.21	54.00	-10.79	13.24	3	Vertical	149	2.77	29.97	38.90	8.82	34.48
PK	12.34977G	53.02	74.00	-20.98	13.22	3	Vertical	149	2.77	39.80	38.90	8.81	34.49


**5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6175MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34724G	43.18	54.00	-10.82	13.22	3	Horizontal	216	2.40	29.96	38.90	8.81	34.49
PK	12.35041G	54.14	74.00	-19.86	13.24	3	Horizontal	216	2.40	40.90	38.90	8.82	34.48

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.887G	47.14	68.20	-21.06	5.96	3	Vertical	156	1.81	41.18	34.25	6.24	34.53
AV	6.4222G	96.19	Inf	-Inf	6.90	3	Vertical	156	1.81	89.29	34.94	6.44	34.48
PK	5.8462G	59.65	88.20	-28.55	5.77	3	Vertical	156	1.81	53.88	34.08	6.22	34.53
PK	6.4246G	105.91	Inf	-Inf	6.91	3	Vertical	156	1.81	99.00	34.95	6.44	34.48


5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9014G	47.17	68.20	-21.03	6.02	3	Horizontal	33	2.00	41.15	34.30	6.25	34.53
AV	6.4078G	99.50	Inf	-Inf	6.87	3	Horizontal	33	2.00	92.63	34.92	6.43	34.48
PK	5.8414G	59.42	88.20	-28.78	5.76	3	Horizontal	33	2.00	53.66	34.07	6.22	34.53
PK	6.4078G	110.13	Inf	-Inf	6.87	3	Horizontal	33	2.00	103.26	34.92	6.43	34.48

**5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6415MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83256G	44.01	68.20	-24.19	14.73	3	Vertical	191	2.10	29.28	39.57	8.96	33.80
PK	12.83062G	53.64	88.20	-34.56	14.72	3	Vertical	191	2.10	38.92	39.56	8.96	33.80


**5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6415MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83075G	44.08	68.20	-24.12	14.72	3	Horizontal	226	2.68	29.36	39.56	8.96	33.80
PK	12.83195G	54.21	88.20	-33.99	14.72	3	Horizontal	226	2.68	39.49	39.56	8.96	33.80

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8926G	47.09	68.20	-21.11	5.99	3	Vertical	119	1.66	41.10	34.27	6.25	34.53
AV	6.4422G	100.06	Inf	-Inf	6.96	3	Vertical	119	1.66	93.10	34.98	6.46	34.48
PK	5.8566G	59.87	88.20	-28.33	5.83	3	Vertical	119	1.66	54.04	34.13	6.23	34.53
PK	6.4374G	109.45	Inf	-Inf	6.94	3	Vertical	119	1.66	102.51	34.97	6.45	34.48


6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9238G	47.13	68.20	-21.07	6.03	3	Horizontal	28	1.50	41.10	34.30	6.26	34.53
AV	6.4302G	100.59	Inf	-Inf	6.93	3	Horizontal	28	1.50	93.66	34.96	6.45	34.48
PK	5.907G	59.02	88.20	-29.18	6.02	3	Horizontal	28	1.50	53.00	34.30	6.25	34.53
PK	6.4398G	110.65	Inf	-Inf	6.95	3	Horizontal	28	1.50	103.70	34.98	6.45	34.48

**6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6435MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86566G	44.23	68.20	-23.97	14.86	3	Vertical	116	1.08	29.37	39.63	8.97	33.74
PK	12.86867G	54.19	88.20	-34.01	14.87	3	Vertical	116	1.08	39.32	39.64	8.97	33.74


**6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6435MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87362G	44.25	68.20	-23.95	14.89	3	Horizontal	321	2.19	29.36	39.65	8.97	33.73
PK	12.86553G	54.75	88.20	-33.45	14.86	3	Horizontal	321	2.19	39.89	39.63	8.97	33.74

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9094G	47.21	68.20	-20.99	6.02	3	Vertical	152	1.43	41.19	34.30	6.25	34.53
AV	6.4666G	96.81	Inf	-Inf	7.00	3	Vertical	152	1.43	89.81	35.00	6.47	34.47
AV	7.147G	49.62	68.20	-18.58	8.55	3	Vertical	152	1.43	41.07	36.58	6.73	34.76
PK	5.8338G	59.33	88.20	-28.87	5.73	3	Vertical	152	1.43	53.60	34.04	6.22	34.53
PK	6.4666G	107.34	Inf	-Inf	7.00	3	Vertical	152	1.43	100.34	35.00	6.47	34.47
PK	7.1694G	61.77	88.20	-26.43	8.62	3	Vertical	152	1.43	53.15	36.64	6.74	34.76


6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.901G	47.28	68.20	-20.92	6.02	3	Horizontal	34	1.50	41.26	34.30	6.25	34.53
AV	6.4666G	100.41	Inf	-Inf	7.00	3	Horizontal	34	1.50	93.41	35.00	6.47	34.47
AV	7.1414G	49.59	68.20	-18.61	8.52	3	Horizontal	34	1.50	41.07	36.55	6.73	34.76
PK	5.9066G	59.82	88.20	-28.38	6.02	3	Horizontal	34	1.50	53.80	34.30	6.25	34.53
PK	6.4694G	110.87	Inf	-Inf	7.00	3	Horizontal	34	1.50	103.87	35.00	6.47	34.47
PK	7.1414G	61.72	88.20	-26.48	8.52	3	Horizontal	34	1.50	53.20	36.55	6.73	34.76

**6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6475MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94689G	44.30	68.20	-23.90	15.09	3	Vertical	27	1.33	29.21	39.70	8.99	33.60
PK	12.94711G	54.73	88.20	-33.47	15.09	3	Vertical	27	1.33	39.64	39.70	8.99	33.60


**6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6475MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95239G	44.26	68.20	-23.94	15.11	3	Horizontal	90	1.82	29.15	39.70	9.00	33.59
PK	12.95342G	54.26	88.20	-33.94	15.11	3	Horizontal	90	1.82	39.15	39.70	9.00	33.59

6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8598G	47.09	68.20	-21.11	5.84	3	Vertical	151	2.23	41.25	34.14	6.23	34.53
AV	6.5206G	100.24	Inf	-Inf	7.18	3	Vertical	151	2.23	93.06	35.16	6.50	34.48
AV	7.187G	49.67	68.20	-18.53	8.66	3	Vertical	151	2.23	41.01	36.67	6.75	34.76
PK	5.8962G	59.09	88.20	-29.11	6.00	3	Vertical	151	2.23	53.09	34.28	6.25	34.53
PK	6.5206G	110.71	Inf	-Inf	7.18	3	Vertical	151	2.23	103.53	35.16	6.50	34.48
PK	7.1954G	61.51	88.20	-26.69	8.68	3	Vertical	151	2.23	52.83	36.69	6.75	34.76


6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8934G	47.10	68.20	-21.10	5.99	3	Horizontal	168	1.64	41.11	34.27	6.25	34.53
AV	6.5234G	100.38	Inf	-Inf	7.21	3	Horizontal	168	1.64	93.17	35.19	6.50	34.48
AV	7.2038G	49.73	68.20	-18.47	8.70	3	Horizontal	168	1.64	41.03	36.71	6.75	34.76
PK	5.8962G	60.14	88.20	-28.06	6.00	3	Horizontal	168	1.64	54.14	34.28	6.25	34.53
PK	6.5234G	109.29	Inf	-Inf	7.21	3	Horizontal	168	1.64	102.08	35.19	6.50	34.48
PK	7.1926G	61.35	88.20	-26.85	8.68	3	Horizontal	168	1.64	52.67	36.69	6.75	34.76

**6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6515MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0265G	44.36	68.20	-23.84	15.22	3	Vertical	145	1.26	29.14	39.67	9.02	33.47
PK	13.0286G	54.02	88.20	-34.18	15.23	3	Vertical	145	1.26	38.79	39.67	9.02	33.46

**6.425-6.525GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6515MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02548G	44.36	68.20	-23.84	15.22	3	Horizontal	83	2.33	29.14	39.67	9.02	33.47
PK	13.03206G	54.52	88.20	-33.68	15.23	3	Horizontal	83	2.33	39.29	39.67	9.02	33.46



6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8826G	47.21	68.20	-20.99	5.94	3	Vertical	148	2.39	41.27	34.23	6.24	34.53
AV	6.5322G	100.33	Inf	-Inf	7.28	3	Vertical	148	2.39	93.05	35.26	6.51	34.49
AV	7.2238G	49.78	68.20	-18.42	8.75	3	Vertical	148	2.39	41.03	36.75	6.77	34.77
PK	5.8546G	59.42	88.20	-28.78	5.82	3	Vertical	148	2.39	53.60	34.12	6.23	34.53
PK	6.535G	109.89	Inf	-Inf	7.30	3	Vertical	148	2.39	102.59	35.28	6.51	34.49
PK	7.1258G	62.40	88.20	-25.80	8.41	3	Vertical	148	2.39	53.99	36.45	6.72	34.76

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8966G	47.09	68.20	-21.11	6.01	3	Horizontal	36	1.57	41.08	34.29	6.25	34.53
AV	6.5266G	101.40	Inf	-Inf	7.24	3	Horizontal	36	1.57	94.16	35.21	6.51	34.48
AV	7.1846G	49.68	68.20	-18.52	8.65	3	Horizontal	36	1.57	41.03	36.67	6.74	34.76
PK	5.8742G	60.60	88.20	-27.60	5.91	3	Horizontal	36	1.57	54.69	34.20	6.24	34.53
PK	6.5266G	110.55	Inf	-Inf	7.24	3	Horizontal	36	1.57	103.31	35.21	6.51	34.48
PK	7.2182G	62.04	88.20	-26.16	8.73	3	Horizontal	36	1.57	53.31	36.74	6.76	34.77

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07054G	44.46	68.20	-23.74	15.27	3	Vertical	267	1.81	29.19	39.63	9.03	33.39
PK	13.07228G	54.93	88.20	-33.27	15.27	3	Vertical	267	1.81	39.66	39.63	9.03	33.39

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06647G	44.43	68.20	-23.77	15.26	3	Horizontal	51	2.56	29.17	39.63	9.03	33.40
PK	13.07461G	54.40	88.20	-33.80	15.27	3	Horizontal	51	2.56	39.13	39.63	9.03	33.39

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.689G	99.82	Inf	-Inf	7.97	3	Vertical	0	1.84	91.85	35.98	6.56	34.57
AV	7.193G	49.72	68.20	-18.48	8.68	3	Vertical	0	1.84	41.04	36.69	6.75	34.76
PK	6.689G	110.78	Inf	-Inf	7.97	3	Vertical	0	1.84	102.81	35.98	6.56	34.57
PK	7.173G	61.78	88.20	-26.42	8.63	3	Vertical	0	1.84	53.15	36.65	6.74	34.76


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.701G	101.05	Inf	-Inf	7.99	3	Horizontal	38	1.45	93.06	36.00	6.57	34.58
AV	7.191G	49.71	68.20	-18.49	8.67	3	Horizontal	38	1.45	41.04	36.68	6.75	34.76
PK	6.701G	111.03	Inf	-Inf	7.99	3	Horizontal	38	1.45	103.04	36.00	6.57	34.58
PK	7.143G	61.99	88.20	-26.21	8.53	3	Horizontal	38	1.45	53.46	36.56	6.73	34.76

**6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6695MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38547G	44.62	54.00	-9.38	16.22	3	Vertical	188	1.01	28.40	39.97	9.13	32.88
PK	13.39266G	55.21	74.00	-18.79	16.25	3	Vertical	188	1.01	38.96	39.99	9.13	32.87

**6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6695MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38865G	44.57	54.00	-9.43	16.24	3	Horizontal	154	2.35	28.33	39.98	9.13	32.87
PK	13.39215G	54.47	74.00	-19.53	16.24	3	Horizontal	154	2.35	38.23	39.98	9.13	32.87



6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8634G	102.17	Inf	-Inf	7.74	3	Vertical	10	1.51	94.43	35.80	6.61	34.67
AV	7.1854G	49.84	68.20	-18.36	8.65	3	Vertical	10	1.51	41.19	36.67	6.74	34.76
PK	6.862G	111.03	Inf	-Inf	7.74	3	Vertical	10	1.51	103.29	35.80	6.61	34.67
PK	7.198G	62.49	88.20	-25.71	8.69	3	Vertical	10	1.51	53.80	36.70	6.75	34.76


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8494G	96.69	Inf	-Inf	7.74	3	Horizontal	356	1.50	88.95	35.80	6.60	34.66
AV	7.1742G	49.84	68.20	-18.36	8.63	3	Horizontal	356	1.50	41.21	36.65	6.74	34.76
PK	6.8466G	106.83	Inf	-Inf	7.74	3	Horizontal	356	1.50	99.09	35.80	6.60	34.66
PK	7.1826G	62.49	88.20	-25.71	8.65	3	Horizontal	356	1.50	53.84	36.67	6.74	34.76

**6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6855MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71253G	45.36	68.20	-22.84	16.54	3	Vertical	203	2.19	28.82	40.09	9.22	32.77
PK	13.70648G	57.10	88.20	-31.10	16.54	3	Vertical	203	2.19	40.56	40.09	9.22	32.77

**6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6855MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71496G	45.40	68.20	-22.80	16.54	3	Horizontal	36	1.44	28.86	40.09	9.22	32.77
PK	13.71114G	57.86	88.20	-30.34	16.54	3	Horizontal	36	1.44	41.32	40.09	9.22	32.77



6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8734G	100.07	Inf	-Inf	7.75	3	Vertical	21	1.59	92.32	35.80	6.62	34.67
AV	7.1672G	49.74	68.20	-18.46	8.61	3	Vertical	21	1.59	41.13	36.63	6.74	34.76
PK	6.8734G	110.90	Inf	-Inf	7.75	3	Vertical	21	1.59	103.15	35.80	6.62	34.67
PK	7.1672G	62.49	88.20	-25.71	8.61	3	Vertical	21	1.59	53.88	36.63	6.74	34.76


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8773G	98.42	Inf	-Inf	7.75	3	Horizontal	209	2.11	90.67	35.80	6.62	34.67
AV	7.1711G	49.79	68.20	-18.41	8.62	3	Horizontal	209	2.11	41.17	36.64	6.74	34.76
PK	6.8734G	108.39	Inf	-Inf	7.75	3	Horizontal	209	2.11	100.64	35.80	6.62	34.67
PK	7.1698G	62.26	88.20	-25.94	8.62	3	Horizontal	209	2.11	53.64	36.64	6.74	34.76

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75417G	45.26	68.20	-22.94	16.50	3	Vertical	355	2.50	28.76	40.05	9.24	32.79
PK	13.75068G	56.36	88.20	-31.84	16.50	3	Vertical	355	2.50	39.86	40.05	9.24	32.79


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74616G	45.41	68.20	-22.79	16.50	3	Horizontal	32	1.54	28.91	40.05	9.23	32.78
PK	13.75262G	56.44	88.20	-31.76	16.50	3	Horizontal	32	1.54	39.94	40.05	9.24	32.79

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9006G	101.76	Inf	-Inf	7.74	3	Vertical	17	2.81	94.02	35.80	6.63	34.69
AV	7.1904G	49.87	68.20	-18.33	8.67	3	Vertical	17	2.81	41.20	36.68	6.75	34.76
PK	6.9034G	112.35	Inf	-Inf	7.73	3	Vertical	17	2.81	104.62	35.79	6.63	34.69
PK	7.1932G	62.58	88.20	-25.62	8.68	3	Vertical	17	2.81	53.90	36.69	6.75	34.76


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8992G	100.36	Inf	-Inf	7.74	3	Horizontal	99	2.84	92.62	35.80	6.63	34.69
AV	7.2044G	49.88	68.20	-18.32	8.70	3	Horizontal	99	2.84	41.18	36.71	6.75	34.76
PK	6.8978G	110.90	Inf	-Inf	7.75	3	Horizontal	99	2.84	103.15	35.80	6.63	34.68
PK	7.14G	62.28	88.20	-25.92	8.51	3	Horizontal	99	2.84	53.77	36.54	6.73	34.76

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79338G	45.21	68.20	-22.99	16.46	3	Vertical	255	1.79	28.75	40.01	9.25	32.80
PK	13.78989G	56.71	88.20	-31.49	16.46	3	Vertical	255	1.79	40.25	40.01	9.25	32.80


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79393G	45.22	68.20	-22.98	16.46	3	Horizontal	195	1.44	28.76	40.01	9.25	32.80
PK	13.7862G	57.01	88.20	-31.19	16.46	3	Horizontal	195	1.44	40.55	40.01	9.25	32.80

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.988G	101.09	Inf	-Inf	7.64	3	Vertical	13	2.70	93.45	35.70	6.67	34.73
AV	7.155G	50.31	68.20	-17.89	8.58	3	Vertical	13	2.70	41.73	36.61	6.73	34.76
PK	6.994G	112.09	Inf	-Inf	7.64	3	Vertical	13	2.70	104.45	35.70	6.68	34.74
PK	7.191G	63.25	88.20	-24.95	8.67	3	Vertical	13	2.70	54.58	36.68	6.75	34.76

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.002G	97.81	Inf	-Inf	7.65	3	Horizontal	105	2.87	90.16	35.71	6.68	34.74
AV	7.163G	50.09	68.20	-18.11	8.61	3	Horizontal	105	2.87	41.48	36.63	6.74	34.76
PK	7.003G	110.09	Inf	-Inf	7.66	3	Horizontal	105	2.87	102.43	35.72	6.68	34.74
PK	7.157G	62.60	88.20	-25.60	8.58	3	Horizontal	105	2.87	54.02	36.61	6.73	34.76

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99305G	45.59	68.20	-22.61	16.82	3	Vertical	122	1.37	28.77	40.39	9.31	32.88
PK	13.99253G	55.72	88.20	-32.48	16.82	3	Vertical	122	1.37	38.90	40.39	9.31	32.88

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99493G	45.62	68.20	-22.58	16.82	3	Horizontal	21	2.32	28.80	40.39	9.31	32.88
PK	13.98557G	55.52	88.20	-32.68	16.81	3	Horizontal	21	2.32	38.71	40.37	9.31	32.87

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1034G	100.70	Inf	-Inf	8.29	3	Vertical	8	2.66	92.41	36.32	6.72	34.75
AV	7.1838G	50.56	68.20	-17.64	8.65	3	Vertical	8	2.66	41.91	36.67	6.74	34.76
PK	7.1034G	112.65	Inf	-Inf	8.29	3	Vertical	8	2.66	104.36	36.32	6.72	34.75
PK	7.2084G	62.74	88.20	-25.46	8.71	3	Vertical	8	2.66	54.03	36.72	6.76	34.77


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.089G	97.72	Inf	-Inf	8.19	3	Horizontal	104	1.50	89.53	36.23	6.71	34.75
AV	7.1256G	50.04	68.20	-18.16	8.41	3	Horizontal	104	1.50	41.63	36.45	6.72	34.76
PK	7.0884G	108.78	Inf	-Inf	8.19	3	Horizontal	104	1.50	100.59	36.23	6.71	34.75
PK	7.236G	63.01	88.20	-25.19	8.77	3	Horizontal	104	1.50	54.24	36.77	6.77	34.77

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18823G	45.81	68.20	-22.39	16.76	3	Vertical	139	1.50	29.05	40.50	9.37	33.11
PK	14.186G	56.37	88.20	-31.83	16.76	3	Vertical	139	1.50	39.61	40.50	9.37	33.11

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX
7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19104G	45.86	68.20	-22.34	16.76	3	Horizontal	86	1.57	29.10	40.50	9.37	33.11
PK	14.18667G	55.59	88.20	-32.61	16.76	3	Horizontal	86	1.57	38.83	40.50	9.37	33.11



5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9227G	48.02	68.20	-20.18	6.03	3	Vertical	0	1.12	41.99	34.30	6.26	34.53
AV	5.9632G	98.29	Inf	-Inf	6.03	3	Vertical	0	1.12	92.26	34.27	6.28	34.52
PK	5.9203G	58.59	88.20	-29.61	6.03	3	Vertical	0	1.12	52.56	34.30	6.26	34.53
PK	5.9611G	107.14	Inf	-Inf	6.04	3	Vertical	0	1.12	101.10	34.28	6.28	34.52


5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9221G	48.16	68.20	-20.04	6.03	3	Horizontal	33	2.37	42.13	34.30	6.26	34.53
AV	5.983G	100.94	Inf	-Inf	6.00	3	Horizontal	33	2.37	94.94	34.23	6.29	34.52
PK	5.8507G	58.48	88.20	-29.72	5.80	3	Horizontal	33	2.37	52.68	34.10	6.23	34.53
PK	5.9827G	108.78	Inf	-Inf	6.00	3	Horizontal	33	2.37	102.78	34.23	6.29	34.52

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93379G	42.37	54.00	-11.63	12.54	3	Vertical	181	2.12	29.83	38.57	8.68	34.71
PK	11.92717G	54.51	74.00	-19.49	12.52	3	Vertical	181	2.12	41.99	38.55	8.68	34.71

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93165G	42.36	54.00	-11.64	12.53	3	Horizontal	329	1.91	29.83	38.56	8.68	34.71
PK	11.92673G	54.21	74.00	-19.79	12.52	3	Horizontal	329	1.91	41.69	38.55	8.68	34.71



5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.898G	47.12	68.20	-21.08	6.01	3	Vertical	128	2.38	41.11	34.29	6.25	34.53
AV	6.1782G	100.23	Inf	-Inf	6.05	3	Vertical	128	2.38	94.18	34.21	6.34	34.50
PK	5.9046G	58.01	88.20	-30.19	6.02	3	Vertical	128	2.38	51.99	34.30	6.25	34.53
PK	6.1758G	110.39	Inf	-Inf	6.04	3	Vertical	128	2.38	104.35	34.20	6.34	34.50


5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9028G	47.17	68.20	-21.03	6.02	3	Horizontal	26	2.20	41.15	34.30	6.25	34.53
AV	6.1686G	100.85	Inf	-Inf	6.00	3	Horizontal	26	2.20	94.85	34.17	6.33	34.50
PK	5.8734G	58.03	88.20	-30.17	5.90	3	Horizontal	26	2.20	52.13	34.19	6.24	34.53
PK	6.1656G	109.90	Inf	-Inf	5.99	3	Horizontal	26	2.20	103.91	34.16	6.33	34.50

**5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6165MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33226G	43.31	54.00	-10.69	13.21	3	Vertical	327	2.96	30.10	38.90	8.81	34.50
PK	12.33421G	54.36	74.00	-19.64	13.21	3	Vertical	327	2.96	41.15	38.90	8.81	34.50


**5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6165MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33146G	43.36	54.00	-10.64	13.21	3	Horizontal	358	1.47	30.15	38.90	8.81	34.50
PK	12.32739G	53.32	74.00	-20.68	13.21	3	Horizontal	358	1.47	40.11	38.90	8.81	34.50

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.907G	47.05	68.20	-21.15	6.02	3	Vertical	162	2.16	41.03	34.30	6.25	34.53
AV	6.3942G	99.88	Inf	-Inf	6.84	3	Vertical	162	2.16	93.04	34.89	6.43	34.48
PK	5.8626G	57.59	88.20	-30.61	5.85	3	Vertical	162	2.16	51.74	34.15	6.23	34.53
PK	6.393G	109.26	Inf	-Inf	6.84	3	Vertical	162	2.16	102.42	34.89	6.43	34.48


5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8962G	47.21	68.20	-20.99	6.00	3	Horizontal	39	2.10	41.21	34.28	6.25	34.53
AV	6.4038G	102.59	Inf	-Inf	6.86	3	Horizontal	39	2.10	95.73	34.91	6.43	34.48
PK	5.8662G	57.44	88.20	-30.76	5.86	3	Horizontal	39	2.10	51.58	34.16	6.23	34.53
PK	6.4026G	111.78	Inf	-Inf	6.86	3	Horizontal	39	2.10	104.92	34.91	6.43	34.48

**5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6405MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81417G	44.09	68.20	-24.11	14.65	3	Vertical	145	1.23	29.44	39.53	8.95	33.83
PK	12.81474G	54.14	88.20	-34.06	14.65	3	Vertical	145	1.23	39.49	39.53	8.95	33.83


**5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6405MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80857G	44.12	68.20	-24.08	14.63	3	Horizontal	278	2.54	29.49	39.52	8.95	33.84
PK	12.80915G	54.22	88.20	-33.98	14.63	3	Horizontal	278	2.54	39.59	39.52	8.95	33.84

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8546G	46.98	68.20	-21.22	5.82	3	Vertical	316	2.74	41.16	34.12	6.23	34.53
AV	6.4342G	99.01	Inf	-Inf	6.94	3	Vertical	316	2.74	92.07	34.97	6.45	34.48
PK	5.9218G	56.09	88.20	-32.11	6.03	3	Vertical	316	2.74	50.06	34.30	6.26	34.53
PK	6.4342G	106.80	Inf	-Inf	6.94	3	Vertical	316	2.74	99.86	34.97	6.45	34.48

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9074G	47.17	68.20	-21.03	6.02	3	Horizontal	32	2.00	41.15	34.30	6.25	34.53
AV	6.4402G	99.64	Inf	-Inf	6.95	3	Horizontal	32	2.00	92.69	34.98	6.45	34.48
PK	5.8666G	58.04	88.20	-30.16	5.87	3	Horizontal	32	2.00	52.17	34.17	6.23	34.53
PK	6.439G	108.89	Inf	-Inf	6.95	3	Horizontal	32	2.00	101.94	34.98	6.45	34.48

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89381G	44.32	68.20	-23.88	14.98	3	Vertical	173	2.47	29.34	39.69	8.98	33.69
PK	12.88715G	56.07	88.20	-32.13	14.94	3	Vertical	173	2.47	41.13	39.67	8.98	33.71

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88547G	44.28	68.20	-23.92	14.94	3	Horizontal	78	2.00	29.34	39.67	8.98	33.71
PK	12.8851G	56.42	88.20	-31.78	14.94	3	Horizontal	78	2.00	41.48	39.67	8.98	33.71

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.897G	47.08	68.20	-21.12	6.01	3	Vertical	182	1.50	41.07	34.29	6.25	34.53
AV	6.5004G	97.52	Inf	-Inf	7.02	3	Vertical	182	1.50	90.50	35.00	6.49	34.47
AV	7.1766G	49.71	68.20	-18.49	8.63	3	Vertical	182	1.50	41.08	36.65	6.74	34.76
PK	5.862G	57.54	88.20	-30.66	5.85	3	Vertical	182	1.50	51.69	34.15	6.23	34.53
PK	6.4892G	106.88	Inf	-Inf	7.01	3	Vertical	182	1.50	99.87	35.00	6.48	34.47
PK	7.1444G	59.74	88.20	-28.46	8.54	3	Vertical	182	1.50	51.20	36.57	6.73	34.76

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9012G	47.13	68.20	-21.07	6.02	3	Horizontal	31	1.50	41.11	34.30	6.25	34.53
AV	6.492G	99.96	Inf	-Inf	7.02	3	Horizontal	31	1.50	92.94	35.00	6.49	34.47
AV	7.1822G	49.66	68.20	-18.54	8.64	3	Horizontal	31	1.50	41.02	36.66	6.74	34.76
PK	5.8704G	57.93	88.20	-30.27	5.89	3	Horizontal	31	1.50	52.04	34.18	6.24	34.53
PK	6.492G	108.25	Inf	-Inf	7.02	3	Horizontal	31	1.50	101.23	35.00	6.49	34.47
PK	7.178G	59.70	88.20	-28.50	8.64	3	Horizontal	31	1.50	51.06	36.66	6.74	34.76

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.97053G	44.32	68.20	-23.88	15.14	3	Vertical	59	2.86	29.18	39.70	9.00	33.56
PK	12.96683G	54.81	88.20	-33.39	15.13	3	Vertical	59	2.86	39.68	39.70	9.00	33.57

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96945G	44.33	68.20	-23.87	15.14	3	Horizontal	130	1.24	29.19	39.70	9.00	33.56
PK	12.96541G	54.42	88.20	-33.78	15.13	3	Horizontal	130	1.24	39.29	39.70	9.00	33.57

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8978G	46.96	68.20	-21.24	6.01	3	Vertical	181	1.50	40.95	34.29	6.25	34.53
AV	6.5404G	98.81	Inf	-Inf	7.34	3	Vertical	181	1.50	91.47	35.32	6.51	34.49
AV	7.1956G	49.52	68.20	-18.68	8.68	3	Vertical	181	1.50	40.84	36.69	6.75	34.76
PK	5.8544G	57.27	88.20	-30.93	5.82	3	Vertical	181	1.50	51.45	34.12	6.23	34.53
PK	6.5376G	108.38	Inf	-Inf	7.32	3	Vertical	181	1.50	101.06	35.30	6.51	34.49
PK	7.1984G	60.71	88.20	-27.49	8.69	3	Vertical	181	1.50	52.02	36.70	6.75	34.76

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.867G	46.96	68.20	-21.24	5.87	3	Horizontal	337	2.19	41.09	34.17	6.23	34.53
AV	6.5306G	99.52	Inf	-Inf	7.26	3	Horizontal	337	2.19	92.26	35.24	6.51	34.49
AV	7.1886G	49.61	68.20	-18.59	8.67	3	Horizontal	337	2.19	40.94	36.68	6.75	34.76
PK	5.888G	57.58	88.20	-30.62	5.96	3	Horizontal	337	2.19	51.62	34.25	6.24	34.53
PK	6.5362G	109.69	Inf	-Inf	7.31	3	Horizontal	337	2.19	102.38	35.29	6.51	34.49
PK	7.1858G	60.14	88.20	-28.06	8.66	3	Horizontal	337	2.19	51.48	36.67	6.75	34.76

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04612G	44.34	68.20	-23.86	15.24	3	Vertical	134	2.91	29.10	39.65	9.02	33.43
PK	13.04562G	54.04	88.20	-34.16	15.23	3	Vertical	134	2.91	38.81	39.65	9.02	33.44

6.425-6.525GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0546G	44.36	68.20	-23.84	15.26	3	Horizontal	89	2.86	29.10	39.65	9.03	33.42
PK	13.05177G	55.13	88.20	-33.07	15.25	3	Horizontal	89	2.86	39.88	39.65	9.03	33.43



6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5662G	98.12	Inf	-Inf	7.48	3	Vertical	16	2.23	90.64	35.46	6.53	34.51
AV	7.1494G	49.63	68.20	-18.57	8.57	3	Vertical	16	2.23	41.06	36.60	6.73	34.76
PK	6.5506G	106.31	Inf	-Inf	7.42	3	Vertical	16	2.23	98.89	35.40	6.52	34.50
PK	7.1398G	60.09	88.20	-28.11	8.51	3	Vertical	16	2.23	51.58	36.54	6.73	34.76

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.583G	100.34	Inf	-Inf	7.56	3	Horizontal	38	1.50	92.78	35.53	6.54	34.51
AV	7.147G	49.65	68.20	-18.55	8.55	3	Horizontal	38	1.50	41.10	36.58	6.73	34.76
PK	6.5818G	108.27	Inf	-Inf	7.56	3	Horizontal	38	1.50	100.71	35.53	6.54	34.51
PK	7.1386G	59.78	88.20	-28.42	8.50	3	Horizontal	38	1.50	51.28	36.53	6.73	34.76

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13411G	44.53	68.20	-23.67	15.36	3	Vertical	309	1.05	29.17	39.60	9.05	33.29
PK	13.1264G	55.20	88.20	-33.00	15.35	3	Vertical	309	1.05	39.85	39.60	9.05	33.30

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13066G	44.55	68.20	-23.65	15.35	3	Horizontal	58	1.05	29.20	39.60	9.05	33.30
PK	13.13439G	54.33	88.20	-33.87	15.36	3	Horizontal	58	1.05	38.97	39.60	9.05	33.29

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.68G	99.64	Inf	-Inf	7.95	3	Vertical	124	1.97	91.69	35.96	6.56	34.57
AV	7.185G	49.55	68.20	-18.65	8.65	3	Vertical	124	1.97	40.90	36.67	6.74	34.76
PK	6.693G	109.16	Inf	-Inf	7.98	3	Vertical	124	1.97	101.18	35.99	6.56	34.57
PK	7.164G	61.39	88.20	-26.81	8.61	3	Vertical	124	1.97	52.78	36.63	6.74	34.76


6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.683G	98.71	Inf	-Inf	7.96	3	Horizontal	45	2.15	90.75	35.97	6.56	34.57
AV	7.184G	49.51	68.20	-18.69	8.65	3	Horizontal	45	2.15	40.86	36.67	6.74	34.76
PK	6.681G	107.15	Inf	-Inf	7.95	3	Horizontal	45	2.15	99.20	35.96	6.56	34.57
PK	7.132G	60.27	88.20	-27.93	8.46	3	Horizontal	45	2.15	51.81	36.49	6.73	34.76

**6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6685MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37362G	44.64	54.00	-9.36	16.17	3	Vertical	255	1.78	28.47	39.95	9.12	32.90
PK	13.36654G	55.05	74.00	-18.95	16.14	3	Vertical	255	1.78	38.91	39.93	9.12	32.91

**6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6685MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37128G	44.61	54.00	-9.39	16.16	3	Horizontal	87	1.12	28.45	39.94	9.12	32.90
PK	13.36597G	55.24	74.00	-18.76	16.14	3	Horizontal	87	1.12	39.10	39.93	9.12	32.91



6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8492G	99.96	Inf	-Inf	7.74	3	Vertical	117	1.85	92.22	35.80	6.60	34.66
AV	7.1649G	49.80	68.20	-18.40	8.61	3	Vertical	117	1.85	41.19	36.63	6.74	34.76
PK	6.8499G	110.38	Inf	-Inf	7.74	3	Vertical	117	1.85	102.64	35.80	6.60	34.66
PK	7.1747G	60.45	88.20	-27.75	8.63	3	Vertical	117	1.85	51.82	36.65	6.74	34.76


6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8282G	98.00	Inf	-Inf	7.74	3	Horizontal	352	1.67	90.26	35.80	6.59	34.65
AV	7.1929G	49.82	68.20	-18.38	8.68	3	Horizontal	352	1.67	41.14	36.69	6.75	34.76
PK	6.8275G	106.85	Inf	-Inf	7.74	3	Horizontal	352	1.67	99.11	35.80	6.59	34.65
PK	7.1502G	61.28	88.20	-26.92	8.57	3	Horizontal	352	1.67	52.71	36.60	6.73	34.76

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.69307G	45.61	68.20	-22.59	16.57	3	Vertical	351	2.38	29.04	40.11	9.22	32.76
PK	13.68629G	55.73	88.20	-32.47	16.57	3	Vertical	351	2.38	39.16	40.11	9.22	32.76


6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68538G	45.52	68.20	-22.68	16.57	3	Horizontal	39	2.76	28.95	40.11	9.22	32.76
PK	13.69273G	55.47	88.20	-32.73	16.57	3	Horizontal	39	2.76	38.90	40.11	9.22	32.76

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8892G	100.07	Inf	-Inf	7.74	3	Vertical	10	2.61	92.33	35.80	6.62	34.68
AV	7.2301G	49.87	68.20	-18.33	8.76	3	Vertical	10	2.61	41.11	36.76	6.77	34.77
PK	6.8871G	108.83	Inf	-Inf	7.74	3	Vertical	10	2.61	101.09	35.80	6.62	34.68
PK	7.2028G	60.81	88.20	-27.39	8.70	3	Vertical	10	2.61	52.11	36.71	6.75	34.76

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8689G	99.68	Inf	-Inf	7.74	3	Horizontal	92	3.00	91.94	35.80	6.61	34.67
AV	7.2175G	49.85	68.20	-18.35	8.72	3	Horizontal	92	3.00	41.13	36.73	6.76	34.77
PK	6.8675G	109.06	Inf	-Inf	7.74	3	Horizontal	92	3.00	101.32	35.80	6.61	34.67
PK	7.1272G	61.20	88.20	-27.00	8.42	3	Horizontal	92	3.00	52.78	36.46	6.72	34.76

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76976G	45.34	68.20	-22.86	16.48	3	Vertical	25	1.05	28.86	40.03	9.24	32.79
PK	13.77226G	57.09	88.20	-31.11	16.48	3	Vertical	25	1.05	40.61	40.03	9.24	32.79

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.77329G	45.27	68.20	-22.93	16.48	3	Horizontal	292	2.43	28.79	40.03	9.24	32.79
PK	13.76854G	57.09	88.20	-31.11	16.48	3	Horizontal	292	2.43	40.61	40.03	9.24	32.79

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9082G	100.47	Inf	-Inf	7.72	3	Vertical	15	2.61	92.75	35.78	6.63	34.69
AV	7.177G	49.85	68.20	-18.35	8.63	3	Vertical	15	2.61	41.22	36.65	6.74	34.76
PK	6.9322G	110.72	Inf	-Inf	7.69	3	Vertical	15	2.61	103.03	35.74	6.65	34.70
PK	7.129G	61.80	88.20	-26.40	8.44	3	Vertical	15	2.61	53.36	36.47	6.73	34.76


6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9388G	98.03	Inf	-Inf	7.66	3	Horizontal	99	1.80	90.37	35.72	6.65	34.71
AV	7.1716G	49.90	68.20	-18.30	8.62	3	Horizontal	99	1.80	41.28	36.64	6.74	34.76
PK	6.943G	108.08	Inf	-Inf	7.65	3	Horizontal	99	1.80	100.43	35.71	6.65	34.71
PK	7.1692G	60.78	88.20	-27.42	8.62	3	Horizontal	99	1.80	52.16	36.64	6.74	34.76

**6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6925MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85115G	45.13	68.20	-23.07	16.55	3	Vertical	230	1.55	28.58	40.10	9.27	32.82
PK	13.84569G	56.73	88.20	-31.47	16.53	3	Vertical	230	1.55	40.20	40.09	9.26	32.82


**6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6925MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84503G	45.14	68.20	-23.06	16.53	3	Horizontal	129	2.47	28.61	40.09	9.26	32.82
PK	13.84982G	55.46	88.20	-32.74	16.54	3	Horizontal	129	2.47	38.92	40.10	9.26	32.82

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9891G	100.04	Inf	-Inf	7.64	3	Vertical	13	2.67	92.40	35.70	6.67	34.73
AV	7.1541G	50.37	68.20	-17.83	8.58	3	Vertical	13	2.67	41.79	36.61	6.73	34.76
PK	6.9966G	110.30	Inf	-Inf	7.64	3	Vertical	13	2.67	102.66	35.70	6.68	34.74
PK	7.1493G	60.74	88.20	-27.46	8.57	3	Vertical	13	2.67	52.17	36.60	6.73	34.76

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9987G	97.58	Inf	-Inf	7.64	3	Horizontal	98	2.16	89.94	35.70	6.68	34.74
AV	7.1544G	49.87	68.20	-18.33	8.58	3	Horizontal	98	2.16	41.29	36.61	6.73	34.76
PK	6.9957G	107.74	Inf	-Inf	7.64	3	Horizontal	98	2.16	100.10	35.70	6.68	34.74
PK	7.1469G	60.79	88.20	-27.41	8.55	3	Horizontal	98	2.16	52.24	36.58	6.73	34.76

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00782G	45.72	68.20	-22.48	16.83	3	Vertical	228	2.09	28.89	40.41	9.31	32.89
PK	14.01211G	56.08	88.20	-32.12	16.83	3	Vertical	228	2.09	39.25	40.41	9.31	32.89

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00685G	45.74	68.20	-22.46	16.83	3	Horizontal	197	2.11	28.91	40.41	9.31	32.89
PK	14.01171G	55.71	88.20	-32.49	16.83	3	Horizontal	197	2.11	38.88	40.41	9.31	32.89



6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0991G	100.10	Inf	-Inf	8.25	3	Vertical	0	1.50	91.85	36.29	6.71	34.75
AV	7.1282G	50.27	68.20	-17.93	8.43	3	Vertical	0	1.50	41.84	36.47	6.72	34.76
PK	7.0979G	110.05	Inf	-Inf	8.25	3	Vertical	0	1.50	101.80	36.29	6.71	34.75
PK	7.1861G	61.59	88.20	-26.61	8.66	3	Vertical	0	1.50	52.93	36.67	6.75	34.76

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0793G	99.55	Inf	-Inf	8.14	3	Horizontal	349	1.50	91.41	36.18	6.71	34.75
AV	7.2335G	50.29	68.20	-17.91	8.77	3	Horizontal	349	1.50	41.52	36.77	6.77	34.77
PK	7.0763G	108.89	Inf	-Inf	8.12	3	Horizontal	349	1.50	100.77	36.16	6.71	34.75
PK	7.2305G	61.24	88.20	-26.96	8.76	3	Horizontal	349	1.50	52.48	36.76	6.77	34.77

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16854G	45.77	68.20	-22.43	16.77	3	Vertical	108	1.45	29.00	40.50	9.36	33.09
PK	14.16663G	56.07	88.20	-32.13	16.78	3	Vertical	108	1.45	39.29	40.50	9.36	33.08

6.875-7.125GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16528G	45.78	68.20	-22.42	16.78	3	Horizontal	294	1.42	29.00	40.50	9.36	33.08
PK	14.17044G	55.81	88.20	-32.39	16.77	3	Horizontal	294	1.42	39.04	40.50	9.36	33.09



5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9195G	50.02	68.20	-18.18	6.03	3	Vertical	357	1.34	43.99	34.30	6.26	34.53
AV	5.979G	100.56	Inf	-Inf	6.01	3	Vertical	357	1.34	94.55	34.24	6.29	34.52
PK	5.925G	64.61	88.20	-23.59	6.03	3	Vertical	357	1.34	58.58	34.30	6.26	34.53
PK	5.9625G	110.24	Inf	-Inf	6.03	3	Vertical	357	1.34	104.21	34.27	6.28	34.52

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	50.64	68.20	-17.56	6.03	3	Horizontal	29	2.17	44.61	34.30	6.26	34.53
AV	6.011G	101.38	Inf	-Inf	5.94	3	Horizontal	29	2.17	95.44	34.16	6.30	34.52
PK	5.924G	60.55	88.20	-27.65	6.03	3	Horizontal	29	2.17	54.52	34.30	6.26	34.53
PK	6.0115G	110.62	Inf	-Inf	5.93	3	Horizontal	29	2.17	104.69	34.15	6.30	34.52

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97088G	42.53	54.00	-11.47	12.62	3	Vertical	301	1.74	29.91	38.64	8.70	34.72
PK	11.96591G	53.90	74.00	-20.10	12.61	3	Vertical	301	1.74	41.29	38.63	8.70	34.72

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97196G	42.40	54.00	-11.60	12.62	3	Horizontal	101	2.91	29.78	38.64	8.70	34.72
PK	11.97454G	54.47	74.00	-19.53	12.63	3	Horizontal	101	2.91	41.84	38.65	8.70	34.72

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9158G	47.32	68.20	-20.88	6.03	3	Vertical	360	1.00	41.29	34.30	6.26	34.53
AV	6.1228G	98.79	Inf	-Inf	5.80	3	Vertical	360	1.00	92.99	33.99	6.32	34.51
PK	5.8978G	59.35	88.20	-28.85	6.01	3	Vertical	360	1.00	53.34	34.29	6.25	34.53
PK	6.1222G	109.39	Inf	-Inf	5.80	3	Vertical	360	1.00	103.59	33.99	6.32	34.51


5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9164G	47.52	68.20	-20.68	6.03	3	Horizontal	32	1.96	41.49	34.30	6.26	34.53
AV	6.1774G	100.10	Inf	-Inf	6.05	3	Horizontal	32	1.96	94.05	34.21	6.34	34.50
PK	5.92G	58.15	88.20	-30.05	6.03	3	Horizontal	32	1.96	52.12	34.30	6.26	34.53
PK	6.175G	109.83	Inf	-Inf	6.03	3	Horizontal	32	1.96	103.80	34.20	6.33	34.50

**5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6145MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29048G	43.41	54.00	-10.59	13.19	3	Vertical	284	1.70	30.22	38.92	8.80	34.53
PK	12.28713G	54.27	74.00	-19.73	13.20	3	Vertical	284	1.70	41.07	38.93	8.80	34.53


**5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6145MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29039G	43.37	54.00	-10.63	13.19	3	Horizontal	252	1.15	30.18	38.92	8.80	34.53
PK	12.29265G	53.94	74.00	-20.06	13.18	3	Horizontal	252	1.15	40.76	38.91	8.80	34.53

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9014G	47.10	68.20	-21.10	6.02	3	Vertical	149	1.43	41.08	34.30	6.25	34.53
AV	6.3982G	99.45	Inf	-Inf	6.85	3	Vertical	149	1.43	92.60	34.90	6.43	34.48
PK	5.9014G	58.69	88.20	-29.51	6.02	3	Vertical	149	1.43	52.67	34.30	6.25	34.53
PK	6.397G	108.80	Inf	-Inf	6.84	3	Vertical	149	1.43	101.96	34.89	6.43	34.48


5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	47.21	68.20	-20.99	6.02	3	Horizontal	25	1.60	41.19	34.30	6.25	34.53
AV	6.391G	100.55	Inf	-Inf	6.83	3	Horizontal	25	1.60	93.72	34.88	6.43	34.48
PK	5.8798G	60.02	88.20	-28.18	5.93	3	Horizontal	25	1.60	54.09	34.22	6.24	34.53
PK	6.391G	107.35	Inf	-Inf	6.83	3	Horizontal	25	1.60	100.52	34.88	6.43	34.48

**5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6385MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77266G	43.89	68.20	-24.31	14.48	3	Vertical	21	2.30	29.41	39.45	8.94	33.91
PK	12.7712G	56.56	88.20	-31.64	14.47	3	Vertical	21	2.30	42.09	39.44	8.94	33.91


**5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6385MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.7713G	43.97	68.20	-24.23	14.47	3	Horizontal	203	1.30	29.50	39.44	8.94	33.91
PK	12.77461G	54.78	88.20	-33.42	14.49	3	Horizontal	203	1.30	40.29	39.45	8.94	33.90

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8994G	47.30	68.20	-20.90	6.02	3	Vertical	149	1.45	41.28	34.30	6.25	34.53
AV	6.4524G	100.95	Inf	-Inf	6.99	3	Vertical	149	1.45	93.96	35.00	6.46	34.47
AV	7.1468G	49.74	68.20	-18.46	8.55	3	Vertical	149	1.45	41.19	36.58	6.73	34.76
PK	5.8154G	57.95	88.20	-30.25	5.64	3	Vertical	149	1.45	52.31	33.96	6.21	34.53
PK	6.4524G	109.62	Inf	-Inf	6.99	3	Vertical	149	1.45	102.63	35.00	6.46	34.47
PK	7.1482G	59.94	88.20	-28.26	8.56	3	Vertical	149	1.45	51.38	36.59	6.73	34.76

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9092G	47.59	68.20	-20.61	6.02	3	Horizontal	33	1.50	41.57	34.30	6.25	34.53
AV	6.4678G	99.78	Inf	-Inf	7.00	3	Horizontal	33	1.50	92.78	35.00	6.47	34.47
AV	7.165G	49.74	68.20	-18.46	8.61	3	Horizontal	33	1.50	41.13	36.63	6.74	34.76
PK	5.9036G	57.96	88.20	-30.24	6.02	3	Horizontal	33	1.50	51.94	34.30	6.25	34.53
PK	6.4678G	108.66	Inf	-Inf	7.00	3	Horizontal	33	1.50	101.66	35.00	6.47	34.47
PK	7.1412G	61.42	88.20	-26.78	8.52	3	Horizontal	33	1.50	52.90	36.55	6.73	34.76

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92855G	44.34	68.20	-23.86	15.06	3	Vertical	313	2.34	29.28	39.70	8.99	33.63
PK	12.93133G	54.64	88.20	-33.56	15.06	3	Vertical	313	2.34	39.58	39.70	8.99	33.63

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93188G	44.26	68.20	-23.94	15.06	3	Horizontal	355	1.12	29.20	39.70	8.99	33.63
PK	12.93466G	54.39	88.20	-33.81	15.07	3	Horizontal	355	1.12	39.32	39.70	8.99	33.62

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9024G	47.23	68.20	-20.97	6.02	3	Vertical	169	1.50	41.21	34.30	6.25	34.53
AV	6.531G	100.33	Inf	-Inf	7.27	3	Vertical	169	1.50	93.06	35.25	6.51	34.49
AV	7.1988G	49.85	68.20	-18.35	8.69	3	Vertical	169	1.50	41.16	36.70	6.75	34.76
PK	5.859G	58.24	88.20	-29.96	5.84	3	Vertical	169	1.50	52.40	34.14	6.23	34.53
PK	6.5226G	108.55	Inf	-Inf	7.20	3	Vertical	169	1.50	101.35	35.18	6.50	34.48
PK	7.168G	60.16	88.20	-28.04	8.62	3	Vertical	169	1.50	51.54	36.64	6.74	34.76


6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8954G	47.51	68.20	-20.69	6.00	3	Horizontal	30	1.50	41.51	34.28	6.25	34.53
AV	6.5786G	102.84	Inf	-Inf	7.54	3	Horizontal	30	1.50	95.30	35.51	6.54	34.51
AV	7.2058G	49.98	68.20	-18.22	8.70	3	Horizontal	30	1.50	41.28	36.71	6.75	34.76
PK	5.9234G	57.25	88.20	-30.95	6.03	3	Horizontal	30	1.50	51.22	34.30	6.26	34.53
PK	6.58G	112.24	Inf	-Inf	7.55	3	Horizontal	30	1.50	104.69	35.52	6.54	34.51
PK	7.1498G	60.10	88.20	-28.10	8.57	3	Horizontal	30	1.50	51.53	36.60	6.73	34.76

6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09466G	44.52	68.20	-23.68	15.30	3	Vertical	259	2.90	29.22	39.61	9.04	33.35
PK	13.09223G	54.71	88.20	-33.49	15.29	3	Vertical	259	2.90	39.42	39.61	9.04	33.36


6.425-6.525GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08914G	44.52	68.20	-23.68	15.29	3	Horizontal	32	2.69	29.23	39.61	9.04	33.36
PK	13.0885G	55.55	88.20	-32.65	15.29	3	Horizontal	32	2.69	40.26	39.61	9.04	33.36

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5914G	99.97	Inf	-Inf	7.59	3	Vertical	164	2.95	92.38	35.57	6.54	34.52
AV	7.2094G	50.03	68.20	-18.17	8.71	3	Vertical	164	2.95	41.32	36.72	6.76	34.77
PK	6.6106G	108.61	Inf	-Inf	7.68	3	Vertical	164	2.95	100.93	35.66	6.55	34.53
PK	7.1998G	60.46	88.20	-27.74	8.69	3	Vertical	164	2.95	51.77	36.70	6.75	34.76


6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.619G	98.55	Inf	-Inf	7.73	3	Horizontal	40	1.50	90.82	35.71	6.55	34.53
AV	7.1494G	49.96	68.20	-18.24	8.57	3	Horizontal	40	1.50	41.39	36.60	6.73	34.76
PK	6.6202G	108.30	Inf	-Inf	7.74	3	Horizontal	40	1.50	100.56	35.72	6.55	34.53
PK	7.1338G	60.60	88.20	-27.60	8.47	3	Horizontal	40	1.50	52.13	36.50	6.73	34.76

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.2476G	44.57	68.20	-23.63	15.68	3	Vertical	255	1.46	28.89	39.70	9.08	33.10
PK	13.25035G	55.75	74.00	-18.25	15.69	3	Vertical	255	1.46	40.06	39.70	9.09	33.10


6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25032G	44.56	54.00	-9.44	15.69	3	Horizontal	19	2.60	28.87	39.70	9.09	33.10
PK	13.2477G	54.50	88.20	-33.70	15.68	3	Horizontal	19	2.60	38.82	39.70	9.08	33.10

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.679G	103.91	Inf	-Inf	7.95	3	Vertical	12	2.60	95.96	35.96	6.56	34.57
AV	7.195G	49.99	68.20	-18.21	8.68	3	Vertical	12	2.60	41.31	36.69	6.75	34.76
PK	6.677G	110.05	Inf	-Inf	7.94	3	Vertical	12	2.60	102.11	35.95	6.56	34.57
PK	7.171G	60.47	88.20	-27.73	8.62	3	Vertical	12	2.60	51.85	36.64	6.74	34.76


6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.668G	100.29	Inf	-Inf	7.94	3	Horizontal	211	2.21	92.35	35.94	6.56	34.56
AV	7.171G	49.85	68.20	-18.35	8.62	3	Horizontal	211	2.21	41.23	36.64	6.74	34.76
PK	6.67G	109.58	Inf	-Inf	7.94	3	Horizontal	211	2.21	101.64	35.94	6.56	34.56
PK	7.128G	60.03	88.20	-28.17	8.43	3	Horizontal	211	2.21	51.60	36.47	6.72	34.76

**6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6705MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41153G	44.55	68.20	-23.65	16.29	3	Vertical	110	1.09	28.26	40.00	9.13	32.84
PK	13.40545G	55.76	88.20	-32.44	16.28	3	Vertical	110	1.09	39.48	40.00	9.13	32.85

**6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6705MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41379G	44.57	68.20	-23.63	16.30	3	Horizontal	152	2.57	28.27	40.00	9.13	32.83
PK	13.40629G	55.38	88.20	-32.82	16.29	3	Horizontal	152	2.57	39.09	40.00	9.13	32.84



6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7507G	100.09	Inf	-Inf	7.86	3	Vertical	170	1.50	92.23	35.90	6.57	34.61
AV	7.1294G	49.83	68.20	-18.37	8.45	3	Vertical	170	1.50	41.38	36.48	6.73	34.76
PK	6.7668G	108.07	Inf	-Inf	7.84	3	Vertical	170	1.50	100.23	35.87	6.58	34.61
PK	7.1315G	61.07	88.20	-27.13	8.46	3	Vertical	170	1.50	52.61	36.49	6.73	34.76

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7472G	100.56	Inf	-Inf	7.88	3	Horizontal	96	1.58	92.68	35.91	6.57	34.60
AV	7.1329G	49.76	68.20	-18.44	8.47	3	Horizontal	96	1.58	41.29	36.50	6.73	34.76
PK	6.7479G	108.38	Inf	-Inf	7.87	3	Horizontal	96	1.58	100.51	35.90	6.57	34.60
PK	7.1343G	59.94	88.20	-28.26	8.48	3	Horizontal	96	1.58	51.46	36.51	6.73	34.76

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57338G	45.37	68.20	-22.83	16.61	3	Vertical	198	2.73	28.76	40.15	9.18	32.72
PK	13.57434G	55.52	88.20	-32.68	16.61	3	Vertical	198	2.73	38.91	40.15	9.18	32.72

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56971G	45.36	68.20	-22.84	16.60	3	Horizontal	299	1.71	28.76	40.14	9.18	32.72
PK	13.56661G	55.84	88.20	-32.36	16.59	3	Horizontal	299	1.71	39.25	40.13	9.18	32.72

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8818G	100.04	Inf	-Inf	7.74	3	Vertical	0	2.76	92.30	35.80	6.62	34.68
AV	7.2122G	50.22	68.20	-17.98	8.71	3	Vertical	0	2.76	41.51	36.72	6.76	34.77
PK	6.8818G	107.81	Inf	-Inf	7.74	3	Vertical	0	2.76	100.07	35.80	6.62	34.68
PK	7.1744G	60.52	88.20	-27.68	8.63	3	Vertical	0	2.76	51.89	36.65	6.74	34.76

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8713G	99.61	Inf	-Inf	7.75	3	Horizontal	97	2.64	91.86	35.80	6.62	34.67
AV	7.2129G	50.17	68.20	-18.03	8.72	3	Horizontal	97	2.64	41.45	36.73	6.76	34.77
PK	6.83G	109.93	Inf	-Inf	7.74	3	Horizontal	97	2.64	102.19	35.80	6.59	34.65
PK	7.1779G	61.37	88.20	-26.83	8.64	3	Horizontal	97	2.64	52.73	36.66	6.74	34.76

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72966G	45.39	68.20	-22.81	16.52	3	Vertical	181	1.30	28.87	40.07	9.23	32.78
PK	13.73499G	55.45	88.20	-32.75	16.52	3	Vertical	181	1.30	38.93	40.07	9.23	32.78

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72525G	45.34	68.20	-22.86	16.52	3	Horizontal	352	2.48	28.82	40.07	9.23	32.78
PK	13.72755G	56.61	88.20	-31.59	16.52	3	Horizontal	352	2.48	40.09	40.07	9.23	32.78

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9216G	101.29	Inf	-Inf	7.70	3	Vertical	13	2.66	93.59	35.76	6.64	34.70
AV	7.1946G	50.42	68.20	-17.78	8.68	3	Vertical	13	2.66	41.74	36.69	6.75	34.76
PK	6.912G	110.67	Inf	-Inf	7.73	3	Vertical	13	2.66	102.94	35.78	6.64	34.69
PK	7.1514G	61.20	88.20	-27.00	8.57	3	Vertical	13	2.66	52.63	36.60	6.73	34.76

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9372G	98.22	Inf	-Inf	7.67	3	Horizontal	98	1.80	90.55	35.73	6.65	34.71
AV	7.1982G	50.53	68.20	-17.67	8.69	3	Horizontal	98	1.80	41.84	36.70	6.75	34.76
PK	6.936G	108.93	Inf	-Inf	7.67	3	Horizontal	98	1.80	101.26	35.73	6.65	34.71
PK	7.2312G	62.23	88.20	-25.97	8.76	3	Horizontal	98	1.80	53.47	36.76	6.77	34.77

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89452G	45.26	68.20	-22.94	16.63	3	Vertical	178	2.96	28.63	40.19	9.28	32.84
PK	13.89385G	56.09	88.20	-32.11	16.63	3	Vertical	178	2.96	39.46	40.19	9.28	32.84

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89378G	45.28	68.20	-22.92	16.63	3	Horizontal	7	1.92	28.65	40.19	9.28	32.84
PK	13.89441G	56.00	88.20	-32.20	16.63	3	Horizontal	7	1.92	39.37	40.19	9.28	32.84

6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0433G	100.56	Inf	-Inf	7.91	3	Vertical	15	2.03	92.65	35.96	6.70	34.75
AV	7.1252G	56.47	68.20	-11.73	8.41	3	Vertical	15	2.03	48.06	36.45	6.72	34.76
PK	6.9899G	111.44	Inf	-Inf	7.64	3	Vertical	15	2.03	103.80	35.70	6.67	34.73
PK	7.1252G	68.77	88.20	-19.43	8.41	3	Vertical	15	2.03	60.36	36.45	6.72	34.76


6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.04G	98.59	Inf	-Inf	7.89	3	Horizontal	31	1.50	90.70	35.94	6.69	34.74
AV	7.1252G	52.45	68.20	-15.75	8.41	3	Horizontal	31	1.50	44.04	36.45	6.72	34.76
PK	7.0442G	109.19	Inf	-Inf	7.92	3	Horizontal	31	1.50	101.27	35.97	6.70	34.75
PK	7.1255G	63.20	88.20	-25.00	8.41	3	Horizontal	31	1.50	54.79	36.45	6.72	34.76

**6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
7025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04742G	45.86	68.20	-22.34	16.83	3	Vertical	217	2.90	29.03	40.45	9.32	32.94
PK	14.05036G	56.68	88.20	-31.52	16.84	3	Vertical	217	2.90	39.84	40.45	9.33	32.94

**6.875-7.125GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX
7025MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05368G	45.82	68.20	-22.38	16.83	3	Horizontal	325	2.85	28.99	40.45	9.33	32.95
PK	14.04706G	56.00	88.20	-32.20	16.83	3	Horizontal	325	2.85	39.17	40.45	9.32	32.94



5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	51.26	68.20	-16.94	6.03	3	Vertical	0	1.01	45.23	34.30	6.26	34.53
AV	6.1025G	97.77	Inf	-Inf	5.72	3	Vertical	0	1.01	92.05	33.91	6.32	34.51
PK	5.925G	63.77	88.20	-24.43	6.03	3	Vertical	0	1.01	57.74	34.30	6.26	34.53
PK	6.1025G	107.92	Inf	-Inf	5.72	3	Vertical	0	1.01	102.20	33.91	6.32	34.51


5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	51.93	68.20	-16.27	6.03	3	Horizontal	36	1.72	45.90	34.30	6.26	34.53
AV	6.1015G	100.21	Inf	-Inf	5.72	3	Horizontal	36	1.72	94.49	33.91	6.32	34.51
PK	5.9165G	65.43	88.20	-22.77	6.03	3	Horizontal	36	1.72	59.40	34.30	6.26	34.53
PK	6.0995G	108.95	Inf	-Inf	5.71	3	Horizontal	36	1.72	103.24	33.90	6.32	34.51

**5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6025MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05243G	42.82	54.00	-11.18	12.90	3	Vertical	8	1.64	29.92	38.86	8.73	34.69
PK	12.04601G	53.34	74.00	-20.66	12.86	3	Vertical	8	1.64	40.48	38.84	8.72	34.70

**5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6025MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05441G	42.89	54.00	-11.11	12.90	3	Horizontal	92	1.79	29.99	38.86	8.73	34.69
PK	12.04641G	52.91	74.00	-21.09	12.86	3	Horizontal	92	1.79	40.05	38.84	8.72	34.70



5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	48.07	68.20	-20.13	6.03	3	Vertical	30	1.85	42.04	34.30	6.26	34.53
AV	6.2002G	98.27	Inf	-Inf	6.14	3	Vertical	30	1.85	92.13	34.30	6.34	34.50
PK	5.9226G	58.72	88.20	-29.48	6.03	3	Vertical	30	1.85	52.69	34.30	6.26	34.53
PK	6.2002G	108.60	Inf	-Inf	6.14	3	Vertical	30	1.85	102.46	34.30	6.34	34.50


5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	48.55	68.20	-19.65	6.03	3	Horizontal	32	1.85	42.52	34.30	6.26	34.53
AV	6.1786G	99.73	Inf	-Inf	6.05	3	Horizontal	32	1.85	93.68	34.21	6.34	34.50
PK	5.9122G	58.94	88.20	-29.26	6.03	3	Horizontal	32	1.85	52.91	34.30	6.26	34.53
PK	6.205G	109.47	Inf	-Inf	6.15	3	Horizontal	32	1.85	103.32	34.31	6.34	34.50

**5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6185MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36741G	43.23	54.00	-10.77	13.25	3	Vertical	233	2.13	29.98	38.90	8.82	34.47
PK	12.37092G	54.24	74.00	-19.76	13.25	3	Vertical	233	2.13	40.99	38.90	8.82	34.47

**5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6185MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36782G	43.16	54.00	-10.84	13.25	3	Horizontal	144	1.81	29.91	38.90	8.82	34.47
PK	12.37352G	54.12	74.00	-19.88	13.25	3	Horizontal	144	1.81	40.87	38.90	8.82	34.47



5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9214G	47.60	68.20	-20.60	6.03	3	Vertical	164	1.32	41.57	34.30	6.26	34.53
AV	6.2886G	99.66	Inf	-Inf	6.44	3	Vertical	164	1.32	93.22	34.55	6.38	34.49
PK	5.823G	58.31	88.20	-29.89	5.67	3	Vertical	164	1.32	52.64	33.99	6.21	34.53
PK	6.2898G	109.57	Inf	-Inf	6.45	3	Vertical	164	1.32	103.12	34.56	6.38	34.49


5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9238G	48.37	68.20	-19.83	6.03	3	Horizontal	29	2.24	42.34	34.30	6.26	34.53
AV	6.3162G	100.43	Inf	-Inf	6.56	3	Horizontal	29	2.24	93.87	34.66	6.39	34.49
PK	5.9238G	58.99	88.20	-29.21	6.03	3	Horizontal	29	2.24	52.96	34.30	6.26	34.53
PK	6.3126G	109.71	Inf	-Inf	6.55	3	Horizontal	29	2.24	103.16	34.65	6.39	34.49

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69302G	43.76	54.00	-10.24	14.17	3	Vertical	338	1.91	29.59	39.29	8.92	34.04
PK	12.69247G	53.44	74.00	-20.56	14.15	3	Vertical	338	1.91	39.29	39.28	8.92	34.05


5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68509G	43.78	54.00	-10.22	14.13	3	Horizontal	179	2.19	29.65	39.27	8.92	34.06
PK	12.69399G	54.96	74.00	-19.04	14.17	3	Horizontal	179	2.19	40.79	39.29	8.92	34.04

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.90992G	47.38	68.20	-20.82	6.02	3	Vertical	140	2.26	41.36	34.30	6.25	34.53
AV	6.44428G	99.41	Inf	-Inf	6.97	3	Vertical	140	2.26	92.44	34.99	6.46	34.48
PK	5.8843G	58.44	88.20	-29.76	5.95	3	Vertical	140	2.26	52.49	34.24	6.24	34.53
PK	6.44916G	109.93	Inf	-Inf	6.98	3	Vertical	140	2.26	102.95	35.00	6.46	34.48


6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9087G	47.48	68.20	-20.72	6.02	3	Horizontal	28	1.50	41.46	34.30	6.25	34.53
AV	6.44306G	103.38	Inf	-Inf	6.97	3	Horizontal	28	1.50	96.41	34.99	6.46	34.48
PK	5.92334G	57.98	88.20	-30.22	6.03	3	Horizontal	28	1.50	51.95	34.30	6.26	34.53
PK	6.58092G	111.07	Inf	-Inf	7.55	3	Horizontal	28	1.50	103.52	35.52	6.54	34.51

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0135G	44.34	68.20	-23.86	15.21	3	Vertical	292	2.01	29.13	39.69	9.01	33.49
PK	13.01203G	54.57	88.20	-33.63	15.21	3	Vertical	292	2.01	39.36	39.69	9.01	33.49

6.425-6.525GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00693G	44.31	68.20	-23.89	15.20	3	Horizontal	199	1.27	29.11	39.69	9.01	33.50
PK	13.00934G	56.01	88.20	-32.19	15.21	3	Horizontal	199	1.27	40.80	39.69	9.01	33.49



6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.61G	100.54	Inf	-Inf	7.68	3	Vertical	180	1.48	92.86	35.66	6.55	34.53
AV	7.1864G	50.01	68.20	-18.19	8.66	3	Vertical	180	1.48	41.35	36.67	6.75	34.76
PK	6.6045G	108.94	Inf	-Inf	7.65	3	Vertical	180	1.48	101.29	35.63	6.55	34.53
PK	7.1325G	61.03	88.20	-27.17	8.47	3	Vertical	180	1.48	52.56	36.50	6.73	34.76


6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.588G	100.53	Inf	-Inf	7.57	3	Horizontal	39	1.50	92.96	35.55	6.54	34.52
AV	7.1798G	50.03	68.20	-18.17	8.64	3	Horizontal	39	1.50	41.39	36.66	6.74	34.76
PK	6.588G	109.86	Inf	-Inf	7.57	3	Horizontal	39	1.50	102.29	35.55	6.54	34.52
PK	7.2117G	60.79	88.20	-27.41	8.71	3	Horizontal	39	1.50	52.08	36.72	6.76	34.77

**6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6665MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33411G	44.62	54.00	-9.38	16.02	3	Vertical	358	1.37	28.60	39.87	9.11	32.96
PK	13.33212G	54.81	74.00	-19.19	16.00	3	Vertical	358	1.37	38.81	39.86	9.11	32.97


**6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6665MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33045G	44.60	54.00	-9.40	16.00	3	Horizontal	224	1.91	28.60	39.86	9.11	32.97
PK	13.33066G	55.43	74.00	-18.57	16.02	3	Horizontal	224	1.91	39.41	39.87	9.11	32.96

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8138G	100.44	Inf	-Inf	7.75	3	Vertical	15	1.30	92.69	35.80	6.59	34.64
AV	7.1778G	50.39	68.20	-17.81	8.64	3	Vertical	15	1.30	41.75	36.66	6.74	34.76
PK	6.8098G	109.63	Inf	-Inf	7.74	3	Vertical	15	1.30	101.89	35.80	6.58	34.64
PK	7.225G	60.73	88.20	-27.47	8.75	3	Vertical	15	1.30	51.98	36.75	6.77	34.77


6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8266G	98.30	Inf	-Inf	7.74	3	Horizontal	93	2.92	90.56	35.80	6.59	34.65
AV	7.1546G	50.35	68.20	-17.85	8.58	3	Horizontal	93	2.92	41.77	36.61	6.73	34.76
PK	6.7482G	108.66	Inf	-Inf	7.87	3	Horizontal	93	2.92	100.79	35.90	6.57	34.60
PK	7.161G	61.36	88.20	-26.84	8.60	3	Horizontal	93	2.92	52.76	36.62	6.74	34.76

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6526G	45.78	68.20	-22.42	16.61	3	Vertical	257	2.01	29.17	40.15	9.21	32.75
PK	13.64528G	56.45	88.20	-31.75	16.60	3	Vertical	257	2.01	39.85	40.15	9.20	32.75


6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65205G	45.75	68.20	-22.45	16.61	3	Horizontal	246	2.05	29.14	40.15	9.21	32.75
PK	13.64787G	56.18	88.20	-32.02	16.60	3	Horizontal	246	2.05	39.58	40.15	9.20	32.75

6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9205G	105.08	Inf	-Inf	7.70	3	Vertical	18	2.09	97.38	35.76	6.64	34.70
AV	7.125G	57.23	68.20	-10.97	8.41	3	Vertical	18	2.09	48.82	36.45	6.72	34.76
PK	6.998G	110.92	Inf	-Inf	7.64	3	Vertical	18	2.09	103.28	35.70	6.68	34.74
PK	7.1535G	69.85	88.20	-18.35	8.58	3	Vertical	18	2.09	61.27	36.61	6.73	34.76


6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.908G	97.98	Inf	-Inf	7.72	3	Horizontal	100	1.74	90.26	35.78	6.63	34.69
AV	7.126G	53.00	68.20	-15.20	8.42	3	Horizontal	100	1.74	44.58	36.46	6.72	34.76
PK	6.9225G	109.02	Inf	-Inf	7.70	3	Horizontal	100	1.74	101.32	35.76	6.64	34.70
PK	7.1335G	67.49	88.20	-20.71	8.47	3	Horizontal	100	1.74	59.02	36.50	6.73	34.76

**6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6985MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97493G	45.47	68.20	-22.73	16.78	3	Vertical	308	2.87	28.69	40.35	9.30	32.87
PK	13.968G	55.74	88.20	-32.46	16.77	3	Vertical	308	2.87	38.97	40.34	9.30	32.87

**6.875-7.125GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6985MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.9716G	45.43	68.20	-22.77	16.77	3	Horizontal	162	1.43	28.66	40.34	9.30	32.87
PK	13.97396G	55.48	88.20	-32.72	16.78	3	Horizontal	162	1.43	38.70	40.35	9.30	32.87



Contention-Based Protocol Result

Appendix F

Antenna Gain (dBi)			
UNII 5	UNII 6	UNII 7	UNII 8
2.13	2.13	2.03	2.53

Contention Based protocol 802.11ax HEW20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-62.13	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-64.13	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-65.03	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-62.03	OFF	10	100	90	Pass



Contention Based protocol 802.11ax HEW160											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-64.13	OFF	10	100	90	Pass
				Center	6185	-63.13	OFF	10	100	90	Pass
				High edge	6260	-64.13	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-63.13	OFF	10	100	90	Pass
				Center	6505	-62.13	OFF	10	100	90	Pass
				High edge	6580	-62.13	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-62.03	OFF	10	100	90	Pass
				Center	6665	-62.03	OFF	10	100	90	Pass
				High edge	6740	-64.03	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-65.53	OFF	10	100	90	Pass
				Center	6985	-62.53	OFF	10	100	90	Pass
				High edge	7060	-62.03	OFF	10	100	90	Pass



Contention Based Protocol Threshold Level 802.11ax HE20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Inteferece frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-60.00	2.13	-62.13	≤ -62
						Minimal	-61.00	2.13	-63.13	≤ -62
						ON	-62.00	2.13	-64.13	≤ -62
6	101		6455	Center	6455	OFF	-62.00	2.13	-64.13	≤ -62
						Minimal	-63.00	2.13	-65.13	≤ -62
						ON	-64.00	2.13	-66.13	≤ -62
7	149		6695	Center	6695	OFF	-63.00	2.03	-65.03	≤ -62
						Minimal	-64.00	2.03	-66.03	≤ -62
						ON	-65.00	2.03	-67.03	≤ -62
8	213		7015	Center	7015	OFF	-59.50	2.53	-62.03	≤ -62
						Minimal	-60.00	2.53	-62.53	≤ -62
						ON	-61.00	2.53	-63.53	≤ -62




Contention Based Protocol Threshold Level 802.11ax HE160												
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)		
5	47	160	6185	Low edge	6110	OFF	-62.00	2.13	-64.13	≤ -62		
						Minimal	-63.00	2.13	-65.13	≤ -62		
						ON	-64.00	2.13	-66.13	≤ -62		
				Center	6185	OFF	-61.00	2.13	-63.13	≤ -62		
						Minimal	-62.00	2.13	-64.13	≤ -62		
						ON	-63.00	2.13	-65.13	≤ -62		
				High edge	6260	OFF	-62.00	2.13	-64.13	≤ -62		
						Minimal	-63.00	2.13	-65.13	≤ -62		
						ON	-64.00	2.13	-66.13	≤ -62		
6	111		160	6505	Low edge	6430	OFF	-61.00	2.13	-63.13	≤ -62	
							Minimal	-62.00	2.13	-64.13	≤ -62	
							ON	-63.00	2.13	-65.13	≤ -62	
					Center	6505	OFF	-60.00	2.13	-62.13	≤ -62	
							Minimal	-61.00	2.13	-63.13	≤ -62	
							ON	-62.00	2.13	-64.13	≤ -62	
					High edge	6580	OFF	-60.00	2.13	-62.13	≤ -62	
							Minimal	-61.00	2.13	-63.13	≤ -62	
							ON	-62.00	2.13	-64.13	≤ -62	
7	143			160	6665	Low edge	6590	OFF	-60.00	2.03	-62.03	≤ -62
								Minimal	-61.00	2.03	-63.03	≤ -62
								ON	-62.00	2.03	-64.03	≤ -62
						Center	6665	OFF	-60.00	2.03	-62.03	≤ -62
								Minimal	-61.00	2.03	-63.03	≤ -62
								ON	-62.00	2.03	-64.03	≤ -62
						High edge	6740	OFF	-62.00	2.03	-64.03	≤ -62
								Minimal	-63.00	2.03	-65.03	≤ -62
								ON	-64.00	2.03	-66.03	≤ -62
8	207	160			6985	Low edge	6910	OFF	-63.00	2.53	-65.53	≤ -62
								Minimal	-64.00	2.53	-66.53	≤ -62
								ON	-65.00	2.53	-67.53	≤ -62
						Center	6985	OFF	-60.00	2.53	-62.53	≤ -62
								Minimal	-61.00	2.53	-63.53	≤ -62
								ON	-62.00	2.53	-64.53	≤ -62
						High edge	7060	OFF	-59.50	2.53	-62.03	≤ -62
								Minimal	-60.00	2.53	-62.53	≤ -62
								ON	-61.00	2.53	-63.53	≤ -62



Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.1ms

All TX Sample

7448

Duty Cycle

0.930884

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.975ms

All TX Sample

7518

Duty Cycle

0.939633

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.8125ms

All TX Sample

7505

Duty Cycle

0.938008

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.0125ms

All TX Sample

7521

Duty Cycle

0.940007

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 160MHz: Traffic Loading Plot - 6185MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

87.8ms

All TX Sample

7024

Duty Cycle

0.87789

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

87.3625ms

All TX Sample

6989

Duty Cycle

0.873516

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

87.075ms

All TX Sample

6966

Duty Cycle

0.870641

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

88.5375ms

All TX Sample

7083

Duty Cycle

0.885264



T1[s] T2[s]



NaNs NaNs



T3[s] T4[s]


NaNs NaNs


1. Incumbent signal (AWGN) Plot


















Frequency (MHz): 6740 MHz




Date: 13.DEC.2022 13:58:05


Frequency (MHz): 6910 MHz




Date: 13.DEC.2022 13:58:37



2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6110 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -60 dBm)


Time Analysis



Sample Time	1us
All TX Time	929.26ms
All TX Sample	929260
Duty Cycle	0.929259
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6215 MHz (Threshold Level: -61dBm)

Time Analysis




Sample Time	1us
All TX Time	904.163ms
All TX Sample	904163
Duty Cycle	0.904162
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs



Frequency (MHz): 6215 MHz (Threshold Level: -62 dBm)

Time Analysis




Sample Time	1us
All TX Time	906.771ms
All TX Sample	906771
Duty Cycle	0.90677
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -62dBm)

Time Analysis




Sample Time	1us
All TX Time	945.947ms
All TX Sample	945947
Duty Cycle	0.945946
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs



Frequency (MHz): 6110 MHz (Threshold Level: -63dBm)


Time Analysis



Sample Time	1us
All TX Time	908.338ms
All TX Sample	908338
Duty Cycle	0.908337
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -64dBm)


Time Analysis



Sample Time	1us
All TX Time	946.14ms
All TX Sample	946140
Duty Cycle	0.946139
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -61dBm)


Time Analysis



Sample Time	1us
All TX Time	32.4ms
All TX Sample	32400
Duty Cycle	0.0324
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -62dBm)


Time Analysis



Sample Time	1us
All TX Time	12.938ms
All TX Sample	12938
Duty Cycle	0.012938
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -63dBm)


Time Analysis



Sample Time	1us
All TX Time	29.878ms
All TX Sample	29878
Duty Cycle	0.029878
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -62dBm)

Time Analysis




Sample Time	1us
All TX Time	389.952ms
All TX Sample	389952
Duty Cycle	0.389952
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs



Frequency (MHz): 6260 MHz (Threshold Level: -63dBm)


Time Analysis



Sample Time	1us
All TX Time	363.178ms
All TX Sample	363178
Duty Cycle	0.363178
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6260 MHz (Threshold Level: -64dBm)

Time Analysis



Sample Time	1us
All TX Time	361.248ms
All TX Sample	361248
Duty Cycle	0.361248
T1[s]	T2[s]
0s	0s
T3[s]	T4[s]
NaNs	NaNs



Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	6.175G	6.175116G	18.8236	Inf	1	0 min



Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-
6175MHz_TnomVnom	Pass	6.175G	6.175041G	6.6793	Inf	1	0 min
6175MHz_TnomVnom	Pass	6.175G	6.175039G	6.3757	Inf	1	2 min
6175MHz_TnomVnom	Pass	6.175G	6.175039G	6.3757	Inf	1	5 min
6175MHz_TnomVnom	Pass	6.175G	6.175039G	6.3757	Inf	1	10 min
6175MHz_TminVmax	Pass	6.175G	6.175107G	17.3055	Inf	1	0 min
6175MHz_TminVmax	Pass	6.175G	6.175109G	17.6091	Inf	1	2 min
6175MHz_TminVmax	Pass	6.175G	6.175109G	17.6091	Inf	1	5 min
6175MHz_TminVmax	Pass	6.175G	6.175107G	17.3055	Inf	1	10 min
6175MHz_TminVmin	Pass	6.175G	6.175116G	18.8236	Inf	1	0 min
6175MHz_TminVmin	Pass	6.175G	6.175114G	18.52	Inf	1	2 min
6175MHz_TminVmin	Pass	6.175G	6.175112G	18.2163	Inf	1	5 min
6175MHz_TminVmin	Pass	6.175G	6.175112G	18.2163	Inf	1	10 min
6175MHz_TmaxVmax	Pass	6.175G	6.175007G	1.2144	Inf	1	0 min
6175MHz_TmaxVmax	Pass	6.175G	6.175007G	1.2144	Inf	1	2 min
6175MHz_TmaxVmax	Pass	6.175G	6.175007G	1.2144	Inf	1	5 min
6175MHz_TmaxVmax	Pass	6.175G	6.175004G	0.6072	Inf	1	10 min
6175MHz_TmaxVmin	Pass	6.175G	6.175015G	2.4288	Inf	1	0 min
6175MHz_TmaxVmin	Pass	6.175G	6.175015G	2.4288	Inf	1	2 min
6175MHz_TmaxVmin	Pass	6.175G	6.175011G	1.8216	Inf	1	5 min
6175MHz_TmaxVmin	Pass	6.175G	6.175009G	1.518	Inf	1	10 min



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	2.13704G	42.95	68.20	-25.25	Horizontal



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.55907G	25.96	54.00	-28.04	3	Vertical	128	2.09	-
Mode 1	Pass	AV	2.27312G	27.71	54.00	-26.29	3	Vertical	219	1.98	-
Mode 1	Pass	PK	1.55639G	38.85	74.00	-35.15	3	Vertical	128	2.09	-
Mode 1	Pass	PK	2.04049G	41.14	68.20	-27.06	3	Vertical	182	2.37	-
Mode 1	Pass	PK	2.27086G	40.19	74.00	-33.81	3	Vertical	219	1.98	-
Mode 1	Pass	AV	1.60016G	25.68	54.00	-28.32	3	Horizontal	229	1.65	-
Mode 1	Pass	AV	2.276G	28.73	54.00	-25.27	3	Horizontal	274	1.82	-
Mode 1	Pass	PK	1.60032G	39.81	74.00	-34.19	3	Horizontal	229	1.65	-
Mode 1	Pass	PK	2.13704G	42.95	68.20	-25.25	3	Horizontal	183	2.21	-
Mode 1	Pass	PK	2.27484G	41.63	74.00	-32.37	3	Horizontal	274	1.82	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.55907G	25.96	54.00	-28.04	-6.30	3	Vertical	128	2.09	32.26	25.20	3.31	34.81
AV	2.27312G	27.71	54.00	-26.29	-3.52	3	Vertical	219	1.98	31.23	27.11	4.05	34.68
PK	1.55639G	38.85	74.00	-35.15	-6.30	3	Vertical	128	2.09	45.15	25.20	3.31	34.81
PK	2.04049G	41.14	68.20	-27.06	-3.68	3	Vertical	182	2.37	44.82	27.09	3.84	34.61
PK	2.27086G	40.19	74.00	-33.81	-3.51	3	Vertical	219	1.98	43.70	27.12	4.05	34.68

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.60016G	25.68	54.00	-28.32	-6.23	3	Horizontal	229	1.65	31.91	25.20	3.36	34.79
AV	2.276G	28.73	54.00	-25.27	-3.53	3	Horizontal	274	1.82	32.26	27.10	4.05	34.68
PK	1.60032G	39.81	74.00	-34.19	-6.23	3	Horizontal	229	1.65	46.04	25.20	3.36	34.79
PK	2.13704G	42.95	68.20	-25.25	-3.19	3	Horizontal	183	2.21	46.14	27.53	3.92	34.64
PK	2.27484G	41.63	74.00	-32.37	-3.53	3	Horizontal	274	1.82	45.16	27.10	4.05	34.68