


Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (low channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 7.271GHz, Emax: 52.12dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 11:02AM Overview / Antenna horizontal

Note:

- 1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- 2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- 3. For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (low channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 7.808GHz, Emax: 51.73dB μ V/m, RBW: 1MHz



Page 1/1 3/26/2008 10:56AM Overview / Antenna vertical

Note:

- The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- For corrected test results are listed in the relevant table of radiated test data of this test report.**




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (low channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 11.575GHz, Emax: 51.87dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 11:05AM Overview / Antenna horizontal

Note:

- The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (low channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 11.639GHz, Emax: 51.68dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 10:58AM Overview / Antenna vertical

Note:

- The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (low channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 17.820GHz, Emax: 49.99dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 11:05AM Overview / Antenna horizontal

Note:

- 1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- 2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- 3. For corrected test results are listed in the relevant table of radiated test data of this test report.**




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (low channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 17.796GHz, Emax: 50.33dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 10:59AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (low channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, amplif.
Freq: 26.347GHz, Emax: 49.65dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 3:01PM Overview / Antenna horizontal

Note:

- 1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- 2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- 3. For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (low channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, amplif.
Freq: 26.449GHz, Emax: 49.66dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 3:00PM Overview / Antenna vertical

Note:

- The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (middle channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HK 116
Freq: 169.339MHz, Emax: 26.94dBuV/m, RBW: 100kHz



Page 1/1 3/26/2008 10:01AM Overview / Antenna horizontal

Note:

- 1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- 2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- 3. For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (middle channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HK 116
Freq: 162.866MHz, Emax: 30.53dBμV/m, RBW: 100kHz



Page 1/1 3/26/2008 10:00AM Overview / Antenna vertical

Note:

- 1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- 2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- 3. For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (middle channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL 223, amplif.
Freq: 988.778MHz, Emax: 35.28dBμV/m, RBW: 100kHz



Page 1/1 3/26/2008 10:27AM Overview / Antenna horizontal

Note:

- 1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- 2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- 3. For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002

Order Number : W6M20803-8972 (middle channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL 223, amplif.
Freq: 995.190MHz, Emax: 34.82dBuV/m, RBW: 100kHz



Page 1/1 3/26/2008 10:28AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.