


Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (high channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL 223, amplif.
Freq: 971.142MHz, Emax: 34.77dB μ V/m, RBW: 100kHz



Page 1/1 3/26/2008 10:27AM Overview / Antenna horizontal

Note:

- The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (high channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL 223, amplif.
Freq: 1.000GHz, Emax: 35.63dBμV/m, RBW: 100kHz



Page 1/1 3/26/2008 10:26AM Overview / Antenna vertical

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (high channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Freq: 3.976GHz, Emax: 43.21dB μ V/m, RBW: 1MHz



Page 1/1 3/26/2008 10:32AM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (high channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, amplif.
Freq: 1.505GHz, Emax: 44.90dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 10:30AM Overview / Antenna vertical

Note:

- 1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- 2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- 3. For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (high channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 8.000GHz, Emax: 51.70dB μ V/m, RBW: 1MHz



Page 1/1 3/26/2008 10:40AM Overview / Antenna horizontal

Note:

- The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (high channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 7.439GHz, Emax: 51.87dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 10:44AM Overview / Antenna vertical

Note:

- 1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- 2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- 3. For corrected test results are listed in the relevant table of radiated test data of this test report.**




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (high channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 11.591GHz, Emax: 51.31dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 10:42AM Overview / Antenna horizontal

Note:

1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.
2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.
3. For corrected test results are listed in the relevant table of radiated test data of this test report.




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (high channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 11.503GHz, Emax: 50.82dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 10:45AM Overview / Antenna vertical

Note:

- 1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- 2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- 3. For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (high channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 17.820GHz, Emax: 50.03dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 10:42AM Overview / Antenna horizontal

Note:

- The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (high channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, ampl.+HP.
Freq: 17.820GHz, Emax: 50.02dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 10:45AM Overview / Antenna vertical

Note:

- The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002


Order Number : W6M20803-8972 (high channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, amplif.
Freq: 26.381GHz, Emax: 49.65dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 3:03PM Overview / Antenna horizontal

Note:

- The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- For corrected test results are listed in the relevant table of radiated test data of this test report.**




Registration number: W6M20803-8972-P-15
FCC ID: UJ96560

Spurious emissions Field Strength

FCC RULES PART 15, SUBPART C / LP0002

Order Number : W6M20803-8972 (high channel)
Test Site / Operator: WTS / Danny
Temperature: Temp.: 23.9°C
Test Specification: according to §15.249, peak detector
Comment 1: Ant.: HL025, amplif.
Freq: 25.955GHz, Emax: 49.52dBμV/m, RBW: 1MHz



Page 1/1 3/26/2008 3:04PM Overview / Antenna vertical

Note:

- 1. The attached measurement plots are preliminarily pre-scanned with peak detector for determining the final checking frequencies and are for reference only.**
- 2. The some frequencies may exceed the limit line without the specified detectors, but that cannot present the results are failed to the specification of test standard.**
- 3. For corrected test results are listed in the relevant table of radiated test data of this test report.**