


Installation guide

XS4 Original+ for EURO mortise locks & tubular latches

SALTO
inspired access

- Eng Installation guide
- E Guía de instalación
- D Montageanleitung
- F Guide d'installation
- I Guida all'installazione

E i 650 xx.. series





Only with UL listed SALTO mortise lock or latch

E i 6xx.. series		E i 6xx..E5 series	
OUTSIDE	INSIDE	OUTSIDE	INSIDE
IP54	IP44	IP56	IP44

Signalling





SALTO LT2Lxx Tubular latch
With E i 6xx A2.. Only!

To be used only with SALTO compatible escutcheons!

A utiliser uniquement avec les ensembles plaques-béquilles SALTO compatibles!

¡Utilizar solamente con escudos SALTO compatibles!



i	t	L	Bolt
	Door thickness		
3	32 - 47mm	35 mm	-
4	45 - 60 mm	50 mm	-
6	60 - 75 mm	30 mm	x2
7	75 - 90 mm	45 mm	x2
9	90 - 105 mm	30 mm	x4
1	105 - 120 mm	45 mm	x4
2	32 - 53 mm	35 mm	-
A		35 mm	-
B		45 mm	-
5		45 mm	-

MODELS: ELECTRONIC INFO. W60M - W60T - W60MH






Installation guide

XS4 Original+ for EURO mortise locks & tubular latches




SALTO
inspired access

Eng Select handing (E) Selección mano (D) Drückerrichtung wählen

(F) Choisir le sens de la bêteille (I) Selezionare mano










Eng Installation (E) Instalación (D) Installation (F) Installation (I) Installazione



Installation guide

XS4 Original+ for EURO mortise locks & tubular latches

SALTO
inspired access



Eng Battery change
F Remplacer les piles
E Cambio de pilas

LR06

MAX. 40°


Change/Remplacer/Cambio

Installation guide

XS4 Original+ for EURO mortise locks & tubular latches


SALTO
inspired access

Ei651 xx..
Ei661 xx..



- (Eng) * Required only for doors that exceed 60mm [2-3/8"] thickness
- (E) * Sólo para puertas de espesor mayor de 60mm [2-3/8"]

Privacy thumbturn installation



Ei658 xx..
Ei668 xx..
Ei6P8 xx..

E T4xx.. series

