

## PRODUCTS DESCRIPTION

| PRODUCT                      |         | TECHNOLOGY                               |  |  | SOFTWARE           |                  |                           |               |      |                          |
|------------------------------|---------|--|--|--|--------------------|------------------|---------------------------|---------------|------|--------------------------|
| COMMERCIAL NAME              | MODEL   | RFID<br>13.56MHz<br>Output max.<br>power | BLUETOOTH LE<br>2400–2483.5 MHz<br>Output max. power | IEEE802.15.4<br>2400–2483.5<br>MHz<br>Output max.<br>power | CONTROL<br>CIRCUIT | MOTOR<br>CIRCUIT | Bluetooth<br>LE<br>MODULE | RF2<br>MODULE | SoC  |                          |
|                              |         |  |  |  |                    |                  |                           |               | FUS  | Bluetooth<br>LE<br>Stack |
| Element Fusion<br>E1723      | AF0B    | +24 dBm                                  | +8 dBm   |  | 0141               |                  | 0136                      |               |      |                          |
|                              | AF0J    | +24 dBm                                  | +8 dBm   |  | 0145               |                  | 0136                      |               |      |                          |
|                              | AF0M    | +24 dBm                                  | +8 dBm   |  | 0177               |                  | 0184                      |               |      |                          |
|                              | AF0D    | +24 dBm                                  | +8 dBm, +2.8 dBm                                     |  | 0146               |                  | 0136, --                  |               |      |                          |
| Element<br>Original<br>E1009 | AE9     | +20 dBm                                  |  |  | 0106               |                  |                           |               |      |                          |
|                              | AE9W    | +20 dBm                                  |  | +5 dBm   | 0106/0062          |                  |                           | 0038          |      |                          |
|                              | AEB     | +20 dBm                                  | +8 dBm   |  | 0135               |                  | 0136                      |               |      |                          |
|                              | AEJ     | +20 dBm                                  | +8 dBm   |  | 0147               |                  | 0136                      |               |      |                          |
|                              | AE0M    | +20 dBm                                  | +8 dBm   |  | 0178               |                  | 0184                      |               |      |                          |
| AES                          | +20 dBm | +2.8 dBm                                 |  | 0139   |                    | --               |                           |               |      |                          |
| XS4 One+<br>E1722            | E97     | +23 dBm                                  |  |  | 0128               | 0000             |                           |               |      |                          |
|                              | EB7     | +23 dBm                                  | +8 dBm   |  | 0134               | 0000             | 0136                      |               |      |                          |
|                              | EM07    | +22 dBm                                  | +6 dBm   |  | 0196               | 0000             |                           |               | 0186 | 0187                     |
|                              | EM17    | +22 dBm                                  | +6 dBm   |  | 0196               | 0000             |                           |               | 0186 | 0187                     |
|                              | EJ7     | +23 dBm                                  | +8 dBm   |  | 0150               | 0000             | 0136                      |               |      |                          |
| XS4 mini ANSI<br>E1721       | CB2     | +23 dBm                                  | +8 dBm   |  | 0175               | 0000             | 0184                      |               |      |                          |
|                              | C20M    | +23 dBm                                  | +6 dBm   |  | 0196               | 0000             |                           |               | 0186 | 0187                     |
|                              | CJ2     | +23 dBm                                  | +8 dBm   |  | 0150               | 0000             | 0136                      |               |      |                          |
| SALTO DBolt<br>E2133         | DM0M    | +22 dBm                                  | +6 dBm   |  | 0190               | 0179             |                           |               | 0186 | 0187                     |
|                              | DZ0M    | +22 dBm                                  | +6 dBm   |  | 0190               | 0209             |                           |               | 0186 | 0187                     |
| PPD<br>A0101                 | PPD800  | --                                       |  |  | 0109               |                  |                           |               |      |                          |

## EU DECLARATION OF CONFORMITY

EN Hereby, SALTO Systems S.L. (Arkotz Kalea (Pol. Lanbarren), 9 – 20180 Oiartzun– Spain), declares that this access control equipment is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU (RED) and 2011/65/EU (RoHS). You will be able to find a copy of the original declaration of conformity at the following Internet address: <https://www.saltosystems.com/certificate>

ES Por medio de la presente SALTO Systems S.L. (Arkotz Kalea (Pol. Lanbarren), 9 – 20180 Oiartzun– Spain) declara que este equipo de control de accesos cumple con los requisitos esenciales y cualesquiera otras disposiciones aplicables o exigibles de la Directiva 2014/53/UE (RED) y 2011/65/UE (RoHS). Podrá encontrar una copia de la declaración de conformidad original en la siguiente dirección de internet: <https://www.saltosystems.com/certificate>

FR Par la présente SALTO Systems S.L. (Arkotz Kalea (Pol. Lanbarren), 9 – 20180 Oiartzun– Spain) déclare que l'appareil équipement pour le contrôle d'accès est conforme aux exigences essentielles et aux autres dispositions pertinentes de la directive 2014/53/UE (RED) et 2011/65/UE (RoHS). Vous pouvez télécharger une copie de la déclaration de conformité originale à travers l'adresse suivante: <https://www.saltosystems.com/certificate>

DE Hiermit erklärt SALTO Systems S.L. (Arkotz Kalea (Pol. Lanbarren), 9-20180 Oiartzun-Spain) dass sich das Gerät Zutrittskontrollgeräte im Übereinstimmung mit den grundlegenden Anforderungen und den übrigen einschlägigen Bestimmungen der Richtlinie 2014/53/EU (RED) befindet und 2011/65/EU (RoHS). Eine Kopie der originalen Konformitätserklärung finden Sie auf der folgenden Internetseite: <https://www.saltosystems.com/certificate>

NL Hierbij verklaart SALTO Systems S.L. (Arkotz Kalea (Pol. Lanbarren), 9 – 20180 Oiartzun– Spain) dat het toestel toegangscontroleapparatuur in overeenstemming is met de essentiële eisen en de andere relevante bepalingen van richtlijn 2014/53/EU (RED) en 2011/65/EU (RoHS). U kunt een kopie van de originele verklaring van overeenstemming vinden op het volgende internetadres: <https://www.saltosystems.com/certificate>

PT A SALTO Systems S.L. declara que este equipamento de controlo de accesos está conforme os requisitos essenciais e outras disposições da Diretiva 2014/53/UE (RED) e 2011/65/EU (RoHS). Poderá encontrar uma cópia da declaração de conformidade original na seguinte direção de internet: <https://www.saltosystems.com/certificate>

## UKCA DECLARATION OF CONFORMITY

Hereby, SALTO Systems S.L. (Arkotz Kalea (Pol. Lanbarren), 9 – 20180 Oiartzun– Spain), declares that this access control equipment is in compliance with the essential requirements and other relevant provisions of The Radio Equipment Regulations 2017 and RoHS Regulation 2012. You will be able to find a copy of the original declaration of conformity at the following Internet address: <https://www.saltosystems.com/certificate>

UK importer contact information:

Salto Systems, Ltd. Unit 1, The Court Holywell Business Park, Northfield Road, CV47 0FS Southam, UK.

## ELECTRICAL WARNINGS

### EN Caution:

- Risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to the instructions.
- Disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery, can result in an explosion.
- Leaving a battery in an extremely high temperature surrounding environment can result in an explosion or the leakage of flammable liquid or gas.
- A battery subjected to extremely low air pressure may result in an explosion or the leakage of flammable liquid or gas.


Distance between this device and human body must be higher than 20 cm.

**FR Attention:**


- Risque d'explosion si la pile est remplacée par un type de pile inadéquat. Jetez les piles usagées conformément aux instructions.
- La destruction d'une pile par le feu ou dans un four à haute température, le broyage ou encore son découpage mécanique peut entraîner une explosion.
- Laisser une pile dans un environnement où la température est extrêmement élevée peut entraîner une explosion, une fuite de liquide ou de gaz inflammable.
- Une pile soumise à une pression d'air extrêmement faible peut entraîner une explosion, ou la fuite d'un liquide ou d'un gaz inflammable.

La distance entre cet appareil et le corps humain doit être supérieure à 20 cm.

**Recommended batteries:**



- Duracell Plus Power (AAA) LR03 MN2400
- Duracell Ultra Power (AAA) LR03 MX2400
- Varta Industrial (AAA) LR03 04003
- Varta High Energy (AAA) LR03 04903
- Varta Max Tech (AAA) LR03 MN2400
- Duracell Ultra Power (AAA) LR03 MX1500
- Duracell Plus Power (AA) LR6 MN1500
- Varta Industrial (AA) LR6 04006
- Varta High Energy (AA) LR6 04906
- Varta Max Tech (AA) LR6 MN1500



**MECHANICAL WARNINGS**

In order to confirm the correct operation of this electronic device, SALTO recommends using it in combination with a lock destined for that use (door mass, frequency of use, fire door, etc.) and that is in good operational conditions. Polished finishes are strongly recommended in seaside environments for a better performance and durability. The environmental conditions mentioned in the data sheets are always referred to non-condensation situations. The Biocote and IA finishes are painted and sharp objects such as rings or metallic key rings or other metallic objects should be avoided during any cleaning process. The SALTO product should be treated with care during the installation process to avoid any aggressive contact that may damage the unit. It may be necessary to loosen the trims mounting during installation. Do not bring the device into contact with oil, paints or acids. Do not paint the door with the mortise lock or electronic device already mounted on the door. CLEANING THE ELECTRONIC DEVICE: a damp cloth with mild soapy water can be used. **Never use abrasive soaps or sprays.** The black chromium finish ("NE" code) is coated with a protective oil that improves the product conservation. Its presence may increase the appearance of fingerprint traces after the needed product handling. Thus, no cleaning processes are applied at the origin to avoid removing the protective layer. SALTO recommends cleaning the product surfaces with a damp cloth after its manipulation when the installation is finished. For best performance, stainless steel should be cleaned regularly. Note that when the door is closed without the lock having been already programmed, the lock will automatically lock and can only be opened with a Portable Programming Device (PPD). If you have questions or doubts on this, please contact your authorized SALTO supplier.

**LEGAL WARNINGS**

The user shall be responsible for the correct use and maintenance of the access control equipment according to the instructions herein. SALTO shall not be responsible for any defect, malfunction, loss or damage, whether direct or indirect, caused by or arisen from any improper installation or utilization of the equipment or which contravenes, transgresses or infringes in any manner the above mentioned instructions. SALTO's liability concerning the equipment is limited to the warranty provided. The warranty does not cover product failures due to repairs, modifications or product manipulations performed in the access control equipment or in the inner electromechanical structure by anyone other than authorized SALTO dealers or personnel.



**FCC COMPLIANCE STATEMENT**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This product is a radio transmitter and receiver to be used in **mobile** conditions.

**Supplier's Declaration of Conformity**

**47 CFR § 2.1077 Compliance Information**

We, SALTO Systems, S.L., hereby declare that the equipment bearing the model number specified above was tested conforming to the applicable FCC Rules.

**Responsible Party – U.S. Contact Information**

Salto Systems Inc. USA. 1780 Corporate Drive, Suite 400. Norcross, GA. 30093. v.kourelou@saltosystems.com



**ISED COMPLIANCE STATEMENT**

This device complies with Industry Canada license-exempt RSS standards(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

This device has been tested and found to comply with the limits for a Class B digital device, pursuant to ICES-003.

**IMDA COMPLIANCE LABEL [1]**



**NCC WARNING STATEMENT / NCC 警語要求 [2]**

取得審驗證明之低功率射頻器材，非經核准，公司、商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。低功率射頻器材之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。前述合法通信，指依電信管理法規定作業之無線電通信。低功率射頻器材須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。

| Legend:  | Remarks:  |
|----------|---|
| [1] IMDA | Not applicable for models, AE9, AE9W, E97, PPD800   |
| [2] NCC  | Not applicable for models AF0M, AF0D, AE9, AE9W, AE0M, AES, E97, EM07, EM17, C20M, DM0M, DZ0M, PPD800 |