

Figure 8.1-69: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 2412 MHz – antenna in horizontal polarization – EUT in configuration 1




Figure 8.1-70: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 2412 MHz – antenna in vertical polarization – EUT in configuration 1




Figure 8.1-71: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 2412 MHz – antenna in horizontal polarization – EUT in configuration 1




Figure 8.1-72: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 2412 MHz – antenna in vertical polarization – EUT in configuration 1




Figure 8.1-73: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 1




Figure 8.1-74: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 1




Figure 8.1-75: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 1




Figure 8.1-76: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 1




Figure 8.1-77: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 1




Figure 8.1-78: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 1




Figure 8.1-79: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 1




Figure 8.1-80: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 1

Section 8
Test name
Specification

Testing data
FCC 15.209 and RSS-GEN section 8.9 Radiated emission limits; general requirements
FCC Part 15 Subpart C and RSS-GEN, Issue 5




Figure 8.1-81: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in horizontal polarization – EUT in configuration 1




Figure 8.1-82: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in vertical polarization – EUT in configuration 1




Figure 8.1-83: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in horizontal polarization – EUT in configuration 1




Figure 8.1-84: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in vertical polarization – EUT in configuration 1




Figure 8.1-85: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in horizontal polarization – EUT in configuration 1




Figure 8.1-86: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in vertical polarization – EUT in configuration 1




Figure 8.1-87: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in horizontal polarization – EUT in configuration 1




Figure 8.1-88: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in vertical polarization – EUT in configuration 1

Section 8
Test name
Specification

Testing data
FCC 15.209 and RSS-GEN section 8.9 Radiated emission limits; general requirements
FCC Part 15 Subpart C and RSS-GEN, Issue 5




Figure 8.1-89: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 1




Figure 8.1-90: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 1




Figure 8.1-91: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 1




Figure 8.1-92: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 1




Figure 8.1-93: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 1




Figure 8.1-94: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 1




Figure 8.1-95: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 1




Figure 8.1-96: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 1




Figure 8.1-97: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 2412 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-98: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 2412 MHz – antenna in vertical polarization – EUT in configuration 2




Figure 8.1-99: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 2412 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-100: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 2412 MHz – antenna in vertical polarization – EUT in configuration 2




Figure 8.1-101: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 2412 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-102: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 2412 MHz – antenna in vertical polarization – EUT in configuration 2

Section 8
Test name
Specification

Testing data
FCC 15.209 and RSS-GEN section 8.9 Radiated emission limits; general requirements
FCC Part 15 Subpart C and RSS-GEN, Issue 5




Figure 8.1-103: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 2412 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-104: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 2412 MHz – antenna in vertical polarization – EUT in configuration 2

Section 8
Test name
Specification

Testing data
FCC 15.209 and RSS-GEN section 8.9 Radiated emission limits; general requirements
FCC Part 15 Subpart C and RSS-GEN, Issue 5



Figure 8.1-105: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-106: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 2

Section 8
Test name
Specification

Testing data
FCC 15.209 and RSS-GEN section 8.9 Radiated emission limits; general requirements
FCC Part 15 Subpart C and RSS-GEN, Issue 5




Figure 8.1-107: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-108: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 2




Figure 8.1-109: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-110: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 2

Section 8
Test name
Specification

Testing data
FCC 15.209 and RSS-GEN section 8.9 Radiated emission limits; general requirements
FCC Part 15 Subpart C and RSS-GEN, Issue 5




Figure 8.1-111: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-112: Radiated spurious emissions, LTE Tx at 782 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 2

Section 8
Test name
Specification

Testing data
FCC 15.209 and RSS-GEN section 8.9 Radiated emission limits; general requirements
FCC Part 15 Subpart C and RSS-GEN, Issue 5




Figure 8.1-113: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-114: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in vertical polarization – EUT in configuration 2




Figure 8.1-115: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-116: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in vertical polarization – EUT in configuration 2




Figure 8.1-117: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-118: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in vertical polarization – EUT in configuration 2




Figure 8.1-119: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-120: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 2412 MHz – antenna in vertical polarization – EUT in configuration 2

Section 8
Test name
Specification

Testing data
FCC 15.209 and RSS-GEN section 8.9 Radiated emission limits; general requirements
FCC Part 15 Subpart C and RSS-GEN, Issue 5




Figure 8.1-121: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-122: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 2

Section 8
Test name
Specification

Testing data
FCC 15.209 and RSS-GEN section 8.9 Radiated emission limits; general requirements
FCC Part 15 Subpart C and RSS-GEN, Issue 5




Figure 8.1-123: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-124: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 2




Figure 8.1-125: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 2




Figure 8.1-126: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 2

Section 8
Test name
Specification

Testing data
FCC 15.209 and RSS-GEN section 8.9 Radiated emission limits; general requirements
FCC Part 15 Subpart C and RSS-GEN, Issue 5




Figure 8.1-127: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in horizontal polarization – EUT in configuration 2






Figure 8.1-128: Radiated spurious emissions, LTE Tx at 1883 MHz, WIFI Tx at 5200 MHz – antenna in vertical polarization – EUT in configuration 2

Section 9. Block diagrams of test set-ups

9.1 Radiated emissions set-up for frequencies below 1 GHz




9.2 Radiated emissions set-up for frequencies above 1 GHz



Section 10. Photos


10.1 Photos of the test set-up



Radiated emission below 1 GHz – Antenna configuration 1



Radiated emission below 1 GHz – Antenna configuration 2



Radiated emission above 1 GHz - Configuration 1



Radiated emission above 1 GHz - Configuration 2

10.2 Photos of the EUT

REGATE-10-12-GS04



Section 10:

Photos







DYGATE-10-12-GS04









(End of report)