
产品规格书

PRODUCT SPECIFICATION

Product description:	4G LTE Dipole Antenna
Uni Link's part number:	MS-LTE-1
Issue Date:	2017-12-30
Note:	2400-2650MHz, SMA Male
Manufacturer:	Designs Midwest Hong Kong, Ltd
Address:	Room 2705, Block C, Tiley Central Plaza II, No.3 Haide Road, NanShan District, Shenzhen, Guangdong, China

Application and Features

Applications :

- 1: 4G router, hub or access point
- 2: Small base station
- 3: SOHO

Features :

- 1: 4G swivel blade antenna
- 2: 8 dbi gain
- 3: TNC connector

一、目录

- 1、产品技术指标 (SPECIFICATIONS)
- 2、产品图片 (PICTURE)
- 3、产品规格图 (DRAWING)
- 4、回损 (RETURN LOSS)
- 5、特性 (CHARACTERISICS)
- 6、辐射图 (RF RADIATION PATTERN)


1、产品技术指标 (SPECIFICATIONS)

电性能指标 Electrical Specifications	
频率范围 Frequency Range (MHz)	2400-2680
频带宽度 Bandwidth (MHz)	2000
输入阻抗 Input Impedence (Ω)	50
电压驻波比 V.S.W.R	≤ 2.0
增益 Gain (dBi)	8
最大输入功率 Max Input Power (w)	5
机械指标 Mechanical Specifications	
天线长度 Antenna Length (mm)	220
连接器型号 Connect Type	SMA male(用户指定)
外壳颜色 Radome Color	黑色 Black
重量 Weight (g)	30


2、产品图片 (PICTURE)





4、回损 (RETURN LOSS)




5、特性 (CHARACTERISTICS)



6、辐射图 (RF RADIATION PATTERN)



XOZ



YOZ

