

# MOBILETRON™

TX-PT004

## User Manual



The TX-PT004 is controlled using an application installed either on an iOS or Android device through the “TPMS EXPRESS” application. Bluetooth capability is required for smartphones and tablets.



### To use the TX-PT004

1. Press and hold the power button for 3 seconds the device ON
2. Open the “TPMS EXPRESS” application
3. Select Create Sensor
4. Select Make, Model and Year of vehicle being serviced

### To program the **MORESENSOR**

1. Place **MORESENSOR** in front of TX-PT004
2. Click SUBMIT
3. Click PROGRAM

## Power LED Panel

- Solid Red-Battery is low



## Bluetooth

The TX-PT004 can be controlled using a Bluetooth connection on an iOS or Android device.



FCC ID: A8TBM70ABCDEF GH

## Tool Overview

Batter Type	AAA Battery*2
Operating temperature	-20°C~60°C
Storage temperature	-20°C~60°C

## Environmental Notes

Electronic tools and used batteries should be disposed of in an environmentally friendly manner.

Do not expose the battery to fire or high temperatures. This device is not waterproof.



## **FCC Notices**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

### **CAUTION:**

Any changes or modifications not expressly approved by the grantee of this device could void the user's authority to operate the equipment.

### **RF exposure warning:**

The equipment complies with FCC RF exposure limits set forth for an uncontrolled environment.

The equipment must not be co-located or operating in conjunction with any other antenna or transmitter.