

Operating instructions

GB

**DTI801
DTI901
DTI911
DTI961**

Contents



1	Preliminary note	4
1.1	Symbols used	4
1.2	Warnings used	4
1.3	Legal and copyright information	4
1.4	Open source information	5
2	Safety instructions	6
3	Intended use	7
4	Items supplied	8
5	Function	9
5.1	Device overview	9
5.2	IO-Link	10
5.2.1	General information	10
5.2.2	Device-specific information	10
5.2.3	Device-specific parameters	10
5.2.3.1	Parameter "Data Hold Time"	10
5.2.3.2	Parameter "Auto-Read/Write Address"	11
5.2.3.3	Parameter "Auto-Read/WriteData Length"	11
5.2.3.4	Parameter "ID Tag Memory Area for Auto-Read/Write"	11
5.2.3.5	Parameter "ID Tag Access Password"	12
5.2.3.6	Parameter "ID Tag Selection Target"	12
5.2.3.7	Parameter "ID Tag Selection Mask"	12
5.2.3.8	Parameter "ID Tag Selection Start Bit"	12
5.2.3.9	Parameter "ID Tag Selection Length"	12
5.2.3.10	Parameter "RSSI Filter Lowest Value"	13
5.2.3.11	Parameter "RSSI Filter Highest Value"	13
5.2.3.12	Parameter "Activate RSSI Filter"	13
5.2.3.13	Parameter "Antenna Output Power for Read Access"	13
5.2.3.14	Parameter "Antenna Output Power for Write Access"	13
5.2.3.15	Parameter "ID Tag Detection Mode"	13
5.3	ID tag	14
5.3.1	ID tag detection	14
5.3.2	ID tag selection	14
5.3.3	RSSI filter	15
5.3.4	Reading and writing ID tag data	15
5.3.5	Write protecting the ID tag	16
6	Mounting	17
6.1	Installation instructions for devices	17
6.2	Installation instructions for ID tags	17
6.3	Avoiding interference	17
6.4	Mechanical design	18
6.5	Mounting options	18
6.5.1	Installation with angle bracket E80335	18
6.5.2	Installation with mounting device E80336	18
6.5.3	Installation with fixing bars E80337	19
6.6	Mounting distances	19
6.7	Positioning of the ID tags	20
6.8	Angle of aperture of the devices	21
7	Electrical connection	22
7.1	Wiring	22
7.2	Connecting the functional earth	22
8	Operating and display elements	23
9	Operation	24
9.1	Status bits	24
9.2	Operating mode "SINGLE EPC"	25
9.3	Operating Mode "READ DATA AUTO"	26
9.4	Operating Mode "WRITE DATA AUTO"	27

9.5	Operating mode "EPC REPORT"	28
9.5.1	Example "EPC REPORT"	30
9.6	Operating mode "EPC LIST"	30
9.6.1	Example "EPC LIST"	31
9.7	Operating mode "WRITE EPC"	32
9.7.1	Example "WRITE EPC"	33
9.7.2	Example "WRITE EPC not executed"	34
9.8	Operating mode "READ DATA"	35
9.8.1	Example "READ DATA"	36
9.8.2	Example "READ DATA not executed"	37
9.9	Operating mode "WRITE DATA"	38
9.9.1	Example "WRITE DATA"	39
9.9.2	Example "WRITE DATA not executed"	39
9.10	Operating mode "LOCK DATA"	40
9.11	Error values when executing commands	41
10	Maintenance, repair and disposal	43
11	Approvals / standards	44
	Glossary	45

1 Preliminary note

You will find instructions, technical data, approvals and further information using the QR code on the unit / packaging or at www.ifm.com.

1.1 Symbols used

- ✓ Requirement
- ▶ Instructions
- ▷ Reaction, result
- [...] Designation of keys, buttons or indications
- Cross-reference
-  Important note
Non-compliance may result in malfunction or interference.
-  Information
Supplementary note

1.2 Warnings used

ATTENTION

Warning of damage to property

1.3 Legal and copyright information

© All rights reserved by ifm electronic gmbh. No part of these instructions may be reproduced and used without the consent of ifm electronic gmbh.

All product names, pictures, companies or other brands used on our pages are the property of the respective rights owners.

- AS-i is the property of AS-International Association, (→ www.as-interface.net)
- CAN is the property of Robert Bosch GmbH, Germany (→ www.bosch.de)
- CAN is the property of CiA (CAN in Automation e.V.), Germany (→ www.can-cia.org)
- CODESYS™ is the property of CODESYS GmbH, Germany (→ www.codesys.com)
- DeviceNet™ is the property of ODVA™ (Open DeviceNet Vendor Association), USA (→ www.odva.org)
- EtherNet/IP® is the property of → ODVA™
- EtherCAT® is a registered trademark and patented technology, licensed by Beckhoff Automation GmbH, Germany.
- IO-Link® is the property of PROFIBUS Nutzerorganisation e.V., Germany (→ www.io-link.com)
- ISOBUS is the property of AEF - Agricultural Industry Electronics Foundation e.V., Germany (→ www.aef-online.org)
- Microsoft® is the property of Microsoft Corporation, USA (→ www.microsoft.com)
- Modbus® is the property of Schneider Electric SE, France (→ www.schneider-electric.com)
- PROFIBUS® is the property of PROFIBUS Nutzerorganisation e.V., Germany (→ www.profibus.com)
- PROFINET® is the property of → PROFIBUS Nutzerorganisation e.V., Deutschland

- Windows® is the property of → Microsoft Corporation, USA

1.4 Open source information

This product can contain Free Software or Open Source Software from various software developers which is subject to the following licenses: General Public License version 1, version 2 and version 3 (General Public License version 3 in conjunction with the GNU Compiler Collection Runtime Library Exception version 3.1), Lesser General Public License version 2.1, Lesser General Public License version 3, Berkeley Software Distribution (BSD-2-Clause, BSD-3-Clause, BSD-4-Clause), MIT-License (MIT), Python Software Foundation License 2.0, Pearl Artistic License and Artistic License 2.0, Microsoft Public License, Apache Software License Version 1.0, 1.1 und 2.0, ISC License, libpng License, zlib Licence, the Academic Free License version 2.1. For the components subject to the General Public License in their respective versions the following applies:

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation. If version 1 applies to the software: either version 1 of the License or (at your option) any later version; if version 2 (or 2.1) applies to the software: either version 2 (or 2.1) of the License or (at your option) any later version; if version 3 applies to the software: either version 3 of the License or (at your option) any later version. The following disclaimer of the software developers applies to the software components that are subject to the General Public License or the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License and the GNU Lesser General Public License for more details.

The responsibility of ifm electronic gmbh for ifm products, in the case of product-specific software, remains unaffected by the above disclaimer. Please note that the firmware for the ifm products is in some cases provided free of charge.

The price of the ifm products has then to be paid for the respective device itself (hardware) and not for the firmware. For the latest information on the license agreement for your product please visit www.ifm.com

For binaries that are licensed under any version of the GNU General Public License (GPL) or the GNU LGPL you may obtain the complete corresponding source code of the GPL software from us by sending a written request to: opensource@ifm.com or to ifm electronic gmbh, Friedrichstraße 1, 45128 Essen, Germany.

We charge €30 for each request. Please write "source for product Y" in the memo line of your payment. Your request should include (i) the name of the covered binary, (ii) the name and the version number of the ifm product, (iii) your name and (iv) your return address.

This offer is valid to anyone in receipt of this information. This offer is valid for at least three years (from the date you received the GPL/LGPL covered code).

2 Safety instructions

- The unit described is a subcomponent for integration into a system.
 - The system architect is responsible for the safety of the system.
 - The system architect undertakes to perform a risk assessment and to create documentation in accordance with legal and normative requirements to be provided to the operator and user of the system. This documentation must contain all necessary information and safety instructions for the operator, the user and, if applicable, for any service personnel authorised by the architect of the system.
- Read this document before setting up the product and keep it during the entire service life.
- The product must be suitable for the corresponding applications and environmental conditions without any restrictions.
- Only use the product for its intended purpose (→ Intended use).
- If the operating instructions or the technical data are not adhered to, personal injury and/or damage to property may occur.
- The manufacturer assumes no liability or warranty for any consequences caused by tampering with the product or incorrect use by the operator.
- Installation, electrical connection, set-up, operation and maintenance of the product must be carried out by qualified personnel authorised by the machine operator.
- Protect units and cables against damage.

3 Intended use

The device is an RFID read/write head for reading and writing ID tags in industrial environments. The read/write head is configured and data is exchanged via the integrated IO-Link interface.

Possible applications:

- Material flow control in production lines
- Warehouse management by the automatic detection of stored products
- Tank management, order picking or product tracking.



The device may only be used under the operating conditions specified in the data sheet.

4 Items supplied

- Compact DTI RFID device
- Package insert 'general information'
- Package insert 'radio approval'



The device is supplied without installation and connection accessories.

Available accessories: www.ifm.com.

The optimum function is not ensured when using components from other manufacturers.

5 Function

The ID tags are operated passively without battery. The energy required for operation is provided by the compact RFID device.

The energy is transferred via an electromagnetic wave. The receiving antenna takes up the wave and transforms it into voltage which supplies the data carrier with energy.


The radiated power is specified in ERP (Effective Radiated Power) and in EIRP (Effective Isotropic Radiated Power) for the devices. The respective value can be converted using the following formula:

$$P \text{ [dBm EIRP]} = P \text{ [dBm ERP]} + 2.15 \text{ [dB]}$$


GB

5.1 Device overview


DTI801

	Article number:	DTI801
	Function:	compact RFID device
	Type designation:	DTRUHFE HLRWIOUS04
	Type:	rectangular
	Operating frequency:	865 – 868 MHz
	Typical transmitter power:	22.5 dBm ERP (178 mW)


DTI901

	Article number:	DTI901
	Function:	compact RFID device
	Type designation:	DTRUHFA HLRWIOUS04
	Type:	rectangular
	Operating frequency:	902 – 928 MHz
	Typical transmitter power:	25.2 dBm EIRP (331 mW)

DTI911

	Article number:	DTI911
	Function:	compact RFID device
	Type designation:	DTRUHFA HLRWPNUS04
	Type:	rectangular
	Operating frequency:	920 – 925 MHz
	Typical transmitter power:	25.2 dBm EIRP (331 mW)

DTI961

	Article number:	DTI961
	Function:	compact RFID device
	Type designation:	DTRUHFA HLRWPNUS04
	Type:	rectangular
	Operating frequency:	916.8 – 920.4 MHz
	Typical transmitter power:	25.2 dBm EIRP (331 mW)

5.2 IO-Link

5.2.1 General information

This device has an IO-Link interface which enables direct access to process and diagnostic data. It is also possible to set the parameters of the device while it is in operation. Operation of the device via the IO-Link interface requires an IO-Link capable module (IO-Link master).

5.2.2 Device-specific information

With a PC, IO-Link software and an IO-Link adapter cable communication is possible when the system is not in operation.



Necessary information about the **IODD**, process data structure, diagnostic information, parameter addresses and the required hardware and software can be found at www.ifm.com.

5.2.3 Device-specific parameters

The parameters of the device are set using an IO-Link parameter setting program (for example ifm moneo).



More information about the **IODD** at www.ifm.com.

5.2.3.1 Parameter “Data Hold Time”

(Index 1902, subindex 0)

The data hold time indicates the time during which the data of the process data input image can be held constant. Depending on the operating mode, this affects the EPC ("SINGLE EPC" and "EPC REPORT" operating modes) and the data in the "READ DATA AUTO (→ Operating Mode "READ DATA AUTO" □ 26)" and "WRITE DATA AUTO (→ Operating Mode "WRITE DATA AUTO" □ 27)" modes.

After the data hold time has elapsed, the device automatically confirms the data: the block counter in the process data input image is increased. Then the next data is transferred.

The data hold time is cancelled by manually incrementing the block counter in the process data output image. Then the next data is transferred.

If the data hold time is set to "0" (off), the data must be confirmed in the process data output image by actively incrementing the block counter.



The parameter does not affect data transmission in the following operating modes:

- "EPC LIST (→ Operating mode "EPC LIST" □ 30)"
- "WRITE EPC (→ Operating mode "WRITE EPC" □ 32)"
- "READ DATA (→ Operating mode "READ DATA" □ 35)"
- "WRITE DATA (→ Operating mode "WRITE DATA" □ 38)"
- "LOCK DATA (→ Operating mode "LOCK DATA" □ 40)"

5.2.3.2 Parameter "Auto-Read/Write Address"

(Index 1903, subindex 0)

In the operating modes "READ DATA AUTO" (→ Operating Mode "READ DATA AUTO" □ 26) / "WRITE DATA AUTO" (→ Operating Mode "WRITE DATA AUTO" □ 27), the device automatically reads / writes a specified number of data bytes.

The parameter defines the address in the memory area which is accessed during the read/write operation. The address is indicated in bytes from the start of the memory area.



The data is processed as a data word (2 bytes).

- ▶ Use data word as format for the address.
- ▶ Use only even addresses.



The addressed memory area for the read/write operation cannot be outside the memory area of the device:

- ▶ Address for auto-read/auto-write + data length for auto-read/auto-write ≤ number of available bytes on the device

5.2.3.3 Parameter "Auto-Read/WriteData Length"

(Index 1904, subindex 0)

In the operating mode "READ DATA AUTO" (→ Operating Mode "READ DATA AUTO" □ 26) / "WRITE DATA AUTO" (→ Operating Mode "WRITE DATA AUTO" □ 27), the device automatically reads / writes a specified number of data bytes.

The parameter defines the length of the memory area which is read / written from the device in bytes.



The data is processed as a data word (2 bytes).

- ▶ Specify the data length as a multiple of 2 bytes.



The addressed memory area for the read/write operation cannot be outside the memory area of the device:

- ▶ Address for auto-read/auto-write + data length for auto-read/auto-write ≤ number of available bytes on the device



The minimum length for auto-read/auto-write is 2 bytes and the maximum length is 28 bytes.

5.2.3.4 Parameter "ID Tag Memory Area for Auto-Read/Write"

(Index 1905, subindex 0)

In the operating mode "READ DATA AUTO" (→ Operating Mode "READ DATA AUTO" □ 26) / "WRITE DATA AUTO" (→ Operating Mode "WRITE DATA AUTO" □ 27), the device automatically reads / writes a specified number of data bytes. The parameter determines the memory area on the ID tag that is read from / written to.



The following memory areas can be used with the parameter: EPC, TID and USER.

5.2.3.5 Parameter "ID Tag Access Password"

(Index 1906, subindex 0)

The ID tags can be provided with read/write-protection. Then a password is required for access. The parameter stores the password in the device. The password is used for all read and write access to the ID tags.

The password is 4 bytes long. If all 4 bytes have the value "0x00", no password is used to access the ID tags.



The password is used for all ID tags. Individual passwords per ID tag are not possible.

5.2.3.6 Parameter "ID Tag Selection Target"

(Index 1910, subindex 0)

With ID tag selection, only desired ID tags are detected by the device. All ID tags that do not meet the criteria are rejected by the device and not taken into account.

An ID tag is selected by comparing data stored on the ID tag and a given bit mask. The data is stored in one of the following memory areas for the purpose of comparison: **EPC**, **TID** or **USER**.

The parameter defines the memory area for the comparison. The following memory areas can be set:

- EPC
- TID
- USER
- no selection target

The ID tag selection is inactive if "no selection target" is set.

5.2.3.7 Parameter "ID Tag Selection Mask"

(Index 1911/1912/ 1913, subindex 1)

With ID tag selection, only desired ID tags are detected by the device. All ID tags that do not meet the criteria are rejected by the device and not taken into account.

An ID tag is selected by comparing data stored on the ID tag and a given bit mask. The data is stored in one of the following memory areas for the purpose of comparison: **EPC**, **TID** or **USER**.

The parameter defines the selection mask. The data on the ID tag is compared bit by bit with the selection mask. If all bits match, the ID tag is selected and detected by the device.

5.2.3.8 Parameter "ID Tag Selection Start Bit"

(Index 1911/1912/1913, subindex 2)

With ID tag selection, only desired ID tags are detected by the device. All ID tags that do not meet the criteria are rejected by the device and not taken into account.

An ID tag is selected by comparing data stored on the ID tag and a given bit mask. The data is stored in one of the following memory areas for the purpose of comparison: **EPC**, **TID** or **USER**.

The parameter sets the start bit from which the data in the ID tag is compared with the selection mask.

5.2.3.9 Parameter "ID Tag Selection Length"

(Index 1911/1912/1913, subindex 3)

With ID tag selection, only desired ID tags are detected by the device. All ID tags that do not meet the criteria are rejected by the device and not taken into account.

An ID tag is selected by comparing data stored on the ID tag and a given bit mask. The data is stored in one of the following memory areas for the purpose of comparison: **EPC**, **TID** or **USER**.

The parameter sets the number of bits used for the comparison from the start bit with the selection mask.

5.2.3.10 Parameter "RSSI Filter Lowest Value"

(Index 1914, subindex 1)

The RSSI filter spatially classifies ID tags based on their received signal (RSSI). A typical application is the limitation of the spatial detection area.

The parameter sets the lowest value for the RSSI filter. All ID tags with a reception signal below the set value are filtered out.

5.2.3.11 Parameter "RSSI Filter Highest Value"

(Index 1914, subindex 1)

The RSSI filter spatially classifies ID tags based on their received signal (RSSI). A typical application is the limitation of the spatial detection area.

The parameter sets the highest value for the RSSI filter. All ID tags with a reception signal above the set value are filtered out.

5.2.3.12 Parameter "Activate RSSI Filter"

(Index 1914, subindex 1)

The RSSI filter spatially classifies ID tags based on their received signal (RSSI). A typical application is the limitation of the spatial detection area.

The parameter activates the RSSI filter. ID tags below the minimum and above the maximum RSSI value are filtered out.

5.2.3.13 Parameter "Antenna Output Power for Read Access"

(Index 1915, subindex 0)

The parameter sets the antenna output power for reading ID tags.



A lower antenna output power reduces the maximum distance between the device and the ID tag to be read.

5.2.3.14 Parameter "Antenna Output Power for Write Access"

(Index 1916, subindex 0)

The parameter sets the antenna output power for writing to ID tags.



Writing data to the ID tag requires more energy than reading data. Therefore, the maximum distance between the device and the ID tag is less when writing data than when reading data.

The difference can be compensated by setting the antenna output power for reading and writing individually.

5.2.3.15 Parameter "ID Tag Detection Mode"

(Index 1917, subindex 0)

The parameter sets the behaviour of the device for detecting ID tags. The following detection modes can be set:

Detection mode	Typical number of ID tags in the field at the same time	Description
Fast response time	<4	The device tries to detect an ID tag as quickly as possible as soon as they reach or leave the device's detection field. This mode is particularly suitable for presence detection of ID tags. For this purpose, <4 ID tags should be in the detection field at the same time.

Detection mode	Typical number of ID tags in the field at the same time	Description
Moving ID tags	<4	This mode is particularly suitable for an ID tag that moves quickly through the detection field of the device. The "coming/going messages" can be output with a delay.
Multiple ID tags	4-16	This mode is particularly suitable if there are several ID tags in the detection field at the same time.



The detection modes are suitable for diverse applications and not only for those mentioned in the descriptions.

5.3 ID tag

5.3.1 ID tag detection

The device automatically searches for available **ID tags** that are within range of the device. The LED indicator on the device lights up when one or more ID tags are detected (see operating instructions of the device). The information of the ID tags is provided as process data at the IO-Link interface.

The ID tag detection with the device depends on the following:

- the set output power
- the ID tag selection (→ ID tag selection 14)
- the **RSSI filter**
- the device's antenna

The ID tags are detected on the basis of the **EPC data** on the ID tag. The EPC data of the ID tags must be different. If ID tags use the same EPC data, the device cannot distinguish them.



A maximum of 16 bytes of the EPC data of an ID tag are mapped on the process interface. The other EPC data is ignored by the device.

The device can only distinguish ID tags if the first 16 bytes are different.

The radio connection between the ID tag and the device depends on the following:

- environment of the device and ID tags
- orientation of the device and ID tags



For the best possible radio connection, follow the installation instructions in the operating manuals of the ID tag and the device.

5.3.2 ID tag selection

With ID tag selection, only desired ID tags are detected by the device. All ID tags that do not meet the criteria are rejected by the device and not taken into account.

An ID tag is selected by comparing data stored on the ID tag and a given bit mask. The data is stored in one of the following memory areas for the purpose of comparison: **EPC**, **TID** or **USER**.

The rejected ID tags are

- not transferred to the process image,
- not displayed via the status LEDs of the device,
- not taken into account when automatically reading or writing data.

The position of the data is specified by the parameters "Selection start bit" and "Selection length" in each case. If the data matches the comparison bit mask, the ID tag is selected and further processed by the device.

Examples

Only ID tags with a certain EPC value are detected in the selection. This makes it possible to distinguish between ID tags on a transport pallet and ID tags directly on the goods on the transport pallet.

There is a match between the data and the selection mask. The ID tag is detected by the device:

	Value (hex)	Value (binary)
Selection mask	0x3B	0b00111011
Data on the ID tag	0x3B	0b00111011

There is no match between the data and the selection mask. The ID tag is not detected by the device:

	Value (hex)	Value (binary)
Selection mask	0x3B	0b00111011
Data on the ID tag	0x34	0b00110100

5.3.3 RSSI filter

The RSSI filter spatially classifies ID tags based on their received signal (RSSI). A typical application is the limitation of the spatial detection area.

A minimum and a maximum RSSI value are set for the RSSI filter:

- high RSSI value: the ID tag is close to the device,
- low RSSI value: the ID tag is further away from the device.

ID tags below the minimum and above the maximum RSSI value are filtered out.



The measurement of the RSSI value of an ID tag is influenced by the

- ▶ environment and any reflections that may be present,
- ▶ movement of the ID tag during the measurement.

5.3.4 Reading and writing ID tag data

The device provides several methods for accessing the data of an ID tag:

- The operating modes "READ DATA AUTO" and "WRITE DATA AUTO" process the ID tag data independently and then display it in the process image. The length of the data and its address are determined beforehand. The device then automatically reads or writes the data as soon as an ID tag is detected. The amount of data is limited by the process data width of the IO-Link interface to max. 28 bytes.



The operating modes "READ DATA AUTO" and "WRITE DATA AUTO" read and write all detected ID tags. The ID tags are not distinguished on the basis of the EPC data.

- The other operating modes process the ID tag data on a one-time basis according to the user's instruction. The EPC data determines which ID tags are read or written. When transferring more than 28 bytes, several IO-Link process data cycles are used. The data is synchronised with block counters ("READ DATA" operating modes).

The ID tags are divided into several memory banks:

Memory bank	Description
EPC	The Electronic Product Code is used to detect ID tags.
TID	The transponder ID is a unique, non-changeable identification of the ID tag.

Memory bank	Description
USER	The memory bank USER can be freely used for the user's data.
RESERVED	The memory bank RESERVED contains configuration data of the ID tag and cannot be used by the user.

The memory banks have different sizes depending on the type of ID tag, so the maximum data length that can be used varies. Further information can be found in the data sheets of the ID tags.

EPC memory bank

The EPC memory bank stores the EPC and additional data:

Memory area	Type	Description
0x00 - 0x0F	CRC	16 bit CRC over the content of the EPC memory bank
0x10 - 0x1F	PC Bits	Protocol Control Bits
0x20 - End of memory bank	EPC	Electronic Product Code
0x210.0x21F	XPC	Extended Protocol Bits

With the operating mode "WRITE EPC", the EPC is written to the ID tag. (→ Operating mode "WRITE EPC" □ 32) The additional data is managed by the device.



Passive ID tags are powered wirelessly by the device's high-frequency alternating field. The field strength decreases sharply with increasing distance between the device and the ID tag. This means that less energy is available to the ID tag for long distances.

Writing data to the ID tag requires more energy than reading data. Therefore, the maximum distance between the device and the ID tag is less when writing data than when reading data.

5.3.5 Write protecting the ID tag

The ID tags can be write-protected. When write protection is active, a password is required for writing to the memory banks of the ID tag.

Memory bank	Description
EPC	EPC can be write-protected by the user with a password.
TID	TID is always read-only and cannot be changed.
USER	USER can be write-protected by the user with a password.
RESERVED	RESERVED is always read-only and cannot be changed.



With the write protection, only the writing of data can be prevented. Reading data is always possible regardless of write protection.

6 Mounting

ATTENTION

Radiated electromagnetic field strengths

- ▷ The device sends ultrahigh frequency electromagnetic waves. It complies with the country-specific limit values for the public and workers.
- ▶ Disconnect the device in the vicinity of medical equipment.

GB

6.1 Installation instructions for devices



Devices installed next to each other interfere if they are not configured correspondingly.



When installing several compact RFID devices adhere to the minimum distances between the systems.



Installing a device in or on metal reduces the read and write distance.



Device performance can be affected if positioned in the immediate vicinity of powerful HF emission sources such as welding transformers.

6.2 Installation instructions for ID tags



For installation in and on metal the ID tags provided for this purpose must be used.



The ID tag must be positioned in the area of the sensing face. (→ Mechanical design □ 18)
When doing so, the angle of aperture and the operating distance must be adhered to (→ Data sheet of the device).



The orientation of the compact RFID device axis must correspond with the axis of the ID tag.

6.3 Avoiding interference

The device generates a modulated electromagnetic field in the following frequency ranges:

DTI801: 865-868 MHz

DTI901: 902-928 MHz

DTI911: 920–925 MHz

DTI961: 916.8–920.4 MHz

Interference in data communication is avoided if there are no other RFID UHF devices in the vicinity. If there are other RFID UHF devices in the vicinity:


- ▶ The mounting distances between the devices should be as large as possible. (→ Mounting distances □ 19)
- ▶ Use the RSSI filter. (→ Parameter "Activate RSSI Filter" □ 13)
- ▶ Use the devices in alternating operation.
- ▶ Switch the HF field of the device on/off.



The UHF field is attenuated if there are people or objects (cables, metal profiles, etc.) between the device and ID tag.

- ▶ Keep the area between the device and ID tag clear during reading or writing.

6.4 Mechanical design



1 Sensing face

2 Connections (can be rotated by 270°)


6.5 Mounting options



The device can be mounted without the accessories.

- ▶ For installation, please use the threaded sleeves on the back of the device.
- ▷ The required screws are not supplied with the device.


6.5.1 Installation with angle bracket E80335




6.5.2 Installation with mounting device E80336

The mounting device is used to mount the device on a clamp. Compatible clamp:


- E21110 with a rod diameter of 12 mm
- E20795 with a rod diameter of 14 mm
- E21109 with a rod diameter of 14 mm



6.5.3 Installation with fixing bars E80337



6.6 Mounting distances



Operating mode	Distance side (A)	Distance front (B)
Reading and writing at 100% transmitting power (simultaneous operation)	> 0.6 m	> 0.6 m
Reading and writing at 100% transmitting power (alternating operation)	> 0.3 m	> 0.3 m



Interference in data communication is avoided if there are no other RFID UHF devices in the vicinity. If there are other RFID UHF devices in the vicinity:

- ▶ The mounting distances between the devices should be as large as possible.
- ▶ Use the RSSI filter. (→ Parameter "Activate RSSI Filter" □ 13)
- ▶ Use the devices in alternating operation.
- ▶ Switch the HF field of the device on/off.

6.7 Positioning of the ID tags




Fig. 1: Position the ID tag

- ▶ Align the ID tag on the antenna central axis.
- ▶ The distance "D" is indicated in the data sheet.



ID tags are also detected on the back of the device. To avoid this:

- ▶ Use the RSSI filter. (→ RSSI filter □ 15)

6.8 Angle of aperture of the devices

DTI8xx




Fig. 2: Angle of aperture of the DTI8xx

- 1 Sensing face of the device
- 3 Vertical angle of aperture

2 Horizontal angle of aperture

DTI9xx



7 Electrical connection



The device must be connected by a qualified electrician.

Device of protection class III (PC III).

The electrical supply must only be made via PELV/SELV circuits.

- ▶ Disconnect power before connecting the device.

ATTENTION

The IP rating indicated in the data sheet is only guaranteed if the M12 connectors are firmly screwed. The device can be damaged by insufficiently tightened M12 connectors.

- ▶ Screw the M12 connector to the device applying 1 to 1.5 Nm.

7.1 Wiring

- ▶ Connect the device to an IO-Link master using a M12 connection cable.
- ▷ Voltage is supplied via the IO-Link master.

Pin assignment	Wiring

7.2 Connecting the functional earth

- ▶ Connect the device to an earth potential free from external voltage.



To ensure interference-free operation, connect the device to an earth potential free from external voltage.

Connect the mounting plate to functional earth.




Fig. 3: Mounting plate with mounted device

When the device is mounted on a mounting plate:

- ▶ Connect one of the 4 mounting bolts on the back of the device to the mounting plate.
- ▶ Connect the mounting plate to an earth potential free from external voltage.

8 Operating and display elements




Fig. 4: Operating and display elements
1 LEDs

2 Sensing face

GB

State	Power LED (green)	ID tag LEDs (yellow/orange)	Fault LED (red)
Ready for operation without ID tag	On	Off	Off
Ready for operation with ID tag(s)	On	ID tag number 1-4	Off
Inactive	Flashes at 1 Hz	Off	Off
Error: Overflow of the ID tag data	On	ID tag number 1-4	On

9 Operation

The device supports different operating modes. An operating mode is set with the command value in the process data output image.

Command value	Operating mode	Description
0x00	SINGLE EPC	Read and provide an EPC
0x01	READ DATA AUTO	Auto-read data
0x02	WRITE DATA AUTO	Auto-write data
0x03	EPC REPORT	Create an EPC report
0x04	EPC LIST	Create an EPC list
0x05	WRITE EPC	Write EPC
0x06	READ DATA	Read data
0x07	WRITE DATA	Write data
0x08	LOCK DATA	Lock data

All operating modes use the same status bits and error values in the process images.

In addition to the operating modes the internal antenna of the device can be deactivated. If the antenna is deactivated, the device can still be addressed via IO-Link, but the device no longer generates a high-frequency signal. ID tags are not detected by the device. By deactivating the antenna, interference between devices installed next to each other can be avoided.

The device is activated and deactivated via the bit "Antenna deactivate" in the process data output image. The status of the antenna is read via the bit "Antenna deactivated" in the process data input image.


9.1 Status bits

Process input								
Bit	7	6	5	4	3	2	1	0
Name			Tag Over- flow	Buffer over- flow	Antenna de- activated	Tag present	Cmd End	Cmd Start Acknowl- edge
Process output								
Bit	7	6	5	4	3	2	1	0
Name					Cmd Anten- na deacti- vate			Cmd Start
Status bit	Value		Description					
Tag Overflow	0		ID tag processing OK					
	1		More ID tags are detected than can be processed					
Buffer overflow	0		Data transmission OK					
	1		Data cannot be transmitted fast enough via IO-Link (only in operating mode "EPC REPORT")					
Antenna deactivated	0		Antenna activated, device ready to receive					
	1		Antenna deactivated, device not ready to receive					
Tag present	0		No ID tag in the range of the device					
	1		ID tag detected					
Cmd End	0		Read/write operation not started or active					
	1		Read/write operation terminated					
Cmd Start Acknowledge	0		Start of a read/write operation not acknowledged					

Process input		
Cmd Start Acknowledge	1	Start of a read/write operation acknowledged
Cmd Antenna deactivate	0	Activate antenna
	1	Deactivate antenna
Cmd Start	0	Reset trigger for read/write operation
	1	Set trigger for read/write operation


9.2 Operating mode "SINGLE EPC"

In the operating mode "SINGLE EPC", the EPC of an ID tag is read and provided by the device in the process data input. If several ID tags are in the detection zone of the device at the same time, the ID tag with the strongest reception signal (RSSI) is read. If there is no ID tag in the detection zone, the value "0x00" is read. The RSSI byte outputs the current reception signal.

 The RSSI value is a signed integer value. For example, "0xD6" corresponds to the RSSI value "-42 dBm".

A maximum of 16 bytes are read for an EPC. If the EPC stored on the ID tag is longer, the remaining bytes are truncated. If the EPC is shorter, the remaining bytes are filled with "0x00". The current length of the EPC is output in the "Length of EPC" field.

When a new ID tag is detected, the device increments the block counter.

 The block counter counts up to "255" and then starts again at "0".

The operating mode "SINGLE EPC" is the default operating mode after the device has been started.

Byte	Process data output	Process data input
0	command value = 0x00	command value = 0x00
1	status	status
2	ignored	RSSI
3	ignored	length of EPC
4	ignored	EPC 0
5	ignored	EPC 1
6	ignored	EPC 2
7	ignored	EPC 3
8	ignored	EPC 4
9	ignored	EPC 5
10	ignored	EPC 6
11	ignored	EPC 7
12	ignored	EPC 8
13	ignored	EPC 9
14	ignored	EPC 10
15	ignored	EPC 11
16	ignored	EPC 12
17	ignored	EPC 13
18	ignored	EPC 14
19	ignored	EPC 15
20	ignored	0x00
21	ignored	0x00

Byte	Process data output	Process data input
22	ignored	0x00
23	ignored	0x00
24	ignored	0x00
25	ignored	0x00
26	ignored	0x00
27	ignored	0x00
28	ignored	0x00
29	ignored	0x00
30	ignored	block counter
31	ignored	error value

9.3 Operating Mode "READ DATA AUTO"

In the operating mode "READ DATA AUTO" the bytes 0 to 27 represent the data in the memory area of the device.

The memory area is set by the following parameters:

- "Auto-Read/Write Address",
- "Auto-Read/Write Data Length" and
- "Auto-Read/Write Memory Bank".

For memory areas with a data length of < 28 bytes the data remaining in the process image is filled with the value 0x00.

The data in the process image is updated as soon as an ID tag is in the detection zone. The data in the process image is valid as soon as the status bit "Cmd End" is set.

If the ID tag leaves the detection zone, the data bytes remain constant in the process image in accordance with the data hold time. After the data hold time has elapsed, the data bytes in the process data input image are reset to 0x00. If the ID tag remains in the detection zone, the re-reading of the data is triggered by setting the "Cmd Start" bit.

Whenever the data is updated, the block counter is incremented.

If reading was unsuccessful, an error value is shown in the process image.



In the operating mode "READ DATA AUTO", the EPC of an ID tag is not transmitted. The ID tag must be assigned based on the data.



The smaller the set data length, the less time the device needs to perform an operation. As a result, the ID tag's dwell time in the detection zone is shorter.

Byte	Process data output	Process data input
0	command value = 0x01	command value = 0x01
1	status	status
2	ignored	data 0
3	ignored	data 1
4	ignored	data 2
5	ignored	data 3
6	ignored	data 4
7	ignored	data 5
8	ignored	data 6
9	ignored	data 7

Byte	Process data output	Process data input
10	ignored	data 8
11	ignored	data 9
12	ignored	data 10
13	ignored	data 11
14	ignored	data 12
15	ignored	data 13
16	ignored	data 14
17	ignored	data 15
18	ignored	data 16
19	ignored	data 17
20	ignored	data 18
21	ignored	data 19
22	ignored	data 20
23	ignored	data 21
24	ignored	data 22
25	ignored	data 23
26	ignored	data 24
27	ignored	data 25
28	ignored	data 26
29	ignored	data 27
30	ignored	block counter
31	ignored	error value

9.4 Operating Mode "WRITE DATA AUTO"

In the operating mode "WRITE DATA AUTO" the data to be written is defined by the process data output image. If an ID tag enters the detection zone, the data bytes are written to the ID tag complete with the address and length.

The memory area is set by the following parameters:

- "Auto-Read/Write Address",
- "Auto-Read/Write Data Length" and
- "Auto-Read/Write Memory Bank".

Max. 28 bytes can be defined in the process data output image (data 0 to 27). If a shorter length is defined in the parameter "Auto-Read/WriteData Length", the other data bytes are ignored and not written to the ID tag.

If writing was successful, the written data is copied to the process data input image and the status bit "Cmd End" is set.

If the ID tag leaves the detection zone, the data bytes remain constant in the process image in accordance with the data hold time. After the data hold time has elapsed and when the ID tag leaves the detection zone, the data bytes in the process data input image are reset to 0x00. If the ID tag remains in the detection zone, the re-writing of the data is triggered by setting the "Cmd Start" bit.

If writing was unsuccessful, an error value is shown in the process image.



In the operating mode "WRITE DATA AUTO", writing is executed on all detected ID tags, independently of the EPC. The ID tag selection (→ ID tag selection □ 14) and RSSI filter (→ RSSI filter □ 15) functions are used for selection.



The smaller the set data length, the less time the device needs to perform an operation. As a result, the ID tag's dwell time in the detection zone is shorter.

Byte	Process data output	Process data input
0	command value = 0x02	command value = 0x02
1	status	status
2	data 0	data 0
3	data 1	data 1
4	data 2	data 2
5	data 3	data 3
6	data 4	data 4
7	data 5	data 5
8	data 6	data 6
9	data 7	data 7
10	data 8	data 8
11	data 9	data 9
12	data 10	data 10
13	data 11	data 11
14	data 12	data 12
15	data 13	data 13
16	data 14	data 14
17	data 15	data 15
18	data 16	data 16
19	data 17	data 17
20	data 18	data 18
21	data 19	data 19
22	data 20	data 20
23	data 21	data 21
24	data 22	data 22
25	data 23	data 23
26	data 24	data 24
27	data 25	data 25
28	data 26	data 26
29	data 27	data 27
30	block counter	block counter
31	ignored	error value

9.5 Operating mode "EPC REPORT"

In the operating mode "EPC REPORT", the device generates a message when an ID tag enters (arrival = 1) or leaves (arrival = 0) the detection field of the device. With each new message

- the EPC of the ID tag is output,
- the received signal strength (RSSI) is output and
- the block counter is incremented.

The message is transmitted as a process value until the controller confirms the block counter. The controller confirms the block counter by mirroring the block counter value in the output image. If there is no confirmation, the message is automatically confirmed after the data hold time has expired and the new message is transmitted.



The rapid changing of ID tags generates many messages in a short time. If these messages are transmitted too slowly, the result will be a "buffer overflow". This is indicated by the corresponding bit in the status byte.

- ▶ Confirm the controller actively by mirroring the block counter.
- ▷ As a result, messages that are not transmitted fast enough are retained.



The RSSI value is a signed integer value. For example, "0xD6" corresponds to the RSSI value "-42 dBm".

Byte	Process data output	Process data input
0	command value = 0x03	command value = 0x03
1	Status	Status
2	ignored	RSSI
3	ignored	length of EPC
4	ignored	EPC 0
5	ignored	EPC 1
6	ignored	EPC 2
7	ignored	EPC 3
8	ignored	EPC 4
9	ignored	EPC 5
10	ignored	EPC 6
11	ignored	EPC 7
12	ignored	EPC 8
13	ignored	EPC 9
14	ignored	EPC 10
15	ignored	EPC 11
16	ignored	EPC 12
17	ignored	EPC 13
18	ignored	EPC 14
19	ignored	EPC 15
20	ignored	0x00
21	ignored	0x00
22	ignored	0x00
23	ignored	0x00
24	ignored	0x00
25	ignored	0x00
26	ignored	0x00
27	ignored	0x00
28	ignored	0x00
29	ignored	arrival
30	block counter	block counter
31	ignored	error value

9.5.1 Example "EPC REPORT"

The example demonstrates the generation of a message when an ID tag enters (arrival = 1) or leaves (arrival = 0) the detection field of the device.

	Command value	Block counter	Status bit "Cmd Start"	Command value	Data 0 to 27	ID tag enters detection field (arrival=1)	Block counter	Error value	Status bit "Cmd End"	Status bit "Cmd Start"
	Process data output image			Process data input image						
Preset command	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0x00	0	0
Controller sets command (Output EPC report)	0x03	0x00	1	0x00	Single EPC	0x00	0x00	0x00	0	0
Device sends EPC2 code "coming"	0x03	0x00	1	0x03	EPC2	0x01	0x00	0x00	0	1
Controller acknowledges receipt of the data	0x03	0x01	1	0x03	EPC2	0x01	0x01	0x00	0	1
Device sends EPC1 code "leaving"	0x03	0x01	1	0x03	EPC1	0x00	0x02	0x00	0	1
Controller acknowledges receipt of the data	0x03	0x02	1	0x03	EPC1	0x00	0x02	0x00	0	1
Device has no further messages	0x03	0x02	1	0x03	EPC1	0x00	0x02	0x00	0	1
Controller withdraws command value	0x00	0x00	0	0x03	EPC1	0x00	0x02	0x00	0	1
Device carries out preset command	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0x00	0	0

9.6 Operating mode "EPC LIST"

In the operating mode "EPC LIST", a list with all ID tags in the detection field is generated by setting the Cmd start bit. The number of detected ID tags is displayed in the field "Total Number of Tags". A process image with the following content is created for each ID tag:

- the RSSI value,
- the length of the EPC and
- the EPC.

The block counter indicates the current ID tag in the list. By incrementing the block counter in the process data output image, the controller switches to the next ID tag. As confirmation, the value of the block counter is mirrored by the device.

After all ID tags of the list have been transmitted, a new list is created by setting the Cmd start bit again.



The list is a snapshot and will only be updated by setting the Cmd start bit again.



The RSSI value is a signed integer value. For example, "0xD6" corresponds to the RSSI value "-42 dBm".

Byte	Process data output	Process data input
0	command value = 0x04	command value = 0x04
1	status	status
2	ignored	RSSI
3	ignored	length of EPC
4	ignored	EPC 0
5	ignored	EPC 1
6	ignored	EPC 2
7	ignored	EPC 3
8	ignored	EPC 4
9	ignored	EPC 5
10	ignored	EPC 6
11	ignored	EPC 7
12	ignored	EPC 8
13	ignored	EPC 9
14	ignored	EPC 10
15	ignored	EPC 11
16	ignored	EPC 12
17	ignored	EPC 13
18	ignored	EPC 14
19	ignored	EPC 15
20	ignored	0x00
21	ignored	0x00
22	ignored	0x00
23	ignored	0x00
24	ignored	0x00
25	ignored	0x00
26	ignored	0x00
27	ignored	0x00
28	ignored	0x00
29	ignored	total number of tags
30	block counter	block counter
31	ignored	error value

9.6.1 Example "EPC LIST"

The example creates a list with all ID tags in the detection field.

	Command value	Block counter	Status bit "Cmd Start"	Command value	Data 0 to 27	Block counter	Error value	Status bit "Cmd End"	Status bit "Cmd Start"
	Process data output image			Process data input image					
Preset command	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0	0
Controller sets command (output EPC list)	0x04	0x00	1	0x00	Single EPC	0x00	0x00	0	0

	Command value	Block counter	Status bit "Cmd Start"	Command value	Data 0 to 27	Block counter	Error value	Status bit "Cmd End"	Status bit "Cmd Start"
Device acknowledges command and creates EPC list	0x04	0x00	1	0x04	0x00	0x00	0x00	0	1
Device sends first EPC code	0x04	0x00	1	0x04	EPC1	0x01	0x00	0	1
Controller acknowledges receipt of the data	0x04	0x01	1	0x04	EPC1	0x01	0x00	0	1
Device sends more EPC codes and ends command	0x04	0x01	1	0x04	EPC2	0x02	0x00	1	1
Controller acknowledges receipt of the data	0x04	0x02	1	0x04	EPC2	0x02	0x00	1	1
Controller withdraws command value	0x00	0x00	0	0x04	EPC2	0x02	0x00	1	1
Device carries out preset command	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0	0

9.7 Operating mode "WRITE EPC"

In the operating mode "WRITE EPC", a new EPC is written to an ID tag. The current EPC and the new EPC must be known. The data is sequentially transferred from the device to the controller.

Transfer data from the device to the controller:

- ▶ The controller sets the command value "0x05", the length and the value of the current EPC in the process data output image.
- ▶ The controller sets the length and value of the new EPC in the process data output image.
- ▶ The controller starts the write operation with the status bit "Cmd Start".
- ▷ The device acknowledges the start of the write operation by setting the status bit "Cmd Start Acknowledge" in the process data input image.
- ▶ The controller fills data bytes 0 to 17 with the new EPC in the process data output image and increments the block counter by "1".
- ▷ The device acknowledges receipt of the data bytes by increasing the block counter in the process data output image by "1".
- ▶ The device sets the status bit "Cmd End" as soon as the new EPC has been written to the ID tag.
- ▷ The write operation is terminated.
- ▷ If an error occurs during the write operation, the device sets the error value and the "Cmd End" bit.



If the operation was unsuccessful, the device sets the error value and the status bit "Cmd End" in the process image. Data transfer is interrupted.



The data is processed as a data word (2 bytes).

- ▶ Specify the data length as a multiple of 2 bytes.

Byte	Process data output when starting the write operation	Process data output during data transmission	Process data input
0	command value=0x05	command value=0x05	command value=0x05

Byte	Process data output when starting the write operation	Process data output during data transmission	Process data input
1	status	status	status
2	ignored	new EPC 0	0x00
3	length of EPC	new EPC 1	0x00
4	EPC 0	new EPC 2	0x00
5	EPC 1	new EPC 3	0x00
6	EPC 2	new EPC 4	0x00
7	EPC 3	new EPC 5	0x00
8	EPC 4	new EPC 6	0x00
9	EPC 5	new EPC 7	0x00
10	EPC 6	new EPC 8	0x00
11	EPC 7	new EPC 9	0x00
12	EPC 8	new EPC 10	0x00
13	EPC 9	new EPC 11	0x00
14	EPC 10	new EPC 12	0x00
15	EPC 11	new EPC 13	0x00
16	EPC 12	new EPC 14	0x00
17	EPC 13	new EPC 15	0x00
18	EPC 14	ignored	0x00
19	EPC 15	ignored	0x00
20	ignored	ignored	0x00
21	ignored	ignored	0x00
22	ignored	ignored	0x00
23	ignored	ignored	0x00
24	ignored	ignored	0x00
25	ignored	ignored	0x00
26	ignored	ignored	0x00
27	ignored	ignored	0x00
28	0x00	ignored	0x00
29	length new EPC	ignored	0x00
30	block counter	block counter	block counter
31	ignored	ignored	error value

9.7.1 Example "WRITE EPC"

The example writes a new EPC to an ID tag (command "0x05", EPC "0x4199").

	Command value	EPC length	EPC 0 to 15	Length of new EPC	Data	Block counter	Status bit "Cmd Start"	Command value	Data 0 to 27	Block counter	Error value	Status bit "Cmd End"	Status bit "Cmd Start"	
	Process data output image							Process data input image						
Preset command	0x00	0x00	0x0000	0x0000	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0	0	

	Command value	EPC length	EPC 0 to 15	Length of new EPC	Data	Block counter	Status bit "Cmd Start"	Command value	Data 0 to 27	Block counter	Error value	Status bit "Cmd End"	Status bit "Cmd Start"
Controller sets command (write EPC to ID tag with current EPC "0x4199")	0x05	0x02	0x4199	0x04	0x00	0x00	1	0x00	Single EPC	0x00	0x00	0	0
Device acknowledges command	0x05	0x02	0x4199	0x04	0x00	0x00	1	0x05	0x00	0x00	0x00	0	1
Controller transmits new EPC	0x05	New EPC for ID tag				0x01	1	0x05	0x00	0x00	0x00	0	1
Device acknowledges receipt and writes new EPC	0x05	New EPC for ID tag				0x01	1	0x05	0x00	0x01	0x00	0	1
Device terminates command	0x05	New EPC for ID tag				0x01	1	0x05	0x00	0x01	0x00	0	1
Controller withdraws command value	0x00	0x00	0x0000	0x00	0x00	0x00	0	0x05	0x00	0x01	0x00	1	1
Device carries out preset command	0x00	0x00	0x0000	0x00	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0	0

9.7.2 Example "WRITE EPC not executed"

The example shows the abort of a "WRITE EPC" command.

	Command value	EPC length	EPC 0 to 15	Length new EPC	Data	Block counter	Status bit "Cmd Start"	Command value	Data 0 to 27	Block counter	Error value	Status bit "Cmd End"	Status bit "Cmd Start"
	Process data output image						Process data input image						
Preset command	0x00	0x00	0x0000	0x0000	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0	0
Controller sets command (write EPC to ID tag with current EPC "0x4199")	0x05	0x00	0x4199	0x04	0x00	0x00	1	0x00	Single EPC	0x00	0x00	0	0
Device acknowledges command	0x05	0x00	0x4199	0x04	0x00	0x00	1	0x05	0x00	0x00	0x00	0	1
Controller transmits new EPC	0x05	New EPC for ID tag				0x01	1	0x05	0x00	0x00	0x00	0	1
Device acknowledges receipt and writes new EPC	0x05	New EPC for ID tag				0x01	1	0x05	0x00	0x01	0x00	0	1

	Command value	EPC length	EPC 0 to 15	Length new EPC	Data	Block counter	Status bit "Cmd Start"	Command value	Data 0 to 27	Block counter	Error value	Status bit "Cmd End"	Status bit "Cmd Start"
Device sets error value (insufficient power supply of ID tag)	0x05	New EPC for ID tag				0x01	1	0x05	0x00	0x01	0x64	1	1
Controller withdraws command value	0x00	0x00	0x0000	0x00	0x00	0x00	0	0x05	0x00	0x01	0x64	1	1
Device carries out preset command	0x00	0x00	0x0000	0x00	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0	0

9.8 Operating mode "READ DATA"

In the operating mode "READ DATA" more than 28 bytes can be read with one read operation. The data is sequentially transferred from the device to the controller.

Transfer data from the device to the controller:

- ▶ The controller sets the command value "0x06", the address (16 bits) and the data length (16 bits) in the process data output image. To identify the ID tag, the EPC and its length are also necessary.
- ▶ The controller starts the read operation with the status bit "Cmd Start".
- ▷ The device acknowledges the start of the read operation by setting the status bit "Cmd Start Acknowledge" in the process data input image.
- ▶ As soon as the first data is available from the ID tag, the device transfers the data to the process data input image (data 0 to 27) and increments the block counter by "1".
- ▷ The controller acknowledges receipt of the data by increasing the block counter in the process data output image by "1".
- ▶ The previous two steps are repeated until all data has been transferred.
- ▶ The device sets the status bit "Cmd End" with the last transfer.
- ▷ The read operation is terminated.



If the operation was unsuccessful, the device sets the error value and the status bit "Cmd End" in the process image. Data transfer is interrupted.

Byte	Process data output	Process data input
0	command value = 0x06	command value = 0x06
1	Status	Status
2	ignored	data 0
3	length of EPC	data 1
4	EPC 0	data 2
5	EPC 1	data 3
6	EPC 2	data 4
7	EPC 3	data 5
8	EPC 4	data 6
9	EPC 5	data 7
10	EPC 6	data 8
11	EPC 7	data 9
12	EPC 8	data 10

Byte	Process data output	Process data input
13	EPC 9	data 11
14	EPC 10	data 12
15	EPC 11	data 13
16	EPC 12	data 14
17	EPC 13	data 15
18	EPC 14	data 16
19	EPC 15	data 17
20	ignored	data 18
21	ignored	data 19
22	ignored	data 20
23	ignored	data 21
24	ignored	data 22
25	memory bank	data 23
26	address high	data 24
27	address low	data 25
28	length high	data 26
29	length low	data 27
30	block counter	block counter
31	ignored	error value

9.8.1 Example "READ DATA"

The example demonstrates the successful reading of data (command value "0x06", EPC "0x5532").

	Command value	EPC length	EPC 0 to 15	Memory bank	Address	Length	Data 0 to 27	Block counter	Status bit "Cmd Start"	Command value	Data 0 to 27	Block counter	Error value	Status bit "Cmd End"	Status bit "Cmd Start"
	Process data output image									Process data input image					
Preset command	0x00	0x00	0x0000	0x00	0x0000	0x0000	0x0000	0x00	0	0x00	Single EPC	0x00	0x00	0	0
Controller sets command (read 35 bytes from address 0x12)	0x06	0x02	0x5532	0x02	0x0012	0x0023	0x0000	0x00	1	0x00	Single EPC	0x00	0x00	0	0
Device acknowledges command	0x06	0x02	0x5532	0x02	0x0012	0x0023	0x0000	0x00	1	0x06	0x00	0x00	0x00	0	1
Device sets first byte of the data	0x06	0x02	0x5532	0x02	0x0012	0x0023	0x0000	0x00	1	0x06	Data	0x01	0x00	0	1
Controller acknowledges receipt of the data	0x06	0x02	0x5532	0x02	0x0012	0x0023	0x0000	0x01	1	0x06	Data	0x01	0x00	0	1
Device sets more data and terminates reading	0x06	0x02	0x5532	0x02	0x0012	0x0023	0x0000	0x01	1	0x06	Data	0x02	0x00	1	1

	Command value	EPC length	EPC 0 to 15	Memory bank	Address	Length	Data 0 to 27	Block counter	Status bit "Cmd Start"	Command value	Data 0 to 27	Block counter	Error value	Status bit "Cmd End"	Status bit "Cmd Start"
Controller acknowledges receipt of the data	0x06	0x02	0x5532	0x02	0x0012	0x0023	0x00	0x02	1	0x06	Data	0x02	0x00	1	1
Controller withdraws command value	0x00	0x00	0x0000	0x00	0x0000	0x0000	0x00	0x00	0	0x06	Data	0x02	0x00	1	1
Device carries out pre-set command	0x00	0x00	0x0000	0x00	0x0000	0x0000	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0	0

9.8.2 Example "READ DATA not executed"

The example shows the abort of a reading command.

	Command value	EPC length	EPC 0 to 15	Memory bank	Address	Length	Data 0 to 27	Block counter	Status bit "Cmd Start"	Command value	Data 0 to 27	Block counter	Error value	Status bit "Cmd End"	Status bit "Cmd Start"
	Process data output image									Process data input image					
Preset command	0x00	0x00	0x0000	0x00	0x0000	0x0000	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0	0
Controller sets command (read 35 bytes from address 0x12)	0x06	0x02	0x5532	0x02	0x0012	0x0023	0x00	0x00	1	0x06	Single EPC	0x00	0x00	0	0
Device acknowledges command	0x06	0x02	0x5532	0x02	0x0012	0x0023	0x00	0x00	1	0x06	0x00	0x00	0x00	0	1
Device sets first byte of the data	0x06	0x02	0x5532	0x02	0x0012	0x0023	0x00	0x00	1	0x06	Data	0x00	0x00	0	1
Controller acknowledges receipt of the data	0x06	0x02	0x5532	0x02	0x0012	0x0023	0x00	0x01	1	0x06	Data	0x01	0x00	0	1
Device sets error value (error when receiving data)	0x06	0x02	0x5532	0x02	0x0012	0x0023	0x00	0x01	1	0x06	Data	0x01	0x42	1	1
Controller withdraws command value	0x00	0x00	0x0000	0x00	0x0000	0x0000	0x00	0x00	0	0x06	0x00	0x01	0x42	1	1
Device carries out pre-set command	0x00	0x00	0x0000	0x00	0x0000	0x0000	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0	0

9.9 Operating mode "WRITE DATA"

In the operating mode "WRITE DATA", more than 28 bytes are written to an ID tag with one write operation. The data is sequentially transferred from the controller to the device.

Transfer data from the controller to the device:

- ▶ The controller sets the command value "0x07", the address (16 bits) and the data length (16 bits) in the process data output image. To identify the ID tag, the EPC and its length are also necessary.
- ▶ The controller starts the write operation with the status bit "Cmd Start".
- ▷ The device acknowledges the start of the write operation by setting the status bit "Cmd Start Acknowledge" in the process data input image.
- ▶ The controller fills the data in the process data output image (data 0 to 27) and increases the block counter by "1".
- ▷ The device acknowledges receipt of the data by increasing the block counter in the process data output image by 1.
- ▶ The two previous steps are repeated until all data has been transferred.
- ▷ The device sets the status bit "Cmd End" with the last transfer.
- ▶ The write operation is terminated.



If the operation was unsuccessful, the device sets the error value and the status bit "Cmd End" in the process image. Data transfer is interrupted.

Byte	Process data output when starting the write operation	Process data output during data transmission	Process data input
0	command value=0x07	command value=0x07	command value=0x07
1	status	status	status
2	ignored	data 0	0x00
3	length of EPC	data 1	0x00
4	EPC 0	data 2	0x00
5	EPC 1	data 3	0x00
6	EPC 2	data 4	0x00
7	EPC 3	data 5	0x00
8	EPC 4	data 6	0x00
9	EPC 5	data 7	0x00
10	EPC 6	data 8	0x00
11	EPC 7	data 9	0x00
12	EPC 8	data 10	0x00
13	EPC 9	data 11	0x00
14	EPC 10	data 12	0x00
15	EPC 11	data 13	0x00
16	EPC 12	data 14	0x00
17	EPC 13	data 15	0x00
18	EPC 14	data 16	0x00
19	EPC 15	data 17	0x00
20	ignored	data 18	0x00
21	ignored	data 19	0x00
22	ignored	data 20	0x00
23	ignored	data 21	0x00
24	ignored	data 22	0x00

Byte	Process data output when starting the write operation	Process data output during data transmission	Process data input
25	memory bank	data 23	0x00
26	address high	data 24	0x00
27	address low	data 25	0x00
28	length high	data 26	0x00
29	length low	data 27	0x00
30	block counter	block counter	block counter
31	ignored	ignored	error value

9.9.1 Example "WRITE DATA"

The example demonstrates the successful writing of data (command "0x07", EPC "0x7134").

	Command value	EPC length	EPC 0 to 15	Memory bank	Address	Length	Data 0 to 27	Block counter	Status bit "Cmd Start"	Command value	Data 0 to 27	Block counter	Error value	Status bit "Cmd End"	Status bit "Cmd Start"	
	Process data output image									Process data input image						
Preset command	0x00	0x00	0x0000	0x00	0x0000	0x0000	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0	0	
Controller sets command (write 40 bytes to address 0x10)	0x07	0x02	0x7134	0x02	0x0010	0x0028	0x00	0x00	1	0x00	Single EPC	0x00	0x00	0	0	
Device acknowledges command	0x07	0x02	0x7134	0x02	0x0010	0x0028	0x00	0x00	1	0x07	0x00	0x00	0x00	0	1	
Controller transfers the first data	0x07	Data for ID tag							0x01	1	0x07	0x00	0x00	0x00	0	1
Device acknowledges data	0x07	Data for ID tag							0x01	1	0x07	0x00	0x01	0x00	0	1
Controller transfers more data	0x07	Data for ID tag							0x02	1	0x07	0x00	0x01	0x00	0	1
Device acknowledges data and terminates writing	0x07	Data for ID tag							0x02	1	0x07	0x00	0x02	0x00	1	1
Controller withdraws command value	0x00	0x02	0x0000	0x00	0x0000	0x0000	0x00	0x00	0	0x07	0x00	0x02	0x00	1	1	
Device carries out preset command	0x00	0x02	0x0000	0x00	0x0000	0x0000	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0	0	

9.9.2 Example "WRITE DATA not executed"

The example shows the abort of a write command.

	Command value	EPC length	EPC 0 to 15	Memory bank	Address	Length	Data 0 to 27	Block counter	Status bit "Cmd Start"	Command value	Data 0 to 27	Block counter	Error value	Status bit "Cmd End"	Status bit "Cmd Start"
	Process data output image									Process data input image					
Preset command	0x00	0x00	0x0000	0x00	0x0000	0x0000	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0	0
Controller sets command (write 40 bytes to address 0x10)	0x07	0x00	0x7134	0x02	0x0010	0x0028	0x00	0x00	1	0x00	Single EPC	0x00	0x00	0	0
Device acknowledges command	0x07	0x00	0x7134	0x02	0x0010	0x0028	0x00	0x00	1	0x07	0x00	0x00	0x00	0	1
Controller transfers the first data	0x07	Data for ID tag						0x01	1	0x07	0x00	0x00	0x00	0	1
Device acknowledges data	0x07	Data for ID tag						0x01	1	0x07	0x00	0x01	0x00	0	1
Controller transfers more data	0x07	Data for ID tag						0x02	1	0x07	0x00	0x01	0x00	0	1
Device sets error value (error when writing the data)	0x07	Data for ID tag						0x02	1	0x07	0x00	0x01	0x41	1	1
Controller withdraws command value	0x00	0x00	0x0000	0x00	0x0000	0x0000	0x00	0x00	0	0x07	0x00	0x01	0x41	1	1
Device carries out preset command	0x00	0x00	0x0000	0x00	0x0000	0x0000	0x00	0x00	0	0x00	Single EPC	0x00	0x00	0	0

9.10 Operating mode "LOCK DATA"

In the "LOCK DATA" operating mode, a memory area is locked on an ID tag. A password is assigned for the locked memory area. The password is necessary if the memory area is to be written to. The field "Lock action" determines the state:

- Memory area locked: "Lock action = 0x01"
- Memory area not locked: "Lock action = 0x00"

Locking the memory area:

- ▶ The controller sets the command value "0x08", the password (length 4 bytes) and the "Lock action" in the process data output image. To identify the ID tag, the EPC and its length are also necessary.
- ▷ The "Memory Bank" field sets which memory bank is to be locked:
EPC: "0x00"
TID: "0x01"
USER: "0x02"
Reserved: "0x03"
- ▶ The controller starts the write operation with the status bit "Cmd Start".
- ▷ The device acknowledges the start of the write operation by setting the status bit "Cmd Start Acknowledge" in the process data input image.

- ▷ The device sets the status bit "Cmd End" with the last transfer.
- ▶ Locking is terminated.



If the operation was unsuccessful, the device sets the error value and the status bit "Cmd End" in the process image. Data transfer is interrupted.

Byte	Process data output	Process data input
0	command value=0x08	command value=0x08
1	status	status
2	ignored	0x00
3	length of EPC	0x00
4	EPC 0	0x00
5	EPC 1	0x00
6	EPC 2	0x00
7	EPC 3	0x00
8	EPC 4	0x00
9	EPC 5	0x00
10	EPC 6	0x00
11	EPC 7	0x00
12	EPC 8	0x00
13	EPC 9	0x00
14	EPC 10	0x00
15	EPC 11	0x00
16	EPC 12	0x00
17	EPC 13	0x00
18	EPC 14	0x00
19	EPC 15	0x00
20	ignored	0x00
21	ignored	0x00
22	ignored	0x00
23	ignored	0x00
24	lock action	0x00
25	memory bank	0x00
26	PWD 0	0x00
27	PWD 1	0x00
28	PWD 2	0x00
29	PWD 3	0x00
30	block counter	block counter
31	ignored	error value

9.11 Error values when executing commands

Error value	Name	Description
0x00	IOL_RFID_ERROR_NOERROR	No error, command successfully executed.
0x01	IOL_RFID_ERROR_UNKNOWN_COMMAND	Unknown command.

Error value	Name	Description
0x41	UHF_COMMAND_ERROR_NO_RESPONSE	ID tag does not respond. ID tag out of range or operation not supported by ID tag.
0x42	UHF_COMMAND_ERROR_RX_ERROR	Error receiving the ID tag response.
0x43	UHF_COMMAND_ERROR_INT_MODE_CHANGE	Internal error: command mode cannot be changed.
0x51	UHF_SYNTAX_ERROR	Command parameter incorrect.
0x61	UHF_ERROR_GEN2_TAG_OTHER_ERROR	Command is not supported by the ID tag.
0x62	UHF_ERROR_GEN2_TAG_MEMORY_OVERRUN	The specified data range is outside the available data range.
0x63	UHF_ERROR_GEN2_TAG_MEMORY_LOCKED	The specified data range is already locked.
0x64	UHF_ERROR_GEN2_TAG_INSUFFICIENT_POWER	The power supply of the ID tag is insufficient.
0x65	UHF_ERROR_GEN2_TAG_NON_SPECIFIC_ERROR	Not further specified error of the ID tag.
0x66	UHF_ERROR_READ_WRITE_TIMEOUT	Read/write operation timeout.
0x67	UHF_ERROR_INTERNAL_PROCESSING	Internal data processing error.
0x71	UHF_ERROR_MAC_GENERAL	The device's "UHF Frontend" module reports general errors.
0x72	UHF_ERROR_MAC_CRC_MISMATCH	The device's "UHF Frontend" module reports checksum errors.
0x73	UHF_ERROR_MAC_NO_TAG_RESPONSE	The device's "UHF Frontend" module fails to report a response from the ID tag.
0x74	UHF_ERROR_MAC_TAG_LOST	The device's "UHF Frontend" module has lost connection to the ID tag.

10 Maintenance, repair and disposal

If used correctly, no maintenance and repair measures are necessary.

- ▶ The device must only be repaired by the manufacturer.
- ▶ After use dispose of the device in an environmentally friendly way in accordance with the applicable national regulations.
- ▶ Keep the device free from soiling.
- ▶ Use glass cleaner as cleaning agent.
- ▶ Do not open the device.

11 Approvals / standards

The EU Declaration of Conformity, approvals and country-specific certificates are available at:
→ www.ifm.com

Notes relevant for approval: → Package insert

Glossary

EPC

Electronic Product Code, memory area for identification numbers on the ID tag.

ID tag

An ID tag is used to identify objects. A read/write device is used to read the ID tag via a high-frequency radio signal. An ID tag consists of an antenna, an analogue circuit for receiving and transmitting (transceiver), a digital circuit and a non-volatile memory.

IODD

Digital description of the device. The IODD is required for device parameter setting via IO-Link.

RSSI

The Received Signal Strength Indication is the field strength of the received signal.

TID

The transponder ID is a globally unique identification number of the ID tag. It is assigned by the chip manufacturer of the ID tag during production and cannot be changed afterwards. The TID is stored in the TID storage area of the ID tag.

USER memory area

The USER memory area is a memory area on the ID tag for application-specific data.