## **LUCENT TRANS ELECTRONIC CO., LTD.**

Date: 9/15/2020

To:Office of Engineering Technology Federal Communications Commission 7435 Oakland Mills Road Columbia, MD 21046 USA

FCC ID: UQ3UV10W

To Whom It May Concern:

This letter is to ascertain that LUCENT TRANS ELECTRONIC CO., LTD. Product Elixage Wireless Charger with UV-C Sanitizer has been the units used for conducting FCC compliance testing, and it meets KDB 680106 Clause 5(2) all 6 conditions as stated below hence PBA is not required.

Power transfer frequency is less that 1 MHz.
Output power from each primary coil is less than or equal to 15 watts.
The transfer system includes only single primary and secondary coils. This includes charging systems that may have multiple primary coils and clients that are able to detect and allow coupling only between individual pairs of coils.
Client device is placed directly in contact with the transmitter.
Mobile exposure conditions only (portable exposure conditions are not covered by this exclusion.
The aggregate H-field strengths at 15 cm surrounding the device and 20 cm above the top surface from all simultaneous transmitting coils are demonstrated to be less than 50% of the MPE limit.

If you have any question or concerns, pls. contact us.

Sarah Shed

Sincerely,

Print name: Sarah Shieh Title:Sales Manager

Address:9F-1, No. 16, Chien Pah Rd., Chung Ho Dist., New Taipei City, Taiwan

Telephone No:+886-2-8226-5080 Ext:317

Fax No:+886-2-6226-5081

Email:sarah@lucenttrans.com.tw