




Standard Panel Label Information

FCC ID: USE337420A
IC ID 10217A-337420A

Model No: 337-420
INPUT: Power over Ethernet IEEE 802.3af Class 0 Max Power: http://paxton.info/107
FCC ID: IC: DoM: /

The Paxton logo, featuring a black downward-pointing triangle above the word "Paxton" in a black, sans-serif font, is positioned to the right of the label box.

Standard Panel Surface Mount



FCC ID: USE337420A
IC ID 10217A-337420A

Model No: 337-410
INPUT: Power over Ethernet IEEE 802.3af Class 0 Max Power: http://paxton.info/107
FCC ID: IC: DoM:


A smaller version of the Paxton logo, featuring a black downward-pointing triangle above the word "Paxton" in a black, sans-serif font, is positioned to the right of the table.

Standard Panel Rain Hood



FCC ID: USE337420A
IC ID 10217A-337420A

Model No: 337-400
INPUT: Power over Ethernet IEEE 802.3af Class 0 Max Power: http://paxton.info/107
FCC ID: IC: DoM:)



Standard Panel Flush Mount

Ils-zfcc

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept. any interference received, including interference that may cause undesired operation.

Label Make-up Information:

Base label: Label – ils-4025 - 40x25mm UL Z-X4000T white, 2730 per roll

Label dimensions: 40mm x 25mm

Label material and print ribbon manufacturer: ZEBRA TECHNOLOGIES EUROPE LTD



Label materials: Z Xtreme 4000T White with 3200 ribbon.
UL file number: PGJ12.MH18322