

# Paxton Paxlock Pro

## Labelling Requirements document



This document is an overview of the Labelling Requirements document for Paxlock Pro sold in North America

---

## Table of Contents

<b>1. PROPOSED LABELLING .....</b>	<b>3</b>
1.1 SALES CODE LABEL .....	3
1.1 FCC STATEMENT & BATTERY CONFORMANCE LABELLING .....	8
1.2 UL 10C EXTERNAL MARKINGS .....	9

# 1. Proposed labelling

## 1.1 Sales code label

The Sales code label will be located on the inside of the Facia cover of the secure side.

The eight sales code labels are as follows :


<p style="text-align: center;"><b>SECURITY</b></p>  <p style="text-align: center;"><b>LISTED</b></p> <p style="text-align: center;">TYPE S</p> <p style="text-align: center;">Acc ACU</p>	<p>Country of Origin: UK Model: <b>900-620BL-US</b></p>
	<p>6V DC 4 x 1.5V AA alkaline</p>
	<p>See manual ins-01030 &amp; ins-01031 09.01.20</p>
	<p>FCC ID: USE900640 IC: 10217A-900640 <b>Outdoor Use</b></p>
<p>DoM:</p>	

Figure 1 - Sales Code label ils460 size is 40x25mm for model 900-620BL-US


<p style="text-align: center;"><b>SECURITY</b></p> <p style="text-align: center;">  </p> <p style="text-align: center;"><b>LISTED</b></p> <p style="text-align: center;">TYPE S</p> <p style="text-align: center;">Acc ACU</p>	Country of Origin: UK Model: <b>900-620WT-US</b>
	6V DC 4 x 1.5V AA alkaline
	See manual ins-01030 & ins-01031 09.01.20
	FCC ID: USE900640 IC: 10217A-900640 <b>Outdoor Use</b>
DoM:	

Figure 2 - Sales Code label ils460 size is 40x25mm for model 900-620WT-US


<p style="text-align: center;"><b>SECURITY</b></p> <p style="text-align: center;">  </p> <p style="text-align: center;"><b>LISTED</b></p> <p style="text-align: center;">TYPE S</p> <p style="text-align: center;">Acc ACU</p>	Country of Origin: UK Model: <b>900-630WT-US</b>
	6V DC 4 x 1.5V AA alkaline
	See manual ins-01030 & ins-01031 09.01.20
	FCC ID: USE900640 IC: 10217A-900640 <b>Outdoor Use</b>
DoM:	

Figure 3 - Sales Code label ils460 size is 40x25mm for model 900-630WT-US


<p style="text-align: center;"><b>SECURITY</b></p>  <p style="text-align: center;"><b>LISTED</b></p> <p style="text-align: center;">TYPE S</p> <p style="text-align: center;">Acc ACU</p>	Country of Origin: UK Model: <b>900-630BL-US</b>
	6V DC 4 x 1.5V AA alkaline
	See manual ins-01030 & ins-01031 09.01.20
	FCC ID: USE900640 IC: 10217A-900640 <b>Outdoor Use</b>
DoM:	

Figure 4 - Sales Code label ilsZ460 size is 40x25mm for model 900-630BL-US


<p style="text-align: center;"><b>SECURITY</b></p>  <p style="text-align: center;"><b>LISTED</b></p> <p style="text-align: center;">TYPE S</p> <p style="text-align: center;">Acc ACU</p>	Country of Origin: UK Model: <b>900-640BL-US</b>
	6V DC 4 x 1.5V AA alkaline
	See manual ins-01030 & ins-01031 09.01.20
	FCC ID: USE900640 IC: 10217A-900640 <b>Outdoor Use</b>
DoM:	

Figure 5 - Sales Code label ilsZ460 size is 40x25mm for model 900-640BL-US


<p style="text-align: center;"><b>SECURITY</b></p>  <p style="text-align: center;"><b>LISTED</b></p> <p style="text-align: center;">TYPE S</p> <p style="text-align: center;">Acc ACU</p>	Country of Origin: UK Model: <b>900-640WT-US</b>
	6V DC 4 x 1.5V AA alkaline
	See manual ins-01030 & ins-01031 09.01.20
	FCC ID: USE900640 IC: 10217A-900640 <b>Outdoor Use</b>
DoM:	

Figure 6 - Sales Code label ilsZ460 size is 40x25mm for model 900-640WT-US


<p style="text-align: center;"><b>SECURITY</b></p>  <p style="text-align: center;"><b>LISTED</b></p> <p style="text-align: center;">TYPE S</p> <p style="text-align: center;">Acc ACU</p>	Country of Origin: UK Model: <b>900-650WT-US</b>
	6V DC 4 x 1.5V AA alkaline
	See manual ins-01030 & ins-01031 09.01.20
	FCC ID: USE900640 IC: 10217A-900640 <b>Outdoor Use</b>
DoM:	

Figure 7 - Sales Code label ilsZ460 size is 40x25mm for model 900-650WT-US


<p><b>SECURITY</b></p>  <p><b>LISTED</b></p> <p>TYPE S</p> <p>Acc ACU</p>	<p>Country of Origin: UK</p> <p>Model: <b>900-650BL-US</b></p>
	<p>6V DC</p> <p>4 x 1.5V AA alkaline</p>
	<p>See manual ins-01030 &amp; ins-01031 09.01.20</p>
	<p>FCC ID: USE900640 IC: 10217A-900640 <b>Outdoor Use</b></p>
<p>DoM:</p>	

Figure 8 - Sales Code label ils2460 size is 40x25mm for model 900-650BL-US

The sales code label can be placed onto the inside of the Facia cover of the secure side of the Paxlock as shown below.



## 1.1 FCC Statement & Battery conformance labelling

A label is already generated for the FCC statement part code "ils-z30b"




Figure 3 - FCC & Battery Statement Label - ils-z30b Size: 40x25mm

FCC statement will be placed inside the Plastic Fascia of the secure side of the Paxlock as shown below.





## 1.2 UL 10C External Markings



Figure 4 - Fire Label - ils-z330 Size: 30x20mm

Label on underside of unit –

**NOTE RXXXXX is to denote the UL file number for the Fire rating report from UL**



Figure 1 - photo of position of label on product (Print on label not correct)