

Paxton 10 Paxlock all variants

Labelling Requirements document



This document is an overview of the Labelling Requirements document for Paxlock sold in North America

Table of Contents

1. PROPOSED LABELLING	3
1.1 SALES CODE LABEL	3
1.1 FCC STATEMENT & BATTERY CONFORMANCE LABELLING	4
1.2 UL 10C EXTERNAL MARKINGS	6

1. Proposed labelling


1.1 Sales code label

The Sales code label will be located on the inside of the Facia cover of the secure side.

	Country of Origin: GB Model: 900-650BL
	4 x 1.5V AA alkaline
	See manual ins-01030 & ins-01031 19.08.19
	FCC ID: USE900650 IC: 10217A-900650 Outdoor Use
DoM:Jan20	

Figure 2 - Sales Code label ils460 size is 40x25mm

The sales code label can be placed onto the inside of the Facia cover of the secure side of the Paxlock as shown below.



1.1 FCC Statement & Battery conformance labelling


A label is already generated for the FCC statement part code "ils-z30b"

Warning - For Use with Carbon or Alkaline Cell Batteries only

This device complies with Part15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Figure 3 - FCC & Battery Statement Label - ils-z30b Size: 40x25mm

FCC statement will be placed inside the Plastic Fascia of the secure side of the Paxlock as shown below.



1.2 UL 10C External Markings



Figure 4 - Fire Label - ils-z330 Size: 30x20mm

Label on underside of unit –

NOTE RXXXXX is to denote the UL file number for the Fire rating report from UL



Figure 1 - photo of position of label on product (Print on label not correct)