

File name: 203383C1.RES
Date: 15. Nov 08 12:40




Scan Settings (2 Ranges)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	
150k	1M	5k	9k	QP+AV	20ms	AUTO LN	OFF	
1M	30M	10k	9k	QP+AV	20ms	AUTO LN	OFF	

Transducer No.	Start	Stop	Name
12	150k	30M	EL228

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 30dB



Stand Alone with Barcode Scanning

File name: 203383C1.RES
Date: 15. Nov 08 12:40

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase	PE
0.51500	31.9	-24.0	L1	gnd

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase	PE
0.51500	24.3	-21.6	L1	gnd

* limit exceeded

Stand Alone with Barcode Scanning


File name: 203383C2.RES
Date: 15. Nov 08 12:40

Scan Settings (2 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	20ms	AUTO LN	OFF
1M	30M	10k	9k	QP+AV	20ms	AUTO LN	OFF

Transducer No.	Start	Stop	Name
12	150k	30M	EL228

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 30dB



PC Connected with Barcode Scanning

File name: 203383C2.RES
Date: 15. Nov 08 12:40

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase -	PE -
0.25000	37.5	-24.3	N	gnd
0.39000	30.8	-27.2	N	gnd
0.67500	33.0	-22.9	L1	gnd
0.96500	31.9	-24.0	N	gnd
1.28000	31.1	-24.8	N	gnd
2.03000	30.9	-25.0	L1	gnd
2.51000	31.7	-24.2	N	gnd
3.67000	32.1	-23.8	L1	gnd

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase -	PE -
0.25000	28.6	-23.1	L1	gnd
0.39000	26.5	-21.5	L1	gnd
0.46000	23.0	-23.7	L1	gnd
0.74500	28.6	-17.3	L1	gnd
0.89000	25.5	-20.4	L1	gnd
1.10000	25.4	-20.5	L1	gnd
1.60000	25.5	-20.4	L1	gnd
2.51000	24.1	-21.8	N	gnd
3.67000	24.1	-21.8	L1	gnd
4.44000	19.3	-26.6	N	gnd

* limit exceeded

PC Connected with Barcode Scanning