

Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-32.89	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.1	-13	Pass	2986
30	500	0.1	Peak	428.1	-43.03	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.79	-13	N/A	5001
1000	10000	1	Peak	7775	-40.91	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-33.08	-13	Pass	401
0.15	30	0.01	Peak	0.16	-33.17	-13	Pass	2986
30	500	0.1	Peak	477.5	-42.38	-13	Pass	4701
500	1000	0.1	Peak	836.5	33.1	-13	N/A	5001
1000	10000	1	Peak	7728	-40.54	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.74	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.62	-13	Pass	2986
30	500	0.1	Peak	432	-42.61	-13	Pass	4701
500	1000	0.1	Peak	848.8	32.92	-13	N/A	5001
1000	10000	1	Peak	9544	-40.81	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.31	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.87	-13	Pass	2986
30	1000	0.1	Peak	901.8	-46.69	-13	Pass	9701
1000	3000	1	Peak	1849	25.06	-13	N/A	2001
3000	20000	1	Peak	19987	-39.51	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.31	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.74	-13	Pass	2986
30	1000	0.1	Peak	932.8	-47.01	-13	Pass	9701
1000	3000	1	Peak	1880	30.16	-13	N/A	2001
3000	20000	1	Peak	20000	-40.21	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.77	-13	Pass	2986
30	1000	0.1	Peak	942.7	-47	-13	Pass	9701
1000	3000	1	Peak	1910	30.54	-13	N/A	2001
3000	20000	1	Peak	19985	-40.52	-13	Pass	17001



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.67	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.27	-13	Pass	2986
30	500	0.1	Peak	479.8	-43.16	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.23	-13	N/A	5001
1000	10000	1	Peak	8337	-40.85	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-32.13	-13	Pass	401
0.15	30	0.01	Peak	0.16	-32.96	-13	Pass	2986
30	500	0.1	Peak	403.2	-43.07	-13	Pass	4701
500	1000	0.1	Peak	836.6	27.53	-13	N/A	5001
1000	10000	1	Peak	9531	-40.45	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.97	-13	Pass	401
0.15	30	0.01	Peak	0.16	-33.74	-13	Pass	2986
30	500	0.1	Peak	427.3	-42.4	-13	Pass	4701
500	1000	0.1	Peak	848.7	26.8	-13	N/A	5001
1000	10000	1	Peak	9953	-40.92	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.68	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.78	-13	Pass	2986
30	1000	0.1	Peak	878.5	-47.39	-13	Pass	9701
1000	3000	1	Peak	1850	28.66	-13	N/A	2001
3000	20000	1	Peak	19984	-40.07	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.2	-13	Pass	2986
30	1000	0.1	Peak	806	-46.65	-13	Pass	9701
1000	3000	1	Peak	1881	22.75	-13	N/A	2001
3000	20000	1	Peak	19985	-40.36	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.29	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.4	-13	Pass	2986
30	1000	0.1	Peak	910.3	-47.11	-13	Pass	9701
1000	3000	1	Peak	1910	28.03	-13	N/A	2001
3000	20000	1	Peak	19994	-40.73	-13	Pass	17001



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-43.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.64	-13	Pass	2986
30	1000	0.1	Peak	925.1	-50.93	-13	Pass	9701
1000	3000	1	Peak	1854	23.94	-13	N/A	2001
3000	20000	1	Peak	19956	-26.21	-13	Pass	17001




5.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.44	-13	Pass	401
0.15	30	0.01	Peak	0.16	-42.45	-13	Pass	2986
30	1000	0.1	Peak	887.6	-51.22	-13	Pass	9701
1000	3000	1	Peak	1881	23.67	-13	N/A	2001
3000	20000	1	Peak	19974	-25.96	-13	Pass	17001



5.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-43.92	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.17	-13	Pass	2986
30	1000	0.1	Peak	780.2	-51.02	-13	Pass	9701
1000	3000	1	Peak	1906	23.66	-13	N/A	2001
3000	20000	1	Peak	19728	-25.25	-13	Pass	17001



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.79	-13	Pass	401
0.15	30	0.01	Peak	0.16	-43.26	-13	Pass	2986
30	1000	0.1	Peak	912.1	-50.82	-13	Pass	9701
1000	3000	1	Peak	1714	24.61	-13	N/A	2001
3000	20000	1	Peak	19788	-25.11	-13	Pass	17001




6.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.15	-13	Pass	2986
30	1000	0.1	Peak	868	-51.08	-13	Pass	9701
1000	3000	1	Peak	1733	24.38	-13	N/A	2001
3000	20000	1	Peak	19984	-26.7	-13	Pass	17001



6.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.75	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.5	-13	Pass	2986
30	1000	0.1	Peak	987.9	-49.52	-13	Pass	9701
1000	3000	1	Peak	1751	24.47	-13	N/A	2001
3000	20000	1	Peak	19988	-26.89	-13	Pass	17001



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.85	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.69	-13	Pass	2986
30	500	0.1	Peak	497.7	-52.57	-13	Pass	4701
500	1000	0.1	Peak	827.6	17.95	-13	N/A	5001
1000	10000	1	Peak	8154	-31.69	-13	Pass	9001




7.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.18	-13	Pass	2986
30	500	0.1	Peak	456.9	-52.83	-13	Pass	4701
500	1000	0.1	Peak	836	16.96	-13	N/A	5001
1000	10000	1	Peak	8157	-31.45	-13	Pass	9001



7.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.52	-13	Pass	2986
30	500	0.1	Peak	427.3	-53.56	-13	Pass	4701
500	1000	0.1	Peak	847.4	17.36	-13	N/A	5001
1000	10000	1	Peak	8166	-31.89	-13	Pass	9001



8. CDMA BC0 Low

8.1. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.85	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.68	-13	Pass	2986
30	500	0.1	Peak	482	-42.51	-13	Pass	4701
500	1000	0.1	Peak	824.9	22.19	-13	N/A	5001
1000	10000	1	Peak	8870	-22.06	-13	Pass	9001



8. CDMA BC0 Middle

8.2. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.1	-13	Pass	2986
30	500	0.1	Peak	495.1	-42.96	-13	Pass	4701
500	1000	0.1	Peak	836.3	22.47	-13	N/A	5001
1000	10000	1	Peak	8277	-22.46	-13	Pass	9001



8. CDMA BC0 High

8.3. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-35.85	-13	Pass	2986
30	500	0.1	Peak	407.1	-42.8	-13	Pass	4701
500	1000	0.1	Peak	848	21.78	-13	N/A	5001
1000	10000	1	Peak	8296	-22.3	-13	Pass	9001



9. EVDO BC0 Low

9.1. Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.6	-13	Pass	401
0.15	30	0.01	Peak	0.52	-53.16	-13	Pass	2986
30	500	0.1	Peak	376.4	-43.2	-13	Pass	4701
500	1000	0.1	Peak	824.4	23.03	-13	N/A	5001
1000	3000	1	Peak	2924	-27.74	-13	Pass	2001
3000	10000	1	Peak	9544	-20.72	-13	Pass	7001



9. EVDO BC0 Middle

9.2. Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.55	-13	Pass	401
0.15	30	0.01	Peak	0.19	-52.89	-13	Pass	2986
30	500	0.1	Peak	456.8	-43.22	-13	Pass	4701
500	1000	0.1	Peak	836.8	22.47	-13	N/A	5001
1000	3000	1	Peak	2701	-27.37	-13	Pass	2001
3000	10000	1	Peak	7124	-21.12	-13	Pass	7001



9. EVDO BC0 High

9.3. Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.11	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.7	-13	Pass	2986
30	500	0.1	Peak	373.8	-43.17	-13	Pass	4701
500	1000	0.1	Peak	848.6	22.08	-13	N/A	5001
1000	3000	1	Peak	2946	-27.45	-13	Pass	2001
3000	10000	1	Peak	7048	-20.75	-13	Pass	7001



10. LTE_Band2


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.38	-13	Pass	2986
30	1000	0.1	RMS	900.534	-63.44	-13	Pass	9701
1000	1840	1	RMS	1840	-51.75	-13	Pass	841
1840	1920	1	RMS	1850.2	24.09	60	Pass	401
1920	3000	1	RMS	2869	-48.42	-13	Pass	1081
3000	12000	1	RMS	11660	-38.37	-13	Pass	9002
12000	20000	1	RMS	17500	-29.59	-13	Pass	8001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.89	-13	Pass	2986
30	1000	0.1	RMS	879.02	-63.55	-13	Pass	9701
1000	1840	1	RMS	1840	-51.75	-13	Pass	841
1840	1920	1	RMS	1850.2	22.8	60	Pass	401
1920	3000	1	RMS	2870	-48.51	-13	Pass	1081
3000	12000	1	RMS	11653	-38.39	-13	Pass	9002
12000	20000	1	RMS	17498	-29.61	-13	Pass	8001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.1	-13	Pass	2986
30	1000	0.1	RMS	897.132	-63.59	-13	Pass	9701
1000	1840	1	RMS	1836	-51.91	-13	Pass	841
1840	1920	1	RMS	1879.4	23.75	60	Pass	401
1920	3000	1	RMS	2871	-48.47	-13	Pass	1081
3000	12000	1	RMS	11650	-38.41	-13	Pass	9002
12000	20000	1	RMS	17499	-29.61	-13	Pass	8001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.7	-13	Pass	2986
30	1000	0.1	RMS	898.433	-63.54	-13	Pass	9701
1000	1840	1	RMS	1838	-51.9	-13	Pass	841
1840	1920	1	RMS	1879.4	22.62	60	Pass	401
1920	3000	1	RMS	2867	-48.46	-13	Pass	1081
3000	12000	1	RMS	11677	-38.39	-13	Pass	9002
12000	20000	1	RMS	17498	-29.61	-13	Pass	8001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.55	-13	Pass	2986
30	1000	0.1	RMS	890.027	-63.42	-13	Pass	9701
1000	1840	1	RMS	1818	-51.93	-13	Pass	841
1840	1920	1	RMS	1908.8	23.83	60	Pass	401
1920	3000	1	RMS	2868	-48.48	-13	Pass	1081
3000	12000	1	RMS	11655	-38.43	-13	Pass	9002
12000	20000	1	RMS	17500	-29.59	-13	Pass	8001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.85	-13	Pass	2986
30	1000	0.1	RMS	893.329	-63.47	-13	Pass	9701
1000	1840	1	RMS	1829	-51.94	-13	Pass	841
1840	1920	1	RMS	1908.8	22.57	60	Pass	401
1920	3000	1	RMS	2873	-48.45	-13	Pass	1081
3000	12000	1	RMS	11652	-38.4	-13	Pass	9002
12000	20000	1	RMS	17500	-29.59	-13	Pass	8001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.43	-13	Pass	2986
30	1000	0.1	RMS	987.992	-63.32	-13	Pass	9701
1000	1840	1	RMS	1840	-51.65	-13	Pass	841
1840	1920	1	RMS	1850.2	24.16	60	Pass	401
1920	3000	1	RMS	2878	-48.48	-13	Pass	1081
3000	12000	1	RMS	11651	-38.4	-13	Pass	9002
12000	20000	1	RMS	17501	-29.61	-13	Pass	8001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.81	-13	Pass	2986
30	1000	0.1	RMS	879.22	-63.48	-13	Pass	9701
1000	1840	1	RMS	1840	-51.68	-13	Pass	841
1840	1920	1	RMS	1850.2	22.83	60	Pass	401
1920	3000	1	RMS	2869	-48.43	-13	Pass	1081
3000	12000	1	RMS	11653	-38.39	-13	Pass	9002
12000	20000	1	RMS	17500	-29.45	-13	Pass	8001




10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.78	-13	Pass	2986
30	1000	0.1	RMS	900.734	-63.4	-13	Pass	9701
1000	1840	1	RMS	1811	-51.89	-13	Pass	841
1840	1920	1	RMS	1878.6	23.98	60	Pass	401
1920	3000	1	RMS	2866	-48.49	-13	Pass	1081
3000	12000	1	RMS	11668	-38.43	-13	Pass	9002
12000	20000	1	RMS	17500	-29.42	-13	Pass	8001




10.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.53	-13	Pass	2986
30	1000	0.1	RMS	901.735	-63.51	-13	Pass	9701
1000	1840	1	RMS	1829	-51.92	-13	Pass	841
1840	1920	1	RMS	1878.6	22.7	60	Pass	401
1920	3000	1	RMS	2878	-48.48	-13	Pass	1081
3000	12000	1	RMS	11652	-38.41	-13	Pass	9002
12000	20000	1	RMS	17498	-29.64	-13	Pass	8001




10.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.74	-13	Pass	2986
30	1000	0.1	RMS	893.129	-63.51	-13	Pass	9701
1000	1840	1	RMS	1821	-51.92	-13	Pass	841
1840	1920	1	RMS	1907.2	23.77	60	Pass	401
1920	3000	1	RMS	2870	-48.52	-13	Pass	1081
3000	12000	1	RMS	11668	-38.5	-13	Pass	9002
12000	20000	1	RMS	17501	-29.6	-13	Pass	8001




10.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.15	-13	Pass	2986
30	1000	0.1	RMS	908.139	-63.3	-13	Pass	9701
1000	1840	1	RMS	1823	-51.93	-13	Pass	841
1840	1920	1	RMS	1907.2	22.55	60	Pass	401
1920	3000	1	RMS	2873	-48.48	-13	Pass	1081
3000	12000	1	RMS	11659	-38.43	-13	Pass	9002
12000	20000	1	RMS	17501	-29.55	-13	Pass	8001




10.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.08	-13	Pass	2986
30	1000	0.1	RMS	900.134	-63.51	-13	Pass	9701
1000	1840	1	RMS	1840	-51.68	-13	Pass	841
1840	1920	1	RMS	1850.2	24.03	60	Pass	401
1920	3000	1	RMS	2863	-48.49	-13	Pass	1081
3000	12000	1	RMS	11650	-38.3	-13	Pass	9002
12000	20000	1	RMS	17501	-29.51	-13	Pass	8001




10.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.93	-13	Pass	2986
30	1000	0.1	RMS	999.5	-63.43	-13	Pass	9701
1000	1840	1	RMS	1840	-51.8	-13	Pass	841
1840	1920	1	RMS	1850.2	22.75	60	Pass	401
1920	3000	1	RMS	2868	-48.46	-13	Pass	1081
3000	12000	1	RMS	11688	-38.43	-13	Pass	9002
12000	20000	1	RMS	17502	-29.6	-13	Pass	8001




10.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.74	-13	Pass	2986
30	1000	0.1	RMS	870.414	-63.44	-13	Pass	9701
1000	1840	1	RMS	1840	-51.88	-13	Pass	841
1840	1920	1	RMS	1877.8	23.95	60	Pass	401
1920	3000	1	RMS	2871	-48.46	-13	Pass	1081
3000	12000	1	RMS	11651	-38.37	-13	Pass	9002
12000	20000	1	RMS	17501	-29.53	-13	Pass	8001




10.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.92	-13	Pass	2986
30	1000	0.1	RMS	889.527	-63.5	-13	Pass	9701
1000	1840	1	RMS	1824	-51.92	-13	Pass	841
1840	1920	1	RMS	1877.8	22.67	60	Pass	401
1920	3000	1	RMS	2870	-48.49	-13	Pass	1081
3000	12000	1	RMS	11659	-38.41	-13	Pass	9002
12000	20000	1	RMS	17499	-29.46	-13	Pass	8001




10.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2986
30	1000	0.1	RMS	892.429	-63.46	-13	Pass	9701
1000	1840	1	RMS	1826	-51.89	-13	Pass	841
1840	1920	1	RMS	1905.2	23.87	60	Pass	401
1920	3000	1	RMS	2867	-48.46	-13	Pass	1081
3000	12000	1	RMS	11653	-38.43	-13	Pass	9002
12000	20000	1	RMS	17499	-29.54	-13	Pass	8001




10.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.51	-13	Pass	2986
30	1000	0.1	RMS	984.089	-63.55	-13	Pass	9701
1000	1840	1	RMS	1840	-51.92	-13	Pass	841
1840	1920	1	RMS	1905.2	22.46	60	Pass	401
1920	3000	1	RMS	2867	-48.48	-13	Pass	1081
3000	12000	1	RMS	11661	-38.5	-13	Pass	9002
12000	20000	1	RMS	17498	-29.62	-13	Pass	8001




10.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2986
30	1000	0.1	RMS	892.229	-63.56	-13	Pass	9701
1000	1840	1	RMS	1833	-50.04	-13	Pass	841
1840	1920	1	RMS	1850.4	24.21	60	Pass	401
1920	3000	1	RMS	2872	-48.47	-13	Pass	1081
3000	12000	1	RMS	11654	-38.39	-13	Pass	9002
12000	20000	1	RMS	17499	-29.6	-13	Pass	8001




10.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.79	-13	Pass	2986
30	1000	0.1	RMS	893.129	-63.47	-13	Pass	9701
1000	1840	1	RMS	1833	-50.7	-13	Pass	841
1840	1920	1	RMS	1850.4	22.82	60	Pass	401
1920	3000	1	RMS	2867	-48.5	-13	Pass	1081
3000	12000	1	RMS	11667	-38.38	-13	Pass	9002
12000	20000	1	RMS	17498	-29.49	-13	Pass	8001




10.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.6	-13	Pass	2986
30	1000	0.1	RMS	993.696	-63.47	-13	Pass	9701
1000	1840	1	RMS	1837	-51.92	-13	Pass	841
1840	1920	1	RMS	1875.4	24.05	60	Pass	401
1920	3000	1	RMS	2874	-48.5	-13	Pass	1081
3000	12000	1	RMS	11651	-38.39	-13	Pass	9002
12000	20000	1	RMS	17500	-29.47	-13	Pass	8001




10.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.88	-13	Pass	2986
30	1000	0.1	RMS	886.925	-63.39	-13	Pass	9701
1000	1840	1	RMS	1840	-51.92	-13	Pass	841
1840	1920	1	RMS	1875.4	22.72	60	Pass	401
1920	3000	1	RMS	2876	-48.49	-13	Pass	1081
3000	12000	1	RMS	11651	-38.4	-13	Pass	9002
12000	20000	1	RMS	17500	-29.57	-13	Pass	8001




10.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	Pass	2986
30	1000	0.1	RMS	891.628	-63.41	-13	Pass	9701
1000	1840	1	RMS	1837	-51.91	-13	Pass	841
1840	1920	1	RMS	1900.4	23.98	60	Pass	401
1920	3000	1	RMS	2879	-48.52	-13	Pass	1081
3000	12000	1	RMS	11661	-38.43	-13	Pass	9002
12000	20000	1	RMS	17498	-29.55	-13	Pass	8001




10.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.39	-13	Pass	2986
30	1000	0.1	RMS	892.429	-63.4	-13	Pass	9701
1000	1840	1	RMS	1831	-51.96	-13	Pass	841
1840	1920	1	RMS	1900.4	22.61	60	Pass	401
1920	3000	1	RMS	2875	-48.54	-13	Pass	1081
3000	12000	1	RMS	11654	-38.46	-13	Pass	9002
12000	20000	1	RMS	17501	-29.61	-13	Pass	8001




10.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.44	-13	Pass	2986
30	1000	0.1	RMS	877.419	-63.53	-13	Pass	9701
1000	1840	1	RMS	1838	-41.44	-13	Pass	841
1840	1920	1	RMS	1850.8	24.2	60	Pass	401
1920	3000	1	RMS	2863	-48.53	-13	Pass	1081
3000	12000	1	RMS	11651	-38.37	-13	Pass	9002
12000	20000	1	RMS	17500	-29.54	-13	Pass	8001




10.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.81	-13	Pass	2986
30	1000	0.1	RMS	913.042	-63.46	-13	Pass	9701
1000	1840	1	RMS	1838	-43.13	-13	Pass	841
1840	1920	1	RMS	1850.8	23.15	60	Pass	401
1920	3000	1	RMS	2870	-48.46	-13	Pass	1081
3000	12000	1	RMS	11653	-38.38	-13	Pass	9002
12000	20000	1	RMS	17500	-29.5	-13	Pass	8001




10.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.29	-13	Pass	2986
30	1000	0.1	RMS	999.7	-63.45	-13	Pass	9701
1000	1840	1	RMS	1831	-51.93	-13	Pass	841
1840	1920	1	RMS	1873.2	24.05	60	Pass	401
1920	3000	1	RMS	2868	-48.51	-13	Pass	1081
3000	12000	1	RMS	11651	-38.39	-13	Pass	9002
12000	20000	1	RMS	17501	-29.57	-13	Pass	8001




10.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.58	-13	Pass	2986
30	1000	0.1	RMS	896.932	-63.5	-13	Pass	9701
1000	1840	1	RMS	1832	-51.94	-13	Pass	841
1840	1920	1	RMS	1873.2	22.74	60	Pass	401
1920	3000	1	RMS	2869	-48.54	-13	Pass	1081
3000	12000	1	RMS	11648	-38.42	-13	Pass	9002
12000	20000	1	RMS	17500	-29.63	-13	Pass	8001




10.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.14	-13	Pass	2986
30	1000	0.1	RMS	899.233	-63.46	-13	Pass	9701
1000	1840	1	RMS	1840	-51.94	-13	Pass	841
1840	1920	1	RMS	1895.8	23.97	60	Pass	401
1920	3000	1	RMS	2866	-48.54	-13	Pass	1081
3000	12000	1	RMS	11649	-38.4	-13	Pass	9002
12000	20000	1	RMS	17497	-29.62	-13	Pass	8001




10.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.88	-13	Pass	2986
30	1000	0.1	RMS	999.9	-63.47	-13	Pass	9701
1000	1840	1	RMS	1834	-51.93	-13	Pass	841
1840	1920	1	RMS	1895.8	22.49	60	Pass	401
1920	3000	1	RMS	2869	-48.48	-13	Pass	1081
3000	12000	1	RMS	11654	-38.42	-13	Pass	9002
12000	20000	1	RMS	17499	-29.55	-13	Pass	8001




10.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.42	-13	Pass	2986
30	1000	0.1	RMS	746.4	-63.56	-13	Pass	9701
1000	1840	1	RMS	1833	-44.09	-13	Pass	841
1840	1920	1	RMS	1851	24.09	60	Pass	401
1920	3000	1	RMS	2874	-48.5	-13	Pass	1081
3000	12000	1	RMS	11657	-38.42	-13	Pass	9002
12000	20000	1	RMS	17500	-29.47	-13	Pass	8001




10.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.91	-13	Pass	2986
30	1000	0.1	RMS	991.895	-63.52	-13	Pass	9701
1000	1840	1	RMS	1833	-47.74	-13	Pass	841
1840	1920	1	RMS	1851	22.73	60	Pass	401
1920	3000	1	RMS	2876	-48.54	-13	Pass	1081
3000	12000	1	RMS	11652	-38.37	-13	Pass	9002
12000	20000	1	RMS	17500	-29.63	-13	Pass	8001




10.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.52	-13	Pass	2986
30	1000	0.1	RMS	996.197	-63.58	-13	Pass	9701
1000	1840	1	RMS	1835	-50.89	-13	Pass	841
1840	1920	1	RMS	1871	24.13	60	Pass	401
1920	3000	1	RMS	2871	-48.52	-13	Pass	1081
3000	12000	1	RMS	11659	-38.42	-13	Pass	9002
12000	20000	1	RMS	17500	-29.54	-13	Pass	8001




10.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.37	-13	Pass	2986
30	1000	0.1	RMS	996.898	-63.6	-13	Pass	9701
1000	1840	1	RMS	1835	-51.22	-13	Pass	841
1840	1920	1	RMS	1871	22.64	60	Pass	401
1920	3000	1	RMS	2870	-48.5	-13	Pass	1081
3000	12000	1	RMS	11661	-38.48	-13	Pass	9002
12000	20000	1	RMS	17501	-29.56	-13	Pass	8001




10.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.93	-13	Pass	2986
30	1000	0.1	RMS	901.535	-63.51	-13	Pass	9701
1000	1840	1	RMS	1838	-51.97	-13	Pass	841
1840	1920	1	RMS	1891	23.98	60	Pass	401
1920	3000	1	RMS	2869	-48.43	-13	Pass	1081
3000	12000	1	RMS	11651	-38.43	-13	Pass	9002
12000	20000	1	RMS	17500	-29.48	-13	Pass	8001



10.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71	-13	Pass	2986
30	1000	0.1	RMS	887.525	-63.54	-13	Pass	9701
1000	1840	1	RMS	1838	-51.95	-13	Pass	841
1840	1920	1	RMS	1891	22.5	60	Pass	401
1920	3000	1	RMS	2868	-48.52	-13	Pass	1081
3000	12000	1	RMS	11659	-38.46	-13	Pass	9002
12000	20000	1	RMS	17499	-29.61	-13	Pass	8001



11. LTE_Band4


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2986
30	1000	0.1	RMS	995.097	-63.58	-13	Pass	9701
1000	1700	1	RMS	1700	-51.86	-13	Pass	701
1700	1765	1	RMS	1710.238	24.86	60	Pass	401
1765	3000	1	RMS	2866	-48.49	-13	Pass	1236
3000	12000	1	RMS	8551	-38.37	-13	Pass	9002
12000	20000	1	RMS	17499	-29.62	-13	Pass	8001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.73	-13	Pass	2986
30	1000	0.1	RMS	900.134	-63.48	-13	Pass	9701
1000	1700	1	RMS	1700	-51.91	-13	Pass	701
1700	1765	1	RMS	1710.075	23.66	60	Pass	401
1765	3000	1	RMS	2870	-48.48	-13	Pass	1236
3000	12000	1	RMS	11649	-38.44	-13	Pass	9002
12000	20000	1	RMS	17497	-29.64	-13	Pass	8001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.68	-13	Pass	2986
30	1000	0.1	RMS	998.499	-63.52	-13	Pass	9701
1000	1700	1	RMS	1700	-52.37	-13	Pass	701
1700	1765	1	RMS	1732.013	24.63	60	Pass	401
1765	3000	1	RMS	2872	-48.48	-13	Pass	1236
3000	12000	1	RMS	11651	-38.37	-13	Pass	9002
12000	20000	1	RMS	17501	-29.52	-13	Pass	8001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.3	-71.73	-13	Pass	2986
30	1000	0.1	RMS	897.032	-63.54	-13	Pass	9701
1000	1700	1	RMS	1700	-52.38	-13	Pass	701
1700	1765	1	RMS	1732.013	23.34	60	Pass	401
1765	3000	1	RMS	2866	-48.5	-13	Pass	1236
3000	12000	1	RMS	11647	-38.42	-13	Pass	9002
12000	20000	1	RMS	17500	-29.57	-13	Pass	8001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-13	Pass	2986
30	1000	0.1	RMS	993.396	-63.61	-13	Pass	9701
1000	1700	1	RMS	1700	-52.31	-13	Pass	701
1700	1765	1	RMS	1753.788	24.31	60	Pass	401
1765	3000	1	RMS	2875	-48.47	-13	Pass	1236
3000	12000	1	RMS	11651	-38.4	-13	Pass	9002
12000	20000	1	RMS	17501	-29.62	-13	Pass	8001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.46	-13	Pass	2986
30	1000	0.1	RMS	907.839	-63.3	-13	Pass	9701
1000	1700	1	RMS	1697	-52.36	-13	Pass	701
1700	1765	1	RMS	1753.788	23.08	60	Pass	401
1765	3000	1	RMS	2873	-48.47	-13	Pass	1236
3000	12000	1	RMS	11657	-38.4	-13	Pass	9002
12000	20000	1	RMS	17501	-29.66	-13	Pass	8001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-13	Pass	2986
30	1000	0.1	RMS	891.028	-63.52	-13	Pass	9701
1000	1700	1	RMS	1700	-51.79	-13	Pass	701
1700	1765	1	RMS	1710.075	24.86	60	Pass	401
1765	3000	1	RMS	2868	-48.49	-13	Pass	1236
3000	12000	1	RMS	11653	-38.39	-13	Pass	9002
12000	20000	1	RMS	17500	-29.5	-13	Pass	8001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.82	-13	Pass	2986
30	1000	0.1	RMS	897.132	-63.36	-13	Pass	9701
1000	1700	1	RMS	1700	-51.97	-13	Pass	701
1700	1765	1	RMS	1710.238	23.38	60	Pass	401
1765	3000	1	RMS	2869	-48.51	-13	Pass	1236
3000	12000	1	RMS	11656	-38.33	-13	Pass	9002
12000	20000	1	RMS	17498	-29.58	-13	Pass	8001




11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.21	-13	Pass	2986
30	1000	0.1	RMS	893.229	-63.49	-13	Pass	9701
1000	1700	1	RMS	1698	-52.38	-13	Pass	701
1700	1765	1	RMS	1731.2	24.55	60	Pass	401
1765	3000	1	RMS	2871	-48.48	-13	Pass	1236
3000	12000	1	RMS	11650	-38.33	-13	Pass	9002
12000	20000	1	RMS	17500	-29.52	-13	Pass	8001




11.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	Pass	2986
30	1000	0.1	RMS	900.334	-63.55	-13	Pass	9701
1000	1700	1	RMS	1698	-52.32	-13	Pass	701
1700	1765	1	RMS	1731.2	23.37	60	Pass	401
1765	3000	1	RMS	2876	-48.5	-13	Pass	1236
3000	12000	1	RMS	11659	-38.46	-13	Pass	9002
12000	20000	1	RMS	17498	-29.64	-13	Pass	8001




11.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	Pass	2986
30	1000	0.1	RMS	986.191	-63.46	-13	Pass	9701
1000	1700	1	RMS	1699	-52.4	-13	Pass	701
1700	1765	1	RMS	1752.163	24.44	60	Pass	401
1765	3000	1	RMS	2870	-48.41	-13	Pass	1236
3000	12000	1	RMS	11650	-38.41	-13	Pass	9002
12000	20000	1	RMS	17500	-29.54	-13	Pass	8001




11.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.05	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.7	-13	Pass	2986
30	1000	0.1	RMS	885.224	-63.4	-13	Pass	9701
1000	1700	1	RMS	1697	-52.34	-13	Pass	701
1700	1765	1	RMS	1752.163	22.57	60	Pass	401
1765	3000	1	RMS	2871	-48.47	-13	Pass	1236
3000	12000	1	RMS	11668	-38.42	-13	Pass	9002
12000	20000	1	RMS	17499	-29.56	-13	Pass	8001




11.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.67	-13	Pass	2986
30	1000	0.1	RMS	872.315	-63.58	-13	Pass	9701
1000	1700	1	RMS	1700	-51.84	-13	Pass	701
1700	1765	1	RMS	1710.238	24.75	60	Pass	401
1765	3000	1	RMS	2866	-48.52	-13	Pass	1236
3000	12000	1	RMS	8552	-38.43	-13	Pass	9002
12000	20000	1	RMS	17501	-29.6	-13	Pass	8001




11.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2986
30	1000	0.1	RMS	990.994	-63.6	-13	Pass	9701
1000	1700	1	RMS	1700	-51.99	-13	Pass	701
1700	1765	1	RMS	1710.238	23.58	60	Pass	401
1765	3000	1	RMS	2871	-48.42	-13	Pass	1236
3000	12000	1	RMS	11656	-38.4	-13	Pass	9002
12000	20000	1	RMS	17501	-29.6	-13	Pass	8001




11.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	Pass	2986
30	1000	0.1	RMS	877.019	-63.58	-13	Pass	9701
1000	1700	1	RMS	1698	-52.36	-13	Pass	701
1700	1765	1	RMS	1730.225	24.46	60	Pass	401
1765	3000	1	RMS	2869	-48.46	-13	Pass	1236
3000	12000	1	RMS	11650	-38.45	-13	Pass	9002
12000	20000	1	RMS	17498	-29.59	-13	Pass	8001




11.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.63	-13	Pass	2986
30	1000	0.1	RMS	887.325	-63.52	-13	Pass	9701
1000	1700	1	RMS	1700	-52.31	-13	Pass	701
1700	1765	1	RMS	1730.225	23.18	60	Pass	401
1765	3000	1	RMS	2865	-48.5	-13	Pass	1236
3000	12000	1	RMS	11655	-38.47	-13	Pass	9002
12000	20000	1	RMS	17500	-29.45	-13	Pass	8001




11.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.05	-13	Pass	2986
30	1000	0.1	RMS	880.921	-63.46	-13	Pass	9701
1000	1700	1	RMS	1700	-52.36	-13	Pass	701
1700	1765	1	RMS	1750.213	24.29	60	Pass	401
1765	3000	1	RMS	2870	-48.5	-13	Pass	1236
3000	12000	1	RMS	11654	-38.4	-13	Pass	9002
12000	20000	1	RMS	17500	-29.55	-13	Pass	8001




11.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-13	Pass	2986
30	1000	0.1	RMS	877.819	-63.54	-13	Pass	9701
1000	1700	1	RMS	1700	-52.35	-13	Pass	701
1700	1765	1	RMS	1750.213	23.07	60	Pass	401
1765	3000	1	RMS	2868	-48.55	-13	Pass	1236
3000	12000	1	RMS	11650	-38.42	-13	Pass	9002
12000	20000	1	RMS	17500	-29.66	-13	Pass	8001




11.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.54	-13	Pass	2986
30	1000	0.1	RMS	884.323	-63.5	-13	Pass	9701
1000	1700	1	RMS	1693	-48.26	-13	Pass	701
1700	1765	1	RMS	1710.563	24.96	60	Pass	401
1765	3000	1	RMS	2863	-48.52	-13	Pass	1236
3000	12000	1	RMS	8553	-38.07	-13	Pass	9002
12000	20000	1	RMS	17499	-29.53	-13	Pass	8001




11.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.75	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.75	-13	Pass	2986
30	1000	0.1	RMS	906.138	-63.57	-13	Pass	9701
1000	1700	1	RMS	1693	-48.57	-13	Pass	701
1700	1765	1	RMS	1710.563	23.51	60	Pass	401
1765	3000	1	RMS	2871	-48.51	-13	Pass	1236
3000	12000	1	RMS	11657	-38.44	-13	Pass	9002
12000	20000	1	RMS	17499	-29.58	-13	Pass	8001




11.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.91	-13	Pass	2986
30	1000	0.1	RMS	998.299	-63.46	-13	Pass	9701
1000	1700	1	RMS	1699	-52.25	-13	Pass	701
1700	1765	1	RMS	1727.95	24.57	60	Pass	401
1765	3000	1	RMS	2869	-48.42	-13	Pass	1236
3000	12000	1	RMS	11663	-38.47	-13	Pass	9002
12000	20000	1	RMS	17501	-29.48	-13	Pass	8001




11.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.32	-13	Pass	2986
30	1000	0.1	RMS	899.433	-63.51	-13	Pass	9701
1000	1700	1	RMS	1700	-52.27	-13	Pass	701
1700	1765	1	RMS	1727.95	23.22	60	Pass	401
1765	3000	1	RMS	2871	-48.49	-13	Pass	1236
3000	12000	1	RMS	11651	-38.34	-13	Pass	9002
12000	20000	1	RMS	17500	-29.59	-13	Pass	8001




11.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.87	-13	Pass	2986
30	1000	0.1	RMS	885.624	-63.48	-13	Pass	9701
1000	1700	1	RMS	1699	-52.3	-13	Pass	701
1700	1765	1	RMS	1745.5	24.5	60	Pass	401
1765	3000	1	RMS	2870	-48.47	-13	Pass	1236
3000	12000	1	RMS	11669	-38.37	-13	Pass	9002
12000	20000	1	RMS	17501	-29.56	-13	Pass	8001




11.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.7	-13	Pass	2986
30	1000	0.1	RMS	888.426	-63.42	-13	Pass	9701
1000	1700	1	RMS	1700	-52.32	-13	Pass	701
1700	1765	1	RMS	1745.5	23.16	60	Pass	401
1765	3000	1	RMS	2869	-48.49	-13	Pass	1236
3000	12000	1	RMS	11650	-38.42	-13	Pass	9002
12000	20000	1	RMS	17500	-29.58	-13	Pass	8001




11.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.62	-13	Pass	2986
30	1000	0.1	RMS	899.834	-63.41	-13	Pass	9701
1000	1700	1	RMS	1697	-35.05	-13	Pass	701
1700	1765	1	RMS	1710.725	24.81	60	Pass	401
1765	3000	1	RMS	2871	-48.48	-13	Pass	1236
3000	12000	1	RMS	8554	-38.09	-13	Pass	9002
12000	20000	1	RMS	17499	-29.62	-13	Pass	8001




11.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-13	Pass	2986
30	1000	0.1	RMS	994.196	-63.3	-13	Pass	9701
1000	1700	1	RMS	1697	-37.61	-13	Pass	701
1700	1765	1	RMS	1710.725	23.53	60	Pass	401
1765	3000	1	RMS	2870	-48.51	-13	Pass	1236
3000	12000	1	RMS	11653	-38.42	-13	Pass	9002
12000	20000	1	RMS	17500	-29.56	-13	Pass	8001




11.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2986
30	1000	0.1	RMS	894.43	-63.49	-13	Pass	9701
1000	1700	1	RMS	1699	-48.51	-13	Pass	701
1700	1765	1	RMS	1725.675	24.66	60	Pass	401
1765	3000	1	RMS	2867	-48.44	-13	Pass	1236
3000	12000	1	RMS	11659	-38.44	-13	Pass	9002
12000	20000	1	RMS	17500	-29.43	-13	Pass	8001




11.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.39	-13	Pass	2986
30	1000	0.1	RMS	885.424	-63.44	-13	Pass	9701
1000	1700	1	RMS	1699	-48.7	-13	Pass	701
1700	1765	1	RMS	1725.838	23.2	60	Pass	401
1765	3000	1	RMS	2869	-48.44	-13	Pass	1236
3000	12000	1	RMS	11657	-38.4	-13	Pass	9002
12000	20000	1	RMS	17501	-29.51	-13	Pass	8001




11.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.58	-13	Pass	2986
30	1000	0.1	RMS	993.396	-63.41	-13	Pass	9701
1000	1700	1	RMS	1697	-52.29	-13	Pass	701
1700	1765	1	RMS	1740.788	24.67	60	Pass	401
1765	3000	1	RMS	1767	-42.38	-13	Pass	1236
3000	12000	1	RMS	11651	-38.4	-13	Pass	9002
12000	20000	1	RMS	17500	-29.56	-13	Pass	8001




11.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.13	-13	Pass	2986
30	1000	0.1	RMS	883.423	-63.44	-13	Pass	9701
1000	1700	1	RMS	1698	-52.31	-13	Pass	701
1700	1765	1	RMS	1740.788	23.35	60	Pass	401
1765	3000	1	RMS	1767	-41.85	-13	Pass	1236
3000	12000	1	RMS	11649	-38.41	-13	Pass	9002
12000	20000	1	RMS	17500	-29.59	-13	Pass	8001




11.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.04	-13	Pass	2986
30	1000	0.1	RMS	891.428	-63.42	-13	Pass	9701
1000	1700	1	RMS	1693	-34.3	-13	Pass	701
1700	1765	1	RMS	1711.05	24.85	60	Pass	401
1765	3000	1	RMS	2872	-48.47	-13	Pass	1236
3000	12000	1	RMS	11652	-38.4	-13	Pass	9002
12000	20000	1	RMS	17499	-29.57	-13	Pass	8001




11.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.32	-13	Pass	2986
30	1000	0.1	RMS	899.834	-63.42	-13	Pass	9701
1000	1700	1	RMS	1693	-37.26	-13	Pass	701
1700	1765	1	RMS	1711.05	23.57	60	Pass	401
1765	3000	1	RMS	2873	-48.45	-13	Pass	1236
3000	12000	1	RMS	11655	-38.39	-13	Pass	9002
12000	20000	1	RMS	17502	-29.54	-13	Pass	8001




11.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.1	-13	Pass	2986
30	1000	0.1	RMS	885.424	-63.39	-13	Pass	9701
1000	1700	1	RMS	1688	-51.02	-13	Pass	701
1700	1765	1	RMS	1723.563	24.65	60	Pass	401
1765	3000	1	RMS	2871	-48.41	-13	Pass	1236
3000	12000	1	RMS	11652	-38.4	-13	Pass	9002
12000	20000	1	RMS	17498	-29.55	-13	Pass	8001




11.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.7	-13	Pass	2986
30	1000	0.1	RMS	991.294	-63.46	-13	Pass	9701
1000	1700	1	RMS	1688	-51.31	-13	Pass	701
1700	1765	1	RMS	1723.563	23.29	60	Pass	401
1765	3000	1	RMS	2869	-48.49	-13	Pass	1236
3000	12000	1	RMS	11652	-38.41	-13	Pass	9002
12000	20000	1	RMS	17502	-29.49	-13	Pass	8001




11.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2986
30	1000	0.1	RMS	892.529	-63.47	-13	Pass	9701
1000	1700	1	RMS	1700	-49.55	-13	Pass	701
1700	1765	1	RMS	1736.075	24.6	60	Pass	401
1765	3000	1	RMS	1772	-38.51	-13	Pass	1236
3000	12000	1	RMS	11648	-38.38	-13	Pass	9002
12000	20000	1	RMS	17501	-29.57	-13	Pass	8001



11.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.6	-13	Pass	2986
30	1000	0.1	RMS	987.292	-63.45	-13	Pass	9701
1000	1700	1	RMS	1700	-50.6	-13	Pass	701
1700	1765	1	RMS	1736.075	23.28	60	Pass	401
1765	3000	1	RMS	1772	-38.43	-13	Pass	1236
3000	12000	1	RMS	11657	-38.35	-13	Pass	9002
12000	20000	1	RMS	17500	-29.59	-13	Pass	8001



12. LTE_Band5


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.59	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.62	-13	Pass	2986
30	814	0.1	RMS	753.1	-63.67	-13	Pass	7841
814	860	0.1	RMS	824.3	19.67	60	Pass	461
860	1000	0.1	RMS	909.2	-63.43	-13	Pass	1401
1000	3000	1	RMS	1648	-47.16	-13	Pass	2001
3000	10000	1	RMS	8905	-38.98	-13	Pass	7001




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.35	-13	Pass	2986
30	814	0.1	RMS	746.4	-63.8	-13	Pass	7841
814	860	0.1	RMS	824.2	18.61	60	Pass	461
860	1000	0.1	RMS	995.1	-63.4	-13	Pass	1401
1000	3000	1	RMS	1648	-48.27	-13	Pass	2001
3000	10000	1	RMS	8912	-38.94	-13	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.32	-70.69	-13	Pass	2986
30	814	0.1	RMS	761.3	-63.78	-13	Pass	7841
814	860	0.1	RMS	836.1	19.74	60	Pass	461
860	1000	0.1	RMS	871.9	-63.52	-13	Pass	1401
1000	3000	1	RMS	2870	-48.41	-13	Pass	2001
3000	10000	1	RMS	8898	-39	-13	Pass	7001




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.22	-13	Pass	2986
30	814	0.1	RMS	764.6	-63.73	-13	Pass	7841
814	860	0.1	RMS	836	18.6	60	Pass	461
860	1000	0.1	RMS	895.5	-63.5	-13	Pass	1401
1000	3000	1	RMS	2870	-48.43	-13	Pass	2001
3000	10000	1	RMS	8889	-39	-13	Pass	7001




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.18	-13	Pass	2986
30	814	0.1	RMS	724	-63.8	-13	Pass	7841
814	860	0.1	RMS	847.9	19.9	60	Pass	461
860	1000	0.1	RMS	999	-63.46	-13	Pass	1401
1000	3000	1	RMS	2871	-48.45	-13	Pass	2001
3000	10000	1	RMS	8897	-38.98	-13	Pass	7001




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.79	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.83	-13	Pass	2986
30	814	0.1	RMS	746.7	-63.81	-13	Pass	7841
814	860	0.1	RMS	847.8	18.97	60	Pass	461
860	1000	0.1	RMS	998.1	-63.45	-13	Pass	1401
1000	3000	1	RMS	2869	-48.41	-13	Pass	2001
3000	10000	1	RMS	8907	-38.97	-13	Pass	7001




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.67	-13	Pass	2986
30	814	0.1	RMS	744	-63.74	-13	Pass	7841
814	860	0.1	RMS	824.2	20.06	60	Pass	461
860	1000	0.1	RMS	999.8	-63.47	-13	Pass	1401
1000	3000	1	RMS	1648	-47.22	-13	Pass	2001
3000	10000	1	RMS	8890	-38.96	-13	Pass	7001




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-13	Pass	2986
30	814	0.1	RMS	722.4	-63.7	-13	Pass	7841
814	860	0.1	RMS	824.2	19.19	60	Pass	461
860	1000	0.1	RMS	890	-63.41	-13	Pass	1401
1000	3000	1	RMS	1648	-48.01	-13	Pass	2001
3000	10000	1	RMS	8892	-39.02	-13	Pass	7001




12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.88	-13	Pass	2986
30	814	0.1	RMS	729.2	-63.67	-13	Pass	7841
814	860	0.1	RMS	835.2	19.9	60	Pass	461
860	1000	0.1	RMS	892.6	-63.44	-13	Pass	1401
1000	3000	1	RMS	2869	-48.43	-13	Pass	2001
3000	10000	1	RMS	8895	-38.98	-13	Pass	7001




12.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.37	-13	Pass	2986
30	814	0.1	RMS	741.1	-63.68	-13	Pass	7841
814	860	0.1	RMS	835.2	18.73	60	Pass	461
860	1000	0.1	RMS	894.3	-63.39	-13	Pass	1401
1000	3000	1	RMS	2877	-48.44	-13	Pass	2001
3000	10000	1	RMS	8903	-39.02	-13	Pass	7001




12.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.57	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.06	-13	Pass	2986
30	814	0.1	RMS	738.8	-63.74	-13	Pass	7841
814	860	0.1	RMS	846.2	19.99	60	Pass	461
860	1000	0.1	RMS	903.2	-63.4	-13	Pass	1401
1000	3000	1	RMS	2869	-48.46	-13	Pass	2001
3000	10000	1	RMS	8903	-39	-13	Pass	7001




12.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.35	-13	Pass	2986
30	814	0.1	RMS	758.9	-63.8	-13	Pass	7841
814	860	0.1	RMS	846.2	19.22	60	Pass	461
860	1000	0.1	RMS	999	-63.44	-13	Pass	1401
1000	3000	1	RMS	2868	-48.45	-13	Pass	2001
3000	10000	1	RMS	8898	-38.96	-13	Pass	7001




12.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.63	-13	Pass	2986
30	814	0.1	RMS	741.2	-63.74	-13	Pass	7841
814	860	0.1	RMS	824.3	19.93	60	Pass	461
860	1000	0.1	RMS	886.4	-63.33	-13	Pass	1401
1000	3000	1	RMS	1648	-47.56	-13	Pass	2001
3000	10000	1	RMS	8898	-38.94	-13	Pass	7001




12.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-13	Pass	2986
30	814	0.1	RMS	744.1	-63.8	-13	Pass	7841
814	860	0.1	RMS	824.3	18.86	60	Pass	461
860	1000	0.1	RMS	910.5	-63.42	-13	Pass	1401
1000	3000	1	RMS	1648	-48.44	-13	Pass	2001
3000	10000	1	RMS	8903	-38.95	-13	Pass	7001




12.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	Pass	2986
30	814	0.1	RMS	729.7	-63.74	-13	Pass	7841
814	860	0.1	RMS	834.3	20.07	60	Pass	461
860	1000	0.1	RMS	897.2	-63.38	-13	Pass	1401
1000	3000	1	RMS	2869	-48.46	-13	Pass	2001
3000	10000	1	RMS	8896	-39.03	-13	Pass	7001




12.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2986
30	814	0.1	RMS	739.5	-63.56	-13	Pass	7841
814	860	0.1	RMS	834.3	18.78	60	Pass	461
860	1000	0.1	RMS	884.1	-63.47	-13	Pass	1401
1000	3000	1	RMS	2870	-48.45	-13	Pass	2001
3000	10000	1	RMS	8879	-38.97	-13	Pass	7001




12.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.72	-13	Pass	2986
30	814	0.1	RMS	738.6	-63.77	-13	Pass	7841
814	860	0.1	RMS	844.3	20.07	60	Pass	461
860	1000	0.1	RMS	892.6	-63.54	-13	Pass	1401
1000	3000	1	RMS	1688	-48.42	-13	Pass	2001
3000	10000	1	RMS	8870	-38.98	-13	Pass	7001




12.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.49	-13	Pass	2986
30	814	0.1	RMS	739.5	-63.81	-13	Pass	7841
814	860	0.1	RMS	844.3	18.83	60	Pass	461
860	1000	0.1	RMS	870.4	-63.44	-13	Pass	1401
1000	3000	1	RMS	2869	-48.4	-13	Pass	2001
3000	10000	1	RMS	8887	-38.97	-13	Pass	7001




12.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2986
30	814	0.1	RMS	738.4	-63.86	-13	Pass	7841
814	860	0.1	RMS	824.6	20.31	60	Pass	461
860	1000	0.1	RMS	884.9	-63.41	-13	Pass	1401
1000	3000	1	RMS	1649	-47.85	-13	Pass	2001
3000	10000	1	RMS	8884	-38.98	-13	Pass	7001




12.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.78	-13	Pass	2986
30	814	0.1	RMS	751.4	-63.8	-13	Pass	7841
814	860	0.1	RMS	824.6	19.16	60	Pass	461
860	1000	0.1	RMS	879.9	-63.5	-13	Pass	1401
1000	3000	1	RMS	2870	-48.45	-13	Pass	2001
3000	10000	1	RMS	8901	-38.91	-13	Pass	7001




12.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.57	-13	Pass	2986
30	814	0.1	RMS	740.5	-63.37	-13	Pass	7841
814	860	0.1	RMS	832.1	20.68	60	Pass	461
860	1000	0.1	RMS	888.2	-63.52	-13	Pass	1401
1000	3000	1	RMS	2869	-48.46	-13	Pass	2001
3000	10000	1	RMS	8883	-38.98	-13	Pass	7001




12.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.91	-13	Pass	2986
30	814	0.1	RMS	733	-63.78	-13	Pass	7841
814	860	0.1	RMS	832.1	19.05	60	Pass	461
860	1000	0.1	RMS	882.5	-63.4	-13	Pass	1401
1000	3000	1	RMS	2871	-48.42	-13	Pass	2001
3000	10000	1	RMS	8901	-38.92	-13	Pass	7001




12.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-13	Pass	2986
30	814	0.1	RMS	716.5	-63.73	-13	Pass	7841
814	860	0.1	RMS	839.6	20.48	60	Pass	461
860	1000	0.1	RMS	990.8	-63.46	-13	Pass	1401
1000	3000	1	RMS	1679	-47.69	-13	Pass	2001
3000	10000	1	RMS	8899	-38.98	-13	Pass	7001



12.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.73	-13	Pass	2986
30	814	0.1	RMS	740.6	-63.84	-13	Pass	7841
814	860	0.1	RMS	839.6	19.1	60	Pass	461
860	1000	0.1	RMS	875.8	-63.52	-13	Pass	1401
1000	3000	1	RMS	2870	-48.44	-13	Pass	2001
3000	10000	1	RMS	8894	-38.95	-13	Pass	7001



13. LTE_Band7


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.04	-25	Pass	2986
30	1000	0.1	RMS	881.321	-63.4	-25	Pass	9701
1000	2495	1	RMS	2495	-37.76	-25	Pass	1496
2495	2575	1	RMS	2500.2	23.85	60	Pass	401
2575	3000	1	RMS	2870	-48.5	-25	Pass	426
3000	12000	1	RMS	7501	-56.97	-25	Pass	9002
12000	26000	1	RMS	25200	-36.22	-25	Pass	14002




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-25	Pass	2986
30	1000	0.1	RMS	888.026	-63.37	-25	Pass	9701
1000	2495	1	RMS	2495	-40.12	-25	Pass	1496
2495	2575	1	RMS	2500.2	22.66	60	Pass	401
2575	3000	1	RMS	2868	-48.52	-25	Pass	426
3000	12000	1	RMS	7501	-58.01	-25	Pass	9002
12000	26000	1	RMS	25198	-34.04	-25	Pass	14002




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.96	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.02	-25	Pass	2986
30	1000	0.1	RMS	890.527	-63.42	-25	Pass	9701
1000	2495	1	RMS	2491	-50.14	-25	Pass	1496
2495	2575	1	RMS	2532.8	23.71	60	Pass	401
2575	3000	1	RMS	2869	-48.53	-25	Pass	426
3000	12000	1	RMS	11755	-58.38	-25	Pass	9002
12000	26000	1	RMS	25201	-34.17	-25	Pass	14002




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-25	Pass	2986
30	1000	0.1	RMS	908.439	-63.53	-25	Pass	9701
1000	2495	1	RMS	2494	-50.16	-25	Pass	1496
2495	2575	1	RMS	2532.8	22.57	60	Pass	401
2575	3000	1	RMS	2869	-48.5	-25	Pass	426
3000	12000	1	RMS	11748	-58.3	-25	Pass	9002
12000	26000	1	RMS	25202	-34.13	-25	Pass	14002




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.91	-25	Pass	401
0.15	30	0.01	RMS	0.32	-71.15	-25	Pass	2986
30	1000	0.1	RMS	999.5	-63.34	-25	Pass	9701
1000	2495	1	RMS	2494	-50.2	-25	Pass	1496
2495	2575	1	RMS	2565.2	23.86	60	Pass	401
2575	3000	1	RMS	2575	-46.46	-25	Pass	426
3000	12000	1	RMS	7696	-55	-25	Pass	9002
12000	26000	1	RMS	25203	-34.1	-25	Pass	14002




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.73	-25	Pass	2986
30	1000	0.1	RMS	998.599	-63.42	-25	Pass	9701
1000	2495	1	RMS	2490	-50.22	-25	Pass	1496
2495	2575	1	RMS	2565.2	22.63	60	Pass	401
2575	3000	1	RMS	2575	-46.78	-25	Pass	426
3000	12000	1	RMS	7696	-55.77	-25	Pass	9002
12000	26000	1	RMS	25201	-34.16	-25	Pass	14002




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.92	-25	Pass	2986
30	1000	0.1	RMS	890.527	-63.56	-25	Pass	9701
1000	2490	1	RMS	2483	-47.11	-25	Pass	1491
2490	2580	1	RMS	2500.35	24	60	Pass	401
2580	3000	1	RMS	2871	-48.47	-25	Pass	421
3000	12000	1	RMS	7502	-57.02	-25	Pass	9002
12000	26000	1	RMS	25204	-34.12	-25	Pass	14002




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-25	Pass	2986
30	1000	0.1	RMS	906.538	-63.32	-25	Pass	9701
1000	2490	1	RMS	2483	-48.47	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.56	60	Pass	401
2580	3000	1	RMS	2870	-48.49	-25	Pass	421
3000	12000	1	RMS	7502	-57.94	-25	Pass	9002
12000	26000	1	RMS	25199	-34.11	-25	Pass	14002




13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.4	-25	Pass	2986
30	1000	0.1	RMS	892.829	-63.17	-25	Pass	9701
1000	2490	1	RMS	2488	-50.27	-25	Pass	1491
2490	2580	1	RMS	2530.5	24.03	60	Pass	401
2580	3000	1	RMS	2868	-48.49	-25	Pass	421
3000	12000	1	RMS	7592	-57.47	-25	Pass	9002
12000	26000	1	RMS	25193	-34.15	-25	Pass	14002




13.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.48	-25	Pass	2986
30	1000	0.1	RMS	881.822	-63.34	-25	Pass	9701
1000	2490	1	RMS	2489	-50.19	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.69	60	Pass	401
2580	3000	1	RMS	2874	-48.51	-25	Pass	421
3000	12000	1	RMS	7592	-58.27	-25	Pass	9002
12000	26000	1	RMS	25197	-34.19	-25	Pass	14002




13.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.99	-25	Pass	2986
30	1000	0.1	RMS	886.825	-63.34	-25	Pass	9701
1000	2490	1	RMS	2490	-50.23	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.87	60	Pass	401
2580	3000	1	RMS	2869	-48.47	-25	Pass	421
3000	12000	1	RMS	7682	-53.99	-25	Pass	9002
12000	26000	1	RMS	25200	-34.16	-25	Pass	14002




13.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.15	-25	Pass	2986
30	1000	0.1	RMS	888.826	-63.35	-25	Pass	9701
1000	2490	1	RMS	2487	-50.28	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.57	60	Pass	401
2580	3000	1	RMS	2871	-48.48	-25	Pass	421
3000	12000	1	RMS	7682	-55.59	-25	Pass	9002
12000	26000	1	RMS	25200	-34.19	-25	Pass	14002




13.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.19	-25	Pass	2986
30	1000	0.1	RMS	898.833	-63.35	-25	Pass	9701
1000	2485	1	RMS	2484	-50.11	-25	Pass	1486
2485	2585	1	RMS	2500.75	24.19	60	Pass	401
2585	3000	1	RMS	2872	-48.48	-25	Pass	416
3000	12000	1	RMS	7502	-58	-25	Pass	9002
12000	26000	1	RMS	25202	-34.02	-25	Pass	14002




13.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-25	Pass	2986
30	1000	0.1	RMS	990.694	-63.32	-25	Pass	9701
1000	2485	1	RMS	2483	-50.25	-25	Pass	1486
2485	2585	1	RMS	2500.75	22.78	60	Pass	401
2585	3000	1	RMS	2869	-48.43	-25	Pass	416
3000	12000	1	RMS	11752	-58.4	-25	Pass	9002
12000	26000	1	RMS	25199	-34.06	-25	Pass	14002




13.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.84	-25	Pass	2986
30	1000	0.1	RMS	887.525	-63.37	-25	Pass	9701
1000	2485	1	RMS	2484	-50.27	-25	Pass	1486
2485	2585	1	RMS	2528.25	23.85	60	Pass	401
2585	3000	1	RMS	2874	-48.47	-25	Pass	416
3000	12000	1	RMS	7585	-57.18	-25	Pass	9002
12000	26000	1	RMS	25200	-34.15	-25	Pass	14002




13.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.72	-25	Pass	2986
30	1000	0.1	RMS	996.998	-63.47	-25	Pass	9701
1000	2485	1	RMS	2483	-50.43	-25	Pass	1486
2485	2585	1	RMS	2528.25	22.64	60	Pass	401
2585	3000	1	RMS	2874	-48.51	-25	Pass	416
3000	12000	1	RMS	7585	-57.9	-25	Pass	9002
12000	26000	1	RMS	25199	-34.24	-25	Pass	14002




13.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.89	-25	Pass	2986
30	1000	0.1	RMS	889.827	-63.53	-25	Pass	9701
1000	2485	1	RMS	2485	-50.29	-25	Pass	1486
2485	2585	1	RMS	2555.75	23.67	60	Pass	401
2585	3000	1	RMS	2870	-48.5	-25	Pass	416
3000	12000	1	RMS	7668	-56.25	-25	Pass	9002
12000	26000	1	RMS	25195	-34.21	-25	Pass	14002




13.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.42	-25	Pass	2986
30	1000	0.1	RMS	890.427	-63.49	-25	Pass	9701
1000	2485	1	RMS	2483	-50.3	-25	Pass	1486
2485	2585	1	RMS	2555.75	22.33	60	Pass	401
2585	3000	1	RMS	2868	-48.49	-25	Pass	416
3000	12000	1	RMS	7668	-57.49	-25	Pass	9002
12000	26000	1	RMS	25202	-34.07	-25	Pass	14002




13.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-25	Pass	2986
30	1000	0.1	RMS	875.718	-63.49	-25	Pass	9701
1000	2480	1	RMS	2479	-50.42	-25	Pass	1481
2480	2590	1	RMS	2500.9	23.99	60	Pass	401
2590	3000	1	RMS	2871	-48.47	-25	Pass	411
3000	12000	1	RMS	7503	-56.89	-25	Pass	9002
12000	26000	1	RMS	25200	-34.16	-25	Pass	14002




13.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.91	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.07	-25	Pass	2986
30	1000	0.1	RMS	904.837	-63.37	-25	Pass	9701
1000	2480	1	RMS	2473	-50.46	-25	Pass	1481
2480	2590	1	RMS	2500.9	22.63	60	Pass	401
2590	3000	1	RMS	2867	-48.5	-25	Pass	411
3000	12000	1	RMS	7503	-58.31	-25	Pass	9002
12000	26000	1	RMS	25198	-34.16	-25	Pass	14002




13.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-25	Pass	2986
30	1000	0.1	RMS	996.998	-63.42	-25	Pass	9701
1000	2480	1	RMS	2480	-50.43	-25	Pass	1481
2480	2590	1	RMS	2525.925	24.02	60	Pass	401
2590	3000	1	RMS	2868	-48.51	-25	Pass	411
3000	12000	1	RMS	7578	-57.67	-25	Pass	9002
12000	26000	1	RMS	25198	-34.22	-25	Pass	14002




13.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.42	-25	Pass	2986
30	1000	0.1	RMS	897.532	-63.26	-25	Pass	9701
1000	2480	1	RMS	2474	-50.45	-25	Pass	1481
2480	2590	1	RMS	2525.925	22.41	60	Pass	401
2590	3000	1	RMS	2871	-48.48	-25	Pass	411
3000	12000	1	RMS	7578	-58.15	-25	Pass	9002
12000	26000	1	RMS	25199	-34.15	-25	Pass	14002




13.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.37	-25	Pass	2986
30	1000	0.1	RMS	997.198	-63.42	-25	Pass	9701
1000	2480	1	RMS	2474	-50.49	-25	Pass	1481
2480	2590	1	RMS	2550.95	23.83	60	Pass	401
2590	3000	1	RMS	2870	-48.45	-25	Pass	411
3000	12000	1	RMS	7653	-57.55	-25	Pass	9002
12000	26000	1	RMS	25204	-34.2	-25	Pass	14002



13.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.32	-25	Pass	2986
30	1000	0.1	RMS	590.4	-63.33	-25	Pass	9701
1000	2480	1	RMS	2478	-50.47	-25	Pass	1481
2480	2590	1	RMS	2550.95	22.25	60	Pass	401
2590	3000	1	RMS	2869	-48.48	-25	Pass	411
3000	12000	1	RMS	7653	-58.27	-25	Pass	9002
12000	26000	1	RMS	25198	-34.15	-25	Pass	14002



14. LTE_Band12


14.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.52	-13	Pass	2986
30	689	0.1	RMS	475.4	-64.23	-13	Pass	6591
689	726	0.1	RMS	699.268	20.78	60	Pass	401
726	1000	0.1	RMS	886.2	-63.28	-13	Pass	2741
1000	3000	1	RMS	1398	-47.38	-13	Pass	2001
3000	10000	1	RMS	8891	-38.99	-13	Pass	7001




14.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.4	-13	Pass	2986
30	689	0.1	RMS	478.8	-64.24	-13	Pass	6591
689	726	0.1	RMS	699.268	19.48	60	Pass	401
726	1000	0.1	RMS	875.7	-63.2	-13	Pass	2741
1000	3000	1	RMS	1398	-48.19	-13	Pass	2001
3000	10000	1	RMS	8891	-38.85	-13	Pass	7001




14.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.74	-13	Pass	2986
30	689	0.1	RMS	467	-64.3	-13	Pass	6591
689	726	0.1	RMS	707.038	20.69	60	Pass	401
726	1000	0.1	RMS	990.8	-63.26	-13	Pass	2741
1000	3000	1	RMS	1414	-47.06	-13	Pass	2001
3000	10000	1	RMS	8893	-39.02	-13	Pass	7001




14.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.46	-13	Pass	2986
30	689	0.1	RMS	476.6	-64.31	-13	Pass	6591
689	726	0.1	RMS	707.038	19.79	60	Pass	401
726	1000	0.1	RMS	995.5	-63.26	-13	Pass	2741
1000	3000	1	RMS	1414	-48.27	-13	Pass	2001
3000	10000	1	RMS	8869	-39.04	-13	Pass	7001




14.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69	-13	Pass	2986
30	689	0.1	RMS	480	-64.3	-13	Pass	6591
689	726	0.1	RMS	714.9	20.25	60	Pass	401
726	1000	0.1	RMS	903	-62.98	-13	Pass	2741
1000	3000	1	RMS	2859	-47.26	-13	Pass	2001
3000	10000	1	RMS	8895	-38.94	-13	Pass	7001




14.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.43	-13	Pass	2986
30	689	0.1	RMS	488.5	-64.24	-13	Pass	6591
689	726	0.1	RMS	714.808	19.17	60	Pass	401
726	1000	0.1	RMS	888.9	-63.38	-13	Pass	2741
1000	3000	1	RMS	2859	-47.72	-13	Pass	2001
3000	10000	1	RMS	8904	-38.94	-13	Pass	7001




14.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.74	-13	Pass	2986
30	689	0.1	RMS	471.2	-64.26	-13	Pass	6591
689	726	0.1	RMS	699.268	20.79	60	Pass	401
726	1000	0.1	RMS	896	-63.35	-13	Pass	2741
1000	3000	1	RMS	1398	-47.28	-13	Pass	2001
3000	10000	1	RMS	8899	-39.04	-13	Pass	7001




14.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.43	-13	Pass	2986
30	689	0.1	RMS	477.7	-64.35	-13	Pass	6591
689	726	0.1	RMS	699.268	19.32	60	Pass	401
726	1000	0.1	RMS	1000	-63.35	-13	Pass	2741
1000	3000	1	RMS	1398	-48.07	-13	Pass	2001
3000	10000	1	RMS	8887	-39	-13	Pass	7001




14.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.51	-13	Pass	2986
30	689	0.1	RMS	477	-64.3	-13	Pass	6591
689	726	0.1	RMS	706.205	20.26	60	Pass	401
726	1000	0.1	RMS	892	-63.23	-13	Pass	2741
1000	3000	1	RMS	1412	-46.22	-13	Pass	2001
3000	10000	1	RMS	8895	-38.97	-13	Pass	7001




14.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.55	-13	Pass	2986
30	689	0.1	RMS	469.2	-64.27	-13	Pass	6591
689	726	0.1	RMS	706.205	19.34	60	Pass	401
726	1000	0.1	RMS	898.4	-63.27	-13	Pass	2741
1000	3000	1	RMS	1412	-47.3	-13	Pass	2001
3000	10000	1	RMS	8897	-39	-13	Pass	7001



14.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.63	-13	Pass	2986
30	689	0.1	RMS	636.9	-64.32	-13	Pass	6591
689	726	0.1	RMS	713.235	20.7	60	Pass	401
726	1000	0.1	RMS	903.1	-63.32	-13	Pass	2741
1000	3000	1	RMS	2853	-48.04	-13	Pass	2001
3000	10000	1	RMS	8903	-39.05	-13	Pass	7001



14.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.92	-13	Pass	2986
30	689	0.1	RMS	467.3	-64.35	-13	Pass	6591
689	726	0.1	RMS	713.235	19.59	60	Pass	401
726	1000	0.1	RMS	1000	-63.14	-13	Pass	2741
1000	3000	1	RMS	2852	-48.3	-13	Pass	2001
3000	10000	1	RMS	8906	-38.97	-13	Pass	7001

