



7.38. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	5.25	13	Pass




7.39. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	5.3	13	Pass




7.40. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	6.05	13	Pass




7.41. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.36	13	Pass




7.42. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.2	13	Pass




7.43. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.3	13	Pass



7.44. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	6.05	13	Pass



7.45. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1750	0.1	4.45	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 1750.00000 Ref. Level: 30.00 Connector:RF1COM

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count 1 / 1		Probability	
Sample Count	997516	10,000%	2.672 dB
Sample Time	19.960 ms	1,0000%	4.266 dB
		0,1000%	4.453 dB
Avg Power	24.680 dBm	0,0100%	4.547 dB
Max Power	29.290 dBm	0,0010%	4.547 dB
PAR	4.611 dB	0,0001%	4.547 dB

Go To Local
Show Remote Screen

Power

RDY

RF Settings

Trigger

List Config.


Power

Statistic

Marker / Display


7.46. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1750	0.1	5.2	13	Pass




7.47. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1750	0.1	5.58	13	Pass




7.48. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1750	0.1	6	13	Pass




7.49. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	4.55	13	Pass




7.50. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	5.11	13	Pass




7.51. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	5.53	13	Pass




7.52. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	6	13	Pass




7.53. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.41	13	Pass




7.54. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.11	13	Pass




7.55. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.3	13	Pass




7.56. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	6	13	Pass




7.57. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1747.5	0.1	4.55	13	Pass




7.58. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1747.5	0.1	5.06	13	Pass




7.59. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1747.5	0.1	5.48	13	Pass




7.60. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1747.5	0.1	6	13	Pass




7.61. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	4.55	13	Pass




7.62. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	5.16	13	Pass




7.63. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	5.58	13	Pass




7.64. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6.05	13	Pass




7.65. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.5	13	Pass




7.66. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.11	13	Pass




7.67. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.34	13	Pass




7.68. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	6	13	Pass




7.69. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	4.5	13	Pass




7.70. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.11	13	Pass



7.71. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.44	13	Pass



7.72. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: 1745.00000 Ref. Level: 30.00 Connector:RF1COM

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count	
Sample Count	1000514
Sample Time	10.010 ms
Avg Power	22.430 dBm
Max Power	29.542 dBm
PAR	7.112 dB


Probability	
10,000%	2.953 dB
1,0000%	5.063 dB
0,1000%	6.000 dB
0,0100%	6.609 dB
0,0010%	6.938 dB
0,0001%	7.031 dB

Go To Local
Show Remote Screen

8. LTE_Band5


8.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	3.66	13	Pass




8.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	5.02	13	Pass




8.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	4.5	13	Pass




8.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	5.81	13	Pass




8.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	3.66	13	Pass




8.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.02	13	Pass




8.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	4.45	13	Pass




8.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.77	13	Pass



8.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	3.61	13	Pass



8.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.92	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 848.30000 Ref. Level: 30.00 Connector:RF1COM

x: Off y: --- x: Off y: --- x: Off y: ---

Statistic Count		Probability	
Sample Count	1137878	10,000%	2.484 dB
Sample Time	136.612 ms	1,0000%	4.359 dB
		0,1000%	4.922 dB
Avg Power	22.427 dBm	0,0100%	5.250 dB
Max Power	28.029 dBm	0,0010%	5.484 dB
PAR	5.602 dB	0,0001%	5.531 dB

Go To Local Show Remote Screen

GPRF

Power RDY

RF Settings

Trigger

List Config.


Power

Statistic

Marker / Display

8.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.41	13	Pass



8.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	5.72	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 848.30000 Ref. Level: 30.00 Connector:RF1COM

x: Off y: --- x: Off y: --- x: Off y: ---

Statistic Count	
Sample Count	1137878
Sample Time	136.612 ms
Avg Power	20.910 dBm
Max Power	27.414 dBm
PAR	6.503 dB

Probability	
10,000%	2.906 dB
1,0000%	5.016 dB
0,1000%	5.719 dB
0,0100%	6.094 dB
0,0010%	6.375 dB
0,0001%	6.422 dB

Go To Local
Show Remote Screen

Power

RDY

RF Settings

Trigger

List Config.


Power

Statistic

Marker / Display


8.13. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	3.75	13	Pass




8.14. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	5.02	13	Pass




8.15. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	4.5	13	Pass




8.16. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	5.86	13	Pass




8.17. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	3.75	13	Pass




8.18. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.06	13	Pass




8.19. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	4.5	13	Pass




8.20. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.86	13	Pass




8.21. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	3.61	13	Pass




8.22. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	4.97	13	Pass




8.23. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	4.41	13	Pass




8.24. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	5.81	13	Pass




8.25. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	3.61	13	Pass




8.26. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	4.92	13	Pass




8.27. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	4.45	13	Pass




8.28. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5.72	13	Pass




8.29. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	3.66	13	Pass




8.30. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	4.92	13	Pass




8.31. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	4.41	13	Pass




8.32. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.72	13	Pass




8.33. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	3.42	13	Pass




8.34. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	4.87	13	Pass




8.35. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	4.27	13	Pass




8.36. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	5.67	13	Pass




8.37. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	3.61	13	Pass




8.38. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	5.06	13	Pass



8.39. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	4.41	13	Pass



8.40. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	5.81	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: 829.00000 Ref. Level: 30.00 Connector:RF1COM

x: Off y: ---
x: Off y: ---
x: Off y: ---


Statistic Count		Probability	
Sample Count	997914	10,000%	2.953 dB
Sample Time	19.968 ms	1,0000%	4.969 dB
		0,1000%	5.813 dB
Avg Power	21.230 dBm	0,0100%	6.375 dB
Max Power	28.192 dBm	0,0010%	6.703 dB
PAR	6.962 dB	0,0001%	6.938 dB

Go To Local
Show Remote Screen

- GPRF
- Power
- RDY
- RF Settings
- Trigger
- List Config.
- Power
- Statistic
- Marker / Display


8.41. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	3.61	13	Pass




8.42. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.02	13	Pass




8.43. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	4.41	13	Pass



8.44. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.81	13	Pass



8.45. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	3.42	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 844.00000 Ref. Level: 30.00 Connector:RF1COM


x: Off y: --- x: Off y: --- x: Off y: ---

Statistic Count		Probability	
Sample Count	976466	10,000%	2.578 dB
Sample Time	19.539 ms	1,0000%	3.375 dB
		0,1000%	3.422 dB
Avg Power	23.516 dBm	0,0100%	3.469 dB
Max Power	27.066 dBm	0,0010%	3.516 dB
PAR	3.550 dB	0,0001%	3.516 dB

Go To Local Show Remote Screen


8.46. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	4.97	13	Pass




8.47. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	4.27	13	Pass



8.48. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	5.72	13	Pass



9. LTE_Band7


9.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	4.12	13	Pass




9.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.02	13	Pass




9.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.11	13	Pass




9.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2502.5	0.1	5.86	13	Pass




9.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.64	13	Pass




9.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.25	13	Pass




9.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.53	13	Pass




9.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.09	13	Pass




9.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	4.31	13	Pass




9.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.11	13	Pass




9.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.34	13	Pass




9.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2567.5	0.1	5.95	13	Pass




9.13. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	4.08	13	Pass




9.14. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.06	13	Pass




9.15. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.06	13	Pass




9.16. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2505	0.1	5.81	13	Pass




9.17. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.59	13	Pass



9.18. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.25	13	Pass



9.19. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.53	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2535.00000 Ref. Level: 30.00 Connector:RF1COM

Statistic Count	
Sample Count	999112
Sample Time	19.992 ms
Avg Power	22.718 dBm
Max Power	28.399 dBm
PAR	5.681 dB

Probability	
10,000%	3.000 dB
1,0000%	5.250 dB
0,1000%	5.531 dB
0,0100%	5.578 dB
0,0010%	5.625 dB
0,0001%	5.625 dB

Go To Local
Show Remote Screen

Power

RDY

RF Settings

Trigger

List Config.


Power

Statistic

Marker / Display


9.20. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.14	13	Pass




9.21. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	4.41	13	Pass




9.22. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.16	13	Pass




9.23. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.39	13	Pass




9.24. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.95	13	Pass




9.25. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.12	13	Pass




9.26. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.92	13	Pass




9.27. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.06	13	Pass




9.28. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.81	13	Pass




9.29. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.55	13	Pass




9.30. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.16	13	Pass




9.31. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.48	13	Pass




9.32. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.09	13	Pass




9.33. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.36	13	Pass




9.34. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.06	13	Pass



9.35. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.3	13	Pass



9.36. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	6	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2562.50000 Ref. Level: 30.00 Connector:RF1COM

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count 1 / 1		Probability	
Sample Count	998912	10,000%	3.000 dB
Sample Time	9.994 ms	1,0000%	5.016 dB
		0,1000%	6.000 dB
Avg Power	21.955 dBm	0,0100%	6.422 dB
Max Power	28.865 dBm	0,0010%	6.703 dB
PAR	6.910 dB	0,0001%	6.797 dB

Go To Local
Show Remote Screen

Power

RDY

RF Settings

Trigger

List Config.

Power

Statistic

Marker / Display

9.37. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.12	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: 2510.00000 Ref. Level: 30.00 Connector:RF1COM

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count		Probability	
Sample Count	999112	10,000%	2.531 dB
Sample Time	9.996 ms	1,0000%	3.891 dB
		0,1000%	4.125 dB
Avg Power	24.170 dBm	0,0100%	4.172 dB
Max Power	28.416 dBm	0,0010%	4.172 dB
PAR	4.247 dB	0,0001%	4.219 dB

Go To Local
Show Remote Screen

Power

RDY

RF Settings

Trigger

List Config.


Power

Statistic

Marker / Display


9.38. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.02	13	Pass



9.39. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.02	13	Pass



9.40. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.86	13	Pass

