



9.41. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.64	13	Pass




9.42. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.16	13	Pass



9.43. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.44	13	Pass



9.44. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.05	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2535.00000 Ref. Level: 30.00 Connector:RF1COM

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count	
Sample Count	998912
Sample Time	9.994 ms
Avg Power	21.859 dBm
Max Power	29.153 dBm
PAR	7.294 dB

Probability	
10,000%	3.000 dB
1,0000%	5.063 dB
0,1000%	6.047 dB
0,0100%	6.656 dB
0,0010%	6.984 dB
0,0001%	7.219 dB

Go To Local
Show Remote Screen

Power

RDY

RF Settings

Trigger

List Config.


Power

Statistic

Marker / Display


9.45. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	4.41	13	Pass




9.46. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.16	13	Pass




9.47. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	5.25	13	Pass



9.48. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	6.05	13	Pass



10. LTE_Band12

10.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
699.7	0.1	4.55	13	Pass



10.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
699.7	0.1	5.39	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 699.70000 Ref. Level: 30.00 Connector:RF1COM

x: Off y: --- x: Off y: --- x: Off y: ---

Statistic Count	
Sample Count	1137878
Sample Time	136.612 ms
Avg Power	22.483 dBm
Max Power	28.589 dBm
PAR	6.105 dB

Probability	
10,000%	2.531 dB
1,0000%	4.734 dB
0,1000%	5.391 dB
0,0100%	5.719 dB
0,0010%	6.000 dB
0,0001%	6.047 dB

Go To Local
Show Remote Screen

Power

RDY

RF Settings

Trigger

List Config.


Power

Statistic

Marker / Display


10.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
699.7	0.1	5.48	13	Pass




10.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
699.7	0.1	6.19	13	Pass




10.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	4.69	13	Pass




10.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	5.48	13	Pass




10.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	5.53	13	Pass




10.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	6.33	13	Pass




10.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
715.3	0.1	4.36	13	Pass




10.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
715.3	0.1	5.3	13	Pass




10.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
715.3	0.1	5.25	13	Pass




10.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
715.3	0.1	6.19	13	Pass




10.13. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
700.5	0.1	4.55	13	Pass




10.14. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
700.5	0.1	5.3	13	Pass




10.15. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
700.5	0.1	5.44	13	Pass




10.16. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
700.5	0.1	6.19	13	Pass




10.17. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	4.73	13	Pass




10.18. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	5.39	13	Pass




10.19. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	5.58	13	Pass




10.20. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	6.28	13	Pass




10.21. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
714.5	0.1	4.27	13	Pass




10.22. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
714.5	0.1	5.2	13	Pass




10.23. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
714.5	0.1	5.34	13	Pass




10.24. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
714.5	0.1	6.19	13	Pass




10.25. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
701.5	0.1	4.5	13	Pass



10.26. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
701.5	0.1	5.25	13	Pass



10.27. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
701.5	0.1	5.44	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: 701.50000 Ref. Level: 30.00 Connector:RF1COM

x: Off y: ---
x: Off y: ---
x: Off y: ---

Statistic Count		Probability	
Sample Count	999512	10,000%	3.000 dB
Sample Time	40.000 ms	1,0000%	5.250 dB
		0,1000%	5.438 dB
		0,0100%	5.484 dB
		0,0010%	5.578 dB
		0,0001%	5.625 dB


Avg Power	22.377 dBm
Max Power	28.061 dBm
PAR	5.685 dB

Go To Local
Show Remote Screen

- GPRF
- Power
- RDY
- RF Settings
- Trigger
- List Config.
- Power
- Statistic
- Marker / Display


10.28. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
701.5	0.1	6.09	13	Pass




10.29. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	4.69	13	Pass




10.30. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	5.25	13	Pass




10.31. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	5.53	13	Pass




10.32. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	6.09	13	Pass




10.33. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	4.36	13	Pass




10.34. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	5.11	13	Pass




10.35. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	5.3	13	Pass




10.36. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	5.91	13	Pass




10.37. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	4.5	13	Pass




10.38. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	5.25	13	Pass




10.39. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	5.44	13	Pass




10.40. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
704	0.1	6.09	13	Pass




10.41. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	4.55	13	Pass




10.42. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	5.3	13	Pass




10.43. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	5.48	13	Pass



10.44. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	6.09	13	Pass



10.45. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	4.64	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 711.00000 Ref. Level: 30.00 Connector:RF1COM

x: Off y: --- x: Off y: --- x: Off y: ---


Statistic Count	
Sample Count	997914
Sample Time	19.968 ms
Avg Power	23.618 dBm
Max Power	28.376 dBm
PAR	4.758 dB

Probability	
10,000%	2.672 dB
1,0000%	4.547 dB
0,1000%	4.641 dB
0,0100%	4.688 dB
0,0010%	4.688 dB
0,0001%	4.734 dB

Go To Local
Show Remote Screen


10.46. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.3	13	Pass




10.47. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.44	13	Pass



10.48. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	6.05	13	Pass



11. LTE_Band13


11.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
779.5	0.1	3.8	13	Pass




11.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
779.5	0.1	5.11	13	Pass




11.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
779.5	0.1	4.69	13	Pass




11.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
779.5	0.1	5.95	13	Pass




11.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	4.17	13	Pass




11.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	5.06	13	Pass




11.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	5.11	13	Pass




11.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	5.95	13	Pass




11.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
784.5	0.1	4.31	13	Pass




11.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
784.5	0.1	5.16	13	Pass




11.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
784.5	0.1	5.34	13	Pass




11.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
784.5	0.1	6.05	13	Pass




11.13. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	3.89	13	Pass




11.14. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	5.2	13	Pass




11.15. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	4.87	13	Pass



11.16. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
782	0.1	6.05	13	Pass



12. LTE_Band17


12.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	4.69	13	Pass




12.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	5.25	13	Pass




12.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	5.48	13	Pass




12.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	6.09	13	Pass




12.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	4.64	13	Pass




12.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.3	13	Pass




12.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.53	13	Pass




12.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	6.09	13	Pass




12.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	4.45	13	Pass




12.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	5.11	13	Pass




12.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	5.11	13	Pass



12.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
713.5	0.1	6	13	Pass



12.13. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	4.55	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power
Spectrum
FFT Spectrum
IQ Recorder
IQ vs. Slot
EPS

Frequency: 709.00000 Ref. Level: 30.00 Connector:RF1COM

x: Off y: ---
x: Off y: ---
x: Off y: ---


Statistic Count		Probability	
Sample Count	1001516	10,000%	2.672 dB
Sample Time	20.040 ms	1,0000%	4.500 dB
		0,1000%	4.547 dB
Avg Power	23.550 dBm	0,0100%	4.594 dB
Max Power	28.264 dBm	0,0010%	4.641 dB
PAR	4.715 dB	0,0001%	4.688 dB

Go To Local
Show Remote Screen

- Power
- RDY
- RF Settings
- Trigger
- List Config.
- Power
- Statistic
- Marker / Display


12.14. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	5.34	13	Pass




12.15. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	5.48	13	Pass




12.16. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
709	0.1	6.09	13	Pass




12.17. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	4.59	13	Pass




12.18. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.34	13	Pass




12.19. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	5.53	13	Pass




12.20. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
710	0.1	6.14	13	Pass




12.21. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	4.64	13	Pass




12.22. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.3	13	Pass




12.23. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	5.53	13	Pass



12.24. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
711	0.1	6.09	13	Pass



13. LTE_Band38


13.1. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2572.5	0.1	8.67	13	Pass




13.2. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2572.5	0.1	9.05	13	Pass




13.3. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2572.5	0.1	9.47	13	Pass




13.4. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2572.5	0.1	9.89	13	Pass



13.5. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.62	13	Pass



13.6. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

● Power
 ● Spectrum
● FFT Spectrum
● IQ Recorder
● IQ vs. Slot
● EPS

Power
RDY

Frequency: 2595.00000 Ref. Level: 30.00 Connector:RF1COM

x: Off y: ---
x: Off y: ---
x: Off y: ---


Statistic Count		Probability	
Sample Count	1022414	10,000%	5.063 dB
Sample Time	40.917 ms	1,0000%	7.875 dB
		0,1000%	9.000 dB
Avg Power	18.864 dBm	0,0100%	9.563 dB
Max Power	29.227 dBm	0,0010%	9.891 dB
PAR	10.362 dB	0,0001%	10.266 dB

1 / 1

Go To Local
Show Remote Screen


13.7. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.33	13	Pass




13.8. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.56	13	Pass




13.9. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2617.5	0.1	8.58	13	Pass




13.10. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2617.5	0.1	8.86	13	Pass




13.11. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2617.5	0.1	9.33	13	Pass




13.12. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2617.5	0.1	9.61	13	Pass




13.13. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2575	0.1	8.77	13	Pass




13.14. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2575	0.1	9	13	Pass




13.15. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2575	0.1	9.33	13	Pass




13.16. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2575	0.1	9.8	13	Pass




13.17. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.53	13	Pass




13.18. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.95	13	Pass




13.19. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.28	13	Pass




19.20. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.75	13	Pass




13.21. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	8.39	13	Pass




13.22. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	9	13	Pass




13.23. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	9.33	13	Pass



13.24. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2615	0.1	9.8	13	Pass



13.25. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2577.5	0.1	8.53	13	Pass

General Purpose RF Measurement 1 - V3.7.70 - Base V 3.7.172
GPRF

Power Spectrum FFT Spectrum IQ Recorder IQ vs. Slot EPS

Frequency: 2577.50000 Ref. Level: 30.00 Connector:RF1COM

x: Off y: --- x: Off y: --- x: Off y: ---


Statistic Count	
Sample Count	975894
Sample Time	9.764 ms
Avg Power	19.662 dBm
Max Power	28.399 dBm
PAR	8.737 dB

Probability	
10,000%	5.063 dB
1,0000%	8.016 dB
0,1000%	8.531 dB
0,0100%	8.625 dB
0,0010%	8.672 dB
0,0001%	8.672 dB

Go To Local
Show Remote Screen

13.26. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2577.5	0.1	8.95	13	Pass



13.27. LTE Peak to Average Ratio_Part22-24-27(NTNV)(Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2577.5	0.1	9.42	13	Pass

