

<u>Test Equipment</u>			
EQUIPMENT	MANUFACTURER	MODEL	CAL. DUE
EMI Receiver	Agilent	E4440	01/2017
MXE EMI Receiver	Agilent/Keysight	N9038A	01/2017
Anechoic Chamber	Comtest	CSA01	01/2017
Bilog Antenna	Schaffner	CBL6112B	01/2017
Horn Antenna	EMCO	3115	01/2017
Controller	Deisel	HD100	01/2017
Turn Table	Deisel	MA240	01/2017
LISN	GSD	NTW06	01/2017
<u>Test procedure: CT15R01</u>			

This document may be only fully reproduced.

Every partial reproduction is only allowed after written approval released by G.S.D. S.r.l.

Report n. FCC-16810 Rev. 00, page 51 / 57

7. PHOTO



Fig. 7.1

Conducted Emissions Test Set-up




Fig. 7.2

*FCC part 15B Radiated Emissions Test Set-up
Range: 30 – 1000 MHz*



Fig. 7.3

*FCC part 15C Radiated Emissions Test Set-up
Range: 30 – 1000 MHz*

*This document may be only fully reproduced.
Every partial reproduction is only allowed after written approval released by G.S.D. S.r.l.
Report n. FCC-16810 Rev. 00, page 54 / 57*



Fig. 7.4

*FCC part 15B Radiated Emissions Test Set-up
Range: 1 – 10 GHz*



Fig. 7.5

*FCC part 15C Radiated Emissions Test Set-up
Range: 1 – 10 GHz*



Fig. 7.6

*FCC part 15C Radiated Emissions Test Set-up
Range: 9 kHz – 30 MHz*