

FCC Modular Approval Statement

Receiver

Federal Communication Commission
 Equipment Authorization Division, Application
 Processing Branch
 7435 Oakland Mills Road
 Columbia, MD 21048

Subject: IPS-355

Modular Approval Statement

Date: Donnersdorf, April 08nd, 2019

FCC Certification Number: UXS-IPS355

TO WHOM IT MAY CONCERN


Pursuant to Paragraph CFR § 15.212 (a) / (b), we herewith declare for our module.

Single modular approval requirement	Yes	No *
(1)(i) The radio elements of the modular transmitter must have their own shielding. The physical crystal and tuning capacitors may be located external to the shielded radio elements.	X	
*Please provide a detailed explanation if the answer is "No.":		
(1)(ii) The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with part 15 requirements under conditions of excessive data rates or over-modulation.	X	
*Please provide a detailed explanation if the answer is "No.":		
(1)(iii) The modular transmitter must have its own power supply regulation.	X	
*Please provide a detailed explanation if the answer is "No.":		
(1)(iv) The modular transmitter must comply with the antenna and transmission system requirements of §§15.203, 15.204(b) and 15.204(c). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of §15.203 is not applicable to modules but can apply to limited modular approvals under paragraph (b) of this section.	X	
*Please provide a detailed explanation if the answer is "No.":		
(1)(v) The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing for compliance with part 15 requirements. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in §15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see §15.27(a)). The length of these lines shall be the length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified and commercially available (see §15.31(i)).	X	
*Please provide a detailed explanation if the answer is "No.":		

FCC Modular Approval Statement

(1)(vi) The modular transmitter must be equipped with either a permanently affixed label or must be capable of electronically displaying its FCC identification number.	X	
*Please provide a detailed explanation if the answer is "No.":		
(1)(vii) The modular transmitter must comply with any specific rules or operating requirements that ordinarily apply to a complete transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization.	X	
*Please provide a detailed explanation if the answer is "No.":		
(1)(viii) The modular transmitter must comply with any applicable RF exposure requirements in its final configuration.	X	
*Please provide a detailed explanation if the answer is "No.":		

If you have any questions, please feel free to contact us at the address shown below
Best Regards,



Robert Mock
InnoSenT GmbH (Managing Director)
Am Roedertor 30
97499 Donnersdorf
GERMANY

Phone: +49 09528 9518 0

Email: info@InnoSenT.de

INFO for applicant: A limited modular approval may be granted for single or split modular transmitters that **do not comply with all of the above requirements**, e.g., shielding, minimum signaling amplitude, buffered modulation/data inputs, or power supply regulation, if the manufacturer can demonstrate by alternative means in the application for equipment authorization that the modular transmitter meets all the applicable part 15 requirements under the operating conditions in which the transmitter will be used. Limited modular approval also may be granted in those instances where compliance with RF exposure rules is demonstrated only for particular product configurations. The applicant for certification must state **how control of the end product** into which the module will be installed will be maintained such that full compliance of the end product is always ensured.