

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
370500	1852.5	5	1	0	22.72	22.97	< 33.01
			1	1	22.63	22.88	< 33.01
			12	6	22.79	23.04	< 33.01
			25	0	22.80	23.05	< 33.01
376500	1882.5	5	1	0	22.76	23.01	< 33.01
			1	1	22.81	23.06	< 33.01
			12	6	22.89	23.14	< 33.01
			25	0	22.86	23.11	< 33.01
382500	1912.5	5	1	0	22.68	22.93	< 33.01
			1	1	22.67	22.92	< 33.01
			12	6	22.72	22.97	< 33.01
			25	0	22.66	22.91	< 33.01
371000	1855.0	10	1	0	22.72	22.97	< 33.01
			1	1	22.75	23.00	< 33.01
			25	12	22.88	23.13	< 33.01
			50	0	22.78	23.03	< 33.01
376500	1882.5	10	1	0	22.91	23.16	< 33.01
			1	1	22.83	23.08	< 33.01
			25	12	22.85	23.10	< 33.01
			50	0	22.87	23.12	< 33.01
382000	1910.0	10	1	0	22.83	23.08	< 33.01
			1	1	22.89	23.14	< 33.01
			25	12	22.69	22.94	< 33.01
			50	0	22.85	23.10	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
371500	1857.5	15	1	0	22.92	23.17	< 33.01
			1	1	22.89	23.14	< 33.01
			36	18	22.96	23.21	< 33.01
			75	0	22.91	23.16	< 33.01
376500	1882.5	15	1	0	23.12	23.37	< 33.01
			1	1	22.85	23.10	< 33.01
			36	18	22.87	23.12	< 33.01
			75	0	22.94	23.19	< 33.01
381500	1907.5	15	1	0	22.67	22.92	< 33.01
			1	1	22.74	22.99	< 33.01
			36	18	22.75	23.00	< 33.01
			75	0	22.79	23.04	< 33.01
372000	1860.0	20	1	0	22.95	23.20	< 33.01
			1	1	22.95	23.20	< 33.01
			50	25	22.93	23.18	< 33.01
			100	0	22.92	23.17	< 33.01
376500	1882.5	20	1	0	22.36	22.61	< 33.01
			1	1	22.77	23.02	< 33.01
			50	25	22.65	22.90	< 33.01
			100	0	22.88	23.13	< 33.01
381000	1905.0	20	1	0	22.76	23.01	< 33.01
			1	1	22.86	23.11	< 33.01
			50	25	22.78	23.03	< 33.01
			100	0	22.73	22.98	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
370500	1852.5	5	1	0	21.54	21.79	< 33.01
			1	1	22.64	22.89	< 33.01
			12	6	22.82	23.07	< 33.01
			25	0	21.89	22.14	< 33.01
376500	1882.5	5	1	0	22.19	22.44	< 33.01
			1	1	22.96	23.21	< 33.01
			12	6	22.86	23.11	< 33.01
			25	0	21.85	22.10	< 33.01
382500	1912.5	5	1	0	22.65	22.90	< 33.01
			1	1	22.94	23.19	< 33.01
			12	6	22.68	22.93	< 33.01
			25	0	22.80	23.05	< 33.01
371000	1855.0	10	1	0	22.30	22.55	< 33.01
			1	1	22.87	23.12	< 33.01
			25	12	22.85	23.10	< 33.01
			50	0	21.90	22.15	< 33.01
376500	1882.5	10	1	0	21.59	21.84	< 33.01
			1	1	22.74	22.99	< 33.01
			25	12	22.83	23.08	< 33.01
			50	0	21.80	22.05	< 33.01
382000	1910.0	10	1	0	21.39	21.64	< 33.01
			1	1	22.53	22.78	< 33.01
			25	12	22.81	23.06	< 33.01
			50	0	21.72	21.97	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
371500	1857.5	15	1	0	21.93	22.18	< 33.01
			1	1	22.91	23.16	< 33.01
			36	18	22.96	23.21	< 33.01
			75	0	21.94	22.19	< 33.01
376500	1882.5	15	1	0	22.01	22.26	< 33.01
			1	1	22.93	23.18	< 33.01
			36	18	22.91	23.16	< 33.01
			75	0	21.84	22.09	< 33.01
381500	1907.5	15	1	0	21.78	22.03	< 33.01
			1	1	22.80	23.05	< 33.01
			36	18	22.74	22.99	< 33.01
			75	0	21.72	21.97	< 33.01
372000	1860.0	20	1	0	22.07	22.32	< 33.01
			1	1	23.05	23.30	< 33.01
			50	25	22.89	23.14	< 33.01
			100	0	21.91	22.16	< 33.01
376500	1882.5	20	1	0	22.13	22.38	< 33.01
			1	1	22.89	23.14	< 33.01
			50	25	22.81	23.06	< 33.01
			100	0	21.99	22.24	< 33.01
381000	1905.0	20	1	0	21.92	22.17	< 33.01
			1	1	22.97	23.22	< 33.01
			50	25	22.79	23.04	< 33.01
			100	0	21.69	21.94	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
370500	1852.5	5	1	0	21.49	21.74	< 33.01
			1	1	21.50	21.75	< 33.01
			12	6	21.36	21.61	< 33.01
			25	0	21.33	21.58	< 33.01
376500	1882.5	5	1	0	21.52	21.77	< 33.01
			1	1	21.53	21.78	< 33.01
			12	6	21.42	21.67	< 33.01
			25	0	21.37	21.62	< 33.01
382500	1912.5	5	1	0	21.39	21.64	< 33.01
			1	1	21.41	21.66	< 33.01
			12	6	21.31	21.56	< 33.01
			25	0	21.29	21.54	< 33.01
371000	1855.0	10	1	0	21.58	21.83	< 33.01
			1	1	21.48	21.73	< 33.01
			25	12	21.38	21.63	< 33.01
			50	0	21.34	21.59	< 33.01
376500	1882.5	10	1	0	21.56	21.81	< 33.01
			1	1	21.63	21.88	< 33.01
			25	12	21.34	21.59	< 33.01
			50	0	21.30	21.55	< 33.01
382000	1910.0	10	1	0	21.50	21.75	< 33.01
			1	1	21.52	21.77	< 33.01
			25	12	21.28	21.53	< 33.01
			50	0	21.23	21.48	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
371500	1857.5	15	1	0	21.64	21.89	< 33.01
			1	1	21.66	21.91	< 33.01
			36	18	21.39	21.64	< 33.01
			75	0	21.40	21.65	< 33.01
376500	1882.5	15	1	0	21.71	21.96	< 33.01
			1	1	21.55	21.80	< 33.01
			36	18	21.38	21.63	< 33.01
			75	0	21.35	21.60	< 33.01
381500	1907.5	15	1	0	21.60	21.85	< 33.01
			1	1	21.52	21.77	< 33.01
			36	18	21.27	21.52	< 33.01
			75	0	21.23	21.48	< 33.01
372000	1860.0	20	1	0	21.68	21.93	< 33.01
			1	1	21.69	21.94	< 33.01
			50	25	21.44	21.69	< 33.01
			100	0	21.39	21.64	< 33.01
376500	1882.5	20	1	0	21.23	21.48	< 33.01
			1	1	21.35	21.60	< 33.01
			50	25	21.30	21.55	< 33.01
			100	0	21.46	21.71	< 33.01
381000	1905.0	20	1	0	21.66	21.91	< 33.01
			1	1	21.64	21.89	< 33.01
			50	25	21.28	21.53	< 33.01
			100	0	21.35	21.60	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
370500	1852.5	5	1	0	19.31	19.56	< 33.01
			1	1	19.11	19.36	< 33.01
			12	6	19.25	19.50	< 33.01
			25	0	19.29	19.54	< 33.01
376500	1882.5	5	1	0	19.20	19.45	< 33.01
			1	1	19.23	19.48	< 33.01
			12	6	19.36	19.61	< 33.01
			25	0	19.27	19.52	< 33.01
382500	1912.5	5	1	0	19.32	19.57	< 33.01
			1	1	18.99	19.24	< 33.01
			12	6	19.13	19.38	< 33.01
			25	0	19.21	19.46	< 33.01
371000	1855.0	10	1	0	19.25	19.50	< 33.01
			1	1	19.28	19.53	< 33.01
			25	12	19.28	19.53	< 33.01
			50	0	19.30	19.55	< 33.01
376500	1882.5	10	1	0	19.32	19.57	< 33.01
			1	1	19.25	19.50	< 33.01
			25	12	19.47	19.72	< 33.01
			50	0	19.54	19.79	< 33.01
382000	1910.0	10	1	0	19.44	19.69	< 33.01
			1	1	19.41	19.66	< 33.01
			25	12	19.52	19.77	< 33.01
			50	0	19.33	19.58	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
371500	1857.5	15	1	0	19.26	19.51	< 33.01
			1	1	19.36	19.61	< 33.01
			36	18	19.34	19.59	< 33.01
			75	0	19.37	19.62	< 33.01
376500	1882.5	15	1	0	19.41	19.66	< 33.01
			1	1	19.38	19.63	< 33.01
			36	18	19.28	19.53	< 33.01
			75	0	19.32	19.57	< 33.01
381500	1907.5	15	1	0	19.09	19.34	< 33.01
			1	1	19.08	19.33	< 33.01
			36	18	19.18	19.43	< 33.01
			75	0	19.17	19.42	< 33.01
372000	1860.0	20	1	0	19.31	19.56	< 33.01
			1	1	19.32	19.57	< 33.01
			50	25	19.37	19.62	< 33.01
			100	0	19.44	19.69	< 33.01
376500	1882.5	20	1	0	19.57	19.82	< 33.01
			1	1	19.35	19.60	< 33.01
			50	25	19.56	19.81	< 33.01
			100	0	19.35	19.60	< 33.01
381000	1905.0	20	1	0	19.33	19.58	< 33.01
			1	1	19.41	19.66	< 33.01
			50	25	19.55	19.80	< 33.01
			100	0	19.27	19.52	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Eric Xu	Test Date	2020/10/18
Test Band	n5_EN-DC		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
165300	826.5	5	1	0	23.30	23.83	< 38.45
			1	1	23.25	23.78	< 38.45
			12	6	23.31	23.84	< 38.45
			25	0	23.31	23.84	< 38.45
167300	836.5	5	1	0	23.56	24.09	< 38.45
			1	1	23.54	24.07	< 38.45
			12	6	23.39	23.92	< 38.45
			25	0	23.44	23.97	< 38.45
169300	846.5	5	1	0	23.06	23.59	< 38.45
			1	1	23.14	23.67	< 38.45
			12	6	23.01	23.54	< 38.45
			25	0	23.12	23.65	< 38.45
165800	829.0	10	1	0	23.48	24.01	< 38.45
			1	1	23.39	23.92	< 38.45
			25	12	23.21	23.74	< 38.45
			50	0	23.15	23.68	< 38.45
167300	836.5	10	1	0	23.44	23.97	< 38.45
			1	1	23.55	24.08	< 38.45
			25	12	23.21	23.74	< 38.45
			50	0	23.20	23.73	< 38.45
168800	844.0	10	1	0	22.94	23.47	< 38.45
			1	1	22.94	23.47	< 38.45
			25	12	23.22	23.75	< 38.45
			50	0	23.06	23.59	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
166300	831.5	15	1	0	23.30	23.83	< 38.45
			1	1	23.31	23.84	< 38.45
			36	18	23.17	23.70	< 38.45
			75	0	23.31	23.84	< 38.45
167300	836.5	15	1	0	23.19	23.72	< 38.45
			1	1	23.18	23.71	< 38.45
			36	18	23.13	23.66	< 38.45
			75	0	23.19	23.72	< 38.45
168300	841.5	15	1	0	23.03	23.56	< 38.45
			1	1	23.06	23.59	< 38.45
			36	18	23.04	23.57	< 38.45
			75	0	23.14	23.67	< 38.45
166800	834.0	20	1	0	23.35	23.88	< 38.45
			1	1	23.26	23.79	< 38.45
			50	25	23.34	23.87	< 38.45
			100	0	23.21	23.74	< 38.45
167300	836.5	20	1	0	23.51	24.04	< 38.45
			1	1	23.19	23.72	< 38.45
			50	25	23.16	23.69	< 38.45
			100	0	23.11	23.64	< 38.45
167800	839.0	20	1	0	23.31	23.84	< 38.45
			1	1	23.35	23.88	< 38.45
			50	25	23.24	23.77	< 38.45
			100	0	23.37	23.90	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
165300	826.5	5	1	0	23.31	23.84	< 38.45
			1	1	23.35	23.88	< 38.45
			12	6	23.31	23.84	< 38.45
			25	0	23.31	23.84	< 38.45
167300	836.5	5	1	0	23.13	23.66	< 38.45
			1	1	23.14	23.67	< 38.45
			12	6	23.13	23.66	< 38.45
			25	0	23.08	23.61	< 38.45
169300	846.5	5	1	0	23.03	23.56	< 38.45
			1	1	22.97	23.50	< 38.45
			12	6	23.01	23.54	< 38.45
			25	0	23.05	23.58	< 38.45
165800	829.0	10	1	0	23.30	23.83	< 38.45
			1	1	23.22	23.75	< 38.45
			25	12	23.31	23.84	< 38.45
			50	0	23.34	23.87	< 38.45
167300	836.5	10	1	0	23.07	23.60	< 38.45
			1	1	23.09	23.62	< 38.45
			25	12	23.21	23.74	< 38.45
			50	0	23.15	23.68	< 38.45
168800	844.0	10	1	0	23.03	23.56	< 38.45
			1	1	22.93	23.46	< 38.45
			25	12	23.08	23.61	< 38.45
			50	0	23.07	23.60	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
166300	831.5	15	1	0	23.28	23.81	< 38.45
			1	1	23.27	23.80	< 38.45
			36	18	23.23	23.76	< 38.45
			75	0	23.19	23.72	< 38.45
167300	836.5	15	1	0	23.15	23.68	< 38.45
			1	1	23.26	23.79	< 38.45
			36	18	23.14	23.67	< 38.45
			75	0	23.17	23.70	< 38.45
168300	841.5	15	1	0	23.46	23.99	< 38.45
			1	1	23.03	23.56	< 38.45
			36	18	23.11	23.64	< 38.45
			75	0	23.09	23.62	< 38.45
166800	834.0	20	1	0	23.26	23.79	< 38.45
			1	1	23.28	23.81	< 38.45
			50	25	23.14	23.67	< 38.45
			100	0	23.18	23.71	< 38.45
167300	836.5	20	1	0	23.28	23.81	< 38.45
			1	1	23.20	23.73	< 38.45
			50	25	23.18	23.71	< 38.45
			100	0	23.21	23.74	< 38.45
167800	839.0	20	1	0	23.13	23.66	< 38.45
			1	1	23.23	23.76	< 38.45
			50	25	23.20	23.73	< 38.45
			100	0	23.06	23.59	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
165300	826.5	5	1	0	22.72	23.25	< 38.45
			1	1	23.91	24.44	< 38.45
			12	6	23.31	23.84	< 38.45
			25	0	22.38	22.91	< 38.45
167300	836.5	5	1	0	22.53	23.06	< 38.45
			1	1	23.50	24.03	< 38.45
			12	6	23.19	23.72	< 38.45
			25	0	22.19	22.72	< 38.45
169300	846.5	5	1	0	22.08	22.61	< 38.45
			1	1	22.96	23.49	< 38.45
			12	6	23.12	23.65	< 38.45
			25	0	22.14	22.67	< 38.45
165800	829.0	10	1	0	22.68	23.21	< 38.45
			1	1	23.81	24.34	< 38.45
			25	12	23.36	23.89	< 38.45
			50	0	22.31	22.84	< 38.45
167300	836.5	10	1	0	22.57	23.10	< 38.45
			1	1	24.10	24.63	< 38.45
			25	12	23.09	23.62	< 38.45
			50	0	22.10	22.63	< 38.45
168800	844.0	10	1	0	22.21	22.74	< 38.45
			1	1	22.98	23.51	< 38.45
			25	12	23.06	23.59	< 38.45
			50	0	22.01	22.54	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
166300	831.5	15	1	0	22.21	22.74	< 38.45
			1	1	23.27	23.80	< 38.45
			36	18	23.21	23.74	< 38.45
			75	0	22.36	22.89	< 38.45
167300	836.5	15	1	0	22.55	23.08	< 38.45
			1	1	23.54	24.07	< 38.45
			36	18	23.06	23.59	< 38.45
			75	0	22.10	22.63	< 38.45
168300	841.5	15	1	0	22.25	22.78	< 38.45
			1	1	23.01	23.54	< 38.45
			36	18	23.16	23.69	< 38.45
			75	0	22.17	22.70	< 38.45
166800	834.0	20	1	0	22.54	23.07	< 38.45
			1	1	23.46	23.99	< 38.45
			50	25	23.23	23.76	< 38.45
			100	0	22.20	22.73	< 38.45
167300	836.5	20	1	0	22.25	22.78	< 38.45
			1	1	23.17	23.70	< 38.45
			50	25	23.04	23.57	< 38.45
			100	0	22.08	22.61	< 38.45
167800	839.0	20	1	0	22.51	23.04	< 38.45
			1	1	23.73	24.26	< 38.45
			50	25	23.11	23.64	< 38.45
			100	0	22.09	22.62	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
165300	826.5	5	1	0	22.39	22.92	< 38.45
			1	1	22.51	23.04	< 38.45
			12	6	21.93	22.46	< 38.45
			25	0	21.88	22.41	< 38.45
167300	836.5	5	1	0	21.96	22.49	< 38.45
			1	1	21.98	22.51	< 38.45
			12	6	21.66	22.19	< 38.45
			25	0	21.60	22.13	< 38.45
169300	846.5	5	1	0	21.99	22.52	< 38.45
			1	1	21.98	22.51	< 38.45
			12	6	21.53	22.06	< 38.45
			25	0	21.50	22.03	< 38.45
165800	829.0	10	1	0	22.17	22.70	< 38.45
			1	1	22.20	22.73	< 38.45
			25	12	21.82	22.35	< 38.45
			50	0	21.87	22.40	< 38.45
167300	836.5	10	1	0	22.15	22.68	< 38.45
			1	1	22.15	22.68	< 38.45
			25	12	21.61	22.14	< 38.45
			50	0	21.63	22.16	< 38.45
168800	844.0	10	1	0	21.63	22.16	< 38.45
			1	1	21.61	22.14	< 38.45
			25	12	21.56	22.09	< 38.45
			50	0	21.53	22.06	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
166300	831.5	15	1	0	22.10	22.63	< 38.45
			1	1	22.01	22.54	< 38.45
			36	18	21.70	22.23	< 38.45
			75	0	21.74	22.27	< 38.45
167300	836.5	15	1	0	22.18	22.71	< 38.45
			1	1	22.19	22.72	< 38.45
			36	18	21.62	22.15	< 38.45
			75	0	21.58	22.11	< 38.45
168300	841.5	15	1	0	21.87	22.40	< 38.45
			1	1	21.97	22.50	< 38.45
			36	18	21.57	22.10	< 38.45
			75	0	21.57	22.10	< 38.45
166800	834.0	20	1	0	21.86	22.39	< 38.45
			1	1	21.87	22.40	< 38.45
			50	25	21.67	22.20	< 38.45
			100	0	21.67	22.20	< 38.45
167300	836.5	20	1	0	21.83	22.36	< 38.45
			1	1	21.85	22.38	< 38.45
			50	25	21.65	22.18	< 38.45
			100	0	21.61	22.14	< 38.45
167800	839.0	20	1	0	21.76	22.29	< 38.45
			1	1	21.78	22.31	< 38.45
			50	25	21.68	22.21	< 38.45
			100	0	21.56	22.09	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
165300	826.5	5	1	0	19.74	20.27	< 38.45
			1	1	19.89	20.42	< 38.45
			12	6	19.76	20.29	< 38.45
			25	0	19.86	20.39	< 38.45
167300	836.5	5	1	0	19.67	20.20	< 38.45
			1	1	19.68	20.21	< 38.45
			12	6	19.50	20.03	< 38.45
			25	0	19.52	20.05	< 38.45
169300	846.5	5	1	0	19.23	19.76	< 38.45
			1	1	19.22	19.75	< 38.45
			12	6	19.35	19.88	< 38.45
			25	0	19.28	19.81	< 38.45
165800	829.0	10	1	0	19.83	20.36	< 38.45
			1	1	19.77	20.30	< 38.45
			25	12	19.55	20.08	< 38.45
			50	0	19.81	20.34	< 38.45
167300	836.5	10	1	0	19.61	20.14	< 38.45
			1	1	19.53	20.06	< 38.45
			25	12	19.57	20.10	< 38.45
			50	0	19.58	20.11	< 38.45
168800	844.0	10	1	0	19.88	20.41	< 38.45
			1	1	19.68	20.21	< 38.45
			25	12	19.78	20.31	< 38.45
			50	0	19.75	20.28	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
166300	831.5	15	1	0	19.86	20.39	< 38.45
			1	1	19.76	20.29	< 38.45
			36	18	19.74	20.27	< 38.45
			75	0	19.75	20.28	< 38.45
167300	836.5	15	1	0	19.68	20.21	< 38.45
			1	1	19.64	20.17	< 38.45
			36	18	19.58	20.11	< 38.45
			75	0	19.69	20.22	< 38.45
168300	841.5	15	1	0	19.56	20.09	< 38.45
			1	1	19.54	20.07	< 38.45
			36	18	19.53	20.06	< 38.45
			75	0	19.58	20.11	< 38.45
166800	834.0	20	1	0	19.84	20.37	< 38.45
			1	1	19.86	20.39	< 38.45
			50	25	19.67	20.20	< 38.45
			100	0	19.66	20.19	< 38.45
167300	836.5	20	1	0	19.78	20.31	< 38.45
			1	1	19.77	20.30	< 38.45
			50	25	19.63	20.16	< 38.45
			100	0	19.70	20.23	< 38.45
167800	839.0	20	1	0	19.59	20.12	< 38.45
			1	1	19.69	20.22	< 38.45
			50	25	19.67	20.20	< 38.45
			100	0	19.63	20.16	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Eric Xu	Test Date	2020/10/18
Test Band	n7_EN-DC		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
500500	2502.5	5	1	0	22.73	23.28	< 33.01
			1	1	22.72	23.27	< 33.01
			12	6	22.81	23.36	< 33.01
			25	0	22.88	23.43	< 33.01
507000	2535.0	5	1	0	22.43	22.98	< 33.01
			1	1	22.51	23.06	< 33.01
			12	6	22.67	23.22	< 33.01
			25	0	22.61	23.16	< 33.01
513500	2567.5	5	1	0	22.51	23.06	< 33.01
			1	1	22.58	23.13	< 33.01
			12	6	22.55	23.10	< 33.01
			25	0	22.55	23.10	< 33.01
501000	2505.0	10	1	0	22.71	23.26	< 33.01
			1	1	22.80	23.35	< 33.01
			25	12	22.85	23.40	< 33.01
			50	0	22.87	23.42	< 33.01
507000	2535.0	10	1	0	22.65	23.20	< 33.01
			1	1	22.53	23.08	< 33.01
			25	12	22.71	23.26	< 33.01
			50	0	22.66	23.21	< 33.01
513000	2565.0	10	1	0	22.44	22.99	< 33.01
			1	1	22.58	23.13	< 33.01
			25	12	22.66	23.21	< 33.01
			50	0	22.53	23.08	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
501500	2507.5	15	1	0	22.97	23.52	< 33.01
			1	1	23.20	23.75	< 33.01
			36	18	22.91	23.46	< 33.01
			75	0	22.96	23.51	< 33.01
507000	2535.0	15	1	0	22.68	23.23	< 33.01
			1	1	22.65	23.20	< 33.01
			36	18	22.67	23.22	< 33.01
			75	0	22.76	23.31	< 33.01
512500	2562.5	15	1	0	22.66	23.21	< 33.01
			1	1	22.64	23.19	< 33.01
			36	18	22.62	23.17	< 33.01
			75	0	22.52	23.07	< 33.01
502000	2510.0	20	1	0	22.89	23.44	< 33.01
			1	1	22.98	23.53	< 33.01
			50	25	22.93	23.48	< 33.01
			100	0	22.87	23.42	< 33.01
507000	2535.0	20	1	0	23.01	23.56	< 33.01
			1	1	23.08	23.63	< 33.01
			50	25	22.98	23.53	< 33.01
			100	0	23.03	23.58	< 33.01
512000	2560.0	20	1	0	22.97	23.52	< 33.01
			1	1	22.89	23.44	< 33.01
			50	25	22.86	23.41	< 33.01
			100	0	22.92	23.47	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
500500	2502.5	5	1	0	22.79	23.34	< 33.01
			1	1	22.72	23.27	< 33.01
			12	6	22.83	23.38	< 33.01
			25	0	22.85	23.40	< 33.01
507000	2535.0	5	1	0	22.50	23.05	< 33.01
			1	1	22.49	23.04	< 33.01
			12	6	22.51	23.06	< 33.01
			25	0	22.56	23.11	< 33.01
513500	2567.5	5	1	0	22.53	23.08	< 33.01
			1	1	22.46	23.01	< 33.01
			12	6	22.51	23.06	< 33.01
			25	0	22.61	23.16	< 33.01
501000	2505.0	10	1	0	22.86	23.41	< 33.01
			1	1	22.76	23.31	< 33.01
			25	12	22.83	23.38	< 33.01
			50	0	22.83	23.38	< 33.01
507000	2535.0	10	1	0	22.60	23.15	< 33.01
			1	1	22.58	23.13	< 33.01
			25	12	22.66	23.21	< 33.01
			50	0	22.69	23.24	< 33.01
513000	2565.0	10	1	0	22.71	23.26	< 33.01
			1	1	22.39	22.94	< 33.01
			25	12	22.57	23.12	< 33.01
			50	0	22.53	23.08	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
501500	2507.5	15	1	0	22.95	23.50	< 33.01
			1	1	23.32	23.87	< 33.01
			36	18	22.94	23.49	< 33.01
			75	0	22.97	23.52	< 33.01
507000	2535.0	15	1	0	22.69	23.24	< 33.01
			1	1	22.72	23.27	< 33.01
			36	18	22.61	23.16	< 33.01
			75	0	22.69	23.24	< 33.01
512500	2562.5	15	1	0	22.54	23.09	< 33.01
			1	1	22.51	23.06	< 33.01
			36	18	22.60	23.15	< 33.01
			75	0	22.68	23.23	< 33.01
502000	2510.0	20	1	0	22.97	23.52	< 33.01
			1	1	22.89	23.44	< 33.01
			50	25	22.90	23.45	< 33.01
			100	0	22.93	23.48	< 33.01
507000	2535.0	20	1	0	22.85	23.40	< 33.01
			1	1	22.83	23.38	< 33.01
			50	25	22.69	23.24	< 33.01
			100	0	22.91	23.46	< 33.01
512000	2560.0	20	1	0	22.81	23.36	< 33.01
			1	1	22.76	23.31	< 33.01
			50	25	22.69	23.24	< 33.01
			100	0	22.99	23.54	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
500500	2502.5	5	1	0	21.64	22.19	< 33.01
			1	1	22.61	23.16	< 33.01
			12	6	22.90	23.45	< 33.01
			25	0	21.97	22.52	< 33.01
507000	2535.0	5	1	0	21.68	22.23	< 33.01
			1	1	22.85	23.40	< 33.01
			12	6	22.64	23.19	< 33.01
			25	0	21.63	22.18	< 33.01
513500	2567.5	5	1	0	21.11	21.66	< 33.01
			1	1	22.32	22.87	< 33.01
			12	6	22.45	23.00	< 33.01
			25	0	21.62	22.17	< 33.01
501000	2505.0	10	1	0	21.95	22.50	< 33.01
			1	1	22.97	23.52	< 33.01
			25	12	22.79	23.34	< 33.01
			50	0	21.89	22.44	< 33.01
507000	2535.0	10	1	0	21.51	22.06	< 33.01
			1	1	22.35	22.90	< 33.01
			25	12	22.78	23.33	< 33.01
			50	0	21.75	22.30	< 33.01
513000	2565.0	10	1	0	21.54	22.09	< 33.01
			1	1	22.81	23.36	< 33.01
			25	12	22.53	23.08	< 33.01
			50	0	21.52	22.07	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
501500	2507.5	15	1	0	21.97	22.52	< 33.01
			1	1	22.73	23.28	< 33.01
			36	18	23.01	23.56	< 33.01
			75	0	22.03	22.58	< 33.01
507000	2535.0	15	1	0	22.45	23.00	< 33.01
			1	1	22.85	23.40	< 33.01
			36	18	22.64	23.19	< 33.01
			75	0	21.63	22.18	< 33.01
512500	2562.5	15	1	0	21.36	21.91	< 33.01
			1	1	22.33	22.88	< 33.01
			36	18	22.72	23.27	< 33.01
			75	0	21.44	21.99	< 33.01
502000	2510.0	20	1	0	22.15	22.70	< 33.01
			1	1	23.16	23.71	< 33.01
			50	25	22.80	23.35	< 33.01
			100	0	21.93	22.48	< 33.01
507000	2535.0	20	1	0	22.06	22.61	< 33.01
			1	1	22.74	23.29	< 33.01
			50	25	22.45	23.00	< 33.01
			100	0	22.06	22.61	< 33.01
512000	2560.0	20	1	0	22.67	23.22	< 33.01
			1	1	22.59	23.14	< 33.01
			50	25	22.63	23.18	< 33.01
			100	0	22.59	23.14	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
500500	2502.5	5	1	0	21.64	22.19	< 33.01
			1	1	21.65	22.20	< 33.01
			12	6	21.30	21.85	< 33.01
			25	0	21.39	21.94	< 33.01
507000	2535.0	5	1	0	21.30	21.85	< 33.01
			1	1	21.23	21.78	< 33.01
			12	6	21.11	21.66	< 33.01
			25	0	21.09	21.64	< 33.01
513500	2567.5	5	1	0	21.21	21.76	< 33.01
			1	1	21.31	21.86	< 33.01
			12	6	21.08	21.63	< 33.01
			25	0	20.12	20.67	< 33.01
501000	2505.0	10	1	0	21.27	21.82	< 33.01
			1	1	21.26	21.81	< 33.01
			25	12	21.38	21.93	< 33.01
			50	0	21.43	21.98	< 33.01
507000	2535.0	10	1	0	21.34	21.89	< 33.01
			1	1	21.32	21.87	< 33.01
			25	12	21.26	21.81	< 33.01
			50	0	21.20	21.75	< 33.01
513000	2565.0	10	1	0	21.15	21.70	< 33.01
			1	1	21.16	21.71	< 33.01
			25	12	21.01	21.56	< 33.01
			50	0	21.02	21.57	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
501500	2507.5	15	1	0	21.83	22.38	< 33.01
			1	1	21.64	22.19	< 33.01
			36	18	21.53	22.08	< 33.01
			75	0	21.49	22.04	< 33.01
507000	2535.0	15	1	0	21.57	22.12	< 33.01
			1	1	21.45	22.00	< 33.01
			36	18	21.30	21.85	< 33.01
			75	0	21.06	21.61	< 33.01
512500	2562.5	15	1	0	21.57	22.12	< 33.01
			1	1	21.45	22.00	< 33.01
			36	18	21.12	21.67	< 33.01
			75	0	21.06	21.61	< 33.01
502000	2510.0	20	1	0	21.09	21.64	< 33.01
			1	1	21.77	22.32	< 33.01
			50	25	21.44	21.99	< 33.01
			100	0	21.40	21.95	< 33.01
507000	2535.0	20	1	0	21.13	21.68	< 33.01
			1	1	21.65	22.20	< 33.01
			50	25	21.59	22.14	< 33.01
			100	0	21.66	22.21	< 33.01
512000	2560.0	20	1	0	21.68	22.23	< 33.01
			1	1	21.69	22.24	< 33.01
			50	25	21.88	22.43	< 33.01
			100	0	21.79	22.34	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
500500	2502.5	5	1	0	19.17	19.72	< 33.01
			1	1	19.16	19.71	< 33.01
			12	6	19.22	19.77	< 33.01
			25	0	19.32	19.87	< 33.01
507000	2535.0	5	1	0	19.26	19.81	< 33.01
			1	1	19.18	19.73	< 33.01
			12	6	19.21	19.76	< 33.01
			25	0	19.41	19.96	< 33.01
513500	2567.5	5	1	0	19.31	19.86	< 33.01
			1	1	19.26	19.81	< 33.01
			12	6	19.25	19.80	< 33.01
			25	0	19.33	19.88	< 33.01
501000	2505.0	10	1	0	19.22	19.77	< 33.01
			1	1	19.22	19.77	< 33.01
			25	12	19.27	19.82	< 33.01
			50	0	19.31	19.86	< 33.01
507000	2535.0	10	1	0	19.13	19.68	< 33.01
			1	1	19.13	19.68	< 33.01
			25	12	19.15	19.70	< 33.01
			50	0	19.18	19.73	< 33.01
513000	2565.0	10	1	0	18.91	19.46	< 33.01
			1	1	18.93	19.48	< 33.01
			25	12	19.01	19.56	< 33.01
			50	0	18.94	19.49	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
501500	2507.5	15	1	0	19.50	20.05	< 33.01
			1	1	19.21	19.76	< 33.01
			36	18	19.41	19.96	< 33.01
			75	0	19.43	19.98	< 33.01
507000	2535.0	15	1	0	18.89	19.44	< 33.01
			1	1	18.87	19.42	< 33.01
			36	18	19.07	19.62	< 33.01
			75	0	19.12	19.67	< 33.01
512500	2562.5	15	1	0	18.96	19.51	< 33.01
			1	1	18.99	19.54	< 33.01
			36	18	19.12	19.67	< 33.01
			75	0	19.03	19.58	< 33.01
502000	2510.0	20	1	0	19.17	19.72	< 33.01
			1	1	19.16	19.71	< 33.01
			50	25	19.36	19.91	< 33.01
			100	0	19.40	19.95	< 33.01
507000	2535.0	20	1	0	19.23	19.78	< 33.01
			1	1	19.32	19.87	< 33.01
			50	25	19.39	19.94	< 33.01
			100	0	19.25	19.80	< 33.01
512000	2560.0	20	1	0	19.36	19.91	< 33.01
			1	1	19.44	19.99	< 33.01
			50	25	19.41	19.96	< 33.01
			100	0	19.30	19.85	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Eric Xu	Test Date	2020/10/18
Test Band	n12_EN-DC		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
140300	701.5	5	1	0	23.47	21.12	< 34.77
			1	1	23.60	21.25	< 34.77
			12	6	23.51	21.16	< 34.77
			25	0	23.48	21.13	< 34.77
141500	707.5	5	1	0	23.34	20.99	< 34.77
			1	1	23.29	20.94	< 34.77
			12	6	23.39	21.04	< 34.77
			25	0	23.38	21.03	< 34.77
142700	713.5	5	1	0	23.25	20.90	< 34.77
			1	1	23.31	20.96	< 34.77
			12	6	23.51	21.16	< 34.77
			25	0	23.21	20.86	< 34.77
140800	704.0	10	1	0	23.38	21.03	< 34.77
			1	1	23.42	21.07	< 34.77
			25	12	23.40	21.05	< 34.77
			50	0	23.46	21.11	< 34.77
141500	707.5	10	1	0	23.31	20.96	< 34.77
			1	1	23.41	21.06	< 34.77
			25	12	23.32	20.97	< 34.77
			50	0	23.33	20.98	< 34.77
142200	711.0	10	1	0	23.26	20.91	< 34.77
			1	1	23.39	21.04	< 34.77
			25	12	23.24	20.89	< 34.77
			50	0	23.27	20.92	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
141300	706.5	15	1	0	23.37	21.02	< 34.77
			1	1	23.51	21.16	< 34.77
			36	18	23.32	20.97	< 34.77
			75	0	23.28	20.93	< 34.77
141500	707.5	15	1	0	23.33	20.98	< 34.77
			1	1	23.32	20.97	< 34.77
			36	18	23.31	20.96	< 34.77
			75	0	23.26	20.91	< 34.77
141700	708.5	15	1	0	23.46	21.11	< 34.77
			1	1	23.53	21.18	< 34.77
			36	18	23.33	20.98	< 34.77
			75	0	23.36	21.01	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
140300	701.5	5	1	0	23.50	21.15	< 34.77
			1	1	23.43	21.08	< 34.77
			12	6	23.45	21.10	< 34.77
			25	0	23.48	21.13	< 34.77
141500	707.5	5	1	0	23.39	21.04	< 34.77
			1	1	23.37	21.02	< 34.77
			12	6	23.39	21.04	< 34.77
			25	0	23.34	20.99	< 34.77
142700	713.5	5	1	0	23.30	20.95	< 34.77
			1	1	23.22	20.87	< 34.77
			12	6	23.19	20.84	< 34.77
			25	0	23.28	20.93	< 34.77
140800	704.0	10	1	0	23.42	21.07	< 34.77
			1	1	23.46	21.11	< 34.77
			25	12	23.44	21.09	< 34.77
			50	0	23.38	21.03	< 34.77
141500	707.5	10	1	0	23.33	20.98	< 34.77
			1	1	23.25	20.90	< 34.77
			25	12	23.32	20.97	< 34.77
			50	0	23.30	20.95	< 34.77
142200	711.0	10	1	0	23.29	20.94	< 34.77
			1	1	23.23	20.88	< 34.77
			25	12	23.26	20.91	< 34.77
			50	0	23.31	20.96	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
141300	706.5	15	1	0	23.36	21.01	< 34.77
			1	1	23.35	21.00	< 34.77
			36	18	23.29	20.94	< 34.77
			75	0	23.30	20.95	< 34.77
141500	707.5	15	1	0	23.42	21.07	< 34.77
			1	1	23.58	21.23	< 34.77
			36	18	23.25	20.90	< 34.77
			75	0	23.33	20.98	< 34.77
141700	708.5	15	1	0	23.44	21.09	< 34.77
			1	1	23.41	21.06	< 34.77
			36	18	23.42	21.07	< 34.77
			75	0	23.35	21.00	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
140300	701.5	5	1	0	23.61	21.26	< 34.77
			1	1	23.45	21.10	< 34.77
			12	6	23.55	21.20	< 34.77
			25	0	22.51	20.16	< 34.77
141500	707.5	5	1	0	22.28	19.93	< 34.77
			1	1	23.30	20.95	< 34.77
			12	6	22.50	20.15	< 34.77
			25	0	22.47	20.12	< 34.77
142700	713.5	5	1	0	22.67	20.32	< 34.77
			1	1	23.65	21.30	< 34.77
			12	6	23.26	20.91	< 34.77
			25	0	22.29	19.94	< 34.77
140800	704.0	10	1	0	22.83	20.48	< 34.77
			1	1	23.70	21.35	< 34.77
			25	12	23.42	21.07	< 34.77
			50	0	22.47	20.12	< 34.77
141500	707.5	10	1	0	22.79	20.44	< 34.77
			1	1	23.63	21.28	< 34.77
			25	12	23.42	21.07	< 34.77
			50	0	22.39	20.04	< 34.77
142200	711.0	10	1	0	22.66	20.31	< 34.77
			1	1	23.62	21.27	< 34.77
			25	12	23.29	20.94	< 34.77
			50	0	22.33	19.98	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
141300	706.5	15	1	0	22.71	20.36	< 34.77
			1	1	23.65	21.30	< 34.77
			36	18	23.33	20.98	< 34.77
			75	0	22.30	19.95	< 34.77
141500	707.5	15	1	0	22.76	20.41	< 34.77
			1	1	23.80	21.45	< 34.77
			36	18	23.29	20.94	< 34.77
			75	0	22.30	19.95	< 34.77
141700	708.5	15	1	0	22.59	20.24	< 34.77
			1	1	23.96	21.61	< 34.77
			36	18	23.36	21.01	< 34.77
			75	0	22.33	19.98	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
140300	701.5	5	1	0	22.53	20.18	< 34.77
			1	1	22.56	20.21	< 34.77
			12	6	22.06	19.71	< 34.77
			25	0	21.97	19.62	< 34.77
141500	707.5	5	1	0	22.18	19.83	< 34.77
			1	1	22.23	19.88	< 34.77
			12	6	21.92	19.57	< 34.77
			25	0	21.81	19.46	< 34.77
142700	713.5	5	1	0	22.28	19.93	< 34.77
			1	1	22.29	19.94	< 34.77
			12	6	21.75	19.40	< 34.77
			25	0	21.71	19.36	< 34.77
140800	704.0	10	1	0	21.98	19.63	< 34.77
			1	1	22.02	19.67	< 34.77
			25	12	21.77	19.42	< 34.77
			50	0	22.05	19.70	< 34.77
141500	707.5	10	1	0	22.13	19.78	< 34.77
			1	1	22.25	19.90	< 34.77
			25	12	21.85	19.50	< 34.77
			50	0	21.84	19.49	< 34.77
142200	711.0	10	1	0	21.87	19.52	< 34.77
			1	1	21.89	19.54	< 34.77
			25	12	21.77	19.42	< 34.77
			50	0	21.76	19.41	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
141300	706.5	15	1	0	22.01	19.66	< 34.77
			1	1	21.95	19.60	< 34.77
			36	18	21.80	19.45	< 34.77
			75	0	21.77	19.42	< 34.77
141500	707.5	15	1	0	22.04	19.69	< 34.77
			1	1	22.03	19.68	< 34.77
			36	18	21.80	19.45	< 34.77
			75	0	21.78	19.43	< 34.77
141700	708.5	15	1	0	22.05	19.70	< 34.77
			1	1	22.03	19.68	< 34.77
			36	18	21.91	19.56	< 34.77
			75	0	21.81	19.46	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
140300	701.5	5	1	0	19.83	17.48	< 34.77
			1	1	19.78	17.43	< 34.77
			12	6	19.79	17.44	< 34.77
			25	0	19.85	17.50	< 34.77
141500	707.5	5	1	0	19.78	17.43	< 34.77
			1	1	19.93	17.58	< 34.77
			12	6	19.89	17.54	< 34.77
			25	0	19.80	17.45	< 34.77
142700	713.5	5	1	0	19.73	17.38	< 34.77
			1	1	19.75	17.40	< 34.77
			12	6	19.62	17.27	< 34.77
			25	0	19.64	17.29	< 34.77
140800	704.0	10	1	0	19.65	17.30	< 34.77
			1	1	19.72	17.37	< 34.77
			25	12	19.82	17.47	< 34.77
			50	0	19.79	17.44	< 34.77
141500	707.5	10	1	0	19.72	17.37	< 34.77
			1	1	19.73	17.38	< 34.77
			25	12	19.72	17.37	< 34.77
			50	0	19.82	17.47	< 34.77
142200	711.0	10	1	0	19.72	17.37	< 34.77
			1	1	19.78	17.43	< 34.77
			25	12	19.75	17.40	< 34.77
			50	0	19.77	17.42	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
141300	706.5	15	1	0	19.94	17.59	< 34.77
			1	1	19.97	17.62	< 34.77
			36	18	19.78	17.43	< 34.77
			75	0	19.80	17.45	< 34.77
141500	707.5	15	1	0	19.93	17.58	< 34.77
			1	1	19.94	17.59	< 34.77
			36	18	19.79	17.44	< 34.77
			75	0	19.73	17.38	< 34.77
141700	708.5	15	1	0	19.75	17.40	< 34.77
			1	1	20.21	17.86	< 34.77
			36	18	19.81	17.46	< 34.77
			75	0	19.78	17.43	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Eric Xu	Test Date	2020/10/19
Test Band	n66_EN-DC		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
342500	1712.5	5	1	0	22.69	24.16	< 30.00
			1	1	22.59	24.06	< 30.00
			12	6	22.86	24.33	< 30.00
			25	0	22.83	24.30	< 30.00
349000	1745.0	5	1	0	22.66	24.13	< 30.00
			1	1	22.65	24.12	< 30.00
			12	6	22.81	24.28	< 30.00
			25	0	22.89	24.36	< 30.00
355500	1777.5	5	1	0	22.56	24.03	< 30.00
			1	1	22.57	24.04	< 30.00
			12	6	22.69	24.16	< 30.00
			25	0	22.73	24.20	< 30.00
343000	1715.0	10	1	0	22.64	24.11	< 30.00
			1	1	22.68	24.15	< 30.00
			25	12	22.93	24.40	< 30.00
			50	0	22.79	24.26	< 30.00
349000	1745.0	10	1	0	22.45	23.92	< 30.00
			1	1	22.26	23.73	< 30.00
			25	12	22.35	23.82	< 30.00
			50	0	22.33	23.80	< 30.00
355000	1775.0	10	1	0	22.85	24.32	< 30.00
			1	1	22.65	24.12	< 30.00
			25	12	22.77	24.24	< 30.00
			50	0	22.66	24.13	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
343500	1717.5	15	1	0	22.81	24.28	< 30.00
			1	1	22.69	24.16	< 30.00
			36	18	22.81	24.28	< 30.00
			75	0	22.74	24.21	< 30.00
349000	1745.0	15	1	0	22.68	24.15	< 30.00
			1	1	22.72	24.19	< 30.00
			36	18	22.70	24.17	< 30.00
			75	0	22.76	24.23	< 30.00
354500	1772.5	15	1	0	22.69	24.16	< 30.00
			1	1	22.61	24.08	< 30.00
			36	18	22.60	24.07	< 30.00
			75	0	22.62	24.09	< 30.00
344000	1720.0	20	1	0	22.89	24.36	< 30.00
			1	1	22.79	24.26	< 30.00
			50	25	22.67	24.14	< 30.00
			100	0	22.80	24.27	< 30.00
349000	1745.0	20	1	0	22.88	24.35	< 30.00
			1	1	22.79	24.26	< 30.00
			50	25	22.76	24.23	< 30.00
			100	0	22.91	24.38	< 30.00
354000	1770.0	20	1	0	22.78	24.25	< 30.00
			1	1	22.69	24.16	< 30.00
			50	25	22.85	24.32	< 30.00
			100	0	22.78	24.25	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
342500	1712.5	5	1	0	22.69	24.16	< 30.00
			1	1	22.63	24.10	< 30.00
			12	6	22.77	24.24	< 30.00
			25	0	22.79	24.26	< 30.00
349000	1745.0	5	1	0	22.66	24.13	< 30.00
			1	1	22.69	24.16	< 30.00
			12	6	22.78	24.25	< 30.00
			25	0	22.88	24.35	< 30.00
355500	1777.5	5	1	0	22.59	24.06	< 30.00
			1	1	22.53	24.00	< 30.00
			12	6	22.69	24.16	< 30.00
			25	0	22.62	24.09	< 30.00
343000	1715.0	10	1	0	22.80	24.27	< 30.00
			1	1	22.83	24.30	< 30.00
			25	12	22.91	24.38	< 30.00
			50	0	22.81	24.28	< 30.00
349000	1745.0	10	1	0	22.79	24.26	< 30.00
			1	1	22.85	24.32	< 30.00
			25	12	22.86	24.33	< 30.00
			50	0	22.63	24.10	< 30.00
355000	1775.0	10	1	0	22.61	24.08	< 30.00
			1	1	22.53	24.00	< 30.00
			25	12	22.56	24.03	< 30.00
			50	0	22.58	24.05	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
343500	1717.5	15	1	0	22.87	24.34	< 30.00
			1	1	22.85	24.32	< 30.00
			36	18	22.88	24.35	< 30.00
			75	0	23.01	24.48	< 30.00
349000	1745.0	15	1	0	22.78	24.25	< 30.00
			1	1	22.75	24.22	< 30.00
			36	18	22.75	24.22	< 30.00
			75	0	22.82	24.29	< 30.00
354500	1772.5	15	1	0	22.62	24.09	< 30.00
			1	1	22.58	24.05	< 30.00
			36	18	22.61	24.08	< 30.00
			75	0	22.67	24.14	< 30.00
344000	1720.0	20	1	0	22.88	24.35	< 30.00
			1	1	23.20	24.67	< 30.00
			50	25	22.87	24.34	< 30.00
			100	0	22.89	24.36	< 30.00
349000	1745.0	20	1	0	22.83	24.30	< 30.00
			1	1	22.83	24.30	< 30.00
			50	25	22.67	24.14	< 30.00
			100	0	22.80	24.27	< 30.00
354000	1770.0	20	1	0	22.71	24.18	< 30.00
			1	1	22.60	24.07	< 30.00
			50	25	22.78	24.25	< 30.00
			100	0	22.77	24.24	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
342500	1712.5	5	1	0	21.72	23.19	< 30.00
			1	1	22.49	23.96	< 30.00
			12	6	22.87	24.34	< 30.00
			25	0	21.87	23.34	< 30.00
349000	1745.0	5	1	0	21.90	23.37	< 30.00
			1	1	23.10	24.57	< 30.00
			12	6	22.92	24.39	< 30.00
			25	0	21.90	23.37	< 30.00
355500	1777.5	5	1	0	21.31	22.78	< 30.00
			1	1	22.46	23.93	< 30.00
			12	6	22.64	24.11	< 30.00
			25	0	21.74	23.21	< 30.00
343000	1715.0	10	1	0	21.57	23.04	< 30.00
			1	1	22.62	24.09	< 30.00
			25	12	22.76	24.23	< 30.00
			50	0	21.77	23.24	< 30.00
349000	1745.0	10	1	0	21.69	23.16	< 30.00
			1	1	22.67	24.14	< 30.00
			25	12	22.59	24.06	< 30.00
			50	0	22.45	23.92	< 30.00
355000	1775.0	10	1	0	22.23	23.70	< 30.00
			1	1	22.36	23.83	< 30.00
			25	12	22.63	24.10	< 30.00
			50	0	22.68	24.15	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
343500	1717.5	15	1	0	21.67	23.14	< 30.00
			1	1	22.68	24.15	< 30.00
			36	18	22.96	24.43	< 30.00
			75	0	22.01	23.48	< 30.00
349000	1745.0	15	1	0	21.91	23.38	< 30.00
			1	1	23.04	24.51	< 30.00
			36	18	22.68	24.15	< 30.00
			75	0	21.77	23.24	< 30.00
354500	1772.5	15	1	0	22.25	23.72	< 30.00
			1	1	22.52	23.99	< 30.00
			36	18	22.68	24.15	< 30.00
			75	0	22.68	24.15	< 30.00
344000	1720.0	20	1	0	21.77	23.24	< 30.00
			1	1	22.76	24.23	< 30.00
			50	25	22.86	24.33	< 30.00
			100	0	21.82	23.29	< 30.00
349000	1745.0	20	1	0	22.00	23.47	< 30.00
			1	1	23.09	24.56	< 30.00
			50	25	22.76	24.23	< 30.00
			100	0	21.75	23.22	< 30.00
354000	1770.0	20	1	0	22.70	24.17	< 30.00
			1	1	22.59	24.06	< 30.00
			50	25	22.75	24.22	< 30.00
			100	0	22.68	24.15	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
342500	1712.5	5	1	0	21.72	23.19	< 30.00
			1	1	21.38	22.85	< 30.00
			12	6	21.34	22.81	< 30.00
			25	0	21.37	22.84	< 30.00
349000	1745.0	5	1	0	21.52	22.99	< 30.00
			1	1	21.45	22.92	< 30.00
			12	6	21.39	22.86	< 30.00
			25	0	21.41	22.88	< 30.00
355500	1777.5	5	1	0	21.39	22.86	< 30.00
			1	1	21.41	22.88	< 30.00
			12	6	22.22	23.69	< 30.00
			25	0	21.15	22.62	< 30.00
343000	1715.0	10	1	0	21.45	22.92	< 30.00
			1	1	21.49	22.96	< 30.00
			25	12	21.28	22.75	< 30.00
			50	0	21.21	22.68	< 30.00
349000	1745.0	10	1	0	21.44	22.91	< 30.00
			1	1	21.25	22.72	< 30.00
			25	12	21.46	22.93	< 30.00
			50	0	21.33	22.80	< 30.00
355000	1775.0	10	1	0	21.29	22.76	< 30.00
			1	1	21.31	22.78	< 30.00
			25	12	21.16	22.63	< 30.00
			50	0	21.13	22.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
343500	1717.5	15	1	0	21.57	23.04	< 30.00
			1	1	21.59	23.06	< 30.00
			36	18	21.36	22.83	< 30.00
			75	0	21.32	22.79	< 30.00
349000	1745.0	15	1	0	21.76	23.23	< 30.00
			1	1	21.66	23.13	< 30.00
			36	18	21.25	22.72	< 30.00
			75	0	21.27	22.74	< 30.00
354500	1772.5	15	1	0	21.58	23.05	< 30.00
			1	1	21.56	23.03	< 30.00
			36	18	21.19	22.66	< 30.00
			75	0	21.18	22.65	< 30.00
344000	1720.0	20	1	0	21.68	23.15	< 30.00
			1	1	21.60	23.07	< 30.00
			50	25	21.38	22.85	< 30.00
			100	0	21.43	22.90	< 30.00
349000	1745.0	20	1	0	21.63	23.10	< 30.00
			1	1	21.75	23.22	< 30.00
			50	25	21.17	22.64	< 30.00
			100	0	21.22	22.69	< 30.00
354000	1770.0	20	1	0	21.62	23.09	< 30.00
			1	1	21.50	22.97	< 30.00
			50	25	21.15	22.62	< 30.00
			100	0	21.21	22.68	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
342500	1712.5	5	1	0	19.21	20.68	< 30.00
			1	1	19.23	20.70	< 30.00
			12	6	19.29	20.76	< 30.00
			25	0	19.27	20.74	< 30.00
349000	1745.0	5	1	0	19.23	20.70	< 30.00
			1	1	19.16	20.63	< 30.00
			12	6	19.25	20.72	< 30.00
			25	0	19.29	20.76	< 30.00
355500	1777.5	5	1	0	19.25	20.72	< 30.00
			1	1	19.27	20.74	< 30.00
			12	6	19.35	20.82	< 30.00
			25	0	19.31	20.78	< 30.00
343000	1715.0	10	1	0	19.24	20.71	< 30.00
			1	1	19.65	21.12	< 30.00
			25	12	19.58	21.05	< 30.00
			50	0	19.35	20.82	< 30.00
349000	1745.0	10	1	0	19.33	20.80	< 30.00
			1	1	19.25	20.72	< 30.00
			25	12	19.36	20.83	< 30.00
			50	0	19.67	21.14	< 30.00
355000	1775.0	10	1	0	19.36	20.83	< 30.00
			1	1	19.38	20.85	< 30.00
			25	12	19.11	20.58	< 30.00
			50	0	19.11	20.58	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
343500	1717.5	15	1	0	19.29	20.76	< 30.00
			1	1	19.30	20.77	< 30.00
			36	18	19.31	20.78	< 30.00
			75	0	19.40	20.87	< 30.00
349000	1745.0	15	1	0	18.99	20.46	< 30.00
			1	1	18.91	20.38	< 30.00
			36	18	19.18	20.65	< 30.00
			75	0	19.18	20.65	< 30.00
354500	1772.5	15	1	0	19.41	20.88	< 30.00
			1	1	19.32	20.79	< 30.00
			36	18	19.33	20.80	< 30.00
			75	0	19.27	20.74	< 30.00
344000	1720.0	20	1	0	19.30	20.77	< 30.00
			1	1	19.31	20.78	< 30.00
			50	25	19.38	20.85	< 30.00
			100	0	19.43	20.90	< 30.00
349000	1745.0	20	1	0	19.15	20.62	< 30.00
			1	1	19.06	20.53	< 30.00
			50	25	19.22	20.69	< 30.00
			100	0	19.28	20.75	< 30.00
354000	1770.0	20	1	0	19.33	20.80	< 30.00
			1	1	19.54	21.01	< 30.00
			50	25	19.44	20.91	< 30.00
			100	0	19.27	20.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Eric Xu	Test Date	2020/10/19
Test Band	n71_EN-DC		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
133100	665.5	5	1	0	23.59	22.66	< 34.77
			1	1	23.54	22.61	< 34.77
			12	6	23.65	22.72	< 34.77
			25	0	23.71	22.78	< 34.77
136100	680.5	5	1	0	23.44	22.51	< 34.77
			1	1	23.65	22.72	< 34.77
			12	6	23.41	22.48	< 34.77
			25	0	23.45	22.52	< 34.77
139100	695.5	5	1	0	23.37	22.44	< 34.77
			1	1	23.32	22.39	< 34.77
			12	6	23.27	22.34	< 34.77
			25	0	23.42	22.49	< 34.77
133600	668.0	10	1	0	23.70	22.77	< 34.77
			1	1	23.55	22.62	< 34.77
			25	12	23.68	22.75	< 34.77
			50	0	23.57	22.64	< 34.77
136100	680.5	10	1	0	23.48	22.55	< 34.77
			1	1	23.52	22.59	< 34.77
			25	12	23.44	22.51	< 34.77
			50	0	23.47	22.54	< 34.77
138600	693.0	10	1	0	23.40	22.47	< 34.77
			1	1	23.52	22.59	< 34.77
			25	12	23.42	22.49	< 34.77
			50	0	23.35	22.42	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
134100	670.5	15	1	0	23.78	22.85	< 34.77
			1	1	23.74	22.81	< 34.77
			36	18	23.62	22.69	< 34.77
			75	0	23.59	22.66	< 34.77
136100	680.5	15	1	0	23.54	22.61	< 34.77
			1	1	23.67	22.74	< 34.77
			36	18	23.52	22.59	< 34.77
			75	0	23.45	22.52	< 34.77
138100	690.5	15	1	0	23.51	22.58	< 34.77
			1	1	23.46	22.53	< 34.77
			36	18	23.34	22.41	< 34.77
			75	0	23.30	22.37	< 34.77
134600	673.0	20	1	0	23.75	22.82	< 34.77
			1	1	23.73	22.80	< 34.77
			50	25	23.51	22.58	< 34.77
			100	0	23.61	22.68	< 34.77
136100	680.5	20	1	0	23.66	22.73	< 34.77
			1	1	23.49	22.56	< 34.77
			50	25	23.47	22.54	< 34.77
			100	0	23.41	22.48	< 34.77
137600	688.0	20	1	0	23.51	22.58	< 34.77
			1	1	23.59	22.66	< 34.77
			50	25	23.37	22.44	< 34.77
			100	0	23.33	22.40	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
133100	665.5	5	1	0	23.63	22.70	< 34.77
			1	1	23.60	22.67	< 34.77
			12	6	23.59	22.66	< 34.77
			25	0	23.56	22.63	< 34.77
136100	680.5	5	1	0	23.47	22.54	< 34.77
			1	1	23.49	22.56	< 34.77
			12	6	23.48	22.55	< 34.77
			25	0	23.49	22.56	< 34.77
139100	695.5	5	1	0	23.33	22.40	< 34.77
			1	1	23.30	22.37	< 34.77
			12	6	23.37	22.44	< 34.77
			25	0	23.31	22.38	< 34.77
133600	668.0	10	1	0	23.71	22.78	< 34.77
			1	1	23.57	22.64	< 34.77
			25	12	23.60	22.67	< 34.77
			50	0	23.59	22.66	< 34.77
136100	680.5	10	1	0	23.44	22.51	< 34.77
			1	1	23.46	22.53	< 34.77
			25	12	23.47	22.54	< 34.77
			50	0	23.48	22.55	< 34.77
138600	693.0	10	1	0	23.50	22.57	< 34.77
			1	1	23.41	22.48	< 34.77
			25	12	23.41	22.48	< 34.77
			50	0	23.32	22.39	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
134100	670.5	15	1	0	23.80	22.87	< 34.77
			1	1	23.72	22.79	< 34.77
			36	18	23.62	22.69	< 34.77
			75	0	23.63	22.70	< 34.77
136100	680.5	15	1	0	23.47	22.54	< 34.77
			1	1	23.46	22.53	< 34.77
			36	18	23.45	22.52	< 34.77
			75	0	23.50	22.57	< 34.77
138100	690.5	15	1	0	23.51	22.58	< 34.77
			1	1	23.43	22.50	< 34.77
			36	18	23.38	22.45	< 34.77
			75	0	23.39	22.46	< 34.77
134600	673.0	20	1	0	23.79	22.86	< 34.77
			1	1	23.76	22.83	< 34.77
			50	25	23.66	22.73	< 34.77
			100	0	23.64	22.71	< 34.77
136100	680.5	20	1	0	23.74	22.81	< 34.77
			1	1	23.57	22.64	< 34.77
			50	25	23.57	22.64	< 34.77
			100	0	23.44	22.51	< 34.77
137600	688.0	20	1	0	23.48	22.55	< 34.77
			1	1	23.47	22.54	< 34.77
			50	25	23.35	22.42	< 34.77
			100	0	23.36	22.43	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
133100	665.5	5	1	0	22.78	21.85	< 34.77
			1	1	23.52	22.59	< 34.77
			12	6	23.62	22.69	< 34.77
			25	0	22.61	21.68	< 34.77
136100	680.5	5	1	0	22.86	21.93	< 34.77
			1	1	23.89	22.96	< 34.77
			12	6	23.41	22.48	< 34.77
			25	0	22.44	21.51	< 34.77
139100	695.5	5	1	0	22.79	21.86	< 34.77
			1	1	23.99	23.06	< 34.77
			12	6	23.42	22.49	< 34.77
			25	0	22.34	21.41	< 34.77
133600	668.0	10	1	0	23.03	22.10	< 34.77
			1	1	23.70	22.77	< 34.77
			25	12	23.52	22.59	< 34.77
			50	0	22.60	21.67	< 34.77
136100	680.5	10	1	0	22.75	21.82	< 34.77
			1	1	23.40	22.47	< 34.77
			25	12	23.42	22.49	< 34.77
			50	0	22.53	21.60	< 34.77
138600	693.0	10	1	0	22.94	22.01	< 34.77
			1	1	23.90	22.97	< 34.77
			25	12	23.42	22.49	< 34.77
			50	0	22.43	21.50	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
134100	670.5	15	1	0	23.10	22.17	< 34.77
			1	1	23.95	23.02	< 34.77
			36	18	23.62	22.69	< 34.77
			75	0	22.69	21.76	< 34.77
136100	680.5	15	1	0	22.93	22.00	< 34.77
			1	1	23.79	22.86	< 34.77
			36	18	23.44	22.51	< 34.77
			75	0	22.53	21.60	< 34.77
138100	690.5	15	1	0	22.82	21.89	< 34.77
			1	1	23.87	22.94	< 34.77
			36	18	23.37	22.44	< 34.77
			75	0	22.34	21.41	< 34.77
134600	673.0	20	1	0	23.11	22.18	< 34.77
			1	1	23.60	22.67	< 34.77
			50	25	23.51	22.58	< 34.77
			100	0	22.59	21.66	< 34.77
136100	680.5	20	1	0	22.87	21.94	< 34.77
			1	1	23.81	22.88	< 34.77
			50	25	23.45	22.52	< 34.77
			100	0	22.50	21.57	< 34.77
137600	688.0	20	1	0	22.76	21.83	< 34.77
			1	1	23.68	22.75	< 34.77
			50	25	23.40	22.47	< 34.77
			100	0	22.42	21.49	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
133100	665.5	5	1	0	22.09	21.16	< 34.77
			1	1	22.14	21.21	< 34.77
			12	6	22.20	21.27	< 34.77
			25	0	22.16	21.23	< 34.77
136100	680.5	5	1	0	22.65	21.72	< 34.77
			1	1	22.65	21.72	< 34.77
			12	6	22.04	21.11	< 34.77
			25	0	21.92	20.99	< 34.77
139100	695.5	5	1	0	21.91	20.98	< 34.77
			1	1	22.33	21.40	< 34.77
			12	6	21.82	20.89	< 34.77
			25	0	21.92	20.99	< 34.77
133600	668.0	10	1	0	22.23	21.30	< 34.77
			1	1	22.19	21.26	< 34.77
			25	12	22.07	21.14	< 34.77
			50	0	22.08	21.15	< 34.77
136100	680.5	10	1	0	22.02	21.09	< 34.77
			1	1	21.95	21.02	< 34.77
			25	12	22.01	21.08	< 34.77
			50	0	22.00	21.07	< 34.77
138600	693.0	10	1	0	21.99	21.06	< 34.77
			1	1	22.03	21.10	< 34.77
			25	12	21.96	21.03	< 34.77
			50	0	21.83	20.90	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
134100	670.5	15	1	0	22.47	21.54	< 34.77
			1	1	22.41	21.48	< 34.77
			36	18	22.20	21.27	< 34.77
			75	0	22.10	21.17	< 34.77
136100	680.5	15	1	0	22.55	21.62	< 34.77
			1	1	22.59	21.66	< 34.77
			36	18	22.00	21.07	< 34.77
			75	0	21.92	20.99	< 34.77
138100	690.5	15	1	0	22.02	21.09	< 34.77
			1	1	22.08	21.15	< 34.77
			36	18	21.90	20.97	< 34.77
			75	0	21.87	20.94	< 34.77
134600	673.0	20	1	0	22.36	21.43	< 34.77
			1	1	22.42	21.49	< 34.77
			50	25	22.02	21.09	< 34.77
			100	0	22.13	21.20	< 34.77
136100	680.5	20	1	0	22.19	21.26	< 34.77
			1	1	22.11	21.18	< 34.77
			50	25	21.97	21.04	< 34.77
			100	0	21.95	21.02	< 34.77
137600	688.0	20	1	0	22.18	21.25	< 34.77
			1	1	22.07	21.14	< 34.77
			50	25	21.92	20.99	< 34.77
			100	0	21.88	20.95	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							