

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
342500	1712.5	5	1	0	19.53	21.00	< 30.00
			1	1	19.55	21.02	< 30.00
			12	6	19.91	21.38	< 30.00
			25	0	19.85	21.32	< 30.00
349000	1745.0	5	1	0	20.15	21.62	< 30.00
			1	1	20.06	21.53	< 30.00
			12	6	20.02	21.49	< 30.00
			25	0	19.91	21.38	< 30.00
355500	1777.5	5	1	0	19.25	20.72	< 30.00
			1	1	19.30	20.77	< 30.00
			12	6	19.63	21.10	< 30.00
			25	0	19.67	21.14	< 30.00
343000	1715.0	10	1	0	19.45	20.92	< 30.00
			1	1	19.48	20.95	< 30.00
			25	12	19.79	21.26	< 30.00
			50	0	19.86	21.33	< 30.00
349000	1745.0	10	1	0	20.18	21.65	< 30.00
			1	1	19.61	21.08	< 30.00
			25	12	19.01	20.48	< 30.00
			50	0	19.11	20.58	< 30.00
355000	1775.0	10	1	0	19.35	20.82	< 30.00
			1	1	19.32	20.79	< 30.00
			25	12	19.68	21.15	< 30.00
			50	0	19.75	21.22	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
343500	1717.5	15	1	0	20.03	21.50	< 30.00
			1	1	20.04	21.51	< 30.00
			36	18	19.93	21.40	< 30.00
			75	0	19.99	21.46	< 30.00
349000	1745.0	15	1	0	19.45	20.92	< 30.00
			1	1	19.44	20.91	< 30.00
			36	18	19.71	21.18	< 30.00
			75	0	19.76	21.23	< 30.00
354500	1772.5	15	1	0	19.96	21.43	< 30.00
			1	1	19.93	21.40	< 30.00
			36	18	19.62	21.09	< 30.00
			75	0	19.74	21.21	< 30.00
344000	1720.0	20	1	0	19.61	21.08	< 30.00
			1	1	19.62	21.09	< 30.00
			50	25	19.91	21.38	< 30.00
			100	0	20.04	21.51	< 30.00
349000	1745.0	20	1	0	19.77	21.24	< 30.00
			1	1	19.77	21.24	< 30.00
			50	25	19.76	21.23	< 30.00
			100	0	19.84	21.31	< 30.00
354000	1770.0	20	1	0	19.37	20.84	< 30.00
			1	1	19.34	20.81	< 30.00
			50	25	19.71	21.18	< 30.00
			100	0	19.85	21.32	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Cloud Guo	Test Date	2020/10/14
Test Band	n71_SA		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
133100	665.5	5	1	0	22.96	22.03	< 34.77
			1	1	23.93	23.00	< 34.77
			12	6	23.91	22.98	< 34.77
			25	0	23.59	22.66	< 34.77
136100	680.5	5	1	0	23.62	22.69	< 34.77
			1	1	23.56	22.63	< 34.77
			12	6	23.60	22.67	< 34.77
			25	0	23.53	22.60	< 34.77
139100	695.5	5	1	0	23.51	22.58	< 34.77
			1	1	23.53	22.60	< 34.77
			12	6	23.35	22.42	< 34.77
			25	0	23.28	22.35	< 34.77
133600	668.0	10	1	0	23.93	23.00	< 34.77
			1	1	23.83	22.90	< 34.77
			25	12	23.90	22.97	< 34.77
			50	0	23.81	22.88	< 34.77
136100	680.5	10	1	0	23.63	22.70	< 34.77
			1	1	23.54	22.61	< 34.77
			25	12	23.69	22.76	< 34.77
			50	0	23.60	22.67	< 34.77
138600	693.0	10	1	0	22.69	21.76	< 34.77
			1	1	23.61	22.68	< 34.77
			25	12	23.44	22.51	< 34.77
			50	0	22.40	21.47	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PI/2 BPSK							
134100	670.5	15	1	0	23.78	22.85	< 34.77
			1	1	23.75	22.82	< 34.77
			36	18	23.53	22.60	< 34.77
			75	0	23.56	22.63	< 34.77
136100	680.5	15	1	0	23.59	22.66	< 34.77
			1	1	23.63	22.70	< 34.77
			36	18	23.55	22.62	< 34.77
			75	0	23.44	22.51	< 34.77
138100	690.5	15	1	0	23.51	22.58	< 34.77
			1	1	23.46	22.53	< 34.77
			36	18	23.41	22.48	< 34.77
			75	0	23.38	22.45	< 34.77
134600	673.0	20	1	0	23.92	22.99	< 34.77
			1	1	23.77	22.84	< 34.77
			50	25	23.53	22.60	< 34.77
			100	0	23.71	22.78	< 34.77
136100	680.5	20	1	0	23.63	22.70	< 34.77
			1	1	23.55	22.62	< 34.77
			50	25	23.51	22.58	< 34.77
			100	0	23.56	22.63	< 34.77
137600	688.0	20	1	0	23.49	22.56	< 34.77
			1	1	23.56	22.63	< 34.77
			50	25	23.55	22.62	< 34.77
			100	0	23.44	22.51	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
133100	665.5	5	1	0	22.86	21.93	< 34.77
			1	1	23.89	22.96	< 34.77
			12	6	23.82	22.89	< 34.77
			25	0	23.72	22.79	< 34.77
136100	680.5	5	1	0	23.61	22.68	< 34.77
			1	1	23.55	22.62	< 34.77
			12	6	23.60	22.67	< 34.77
			25	0	23.51	22.58	< 34.77
139100	695.5	5	1	0	23.35	22.42	< 34.77
			1	1	23.36	22.43	< 34.77
			12	6	23.39	22.46	< 34.77
			25	0	23.41	22.48	< 34.77
133600	668.0	10	1	0	23.82	22.89	< 34.77
			1	1	23.91	22.98	< 34.77
			25	12	23.80	22.87	< 34.77
			50	0	23.88	22.95	< 34.77
136100	680.5	10	1	0	23.65	22.72	< 34.77
			1	1	23.68	22.75	< 34.77
			25	12	23.55	22.62	< 34.77
			50	0	23.53	22.60	< 34.77
138600	693.0	10	1	0	22.63	21.70	< 34.77
			1	1	23.48	22.55	< 34.77
			25	12	23.44	22.51	< 34.77
			50	0	22.40	21.47	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
134100	670.5	15	1	0	23.76	22.83	< 34.77
			1	1	23.77	22.84	< 34.77
			36	18	23.63	22.70	< 34.77
			75	0	23.58	22.65	< 34.77
136100	680.5	15	1	0	23.56	22.63	< 34.77
			1	1	23.60	22.67	< 34.77
			36	18	23.50	22.57	< 34.77
			75	0	23.53	22.60	< 34.77
138100	690.5	15	1	0	23.49	22.56	< 34.77
			1	1	23.51	22.58	< 34.77
			36	18	23.40	22.47	< 34.77
			75	0	23.38	22.45	< 34.77
134600	673.0	20	1	0	23.76	22.83	< 34.77
			1	1	23.69	22.76	< 34.77
			50	25	23.60	22.67	< 34.77
			100	0	23.63	22.70	< 34.77
136100	680.5	20	1	0	23.62	22.69	< 34.77
			1	1	23.53	22.60	< 34.77
			50	25	23.50	22.57	< 34.77
			100	0	23.56	22.63	< 34.77
137600	688.0	20	1	0	23.52	22.59	< 34.77
			1	1	23.59	22.66	< 34.77
			50	25	23.46	22.53	< 34.77
			100	0	23.44	22.51	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
133100	665.5	5	1	0	21.68	20.75	< 34.77
			1	1	22.53	21.60	< 34.77
			12	6	22.04	21.11	< 34.77
			25	0	22.55	21.62	< 34.77
136100	680.5	5	1	0	22.78	21.85	< 34.77
			1	1	22.69	21.76	< 34.77
			12	6	22.33	21.40	< 34.77
			25	0	22.49	21.56	< 34.77
139100	695.5	5	1	0	22.35	21.42	< 34.77
			1	1	22.63	21.70	< 34.77
			12	6	22.51	21.58	< 34.77
			25	0	22.31	21.38	< 34.77
133600	668.0	10	1	0	22.15	21.22	< 34.77
			1	1	22.16	21.23	< 34.77
			25	12	22.03	21.10	< 34.77
			50	0	22.66	21.73	< 34.77
136100	680.5	10	1	0	22.59	21.66	< 34.77
			1	1	22.65	21.72	< 34.77
			25	12	22.46	21.53	< 34.77
			50	0	22.53	21.60	< 34.77
138600	693.0	10	1	0	22.65	21.72	< 34.77
			1	1	22.57	21.64	< 34.77
			25	12	22.49	21.56	< 34.77
			50	0	22.44	21.51	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
134100	670.5	15	1	0	22.76	21.83	< 34.77
			1	1	22.58	21.65	< 34.77
			36	18	22.36	21.43	< 34.77
			75	0	22.65	21.72	< 34.77
136100	680.5	15	1	0	22.76	21.83	< 34.77
			1	1	22.70	21.77	< 34.77
			36	18	22.50	21.57	< 34.77
			75	0	22.52	21.59	< 34.77
138100	690.5	15	1	0	22.52	21.59	< 34.77
			1	1	22.33	21.40	< 34.77
			36	18	22.40	21.47	< 34.77
			75	0	22.31	21.38	< 34.77
134600	673.0	20	1	0	22.72	21.79	< 34.77
			1	1	22.71	21.78	< 34.77
			50	25	22.51	21.58	< 34.77
			100	0	22.56	21.63	< 34.77
136100	680.5	20	1	0	22.46	21.53	< 34.77
			1	1	22.78	21.85	< 34.77
			50	25	22.50	21.57	< 34.77
			100	0	22.43	21.50	< 34.77
137600	688.0	20	1	0	22.73	21.80	< 34.77
			1	1	22.51	21.58	< 34.77
			50	25	22.39	21.46	< 34.77
			100	0	22.39	21.46	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15



Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
133100	665.5	5	1	0	20.87	19.94	< 34.77
			1	1	20.97	20.04	< 34.77
			12	6	21.58	20.65	< 34.77
			25	0	22.04	21.11	< 34.77
136100	680.5	5	1	0	21.95	21.02	< 34.77
			1	1	22.02	21.09	< 34.77
			12	6	21.93	21.00	< 34.77
			25	0	22.02	21.09	< 34.77
139100	695.5	5	1	0	21.66	20.73	< 34.77
			1	1	22.63	21.70	< 34.77
			12	6	22.01	21.08	< 34.77
			25	0	22.40	21.47	< 34.77
133600	668.0	10	1	0	22.28	21.35	< 34.77
			1	1	22.28	21.35	< 34.77
			25	12	22.56	21.63	< 34.77
			50	0	22.31	21.38	< 34.77
136100	680.5	10	1	0	22.38	21.45	< 34.77
			1	1	22.41	21.48	< 34.77
			25	12	22.01	21.08	< 34.77
			50	0	21.97	21.04	< 34.77
138600	693.0	10	1	0	21.89	20.96	< 34.77
			1	1	21.77	20.84	< 34.77
			25	12	21.96	21.03	< 34.77
			50	0	22.01	21.08	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
134100	670.5	15	1	0	22.17	21.24	< 34.77
			1	1	22.25	21.32	< 34.77
			36	18	21.88	20.95	< 34.77
			75	0	22.14	21.21	< 34.77
136100	680.5	15	1	0	21.93	21.00	< 34.77
			1	1	21.97	21.04	< 34.77
			36	18	22.04	21.11	< 34.77
			75	0	22.04	21.11	< 34.77
138100	690.5	15	1	0	21.75	20.82	< 34.77
			1	1	21.73	20.80	< 34.77
			36	18	21.83	20.90	< 34.77
			75	0	21.86	20.93	< 34.77
134600	673.0	20	1	0	22.19	21.26	< 34.77
			1	1	22.18	21.25	< 34.77
			50	25	22.03	21.10	< 34.77
			100	0	22.05	21.12	< 34.77
136100	680.5	20	1	0	22.38	21.45	< 34.77
			1	1	21.95	21.02	< 34.77
			50	25	22.01	21.08	< 34.77
			100	0	22.04	21.11	< 34.77
137600	688.0	20	1	0	21.86	20.93	< 34.77
			1	1	21.93	21.00	< 34.77
			50	25	21.94	21.01	< 34.77
			100	0	21.94	21.01	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
133100	665.5	5	1	0	19.12	18.19	< 34.77
			1	1	19.20	18.27	< 34.77
			12	6	19.97	19.04	< 34.77
			25	0	20.02	19.09	< 34.77
136100	680.5	5	1	0	19.76	18.83	< 34.77
			1	1	19.76	18.83	< 34.77
			12	6	19.97	19.04	< 34.77
			25	0	19.98	19.05	< 34.77
139100	695.5	5	1	0	20.09	19.16	< 34.77
			1	1	20.17	19.24	< 34.77
			12	6	19.82	18.89	< 34.77
			25	0	19.86	18.93	< 34.77
133600	668.0	10	1	0	19.80	18.87	< 34.77
			1	1	19.89	18.96	< 34.77
			25	12	19.94	19.01	< 34.77
			50	0	20.22	19.29	< 34.77
136100	680.5	10	1	0	20.30	19.37	< 34.77
			1	1	20.22	19.29	< 34.77
			25	12	20.01	19.08	< 34.77
			50	0	20.04	19.11	< 34.77
138600	693.0	10	1	0	19.60	18.67	< 34.77
			1	1	19.63	18.70	< 34.77
			25	12	19.95	19.02	< 34.77
			50	0	19.69	18.76	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
134100	670.5	15	1	0	19.87	18.94	< 34.77
			1	1	19.95	19.02	< 34.77
			36	18	20.15	19.22	< 34.77
			75	0	20.10	19.17	< 34.77
136100	680.5	15	1	0	19.65	18.72	< 34.77
			1	1	19.67	18.74	< 34.77
			36	18	19.86	18.93	< 34.77
			75	0	19.92	18.99	< 34.77
138100	690.5	15	1	0	19.62	18.69	< 34.77
			1	1	19.63	18.70	< 34.77
			36	18	19.79	18.86	< 34.77
			75	0	19.79	18.86	< 34.77
134600	673.0	20	1	0	20.03	19.10	< 34.77
			1	1	20.20	19.27	< 34.77
			50	25	20.13	19.20	< 34.77
			100	0	20.14	19.21	< 34.77
136100	680.5	20	1	0	20.30	19.37	< 34.77
			1	1	20.30	19.37	< 34.77
			50	25	19.98	19.05	< 34.77
			100	0	19.93	19.00	< 34.77
137600	688.0	20	1	0	19.57	18.64	< 34.77
			1	1	19.57	18.64	< 34.77
			50	25	19.90	18.97	< 34.77
			100	0	19.92	18.99	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Cloud Guo	Test Date	2020/10/14
Test Band	n41_SA		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
501204	2506.02	20	1	0	22.57	23.35	< 33.01
			1	1	22.03	22.81	< 33.01
			25	12	22.51	23.29	< 33.01
			50	0	22.52	23.30	< 33.01
518598	2592.99	20	1	0	22.45	23.23	< 33.01
			1	1	22.27	23.05	< 33.01
			25	12	22.35	23.13	< 33.01
			50	0	22.54	23.32	< 33.01
535998	2679.99	20	1	0	22.30	23.08	< 33.01
			1	1	22.80	23.58	< 33.01
			25	12	22.61	23.39	< 33.01
			50	0	22.61	23.39	< 33.01
502200	2511.0	30	1	0	22.98	23.76	< 33.01
			1	1	22.43	23.21	< 33.01
			36	18	22.43	23.21	< 33.01
			75	0	22.49	23.27	< 33.01
518598	2592.99	30	1	0	22.77	23.55	< 33.01
			1	1	22.38	23.16	< 33.01
			36	18	22.26	23.04	< 33.01
			75	0	22.35	23.13	< 33.01
534996	2674.98	30	1	0	22.98	23.76	< 33.01
			1	1	22.21	22.99	< 33.01
			36	18	22.03	22.81	< 33.01
			75	0	22.35	23.13	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
503202	2516.01	40	1	0	22.74	23.52	< 33.01
			1	1	22.29	23.07	< 33.01
			50	25	22.97	23.75	< 33.01
			100	0	22.14	22.92	< 33.01
518598	2592.99	40	1	0	22.77	23.55	< 33.01
			1	1	22.32	23.10	< 33.01
			50	25	22.64	23.42	< 33.01
			100	0	22.45	23.23	< 33.01
534000	2670.0	40	1	0	22.86	23.64	< 33.01
			1	1	22.28	23.06	< 33.01
			50	25	22.60	23.38	< 33.01
			100	0	22.58	23.36	< 33.01
504204	2521.02	50	1	0	22.73	23.51	< 33.01
			1	1	22.25	23.03	< 33.01
			64	32	22.12	22.90	< 33.01
			128	0	22.09	22.87	< 33.01
518598	2592.99	50	1	0	22.51	23.29	< 33.01
			1	1	22.00	22.78	< 33.01
			64	32	22.05	22.83	< 33.01
			128	0	22.35	23.13	< 33.01
532998	2664.99	50	1	0	22.28	23.06	< 33.01
			1	1	22.12	22.90	< 33.01
			64	32	22.24	23.02	< 33.01
			128	0	22.23	23.01	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
505200	2526.0	60	1	0	22.33	23.11	< 33.01
			1	1	22.84	23.62	< 33.01
			81	40	22.99	23.77	< 33.01
			162	0	22.16	22.94	< 33.01
518598	2592.99	60	1	0	22.54	23.32	< 33.01
			1	1	22.03	22.81	< 33.01
			81	40	22.26	23.04	< 33.01
			162	0	22.22	23.00	< 33.01
531996	2659.98	60	1	0	22.22	23.00	< 33.01
			1	1	22.64	23.42	< 33.01
			81	40	22.29	23.07	< 33.01
			162	0	22.38	23.16	< 33.01
507204	2536.02	80	1	0	23.08	23.86	< 33.01
			1	1	22.98	23.76	< 33.01
			108	54	23.25	24.03	< 33.01
			216	0	22.30	23.08	< 33.01
518598	2592.99	80	1	0	22.12	22.90	< 33.01
			1	1	22.60	23.38	< 33.01
			108	54	22.25	23.03	< 33.01
			216	0	22.41	23.19	< 33.01
529998	2649.99	80	1	0	23.30	24.08	< 33.01
			1	1	22.82	23.60	< 33.01
			108	54	22.62	23.40	< 33.01
			216	0	22.56	23.34	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
509202	2546.01	100	1	0	22.88	23.66	< 33.01
			1	1	22.94	23.72	< 33.01
			135	67	22.97	23.75	< 33.01
			270	0	22.77	23.55	< 33.01
518598	2592.99	100	1	0	22.81	23.59	< 33.01
			1	1	22.61	23.39	< 33.01
			135	67	22.76	23.54	< 33.01
			270	0	22.51	23.29	< 33.01
528000	2640.0	100	1	0	23.12	23.90	< 33.01
			1	1	23.17	23.95	< 33.01
			135	67	23.34	24.12	< 33.01
			270	0	23.30	24.08	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							



Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
501204	2506.02	20	1	0	23.46	24.24	< 33.01
			1	1	22.97	23.75	< 33.01
			25	12	22.10	22.88	< 33.01
			50	0	22.38	23.16	< 33.01
518598	2592.99	20	1	0	22.75	23.53	< 33.01
			1	1	22.34	23.12	< 33.01
			25	12	22.31	23.09	< 33.01
			50	0	22.29	23.07	< 33.01
535998	2679.99	20	1	0	22.37	23.15	< 33.01
			1	1	22.73	23.51	< 33.01
			25	12	22.64	23.42	< 33.01
			50	0	22.62	23.40	< 33.01
502200	2511.0	30	1	0	22.97	23.75	< 33.01
			1	1	22.41	23.19	< 33.01
			36	18	22.48	23.26	< 33.01
			75	0	22.45	23.23	< 33.01
518598	2592.99	30	1	0	23.01	23.79	< 33.01
			1	1	22.78	23.56	< 33.01
			36	18	22.72	23.50	< 33.01
			75	0	22.88	23.66	< 33.01
534996	2674.98	30	1	0	22.98	23.76	< 33.01
			1	1	23.03	23.81	< 33.01
			36	18	23.13	23.91	< 33.01
			75	0	23.19	23.97	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
503202	2516.01	40	1	0	22.76	23.54	< 33.01
			1	1	22.21	22.99	< 33.01
			50	25	22.94	23.72	< 33.01
			100	0	22.13	22.91	< 33.01
518598	2592.99	40	1	0	22.74	23.52	< 33.01
			1	1	22.23	23.01	< 33.01
			50	25	22.33	23.11	< 33.01
			100	0	22.51	23.29	< 33.01
534000	2670.0	40	1	0	22.84	23.62	< 33.01
			1	1	22.27	23.05	< 33.01
			50	25	22.61	23.39	< 33.01
			100	0	22.69	23.47	< 33.01
504204	2521.02	50	1	0	22.99	23.77	< 33.01
			1	1	23.16	23.94	< 33.01
			64	32	23.26	24.04	< 33.01
			128	0	23.10	23.88	< 33.01
518598	2592.99	50	1	0	22.95	23.73	< 33.01
			1	1	23.06	23.84	< 33.01
			64	32	23.03	23.81	< 33.01
			128	0	23.25	24.03	< 33.01
532998	2664.99	50	1	0	22.89	23.67	< 33.01
			1	1	22.99	23.77	< 33.01
			64	32	22.56	23.34	< 33.01
			128	0	22.78	23.56	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
505200	2526.0	60	1	0	23.26	24.04	< 33.01
			1	1	22.71	23.49	< 33.01
			81	40	23.01	23.79	< 33.01
			162	0	23.16	23.94	< 33.01
518598	2592.99	60	1	0	23.57	24.35	< 33.01
			1	1	23.05	23.83	< 33.01
			81	40	23.32	24.10	< 33.01
			162	0	23.30	24.08	< 33.01
531996	2659.98	60	1	0	23.14	23.92	< 33.01
			1	1	23.27	24.05	< 33.01
			81	40	23.31	24.09	< 33.01
			162	0	23.06	23.84	< 33.01
507204	2536.02	80	1	0	22.46	23.24	< 33.01
			1	1	22.89	23.67	< 33.01
			108	54	22.22	23.00	< 33.01
			216	0	22.30	23.08	< 33.01
518598	2592.99	80	1	0	23.05	23.83	< 33.01
			1	1	23.04	23.82	< 33.01
			108	54	23.35	24.13	< 33.01
			216	0	23.11	23.89	< 33.01
529998	2649.99	80	1	0	23.13	23.91	< 33.01
			1	1	23.75	24.53	< 33.01
			108	54	23.09	23.87	< 33.01
			216	0	23.56	24.34	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
509202	2546.01	100	1	0	23.45	24.23	< 33.01
			1	1	22.98	23.76	< 33.01
			135	67	23.58	24.36	< 33.01
			270	0	23.39	24.17	< 33.01
518598	2592.99	100	1	0	23.19	23.97	< 33.01
			1	1	23.12	23.90	< 33.01
			135	67	23.31	24.09	< 33.01
			270	0	23.43	24.21	< 33.01
528000	2640.0	100	1	0	23.68	24.46	< 33.01
			1	1	23.07	23.85	< 33.01
			135	67	23.14	23.92	< 33.01
			270	0	23.35	24.13	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
501204	2506.02	20	1	0	21.66	22.44	< 33.01
			1	1	22.17	22.95	< 33.01
			25	12	22.04	22.82	< 33.01
			50	0	22.51	23.29	< 33.01
518598	2592.99	20	1	0	22.00	22.78	< 33.01
			1	1	22.46	23.24	< 33.01
			25	12	22.28	23.06	< 33.01
			50	0	22.27	23.05	< 33.01
535998	2679.99	20	1	0	22.20	22.98	< 33.01
			1	1	22.75	23.53	< 33.01
			25	12	22.74	23.52	< 33.01
			50	0	22.64	23.42	< 33.01
502200	2511.0	30	1	0	22.05	22.83	< 33.01
			1	1	22.40	23.18	< 33.01
			36	18	22.38	23.16	< 33.01
			75	0	22.45	23.23	< 33.01
518598	2592.99	30	1	0	22.03	22.81	< 33.01
			1	1	22.45	23.23	< 33.01
			36	18	22.30	23.08	< 33.01
			75	0	22.31	23.09	< 33.01
534996	2674.98	30	1	0	21.53	22.31	< 33.01
			1	1	21.99	22.77	< 33.01
			36	18	21.95	22.73	< 33.01
			75	0	22.02	22.80	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
503202	2516.01	40	1	0	21.80	22.58	< 33.01
			1	1	22.58	23.36	< 33.01
			50	25	21.88	22.66	< 33.01
			100	0	22.20	22.98	< 33.01
518598	2592.99	40	1	0	21.86	22.64	< 33.01
			1	1	22.41	23.19	< 33.01
			50	25	22.60	23.38	< 33.01
			100	0	22.50	23.28	< 33.01
534000	2670.0	40	1	0	22.03	22.81	< 33.01
			1	1	22.35	23.13	< 33.01
			50	25	22.73	23.51	< 33.01
			100	0	22.64	23.42	< 33.01
504204	2521.02	50	1	0	21.79	22.57	< 33.01
			1	1	22.24	23.02	< 33.01
			64	32	22.15	22.93	< 33.01
			128	0	22.13	22.91	< 33.01
518598	2592.99	50	1	0	21.79	22.57	< 33.01
			1	1	22.13	22.91	< 33.01
			64	32	22.10	22.88	< 33.01
			128	0	22.21	22.99	< 33.01
532998	2664.99	50	1	0	21.52	22.30	< 33.01
			1	1	21.98	22.76	< 33.01
			64	32	22.01	22.79	< 33.01
			128	0	22.65	23.43	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
505200	2526.0	60	1	0	21.40	22.18	< 33.01
			1	1	21.95	22.73	< 33.01
			81	40	21.96	22.74	< 33.01
			162	0	22.14	22.92	< 33.01
518598	2592.99	60	1	0	21.91	22.69	< 33.01
			1	1	22.37	23.15	< 33.01
			81	40	22.30	23.08	< 33.01
			162	0	22.27	23.05	< 33.01
531996	2659.98	60	1	0	22.17	22.95	< 33.01
			1	1	22.54	23.32	< 33.01
			81	40	22.29	23.07	< 33.01
			162	0	22.10	22.88	< 33.01
507204	2536.02	80	1	0	21.53	22.31	< 33.01
			1	1	21.93	22.71	< 33.01
			108	54	22.27	23.05	< 33.01
			216	0	22.25	23.03	< 33.01
518598	2592.99	80	1	0	22.21	22.99	< 33.01
			1	1	22.46	23.24	< 33.01
			108	54	22.21	22.99	< 33.01
			216	0	22.24	23.02	< 33.01
529998	2649.99	80	1	0	21.32	22.10	< 33.01
			1	1	21.98	22.76	< 33.01
			108	54	22.57	23.35	< 33.01
			216	0	22.06	22.84	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
509202	2546.01	100	1	0	22.40	23.18	< 33.01
			1	1	22.18	22.96	< 33.01
			135	67	22.55	23.33	< 33.01
			270	0	22.21	22.99	< 33.01
518598	2592.99	100	1	0	22.56	23.34	< 33.01
			1	1	23.03	23.81	< 33.01
			135	67	22.50	23.28	< 33.01
			270	0	22.71	23.49	< 33.01
528000	2640.0	100	1	0	21.89	22.67	< 33.01
			1	1	22.34	23.12	< 33.01
			135	67	22.22	23.00	< 33.01
			270	0	22.51	23.29	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							



Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
501204	2506.02	20	1	0	21.36	22.14	< 33.01
			1	1	21.98	22.76	< 33.01
			25	12	22.11	22.89	< 33.01
			50	0	22.01	22.79	< 33.01
518598	2592.99	20	1	0	21.49	22.27	< 33.01
			1	1	21.98	22.76	< 33.01
			25	12	22.29	23.07	< 33.01
			50	0	22.29	23.07	< 33.01
535998	2679.99	20	1	0	22.19	22.97	< 33.01
			1	1	22.53	23.31	< 33.01
			25	12	22.69	23.47	< 33.01
			50	0	22.77	23.55	< 33.01
502200	2511.0	30	1	0	22.15	22.93	< 33.01
			1	1	22.69	23.47	< 33.01
			36	18	22.45	23.23	< 33.01
			75	0	22.43	23.21	< 33.01
518598	2592.99	30	1	0	21.93	22.71	< 33.01
			1	1	22.20	22.98	< 33.01
			36	18	22.32	23.10	< 33.01
			75	0	22.30	23.08	< 33.01
534996	2674.98	30	1	0	21.45	22.23	< 33.01
			1	1	21.94	22.72	< 33.01
			36	18	21.65	22.43	< 33.01
			75	0	21.69	22.47	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
503202	2516.01	40	1	0	21.08	21.86	< 33.01
			1	1	21.58	22.36	< 33.01
			50	25	21.95	22.73	< 33.01
			100	0	22.16	22.94	< 33.01
518598	2592.99	40	1	0	21.01	21.79	< 33.01
			1	1	22.12	22.90	< 33.01
			50	25	22.34	23.12	< 33.01
			100	0	22.56	23.34	< 33.01
534000	2670.0	40	1	0	21.51	22.29	< 33.01
			1	1	22.03	22.81	< 33.01
			50	25	22.24	23.02	< 33.01
			100	0	22.66	23.44	< 33.01
504204	2521.02	50	1	0	21.93	22.71	< 33.01
			1	1	22.48	23.26	< 33.01
			64	32	22.16	22.94	< 33.01
			128	0	22.10	22.88	< 33.01
518598	2592.99	50	1	0	21.68	22.46	< 33.01
			1	1	22.26	23.04	< 33.01
			64	32	22.08	22.86	< 33.01
			128	0	22.01	22.79	< 33.01
532998	2664.99	50	1	0	21.40	22.18	< 33.01
			1	1	21.90	22.68	< 33.01
			64	32	21.62	22.40	< 33.01
			128	0	21.68	22.46	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
505200	2526.0	60	1	0	21.45	22.23	< 33.01
			1	1	21.89	22.67	< 33.01
			81	40	22.04	22.82	< 33.01
			162	0	22.15	22.93	< 33.01
518598	2592.99	60	1	0	21.14	21.92	< 33.01
			1	1	21.98	22.76	< 33.01
			81	40	22.31	23.09	< 33.01
			162	0	22.30	23.08	< 33.01
531996	2659.98	60	1	0	22.28	23.06	< 33.01
			1	1	22.41	23.19	< 33.01
			81	40	22.29	23.07	< 33.01
			162	0	22.11	22.89	< 33.01
507204	2536.02	80	1	0	21.32	22.10	< 33.01
			1	1	21.69	22.47	< 33.01
			108	54	22.19	22.97	< 33.01
			216	0	22.20	22.98	< 33.01
518598	2592.99	80	1	0	21.87	22.65	< 33.01
			1	1	22.21	22.99	< 33.01
			108	54	22.31	23.09	< 33.01
			216	0	21.99	22.77	< 33.01
529998	2649.99	80	1	0	20.98	21.76	< 33.01
			1	1	21.98	22.76	< 33.01
			108	54	22.42	23.20	< 33.01
			216	0	22.46	23.24	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
509202	2546.01	100	1	0	21.36	22.14	< 33.01
			1	1	21.95	22.73	< 33.01
			135	67	22.50	23.28	< 33.01
			270	0	22.42	23.20	< 33.01
518598	2592.99	100	1	0	22.02	22.80	< 33.01
			1	1	22.54	23.32	< 33.01
			135	67	22.52	23.30	< 33.01
			270	0	22.45	23.23	< 33.01
528000	2640.0	100	1	0	21.68	22.46	< 33.01
			1	1	21.87	22.65	< 33.01
			135	67	22.46	23.24	< 33.01
			270	0	22.44	23.22	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
501204	2506.02	20	1	0	20.98	21.76	< 33.01
			1	1	21.01	21.79	< 33.01
			25	12	20.68	21.46	< 33.01
			50	0	20.77	21.55	< 33.01
518598	2592.99	20	1	0	20.28	21.06	< 33.01
			1	1	20.60	21.38	< 33.01
			25	12	20.72	21.50	< 33.01
			50	0	20.74	21.52	< 33.01
535998	2679.99	20	1	0	20.18	20.96	< 33.01
			1	1	20.19	20.97	< 33.01
			25	12	20.13	20.91	< 33.01
			50	0	20.18	20.96	< 33.01
502200	2511.0	30	1	0	20.67	21.45	< 33.01
			1	1	20.61	21.39	< 33.01
			36	18	20.87	21.65	< 33.01
			75	0	20.91	21.69	< 33.01
518598	2592.99	30	1	0	20.47	21.25	< 33.01
			1	1	20.18	20.96	< 33.01
			36	18	20.79	21.57	< 33.01
			75	0	20.78	21.56	< 33.01
534996	2674.98	30	1	0	20.12	20.90	< 33.01
			1	1	20.07	20.85	< 33.01
			36	18	20.11	20.89	< 33.01
			75	0	20.43	21.21	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
503202	2516.01	40	1	0	20.54	21.32	< 33.01
			1	1	20.62	21.40	< 33.01
			50	25	20.45	21.23	< 33.01
			100	0	20.63	21.41	< 33.01
518598	2592.99	40	1	0	20.66	21.44	< 33.01
			1	1	20.35	21.13	< 33.01
			50	25	20.03	20.81	< 33.01
			100	0	20.01	20.79	< 33.01
534000	2670.0	40	1	0	20.75	21.53	< 33.01
			1	1	20.72	21.50	< 33.01
			50	25	20.21	20.99	< 33.01
			100	0	20.14	20.92	< 33.01
504204	2521.02	50	1	0	20.68	21.46	< 33.01
			1	1	20.20	20.98	< 33.01
			64	32	20.19	20.97	< 33.01
			128	0	20.15	20.93	< 33.01
518598	2592.99	50	1	0	20.29	21.07	< 33.01
			1	1	20.28	21.06	< 33.01
			64	32	20.55	21.33	< 33.01
			128	0	20.53	21.31	< 33.01
532998	2664.99	50	1	0	19.78	20.56	< 33.01
			1	1	20.11	20.89	< 33.01
			64	32	20.10	20.88	< 33.01
			128	0	20.05	20.83	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
505200	2526.0	60	1	0	20.10	20.88	< 33.01
			1	1	20.14	20.92	< 33.01
			81	40	20.38	21.16	< 33.01
			162	0	20.61	21.39	< 33.01
518598	2592.99	60	1	0	20.46	21.24	< 33.01
			1	1	20.56	21.34	< 33.01
			81	40	20.76	21.54	< 33.01
			162	0	20.78	21.56	< 33.01
531996	2659.98	60	1	0	20.06	20.84	< 33.01
			1	1	20.01	20.79	< 33.01
			81	40	20.79	21.57	< 33.01
			162	0	20.97	21.75	< 33.01
507204	2536.02	80	1	0	20.18	20.96	< 33.01
			1	1	20.32	21.10	< 33.01
			108	54	20.68	21.46	< 33.01
			216	0	20.60	21.38	< 33.01
518598	2592.99	80	1	0	20.94	21.72	< 33.01
			1	1	20.98	21.76	< 33.01
			108	54	20.77	21.55	< 33.01
			216	0	20.88	21.66	< 33.01
529998	2649.99	80	1	0	20.03	20.81	< 33.01
			1	1	20.20	20.98	< 33.01
			108	54	20.97	21.75	< 33.01
			216	0	20.90	21.68	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
509202	2546.01	100	1	0	20.50	21.28	< 33.01
			1	1	20.56	21.34	< 33.01
			135	67	20.11	20.89	< 33.01
			270	0	20.93	21.71	< 33.01
518598	2592.99	100	1	0	20.21	20.99	< 33.01
			1	1	20.12	20.90	< 33.01
			135	67	20.93	21.71	< 33.01
			270	0	20.21	20.99	< 33.01
528000	2640.0	100	1	0	20.23	21.01	< 33.01
			1	1	20.54	21.32	< 33.01
			135	67	20.32	21.10	< 33.01
			270	0	20.01	20.79	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							



Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Cloud Guo	Test Date	2020/10/30
Test Band	n41_SA_HPUE		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
501204	2506.02	20	1	0	25.47	26.25	< 33.01
			1	1	26.05	26.83	< 33.01
			25	12	26.08	26.86	< 33.01
			50	0	24.99	25.77	< 33.01
518598	2592.99	20	1	0	25.93	26.71	< 33.01
			1	1	26.23	27.01	< 33.01
			25	12	26.39	27.17	< 33.01
			50	0	25.51	26.29	< 33.01
535998	2679.99	20	1	0	25.40	26.18	< 33.01
			1	1	25.58	26.36	< 33.01
			25	12	25.42	26.20	< 33.01
			50	0	25.52	26.30	< 33.01
502200	2511.0	30	1	0	26.06	26.84	< 33.01
			1	1	25.27	26.05	< 33.01
			36	18	25.31	26.09	< 33.01
			75	0	25.82	26.60	< 33.01
518598	2592.99	30	1	0	25.61	26.39	< 33.01
			1	1	25.01	25.79	< 33.01
			36	18	24.99	25.77	< 33.01
			75	0	24.94	25.72	< 33.01
534996	2674.98	30	1	0	25.35	26.13	< 33.01
			1	1	24.56	25.34	< 33.01
			36	18	24.85	25.63	< 33.01
			75	0	25.02	25.80	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
503202	2516.01	40	1	0	25.76	26.54	< 33.01
			1	1	26.33	27.11	< 33.01
			50	25	26.20	26.98	< 33.01
			100	0	25.18	25.96	< 33.01
518598	2592.99	40	1	0	25.09	25.87	< 33.01
			1	1	26.08	26.86	< 33.01
			50	25	26.35	27.13	< 33.01
			100	0	25.63	26.41	< 33.01
534000	2670.0	40	1	0	25.03	25.81	< 33.01
			1	1	26.35	27.13	< 33.01
			50	25	25.60	26.38	< 33.01
			100	0	25.01	25.79	< 33.01
504204	2521.02	50	1	0	24.85	25.63	< 33.01
			1	1	25.34	26.12	< 33.01
			64	32	25.33	26.11	< 33.01
			128	0	24.85	25.63	< 33.01
518598	2592.99	50	1	0	24.28	25.06	< 33.01
			1	1	24.64	25.42	< 33.01
			64	32	24.66	25.44	< 33.01
			128	0	24.78	25.56	< 33.01
532998	2664.99	50	1	0	24.64	25.42	< 33.01
			1	1	25.33	26.11	< 33.01
			64	32	24.12	24.90	< 33.01
			128	0	24.22	25.00	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
505200	2526.0	60	1	0	25.35	26.13	< 33.01
			1	1	25.89	26.67	< 33.01
			81	40	25.96	26.74	< 33.01
			162	0	24.96	25.74	< 33.01
518598	2592.99	60	1	0	25.71	26.49	< 33.01
			1	1	26.22	27.00	< 33.01
			81	40	26.45	27.23	< 33.01
			162	0	25.44	26.22	< 33.01
531996	2659.98	60	1	0	25.76	26.54	< 33.01
			1	1	26.26	27.04	< 33.01
			81	40	25.96	26.74	< 33.01
			162	0	25.01	25.79	< 33.01
507204	2536.02	80	1	0	25.44	26.22	< 33.01
			1	1	25.97	26.75	< 33.01
			108	54	25.95	26.73	< 33.01
			216	0	24.98	25.76	< 33.01
518598	2592.99	80	1	0	25.79	26.57	< 33.01
			1	1	26.23	27.01	< 33.01
			108	54	26.40	27.18	< 33.01
			216	0	25.42	26.20	< 33.01
529998	2649.99	80	1	0	25.15	25.93	< 33.01
			1	1	26.59	27.37	< 33.01
			108	54	26.30	27.08	< 33.01
			216	0	25.38	26.16	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
509202	2546.01	100	1	0	25.34	26.12	< 33.01
			1	1	25.99	26.77	< 33.01
			135	67	26.11	26.89	< 33.01
			270	0	25.14	25.92	< 33.01
518598	2592.99	100	1	0	25.79	26.57	< 33.01
			1	1	26.40	27.18	< 33.01
			135	67	26.49	27.27	< 33.01
			270	0	25.50	26.28	< 33.01
528000	2640.0	100	1	0	25.92	26.70	< 33.01
			1	1	26.43	27.21	< 33.01
			135	67	26.36	27.14	< 33.01
			270	0	25.40	26.18	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
501204	2506.02	20	1	0	25.52	26.30	< 33.01
			1	1	26.02	26.80	< 33.01
			12	6	25.99	26.77	< 33.01
			25	0	25.01	25.79	< 33.01
518598	2592.99	20	1	0	25.97	26.75	< 33.01
			1	1	26.26	27.04	< 33.01
			12	6	26.44	27.22	< 33.01
			25	0	25.48	26.26	< 33.01
535998	2679.99	20	1	0	25.08	25.86	< 33.01
			1	1	25.29	26.07	< 33.01
			25	12	25.32	26.10	< 33.01
			50	0	24.75	25.53	< 33.01
502200	2511.0	30	1	0	25.05	25.83	< 33.01
			1	1	25.18	25.96	< 33.01
			25	12	25.30	26.08	< 33.01
			50	0	25.39	26.17	< 33.01
518598	2592.99	30	1	0	24.53	25.31	< 33.01
			1	1	24.95	25.73	< 33.01
			25	12	24.78	25.56	< 33.01
			50	0	24.92	25.70	< 33.01
534996	2674.98	30	1	0	24.85	25.63	< 33.01
			1	1	24.66	25.44	< 33.01
			25	12	24.30	25.08	< 33.01
			50	0	24.12	24.90	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
503202	2516.01	40	1	0	25.83	26.61	< 33.01
			1	1	26.06	26.84	< 33.01
			50	25	26.13	26.91	< 33.01
			100	0	25.16	25.94	< 33.01
518598	2592.99	40	1	0	25.68	26.46	< 33.01
			1	1	25.80	26.58	< 33.01
			50	25	26.35	27.13	< 33.01
			100	0	25.59	26.37	< 33.01
534000	2670.0	40	1	0	25.85	26.63	< 33.01
			1	1	26.06	26.84	< 33.01
			50	25	25.70	26.48	< 33.01
			100	0	25.00	25.78	< 33.01
504204	2521.02	50	1	0	24.89	25.67	< 33.01
			1	1	25.07	25.85	< 33.01
			64	32	25.25	26.03	< 33.01
			128	0	24.02	24.80	< 33.01
518598	2592.99	50	1	0	24.64	25.42	< 33.01
			1	1	24.78	25.56	< 33.01
			64	32	25.01	25.79	< 33.01
			128	0	24.65	25.43	< 33.01
532998	2664.99	50	1	0	25.13	25.91	< 33.01
			1	1	25.31	26.09	< 33.01
			64	32	25.14	25.92	< 33.01
			128	0	24.03	24.81	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
505200	2526.0	60	1	0	25.33	26.11	< 33.01
			1	1	25.79	26.57	< 33.01
			81	40	26.00	26.78	< 33.01
			162	0	24.88	25.66	< 33.01
518598	2592.99	60	1	0	25.65	26.43	< 33.01
			1	1	25.96	26.74	< 33.01
			81	40	26.38	27.16	< 33.01
			162	0	25.46	26.24	< 33.01
531996	2659.98	60	1	0	25.70	26.48	< 33.01
			1	1	26.12	26.90	< 33.01
			81	40	25.97	26.75	< 33.01
			162	0	24.99	25.77	< 33.01
507204	2536.02	80	1	0	22.40	23.18	< 33.01
			1	1	25.69	26.47	< 33.01
			108	54	26.04	26.82	< 33.01
			216	0	25.00	25.78	< 33.01
518598	2592.99	80	1	0	22.67	23.45	< 33.01
			1	1	26.03	26.81	< 33.01
			108	54	26.48	27.26	< 33.01
			216	0	25.33	26.11	< 33.01
529998	2649.99	80	1	0	22.95	23.73	< 33.01
			1	1	26.36	27.14	< 33.01
			108	54	26.30	27.08	< 33.01
			216	0	25.33	26.11	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
509202	2546.01	100	1	0	25.27	26.05	< 33.01
			1	1	25.92	26.70	< 33.01
			135	67	26.08	26.86	< 33.01
			270	0	25.11	25.89	< 33.01
518598	2592.99	100	1	0	25.70	26.48	< 33.01
			1	1	26.16	26.94	< 33.01
			135	67	26.53	27.31	< 33.01
			270	0	25.46	26.24	< 33.01
528000	2640.0	100	1	0	25.81	26.59	< 33.01
			1	1	26.12	26.90	< 33.01
			135	67	26.38	27.16	< 33.01
			270	0	25.46	26.24	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							



Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
501204	2506.02	20	1	0	24.42	25.20	< 33.01
			1	1	25.04	25.82	< 33.01
			12	6	24.97	25.75	< 33.01
			25	0	23.87	24.65	< 33.01
518598	2592.99	20	1	0	24.99	25.77	< 33.01
			1	1	25.19	25.97	< 33.01
			12	6	25.41	26.19	< 33.01
			25	0	24.39	25.17	< 33.01
535998	2679.99	20	1	0	24.33	25.11	< 33.01
			1	1	24.32	25.10	< 33.01
			25	12	24.42	25.20	< 33.01
			50	0	23.77	24.55	< 33.01
502200	2511.0	30	1	0	23.98	24.76	< 33.01
			1	1	24.34	25.12	< 33.01
			25	12	24.40	25.18	< 33.01
			50	0	23.44	24.22	< 33.01
518598	2592.99	30	1	0	23.27	24.05	< 33.01
			1	1	23.44	24.22	< 33.01
			25	12	23.79	24.57	< 33.01
			50	0	23.01	23.79	< 33.01
534996	2674.98	30	1	0	23.25	24.03	< 33.01
			1	1	23.35	24.13	< 33.01
			25	12	23.03	23.81	< 33.01
			50	0	22.95	23.73	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
503202	2516.01	40	1	0	23.84	24.62	< 33.01
			1	1	24.06	24.84	< 33.01
			50	25	25.13	25.91	< 33.01
			100	0	24.22	25.00	< 33.01
518598	2592.99	40	1	0	24.01	24.79	< 33.01
			1	1	24.83	25.61	< 33.01
			50	25	25.32	26.10	< 33.01
			100	0	24.66	25.44	< 33.01
534000	2670.0	40	1	0	24.84	25.62	< 33.01
			1	1	25.11	25.89	< 33.01
			50	25	24.67	25.45	< 33.01
			100	0	24.06	24.84	< 33.01
504204	2521.02	50	1	0	24.01	24.79	< 33.01
			1	1	24.56	25.34	< 33.01
			64	32	24.03	24.81	< 33.01
			128	0	24.00	24.78	< 33.01
518598	2592.99	50	1	0	23.33	24.11	< 33.01
			1	1	23.78	24.56	< 33.01
			64	32	23.85	24.63	< 33.01
			128	0	23.73	24.51	< 33.01
532998	2664.99	50	1	0	23.74	24.52	< 33.01
			1	1	23.76	24.54	< 33.01
			64	32	23.37	24.15	< 33.01
			128	0	23.81	24.59	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
505200	2526.0	60	1	0	24.40	25.18	< 33.01
			1	1	24.99	25.77	< 33.01
			81	40	24.98	25.76	< 33.01
			162	0	23.95	24.73	< 33.01
518598	2592.99	60	1	0	24.61	25.39	< 33.01
			1	1	25.03	25.81	< 33.01
			81	40	25.36	26.14	< 33.01
			162	0	24.43	25.21	< 33.01
531996	2659.98	60	1	0	24.83	25.61	< 33.01
			1	1	25.41	26.19	< 33.01
			81	40	24.89	25.67	< 33.01
			162	0	24.06	24.84	< 33.01
507204	2536.02	80	1	0	24.46	25.24	< 33.01
			1	1	24.84	25.62	< 33.01
			108	54	25.08	25.86	< 33.01
			216	0	24.08	24.86	< 33.01
518598	2592.99	80	1	0	24.74	25.52	< 33.01
			1	1	25.09	25.87	< 33.01
			108	54	25.52	26.30	< 33.01
			216	0	24.45	25.23	< 33.01
529998	2649.99	80	1	0	24.98	25.76	< 33.01
			1	1	25.47	26.25	< 33.01
			108	54	25.33	26.11	< 33.01
			216	0	24.52	25.30	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
509202	2546.01	100	1	0	24.30	25.08	< 33.01
			1	1	25.12	25.90	< 33.01
			135	67	25.09	25.87	< 33.01
			270	0	24.10	24.88	< 33.01
518598	2592.99	100	1	0	24.76	25.54	< 33.01
			1	1	25.22	26.00	< 33.01
			135	67	25.48	26.26	< 33.01
			270	0	24.49	25.27	< 33.01
528000	2640.0	100	1	0	24.85	25.63	< 33.01
			1	1	25.21	25.99	< 33.01
			135	67	25.33	26.11	< 33.01
			270	0	24.55	25.33	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
501204	2506.02	20	1	0	22.23	23.01	< 33.01
			1	1	23.21	23.99	< 33.01
			12	6	23.42	24.20	< 33.01
			25	0	23.47	24.25	< 33.01
518598	2592.99	20	1	0	22.65	23.43	< 33.01
			1	1	23.67	24.45	< 33.01
			12	6	23.79	24.57	< 33.01
			25	0	23.63	24.41	< 33.01
535998	2679.99	20	1	0	23.31	24.09	< 33.01
			1	1	23.12	23.90	< 33.01
			25	12	23.04	23.82	< 33.01
			50	0	23.16	23.94	< 33.01
502200	2511.0	30	1	0	23.06	23.84	< 33.01
			1	1	23.20	23.98	< 33.01
			25	12	23.68	24.46	< 33.01
			50	0	22.93	23.71	< 33.01
518598	2592.99	30	1	0	22.62	23.40	< 33.01
			1	1	23.13	23.91	< 33.01
			25	12	23.35	24.13	< 33.01
			50	0	23.45	24.23	< 33.01
534996	2674.98	30	1	0	22.51	23.29	< 33.01
			1	1	23.51	24.29	< 33.01
			25	12	22.62	23.40	< 33.01
			50	0	22.82	23.60	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
503202	2516.01	40	1	0	22.66	23.44	< 33.01
			1	1	23.22	24.00	< 33.01
			50	25	23.74	24.52	< 33.01
			100	0	23.75	24.53	< 33.01
518598	2592.99	40	1	0	22.81	23.59	< 33.01
			1	1	23.76	24.54	< 33.01
			50	25	23.92	24.70	< 33.01
			100	0	24.15	24.93	< 33.01
534000	2670.0	40	1	0	22.72	23.50	< 33.01
			1	1	23.58	24.36	< 33.01
			50	25	23.36	24.14	< 33.01
			100	0	23.51	24.29	< 33.01
504204	2521.02	50	1	0	22.90	23.68	< 33.01
			1	1	23.34	24.12	< 33.01
			64	32	22.51	23.29	< 33.01
			128	0	22.43	23.21	< 33.01
518598	2592.99	50	1	0	22.34	23.12	< 33.01
			1	1	22.44	23.22	< 33.01
			64	32	23.01	23.79	< 33.01
			128	0	22.31	23.09	< 33.01
532998	2664.99	50	1	0	22.24	23.02	< 33.01
			1	1	22.28	23.06	< 33.01
			64	32	22.21	22.99	< 33.01
			128	0	22.32	23.10	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
505200	2526.0	60	1	0	23.08	23.86	< 33.01
			1	1	23.12	23.90	< 33.01
			81	40	23.53	24.31	< 33.01
			162	0	23.47	24.25	< 33.01
518598	2592.99	60	1	0	22.93	23.71	< 33.01
			1	1	23.37	24.15	< 33.01
			81	40	23.94	24.72	< 33.01
			162	0	23.97	24.75	< 33.01
531996	2659.98	60	1	0	22.85	23.63	< 33.01
			1	1	23.55	24.33	< 33.01
			81	40	23.48	24.26	< 33.01
			162	0	23.56	24.34	< 33.01
507204	2536.02	80	1	0	23.27	24.05	< 33.01
			1	1	23.21	23.99	< 33.01
			108	54	23.56	24.34	< 33.01
			216	0	23.64	24.42	< 33.01
518598	2592.99	80	1	0	23.56	24.34	< 33.01
			1	1	23.56	24.34	< 33.01
			108	54	24.00	24.78	< 33.01
			216	0	23.92	24.70	< 33.01
529998	2649.99	80	1	0	23.81	24.59	< 33.01
			1	1	23.88	24.66	< 33.01
			108	54	23.81	24.59	< 33.01
			216	0	23.84	24.62	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
509202	2546.01	100	1	0	23.10	23.88	< 33.01
			1	1	23.53	24.31	< 33.01
			135	67	23.63	24.41	< 33.01
			270	0	23.73	24.51	< 33.01
518598	2592.99	100	1	0	22.51	23.29	< 33.01
			1	1	23.14	23.92	< 33.01
			135	67	24.01	24.79	< 33.01
			270	0	24.00	24.78	< 33.01
528000	2640.0	100	1	0	23.60	24.38	< 33.01
			1	1	23.78	24.56	< 33.01
			135	67	23.83	24.61	< 33.01
			270	0	23.88	24.66	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							



Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
501204	2506.02	20	1	0	21.28	22.06	< 33.01
			1	1	21.25	22.03	< 33.01
			12	6	21.38	22.16	< 33.01
			25	0	21.43	22.21	< 33.01
518598	2592.99	20	1	0	21.64	22.42	< 33.01
			1	1	21.56	22.34	< 33.01
			12	6	21.92	22.70	< 33.01
			25	0	22.02	22.80	< 33.01
535998	2679.99	20	1	0	21.28	22.06	< 33.01
			1	1	21.30	22.08	< 33.01
			25	12	21.28	22.06	< 33.01
			50	0	21.35	22.13	< 33.01
502200	2511.0	30	1	0	20.25	21.03	< 33.01
			1	1	20.38	21.16	< 33.01
			25	12	20.91	21.69	< 33.01
			50	0	20.34	21.12	< 33.01
518598	2592.99	30	1	0	20.36	21.14	< 33.01
			1	1	20.56	21.34	< 33.01
			25	12	20.47	21.25	< 33.01
			50	0	20.49	21.27	< 33.01
534996	2674.98	30	1	0	20.32	21.10	< 33.01
			1	1	20.44	21.22	< 33.01
			25	12	20.51	21.29	< 33.01
			50	0	20.43	21.21	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
503202	2516.01	40	1	0	21.04	21.82	< 33.01
			1	1	21.07	21.85	< 33.01
			50	25	21.66	22.44	< 33.01
			100	0	21.71	22.49	< 33.01
518598	2592.99	40	1	0	21.95	22.73	< 33.01
			1	1	21.86	22.64	< 33.01
			50	25	21.28	22.06	< 33.01
			100	0	21.35	22.13	< 33.01
534000	2670.0	40	1	0	21.70	22.48	< 33.01
			1	1	21.66	22.44	< 33.01
			50	25	21.75	22.53	< 33.01
			100	0	21.85	22.63	< 33.01
504204	2521.02	50	1	0	20.14	20.92	< 33.01
			1	1	20.95	21.73	< 33.01
			64	32	20.74	21.52	< 33.01
			128	0	20.55	21.33	< 33.01
518598	2592.99	50	1	0	19.95	20.73	< 33.01
			1	1	20.10	20.88	< 33.01
			64	32	20.33	21.11	< 33.01
			128	0	20.28	21.06	< 33.01
532998	2664.99	50	1	0	19.85	20.63	< 33.01
			1	1	20.01	20.79	< 33.01
			64	32	20.28	21.06	< 33.01
			128	0	20.32	21.10	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
505200	2526.0	60	1	0	21.11	21.89	< 33.01
			1	1	21.07	21.85	< 33.01
			81	40	21.48	22.26	< 33.01
			162	0	21.56	22.34	< 33.01
518598	2592.99	60	1	0	21.33	22.11	< 33.01
			1	1	21.45	22.23	< 33.01
			81	40	21.01	21.79	< 33.01
			162	0	21.01	21.79	< 33.01
531996	2659.98	60	1	0	21.45	22.23	< 33.01
			1	1	21.45	22.23	< 33.01
			81	40	21.46	22.24	< 33.01
			162	0	21.58	22.36	< 33.01
507204	2536.02	80	1	0	21.17	21.95	< 33.01
			1	1	21.16	21.94	< 33.01
			108	54	21.57	22.35	< 33.01
			216	0	21.37	22.15	< 33.01
518598	2592.99	80	1	0	21.43	22.21	< 33.01
			1	1	21.48	22.26	< 33.01
			108	54	21.02	21.80	< 33.01
			216	0	21.97	22.75	< 33.01
529998	2649.99	80	1	0	21.83	22.61	< 33.01
			1	1	21.87	22.65	< 33.01
			108	54	21.89	22.67	< 33.01
			216	0	21.92	22.70	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
509202	2546.01	100	1	0	21.00	21.78	< 33.01
			1	1	21.23	22.01	< 33.01
			135	67	21.63	22.41	< 33.01
			270	0	21.52	22.30	< 33.01
518598	2592.99	100	1	0	21.48	22.26	< 33.01
			1	1	21.67	22.45	< 33.01
			135	67	21.00	21.78	< 33.01
			270	0	21.94	22.72	< 33.01
528000	2640.0	100	1	0	21.57	22.35	< 33.01
			1	1	21.76	22.54	< 33.01
			135	67	21.87	22.65	< 33.01
			270	0	21.96	22.74	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Cloud Guo	Test Date	2020/10/16
Test Band	n77_SA		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
750000	3750.0	100	1	0	22.76	18.65	< 30.00
			1	1	22.47	18.36	< 30.00
			135	67	23.22	19.11	< 30.00
			270	0	23.05	18.94	< 30.00
772998	3864.99	100	1	0	22.70	18.59	< 30.00
			1	1	23.40	19.29	< 30.00
			135	67	23.60	19.49	< 30.00
			270	0	23.51	19.40	< 30.00
786000	3930.0	100	1	0	22.93	18.82	< 30.00
			1	1	23.64	19.53	< 30.00
			135	67	23.29	19.18	< 30.00
			270	0	23.38	19.27	< 30.00
QPSK							
750000	3750.0	100	1	0	22.76	18.65	< 30.00
			1	1	22.46	18.35	< 30.00
			135	67	23.15	19.04	< 30.00
			270	0	23.03	18.92	< 30.00
772998	3864.99	100	1	0	22.70	18.59	< 30.00
			1	1	23.40	19.29	< 30.00
			135	67	23.59	19.48	< 30.00
			270	0	23.51	19.40	< 30.00
786000	3930.0	100	1	0	22.93	18.82	< 30.00
			1	1	23.48	19.37	< 30.00
			135	67	23.31	19.20	< 30.00
			270	0	23.28	19.17	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
<b>16QAM</b>							
750000	3750.0	100	1	0	22.88	18.77	< 30.00
			1	1	22.60	18.49	< 30.00
			135	67	23.17	19.06	< 30.00
			270	0	23.03	18.92	< 30.00
772998	3864.99	100	1	0	22.92	18.81	< 30.00
			1	1	23.06	18.95	< 30.00
			135	67	23.53	19.42	< 30.00
			270	0	23.56	19.45	< 30.00
786000	3930.0	100	1	0	22.64	18.53	< 30.00
			1	1	23.47	19.36	< 30.00
			135	67	23.28	19.17	< 30.00
			270	0	23.43	19.32	< 30.00
<b>64QAM</b>							
750000	3750.0	100	1	0	21.41	17.30	< 30.00
			1	1	21.61	17.50	< 30.00
			135	67	22.14	18.03	< 30.00
			270	0	22.04	17.93	< 30.00
772998	3864.99	100	1	0	21.89	17.78	< 30.00
			1	1	21.84	17.73	< 30.00
			135	67	21.60	17.49	< 30.00
			270	0	22.58	18.47	< 30.00
786000	3930.0	100	1	0	22.62	18.51	< 30.00
			1	1	22.29	18.18	< 30.00
			135	67	22.35	18.24	< 30.00
			270	0	22.44	18.33	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
750000	3750.0	100	1	0	20.68	16.57	< 30.00
			1	1	20.87	16.76	< 30.00
			135	67	20.66	16.55	< 30.00
			270	0	20.57	16.46	< 30.00
772998	3864.99	100	1	0	20.56	16.45	< 30.00
			1	1	20.66	16.55	< 30.00
			135	67	21.12	17.01	< 30.00
			270	0	21.03	16.92	< 30.00
786000	3930.0	100	1	0	20.65	16.54	< 30.00
			1	1	20.83	16.72	< 30.00
			135	67	20.79	16.68	< 30.00
			270	0	20.93	16.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Cloud Guo	Test Date	2020/10/16
Test Band	n77_SA_HPUE		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
750000	3750.0	100	1	0	24.61	20.50	< 30.00
			1	1	25.26	21.15	< 30.00
			135	67	25.78	21.67	< 30.00
			270	0	24.74	20.63	< 30.00
772998	3864.99	100	1	0	24.18	20.07	< 30.00
			1	1	25.87	21.76	< 30.00
			135	67	26.19	22.08	< 30.00
			270	0	25.17	21.06	< 30.00
786000	3930.0	100	1	0	25.31	21.20	< 30.00
			1	1	26.00	21.89	< 30.00
			135	67	26.07	21.96	< 30.00
			270	0	25.06	20.95	< 30.00
QPSK							
750000	3750.0	100	1	0	24.52	20.41	< 30.00
			1	1	25.26	21.15	< 30.00
			135	67	25.77	21.66	< 30.00
			270	0	24.80	20.69	< 30.00
772998	3864.99	100	1	0	25.12	21.01	< 30.00
			1	1	25.86	21.75	< 30.00
			135	67	26.16	22.05	< 30.00
			270	0	25.11	21.00	< 30.00
786000	3930.0	100	1	0	25.25	21.14	< 30.00
			1	1	25.94	21.83	< 30.00
			135	67	26.07	21.96	< 30.00
			270	0	25.07	20.96	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)



Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
<b>16QAM</b>							
750000	3750.0	100	1	0	23.46	19.35	< 30.00
			1	1	24.26	20.15	< 30.00
			135	67	24.77	20.66	< 30.00
			270	0	23.80	19.69	< 30.00
772998	3864.99	100	1	0	24.17	20.06	< 30.00
			1	1	25.14	21.03	< 30.00
			135	67	25.12	21.01	< 30.00
			270	0	24.05	19.94	< 30.00
786000	3930.0	100	1	0	24.22	20.11	< 30.00
			1	1	25.25	21.14	< 30.00
			135	67	25.05	20.94	< 30.00
			270	0	24.03	19.92	< 30.00
<b>64QAM</b>							
750000	3750.0	100	1	0	23.21	19.10	< 30.00
			1	1	22.98	18.87	< 30.00
			135	67	23.32	19.21	< 30.00
			270	0	23.32	19.21	< 30.00
772998	3864.99	100	1	0	23.08	18.97	< 30.00
			1	1	23.38	19.27	< 30.00
			135	67	23.55	19.44	< 30.00
			270	0	23.56	19.45	< 30.00
786000	3930.0	100	1	0	23.18	19.07	< 30.00
			1	1	23.55	19.44	< 30.00
			135	67	23.61	19.50	< 30.00
			270	0	23.56	19.45	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
750000	3750.0	100	1	0	21.47	17.36	< 30.00
			1	1	21.95	17.84	< 30.00
			135	67	21.35	17.24	< 30.00
			270	0	21.33	17.22	< 30.00
772998	3864.99	100	1	0	21.00	16.89	< 30.00
			1	1	21.08	16.97	< 30.00
			135	67	21.60	17.49	< 30.00
			270	0	21.49	17.38	< 30.00
786000	3930.0	100	1	0	21.01	16.90	< 30.00
			1	1	21.20	17.09	< 30.00
			135	67	21.48	17.37	< 30.00
			270	0	21.43	17.32	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Eric Xu	Test Date	2020/10/18
Test Band	n2/25_EN-DC		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
370500	1852.5	5	1	0	22.73	22.98	< 33.01
			1	1	22.65	22.90	< 33.01
			12	6	22.78	23.03	< 33.01
			25	0	22.92	23.17	< 33.01
376500	1882.5	5	1	0	22.86	23.11	< 33.01
			1	1	22.79	23.04	< 33.01
			12	6	22.81	23.06	< 33.01
			25	0	22.89	23.14	< 33.01
382500	1912.5	5	1	0	22.73	22.98	< 33.01
			1	1	22.69	22.94	< 33.01
			12	6	22.71	22.96	< 33.01
			25	0	22.85	23.10	< 33.01
371000	1855.0	10	1	0	22.69	22.94	< 33.01
			1	1	22.72	22.97	< 33.01
			25	12	22.81	23.06	< 33.01
			50	0	22.72	22.97	< 33.01
376500	1882.5	10	1	0	22.69	22.94	< 33.01
			1	1	22.58	22.83	< 33.01
			25	12	22.67	22.92	< 33.01
			50	0	22.73	22.98	< 33.01
382000	1910.0	10	1	0	22.56	22.81	< 33.01
			1	1	22.47	22.72	< 33.01
			25	12	22.35	22.60	< 33.01
			50	0	22.13	22.38	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PI/2 BPSK							
371500	1857.5	15	1	0	23.02	23.27	< 33.01
			1	1	22.93	23.18	< 33.01
			36	18	22.91	23.16	< 33.01
			75	0	22.95	23.20	< 33.01
376500	1882.5	15	1	0	22.71	22.96	< 33.01
			1	1	22.66	22.91	< 33.01
			36	18	22.89	23.14	< 33.01
			75	0	22.79	23.04	< 33.01
381500	1907.5	15	1	0	22.85	23.10	< 33.01
			1	1	22.69	22.94	< 33.01
			36	18	22.83	23.08	< 33.01
			75	0	22.79	23.04	< 33.01
372000	1860.0	20	1	0	22.56	22.81	< 33.01
			1	1	22.54	22.79	< 33.01
			50	25	22.33	22.58	< 33.01
			100	0	22.61	22.86	< 33.01
376500	1882.5	20	1	0	22.77	23.02	< 33.01
			1	1	22.57	22.82	< 33.01
			50	25	22.76	23.01	< 33.01
			100	0	22.91	23.16	< 33.01
381000	1905.0	20	1	0	22.85	23.10	< 33.01
			1	1	22.88	23.13	< 33.01
			50	25	22.65	22.90	< 33.01
			100	0	22.58	22.83	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)