

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2507.5	2519.5	15+10	P_1@0	S_1@49	16.55	17.10	< 33.01
2530.1	2542.1				16.11	16.66	< 33.01
2552.7	2564.7				16.19	16.74	< 33.01
2507.5	2519.5		P_1@38	S_0@0	23.15	23.70	< 33.01
2530.1	2542.1				22.72	23.27	< 33.01
2552.7	2564.7				22.79	23.34	< 33.01
2507.5	2519.5		P_1@74	S_1@0	23.53	24.08	< 33.01
2530.1	2542.1				23.39	23.94	< 33.01
2552.7	2564.7				23.57	24.12	< 33.01
2507.5	2519.5		P_75@0	S_50@0	21.41	21.96	< 33.01
2530.1	2542.1				21.34	21.89	< 33.01
2552.7	2564.7				21.26	21.81	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2510.0	2529.8	20+20	P_1@0	S_1@99	15.99	16.54	< 33.01
2525.1	2544.9				16.14	16.69	< 33.01
2540.2	2560.0				16.02	16.57	< 33.01
2510.0	2529.8		P_1@49	S_0@0	21.62	22.17	< 33.01
2525.1	2544.9				21.72	22.27	< 33.01
2540.2	2560.0				21.82	22.37	< 33.01
2510.0	2529.8		P_1@99	S_1@0	21.27	21.82	< 33.01
2525.1	2544.9				20.83	21.38	< 33.01
2540.2	2560.0				21.36	21.91	< 33.01
2510.0	2529.8		P_100@0	S_100@0	20.79	21.34	< 33.01
2525.1	2544.9				20.81	21.36	< 33.01
2540.2	2560.0				20.88	21.43	< 33.01
2510.0	2527.1	20+15	P_1@0	S_1@74	16.26	16.81	< 33.01
2527.6	2544.7				15.97	16.52	< 33.01
2545.1	2562.2				16.04	16.59	< 33.01
2510.0	2527.1		P_1@49	S_0@0	21.90	22.45	< 33.01
2527.6	2544.7				21.52	22.07	< 33.01
2545.1	2562.2				21.63	22.18	< 33.01
2510.0	2527.1		P_1@99	S_1@0	21.42	21.97	< 33.01
2527.6	2544.7				20.70	21.25	< 33.01
2545.1	2562.2				21.09	21.64	< 33.01
2510.0	2527.1		P_100@0	S_75@0	20.78	21.33	< 33.01
2527.6	2544.7				20.76	21.31	< 33.01
2545.1	2562.2				20.91	21.46	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2507.8	2524.9	15+20	P_1@0	S_1@99	16.24	16.79	< 33.01
2525.3	2542.4				16.15	16.70	< 33.01
2542.9	2560.0				16.28	16.83	< 33.01
2507.8	2524.9		P_1@18	S_0@0	21.92	22.47	< 33.01
2525.3	2542.4				21.83	22.38	< 33.01
2542.9	2560.0				21.85	22.40	< 33.01
2507.8	2524.9		P_1@74	S_1@0	21.53	22.08	< 33.01
2525.3	2542.4				20.74	21.29	< 33.01
2542.9	2560.0				21.19	21.74	< 33.01
2507.8	2524.9		P_75@0	S_100@0	20.91	21.46	< 33.01
2525.3	2542.4				20.85	21.40	< 33.01
2542.9	2560.0				20.94	21.49	< 33.01
2507.5	2564.7	15+15	P_1@0	S_1@74	16.23	16.78	< 33.01
2527.5	2522.5				16.12	16.67	< 33.01
2547.5	2542.5				16.21	16.76	< 33.01
2507.5	2562.5		P_1@18	S_0@0	21.89	22.44	< 33.01
2527.5	2522.5				21.76	22.31	< 33.01
2547.5	2542.5				21.85	22.40	< 33.01
2507.5	2562.5		P_1@74	S_1@0	21.48	22.03	< 33.01
2527.5	2522.5				20.81	21.36	< 33.01
2547.5	2542.5				21.41	21.96	< 33.01
2507.5	2562.5		P_75@0	S_75@0	20.83	21.38	< 33.01
2527.5	2522.5				20.80	21.35	< 33.01
2547.5	2542.5				20.88	21.43	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2505.5	2519.9	10+20	P_1@0	S_1@99	16.28	16.83	< 33.01
2525.6	2540.0				16.22	16.77	< 33.01
2545.6	2560.0				16.06	16.61	< 33.01
2505.5	2519.9		P_1@25	S_0@0	21.56	22.11	< 33.01
2525.6	2540.0				21.85	22.40	< 33.01
2545.6	2560.0				21.68	22.23	< 33.01
2505.5	2519.9		P_1@49	S_1@0	21.57	22.12	< 33.01
2525.6	2540.0				21.20	21.75	< 33.01
2545.6	2560.0				21.42	21.97	< 33.01
2505.5	2519.9		P_50@0	S_100@0	20.90	21.45	< 33.01
2525.6	2540.0				20.88	21.43	< 33.01
2545.6	2560.0				21.12	21.67	< 33.01
2510.0	2524.4	20+10	P_1@0	S_1@49	16.14	16.69	< 33.01
2530.1	2544.5				16.20	16.75	< 33.01
2550.1	2564.5				16.03	16.58	< 33.01
2510.0	2524.4		P_1@49	S_0@0	21.65	22.20	< 33.01
2530.1	2544.5				21.89	22.44	< 33.01
2550.1	2564.5				21.54	22.09	< 33.01
2510.0	2524.4		P_1@99	S_1@0	20.83	21.38	< 33.01
2530.1	2544.5				21.04	21.59	< 33.01
2550.1	2564.5				20.15	20.70	< 33.01
2510.0	2524.4		P_100@0	S_50@0	20.83	21.38	< 33.01
2530.1	2544.5				20.77	21.32	< 33.01
2550.1	2564.5				20.91	21.46	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2507.5	2519.5	15+10	P_1@0	S_1@49	16.24	16.79	< 33.01
2530.1	2542.1				16.13	16.68	< 33.01
2552.7	2564.7				16.17	16.72	< 33.01
2507.5	2519.5		P_1@38	S_0@0	21.87	22.42	< 33.01
2530.1	2542.1				21.73	22.28	< 33.01
2552.7	2564.7				21.84	22.39	< 33.01
2507.5	2519.5		P_1@74	S_1@0	20.94	21.49	< 33.01
2530.1	2542.1				20.87	21.42	< 33.01
2552.7	2564.7				20.58	21.13	< 33.01
2507.5	2519.5		P_75@0	S_50@0	20.96	21.51	< 33.01
2530.1	2542.1				20.87	21.42	< 33.01
2552.7	2564.7				20.95	21.50	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
2510.0	2529.8	20+20	P_1@0	S_1@99	14.19	14.74	< 33.01
2525.1	2544.9				15.83	16.38	< 33.01
2540.2	2560.0				15.08	15.63	< 33.01
2510.0	2529.8		P_1@49	S_0@0	16.37	16.92	< 33.01
2525.1	2544.9				14.99	15.54	< 33.01
2540.2	2560.0				17.52	18.07	< 33.01
2510.0	2529.8		P_1@99	S_1@0	17.44	17.99	< 33.01
2525.1	2544.9				17.55	18.10	< 33.01
2540.2	2560.0				18.23	18.78	< 33.01
2510.0	2529.8		P_100@0	S_100@0	16.46	17.01	< 33.01
2525.1	2544.9				17.06	17.61	< 33.01
2540.2	2560.0				17.59	18.14	< 33.01
2510.0	2527.1	20+15	P_1@0	S_1@74	15.25	15.80	< 33.01
2527.6	2544.7				16.21	16.76	< 33.01
2545.1	2562.2				14.96	15.51	< 33.01
2510.0	2527.1		P_1@49	S_0@0	15.07	15.62	< 33.01
2527.6	2544.7				15.10	15.65	< 33.01
2545.1	2562.2				15.03	15.58	< 33.01
2510.0	2527.1		P_1@99	S_1@0	17.10	17.65	< 33.01
2527.6	2544.7				18.05	18.60	< 33.01
2545.1	2562.2				17.62	18.17	< 33.01
2510.0	2527.1		P_100@0	S_75@0	16.36	16.91	< 33.01
2527.6	2544.7				16.54	17.09	< 33.01
2545.1	2562.2				16.58	17.13	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
2507.8	2524.9	15+20	P_1@0	S_1@99	14.89	15.44	< 33.01
2525.3	2542.4				14.66	15.21	< 33.01
2542.9	2560.0				15.20	15.75	< 33.01
2507.8	2524.9		P_1@18	S_0@0	14.67	15.22	< 33.01
2525.3	2542.4				14.84	15.39	< 33.01
2542.9	2560.0				15.44	15.99	< 33.01
2507.8	2524.9		P_1@74	S_1@0	16.50	17.05	< 33.01
2525.3	2542.4				17.12	17.67	< 33.01
2542.9	2560.0				18.42	18.97	< 33.01
2507.8	2524.9		P_75@0	S_100@0	15.86	16.41	< 33.01
2525.3	2542.4				16.90	17.45	< 33.01
2542.9	2560.0				17.21	17.76	< 33.01
2507.5	2564.7	15+15	P_1@0	S_1@74	15.38	15.93	< 33.01
2527.5	2522.5				15.06	15.61	< 33.01
2547.5	2542.5				14.54	15.09	< 33.01
2507.5	2562.5		P_1@18	S_0@0	15.22	15.77	< 33.01
2527.5	2522.5				14.61	15.16	< 33.01
2547.5	2542.5				14.54	15.09	< 33.01
2507.5	2562.5		P_1@74	S_1@0	17.23	17.78	< 33.01
2527.5	2522.5				17.38	17.93	< 33.01
2547.5	2542.5				17.90	18.45	< 33.01
2507.5	2562.5		P_75@0	S_75@0	16.78	17.33	< 33.01
2527.5	2522.5				17.47	18.02	< 33.01
2547.5	2542.5				17.93	18.48	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
2505.5	2519.9	10+20	P_1@0	S_1@99	14.52	15.07	< 33.01
2525.6	2540.0				15.01	15.56	< 33.01
2545.6	2560.0				15.08	15.63	< 33.01
2505.5	2519.9		P_1@25	S_0@0	14.61	15.16	< 33.01
2525.6	2540.0				14.89	15.44	< 33.01
2545.6	2560.0				18.93	19.48	< 33.01
2505.5	2519.9		P_1@49	S_1@0	17.21	17.76	< 33.01
2525.6	2540.0				18.07	18.62	< 33.01
2545.6	2560.0				18.33	18.88	< 33.01
2505.5	2519.9		P_50@0	S_100@0	16.44	16.99	< 33.01
2525.6	2540.0				17.64	18.19	< 33.01
2545.6	2560.0				17.44	17.99	< 33.01
2510.0	2524.4	20+10	P_1@0	S_1@49	15.10	15.65	< 33.01
2530.1	2544.5				14.97	15.52	< 33.01
2550.1	2564.5				15.10	15.65	< 33.01
2510.0	2524.4		P_1@49	S_0@0	14.92	15.47	< 33.01
2530.1	2544.5				14.77	15.32	< 33.01
2550.1	2564.5				15.22	15.77	< 33.01
2510.0	2524.4		P_1@99	S_1@0	17.05	17.60	< 33.01
2530.1	2544.5				16.72	17.27	< 33.01
2550.1	2564.5				18.37	18.92	< 33.01
2510.0	2524.4		P_100@0	S_50@0	15.93	16.48	< 33.01
2530.1	2544.5				16.60	17.15	< 33.01
2550.1	2564.5				17.75	18.30	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
2507.5	2519.5	15+10	P_1@0	S_1@49	15.28	15.83	< 33.01
2530.1	2542.1				15.16	15.71	< 33.01
2552.7	2564.7				14.62	15.17	< 33.01
2507.5	2519.5		P_1@38	S_0@0	19.16	19.71	< 33.01
2530.1	2542.1				19.47	20.02	< 33.01
2552.7	2564.7				18.60	19.15	< 33.01
2507.5	2519.5		P_1@74	S_1@0	18.54	19.09	< 33.01
2530.1	2542.1				17.46	18.01	< 33.01
2552.7	2564.7				17.29	17.84	< 33.01
2507.5	2519.5		P_75@0	S_50@0	16.65	17.20	< 33.01
2530.1	2542.1				16.51	17.06	< 33.01
2552.7	2564.7				17.87	18.42	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Candy Luo	Test Date	2020/10/18 ~ 2020/11/14
Test Band	Intra-Band CA_38C		

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2577.5	2592.5	15+15	P_1@0	S_1@74	15.82	16.60	< 33.01
2587.5	2602.5				15.86	16.64	< 33.01
2597.5	2612.5				15.65	16.43	< 33.01
2577.5	2592.5		P_1@38	S_0@0	23.21	23.99	< 33.01
2587.5	2602.5				23.10	23.88	< 33.01
2597.5	2612.5				23.23	24.01	< 33.01
2577.5	2592.5		P_1@74	S_1@0	24.07	24.85	< 33.01
2587.5	2602.5				24.05	24.83	< 33.01
2597.5	2612.5				24.01	24.79	< 33.01
2577.5	2592.5		P_75@0	S_75@0	22.19	22.97	< 33.01
2587.5	2602.5				22.16	22.94	< 33.01
2597.5	2612.5				22.14	22.92	< 33.01
2580.0	2599.8	20+20	P_1@0	S_1@99	15.77	16.55	< 33.01
2585.1	2604.9				15.75	16.53	< 33.01
2590.2	2610.0				15.74	16.52	< 33.01
2580.0	2599.8		P_1@49	S_0@0	23.35	24.13	< 33.01
2585.1	2604.9				23.17	23.95	< 33.01
2590.2	2610.0				23.17	23.95	< 33.01
2580.0	2599.8		P_1@99	S_1@0	24.14	24.92	< 33.01
2585.1	2604.9				24.03	24.81	< 33.01
2590.2	2610.0				23.53	24.31	< 33.01
2580.0	2599.8		P_100@0	S_100@0	22.24	23.02	< 33.01
2585.1	2604.9				22.25	23.03	< 33.01
2590.2	2610.0				22.26	23.04	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2577.5	2592.5	15+15	P_1@0	S_1@74	16.02	16.80	< 33.01
2587.5	2602.5				15.84	16.62	< 33.01
2597.5	2612.5				16.05	16.83	< 33.01
2577.5	2592.5		P_1@38	S_0@0	22.31	23.09	< 33.01
2587.5	2602.5				22.23	23.01	< 33.01
2597.5	2612.5				22.62	23.40	< 33.01
2577.5	2592.5		P_1@74	S_1@0	23.25	24.03	< 33.01
2587.5	2602.5				23.04	23.82	< 33.01
2597.5	2612.5				23.36	24.14	< 33.01
2577.5	2592.5		P_75@0	S_75@0	21.17	21.95	< 33.01
2587.5	2602.5				21.22	22.00	< 33.01
2597.5	2612.5				21.19	21.97	< 33.01
2580.0	2599.8	20+20	P_1@0	S_1@99	16.18	16.96	< 33.01
2585.1	2604.9				16.04	16.82	< 33.01
2590.2	2610.0				16.06	16.84	< 33.01
2580.0	2599.8		P_1@49	S_0@0	22.60	23.38	< 33.01
2585.1	2604.9				22.41	23.19	< 33.01
2590.2	2610.0				22.38	23.16	< 33.01
2580.0	2599.8		P_1@99	S_1@0	23.31	24.09	< 33.01
2585.1	2604.9				23.27	24.05	< 33.01
2590.2	2610.0				22.79	23.57	< 33.01
2580.0	2599.8		P_100@0	S_100@0	21.26	22.04	< 33.01
2585.1	2604.9				21.28	22.06	< 33.01
2590.2	2610.0				21.30	22.08	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2577.5	2592.5	15+15	P_1@0	S_1@74	15.93	16.71	< 33.01
2587.5	2602.5				16.13	16.91	< 33.01
2597.5	2612.5				16.24	17.02	< 33.01
2577.5	2592.5		P_1@38	S_0@0	21.27	22.05	< 33.01
2587.5	2602.5				21.62	22.40	< 33.01
2597.5	2612.5				21.64	22.42	< 33.01
2577.5	2592.5		P_1@74	S_1@0	22.12	22.90	< 33.01
2587.5	2602.5				22.35	23.13	< 33.01
2597.5	2612.5				22.40	23.18	< 33.01
2577.5	2592.5		P_75@0	S_75@0	21.27	22.05	< 33.01
2587.5	2602.5				21.25	22.03	< 33.01
2597.5	2612.5				21.20	21.98	< 33.01
2580.0	2599.8	20+20	P_1@0	S_1@99	16.37	17.15	< 33.01
2585.1	2604.9				15.91	16.69	< 33.01
2590.2	2610.0				15.90	16.68	< 33.01
2580.0	2599.8		P_1@49	S_0@0	21.82	22.60	< 33.01
2585.1	2604.9				21.56	22.34	< 33.01
2590.2	2610.0				21.55	22.33	< 33.01
2580.0	2599.8		P_1@99	S_1@0	22.48	23.26	< 33.01
2585.1	2604.9				22.26	23.04	< 33.01
2590.2	2610.0				22.25	23.03	< 33.01
2580.0	2599.8		P_100@0	S_100@0	21.30	22.08	< 33.01
2585.1	2604.9				21.30	22.08	< 33.01
2590.2	2610.0				21.23	22.01	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
2577.5	2592.5	15+15	P_1@0	S_1@74	15.04	15.82	< 33.01
2587.5	2602.5				15.14	15.92	< 33.01
2597.5	2612.5				13.97	14.75	< 33.01
2577.5	2592.5		P_1@38	S_0@0	17.74	18.52	< 33.01
2587.5	2602.5				14.98	15.76	< 33.01
2597.5	2612.5				13.80	14.58	< 33.01
2577.5	2592.5		P_1@74	S_1@0	18.18	18.96	< 33.01
2587.5	2602.5				18.17	18.95	< 33.01
2597.5	2612.5				17.05	17.83	< 33.01
2577.5	2592.5		P_75@0	S_75@0	17.55	18.33	< 33.01
2587.5	2602.5				17.65	18.43	< 33.01
2597.5	2612.5				17.10	17.88	< 33.01
2580.0	2599.8	20+20	P_1@0	S_1@99	14.67	15.45	< 33.01
2585.1	2604.9				14.71	15.49	< 33.01
2590.2	2610.0				14.70	15.48	< 33.01
2580.0	2599.8		P_1@49	S_0@0	18.44	19.22	< 33.01
2585.1	2604.9				17.12	17.90	< 33.01
2590.2	2610.0				18.52	19.30	< 33.01
2580.0	2599.8		P_1@99	S_1@0	17.46	18.24	< 33.01
2585.1	2604.9				17.69	18.47	< 33.01
2590.2	2610.0				17.63	18.41	< 33.01
2580.0	2599.8		P_100@0	S_100@0	17.46	18.24	< 33.01
2585.1	2604.9				17.49	18.27	< 33.01
2590.2	2610.0				17.33	18.11	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Candy Luo	Test Date	2020/10/18 ~ 2020/11/14
Test Band	Intra-Band CA_41C		

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2506.00	2525.80	20+20	P_1@0	S_1@99	15.73	16.51	< 33.01
2583.10	2602.90				16.10	16.88	< 33.01
2660.20	2680.00				16.11	16.89	< 33.01
2506.00	2525.80		P_1@49	S_0@0	23.88	24.66	< 33.01
2583.10	2602.90				23.78	24.56	< 33.01
2660.20	2680.00				23.80	24.58	< 33.01
2506.00	2525.80		P_1@99	S_1@0	24.53	25.31	< 33.01
2583.10	2602.90				24.41	25.19	< 33.01
2660.20	2680.00				24.49	25.27	< 33.01
2506.00	2525.80		P_100@0	S_100@0	22.71	23.49	< 33.01
2583.10	2602.90				22.70	23.48	< 33.01
2660.20	2680.00				22.65	23.43	< 33.01
2506.00	2523.10	20+15	P_1@0	S_1@74	16.33	17.11	< 33.01
2585.60	2602.70				16.17	16.95	< 33.01
2665.10	2682.20				16.18	16.96	< 33.01
2506.00	2523.10		P_1@49	S_0@0	23.90	24.68	< 33.01
2585.60	2602.70				23.71	24.49	< 33.01
2665.10	2682.20				23.75	24.53	< 33.01
2506.00	2523.10		P_1@99	S_1@0	24.62	25.40	< 33.01
2585.60	2602.70				24.45	25.23	< 33.01
2665.10	2682.20				24.58	25.36	< 33.01
2506.00	2523.10		P_100@0	S_75@0	22.80	23.58	< 33.01
2585.60	2602.70				22.72	23.50	< 33.01
2665.10	2682.20				22.69	23.47	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2503.80	2520.90	15+20	P_1@0	S_1@99	16.41	17.19	< 33.01
2593.30	2600.40				16.11	16.89	< 33.01
2662.90	2680.00				16.21	16.99	< 33.01
2503.80	2520.90		P_1@38	S_0@0	23.95	24.73	< 33.01
2593.30	2600.40				23.78	24.56	< 33.01
2662.90	2680.00				23.92	24.70	< 33.01
2503.80	2520.90		P_1@74	S_1@0	24.61	25.39	< 33.01
2593.30	2600.40				24.47	25.25	< 33.01
2662.90	2680.00				24.52	25.30	< 33.01
2503.80	2520.90		P_75@0	S_100@0	22.73	23.51	< 33.01
2593.30	2600.40				22.70	23.48	< 33.01
2662.90	2680.00				22.69	23.47	< 33.01
2506.00	2520.40	20+10	P_1@0	S_1@49	16.32	17.10	< 33.01
2588.10	2602.50				16.13	16.91	< 33.01
2670.10	2684.50				16.16	16.94	< 33.01
2506.00	2520.40		P_1@49	S_0@0	23.85	24.63	< 33.01
2588.10	2602.50				23.62	24.40	< 33.01
2670.10	2684.50				23.63	24.41	< 33.01
2506.00	2520.40		P_1@99	S_1@0	24.65	25.43	< 33.01
2588.10	2602.50				24.48	25.26	< 33.01
2670.10	2684.50				24.55	25.33	< 33.01
2506.00	2520.40		P_100@0	S_50@0	22.83	23.61	< 33.01
2588.10	2602.50				22.64	23.42	< 33.01
2670.10	2684.50				22.63	23.41	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2501.50	2515.90	10+20	P_1@0	S_1@99	16.37	17.15	< 33.01
2583.60	2598.00				16.22	17.00	< 33.01
2665.60	2680.00				16.15	16.93	< 33.01
2501.50	2515.90		P_1@25	S_0@0	23.90	24.68	< 33.01
2583.60	2598.00				23.87	24.65	< 33.01
2665.60	2680.00				23.76	24.54	< 33.01
2501.50	2515.90		P_1@49	S_1@0	24.62	25.40	< 33.01
2583.60	2598.00				24.52	25.30	< 33.01
2665.60	2680.00				24.49	25.27	< 33.01
2501.50	2515.90		P_50@0	S_100@0	22.73	23.51	< 33.01
2583.60	2598.00				22.68	23.46	< 33.01
2665.60	2680.00				22.63	23.41	< 33.01
2506.00	2517.70	20+5	P_1@0	S_1@24	16.24	17.02	< 33.01
2590.50	2602.20				16.05	16.83	< 33.01
2675.00	2686.70				16.08	16.86	< 33.01
2506.00	2517.70		P_1@49	S_0@0	23.76	24.54	< 33.01
2590.50	2602.20				23.52	24.30	< 33.01
2675.00	2686.70				23.65	24.43	< 33.01
2506.00	2517.70		P_1@99	S_1@0	24.58	25.36	< 33.01
2590.50	2602.20				24.48	25.26	< 33.01
2675.00	2686.70				24.79	25.57	< 33.01
2506.00	2517.70		P_100@	S_25@0	22.75	23.53	< 33.01
2590.50	2602.20				22.52	23.30	< 33.01
2675.00	2686.70				22.63	23.41	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2499.30	2511.00	5+20	P_1@0	S_1@99	16.24	17.02	< 33.01
2583.80	2595.50				16.15	16.93	< 33.01
2668.30	2680.00				16.14	16.92	< 33.01
2499.30	2511.00		P_1@13	S_0@0	23.98	24.76	< 33.01
2583.80	2595.50				23.87	24.65	< 33.01
2668.30	2680.00				23.91	24.69	< 33.01
2499.30	2511.00		P_1@24	S_1@0	24.67	25.45	< 33.01
2583.80	2595.50				24.57	25.35	< 33.01
2668.30	2680.00				24.57	25.35	< 33.01
2499.30	2511.00		P_25@0	S_100@0	22.79	23.57	< 33.01
2583.80	2595.50				22.67	23.45	< 33.01
2668.30	2680.00				22.65	23.43	< 33.01
2503.50	2518.50	15+15	P_1@0	S_1@74	16.47	17.25	< 33.01
2585.50	2600.50				16.14	16.92	< 33.01
2667.50	2682.50				16.20	16.98	< 33.01
2503.50	2518.50		P_1@38	S_1@0	23.80	24.58	< 33.01
2585.50	2600.50				23.75	24.53	< 33.01
2667.50	2682.50				23.82	24.60	< 33.01
2503.50	2518.50		P_1@74	S_0@0	24.56	25.34	< 33.01
2585.50	2600.50				24.49	25.27	< 33.01
2667.50	2682.50				24.54	25.32	< 33.01
2503.50	2518.50		P_75@0	S_75@0	22.80	23.58	< 33.01
2585.50	2600.50				22.69	23.47	< 33.01
2667.50	2682.50				22.61	23.39	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2501.30	2513.30	10+15	P_1@0	S_1@74	16.37	17.15	< 33.01
2585.90	2597.90				16.23	17.01	< 33.01
2670.50	2682.50				16.13	16.91	< 33.01
2501.30	2513.30		P_1@25	S_0@0	23.96	24.74	< 33.01
2585.90	2597.90				23.81	24.59	< 33.01
2670.50	2682.50				23.72	24.50	< 33.01
2501.30	2513.30		P_1@49	S_1@0	24.65	25.43	< 33.01
2585.90	2597.90				24.48	25.26	< 33.01
2670.50	2682.50				24.48	25.26	< 33.01
2501.30	2513.30		P_50@0	S_75@0	22.75	23.53	< 33.01
2585.90	2597.90				22.63	23.41	< 33.01
2670.50	2682.50				22.64	23.42	< 33.01
2503.50	2515.50	15+10	P_1@0	S_1@49	16.44	17.22	< 33.01
2588.10	2600.10				16.12	16.90	< 33.01
2672.70	2684.70				16.19	16.97	< 33.01
2503.50	2515.50		P_1@38	S_0@0	23.91	24.69	< 33.01
2588.10	2600.10				23.67	24.45	< 33.01
2672.70	2684.70				23.80	24.58	< 33.01
2503.50	2515.50		P_1@74	S_1@0	24.66	25.44	< 33.01
2588.10	2600.10				24.47	25.25	< 33.01
2672.70	2684.70				24.61	25.39	< 33.01
2503.50	2515.50		P_75@0	S_50@0	22.79	23.57	< 33.01
2588.10	2600.10				22.63	23.41	< 33.01
2672.70	2684.70				22.63	23.41	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2506.00	2525.80	20+20	P_1@0	S_1@99	16.20	16.98	< 33.01
2583.10	2602.90				16.36	17.14	< 33.01
2660.20	2680.00				16.38	17.16	< 33.01
2506.00	2525.80		P_1@49	S_0@0	23.12	23.90	< 33.01
2583.10	2602.90				23.05	23.83	< 33.01
2660.20	2680.00				23.11	23.89	< 33.01
2506.00	2525.80		P_1@99	S_1@0	23.82	24.60	< 33.01
2583.10	2602.90				23.67	24.45	< 33.01
2660.20	2680.00				23.77	24.55	< 33.01
2506.00	2525.80		P_100@0	S_100@0	21.72	22.50	< 33.01
2583.10	2602.90				21.72	22.50	< 33.01
2660.20	2680.00				21.65	22.43	< 33.01
2506.00	2523.10	20+15	P_1@0	S_1@74	16.70	17.48	< 33.01
2585.60	2602.70				16.40	17.18	< 33.01
2665.10	2682.20				16.44	17.22	< 33.01
2506.00	2523.10		P_1@49	S_0@0	23.28	24.06	< 33.01
2585.60	2602.70				23.07	23.85	< 33.01
2665.10	2682.20				23.09	23.87	< 33.01
2506.00	2523.10		P_1@99	S_1@0	23.94	24.72	< 33.01
2585.60	2602.70				23.74	24.52	< 33.01
2665.10	2682.20				23.85	24.63	< 33.01
2506.00	2523.10		P_100@0	S_75@0	21.82	22.60	< 33.01
2585.60	2602.70				21.71	22.49	< 33.01
2665.10	2682.20				21.71	22.49	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2503.80	2520.90	15+20	P_1@0	S_1@99	16.52	17.30	< 33.01
2593.30	2600.40				16.47	17.25	< 33.01
2662.90	2680.00				16.31	17.09	< 33.01
2503.80	2520.90		P_1@38	S_0@0	23.09	23.87	< 33.01
2593.30	2600.40				23.21	23.99	< 33.01
2662.90	2680.00				23.06	23.84	< 33.01
2503.80	2520.90		P_1@74	S_1@0	23.77	24.55	< 33.01
2593.30	2600.40				23.80	24.58	< 33.01
2662.90	2680.00				23.69	24.47	< 33.01
2503.80	2520.90		P_75@0	S_100@0	21.76	22.54	< 33.01
2593.30	2600.40				21.72	22.50	< 33.01
2662.90	2680.00				21.70	22.48	< 33.01
2506.00	2520.40	20+10	P_1@0	S_1@49	16.72	17.50	< 33.01
2588.10	2602.50				16.39	17.17	< 33.01
2670.10	2684.50				16.44	17.22	< 33.01
2506.00	2520.40		P_1@49	S_0@0	23.22	24.00	< 33.01
2588.10	2602.50				22.92	23.70	< 33.01
2670.10	2684.50				22.93	23.71	< 33.01
2506.00	2520.40		P_1@99	S_1@0	23.93	24.71	< 33.01
2588.10	2602.50				23.72	24.50	< 33.01
2670.10	2684.50				23.83	24.61	< 33.01
2506.00	2520.40		P_100@0	S_50@0	21.81	22.59	< 33.01
2588.10	2602.50				21.67	22.45	< 33.01
2670.10	2684.50				21.62	22.40	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2501.50	2515.90	10+20	P_1@0	S_1@99	16.56	17.34	< 33.01
2583.60	2598.00				16.23	17.01	< 33.01
2665.60	2680.00				16.33	17.11	< 33.01
2501.50	2515.90		P_1@25	S_0@0	23.04	23.82	< 33.01
2583.60	2598.00				22.95	23.73	< 33.01
2665.60	2680.00				23.03	23.81	< 33.01
2501.50	2515.90		P_1@49	S_1@0	23.76	24.54	< 33.01
2583.60	2598.00				23.53	24.31	< 33.01
2665.60	2680.00				23.61	24.39	< 33.01
2501.50	2515.90		P_50@0	S_100@0	21.78	22.56	< 33.01
2583.60	2598.00				21.69	22.47	< 33.01
2665.60	2680.00				21.66	22.44	< 33.01
2506.00	2517.70	20+5	P_1@0	S_1@24	16.66	17.44	< 33.01
2590.50	2602.20				16.35	17.13	< 33.01
2675.00	2686.70				16.42	17.20	< 33.01
2506.00	2517.70		P_1@49	S_0@0	23.21	23.99	< 33.01
2590.50	2602.20				22.86	23.64	< 33.01
2675.00	2686.70				22.95	23.73	< 33.01
2506.00	2517.70		P_1@99	S_1@0	23.92	24.70	< 33.01
2590.50	2602.20				23.70	24.48	< 33.01
2675.00	2686.70				24.16	24.94	< 33.01
2506.00	2517.70		P_100@	S_25@0	21.75	22.53	< 33.01
2590.50	2602.20				21.58	22.36	< 33.01
2675.00	2686.70				21.63	22.41	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2499.30	2511.00	5+20	P_1@0	S_1@99	16.48	17.26	< 33.01
2583.80	2595.50				16.45	17.23	< 33.01
2668.30	2680.00				16.50	17.28	< 33.01
2499.30	2511.00		P_1@13	S_0@0	23.22	24.00	< 33.01
2583.80	2595.50				23.27	24.05	< 33.01
2668.30	2680.00				23.18	23.96	< 33.01
2499.30	2511.00		P_1@24	S_1@0	23.88	24.66	< 33.01
2583.80	2595.50				23.87	24.65	< 33.01
2668.30	2680.00				23.90	24.68	< 33.01
2499.30	2511.00		P_25@0	S_100@0	21.81	22.59	< 33.01
2583.80	2595.50				21.71	22.49	< 33.01
2668.30	2680.00				21.64	22.42	< 33.01
2503.50	2518.50	15+15	P_1@0	S_1@74	16.45	17.23	< 33.01
2585.50	2600.50				16.46	17.24	< 33.01
2667.50	2682.50				16.34	17.12	< 33.01
2503.50	2518.50		P_1@38	S_0@0	22.89	23.67	< 33.01
2585.50	2600.50				23.14	23.92	< 33.01
2667.50	2682.50				22.98	23.76	< 33.01
2503.50	2518.50		P_1@74	S_1@0	23.56	24.34	< 33.01
2585.50	2600.50				23.78	24.56	< 33.01
2667.50	2682.50				23.66	24.44	< 33.01
2503.50	2518.50		P_75@0	S_75@0	21.84	22.62	< 33.01
2585.50	2600.50				21.70	22.48	< 33.01
2667.50	2682.50				21.64	22.42	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2501.30	2513.30	10+15	P_1@0	S_1@74	16.59	17.37	< 33.01
2585.90	2597.90				16.15	16.93	< 33.01
2670.50	2682.50				16.29	17.07	< 33.01
2501.30	2513.30		P_1@25	S_0@0	23.04	23.82	< 33.01
2585.90	2597.90				22.90	23.68	< 33.01
2670.50	2682.50				23.02	23.80	< 33.01
2501.30	2513.30		P_1@49	S_1@0	23.83	24.61	< 33.01
2585.90	2597.90				23.51	24.29	< 33.01
2670.50	2682.50				23.65	24.43	< 33.01
2501.30	2513.30		P_50@0	S_75@0	21.79	22.57	< 33.01
2585.90	2597.90				21.64	22.42	< 33.01
2670.50	2682.50				21.65	22.43	< 33.01
2503.50	2515.50	15+10	P_1@0	S_1@49	16.47	17.25	< 33.01
2588.10	2600.10				16.48	17.26	< 33.01
2672.70	2684.70				16.37	17.15	< 33.01
2503.50	2515.50		P_1@38	S_0@0	22.98	23.76	< 33.01
2588.10	2600.10				23.09	23.87	< 33.01
2672.70	2684.70				22.93	23.71	< 33.01
2503.50	2515.50		P_1@74	S_1@0	23.66	24.44	< 33.01
2588.10	2600.10				23.81	24.59	< 33.01
2672.70	2684.70				23.74	24.52	< 33.01
2503.50	2515.50		P_75@0	S_50@0	21.78	22.56	< 33.01
2588.10	2600.10				21.70	22.48	< 33.01
2672.70	2684.70				21.67	22.45	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2506.00	2525.80	20+20	P_1@0	S_1@99	16.34	17.12	< 33.01
2583.10	2602.90				16.26	17.04	< 33.01
2660.20	2680.00				16.56	17.34	< 33.01
2506.00	2525.80		P_1@49	S_0@0	22.25	23.03	< 33.01
2583.10	2602.90				21.98	22.76	< 33.01
2660.20	2680.00				22.33	23.11	< 33.01
2506.00	2525.80		P_1@99	S_1@0	22.99	23.77	< 33.01
2583.10	2602.90				22.63	23.41	< 33.01
2660.20	2680.00				22.90	23.68	< 33.01
2506.00	2525.80		P_100@0	S_100@0	21.68	22.46	< 33.01
2583.10	2602.90				21.76	22.54	< 33.01
2660.20	2680.00				21.71	22.49	< 33.01
2506.00	2523.10	20+15	P_1@0	S_1@74	16.84	17.62	< 33.01
2585.60	2602.70				16.32	17.10	< 33.01
2665.10	2682.20				16.60	17.38	< 33.01
2506.00	2523.10		P_1@49	S_0@0	22.40	23.18	< 33.01
2585.60	2602.70				21.93	22.71	< 33.01
2665.10	2682.20				22.31	23.09	< 33.01
2506.00	2523.10		P_1@99	S_1@0	23.06	23.84	< 33.01
2585.60	2602.70				22.68	23.46	< 33.01
2665.10	2682.20				22.77	23.55	< 33.01
2506.00	2523.10		P_100@0	S_75@0	21.80	22.58	< 33.01
2585.60	2602.70				21.74	22.52	< 33.01
2665.10	2682.20				21.74	22.52	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)		
PCC	SCC								
64QAM									
2503.80	2520.90	15+20	P_1@0	S_1@99	16.48	17.26	< 33.01		
2593.30	2600.40				16.62	17.40	< 33.01		
2662.90	2680.00				16.30	17.08	< 33.01		
2503.80	2520.90		P_1@38	S_0@0	22.07	22.85	< 33.01		
2593.30	2600.40				22.39	23.17	< 33.01		
2662.90	2680.00				22.03	22.81	< 33.01		
2503.80	2520.90				P_1@74	S_1@0	22.70	23.48	< 33.01
2593.30	2600.40						22.88	23.66	< 33.01
2662.90	2680.00						22.62	23.40	< 33.01
2503.80	2520.90		P_75@0	S_100@0	21.82	22.60	< 33.01		
2593.30	2600.40				21.76	22.54	< 33.01		
2662.90	2680.00				21.74	22.52	< 33.01		
2506.00	2520.40	20+10	P_1@0	S_1@49	16.87	17.65	< 33.01		
2588.10	2602.50				16.32	17.10	< 33.01		
2670.10	2684.50				16.61	17.39	< 33.01		
2506.00	2520.40		P_1@49	S_0@0	22.35	23.13	< 33.01		
2588.10	2602.50				21.86	22.64	< 33.01		
2670.10	2684.50				22.15	22.93	< 33.01		
2506.00	2520.40		P_1@99	S_1@0	23.08	23.86	< 33.01		
2588.10	2602.50				22.69	23.47	< 33.01		
2670.10	2684.50				22.70	23.48	< 33.01		
2506.00	2520.40		P_100@0	S_50@0	21.78	22.56	< 33.01		
2588.10	2602.50				21.71	22.49	< 33.01		
2670.10	2684.50				21.68	22.46	< 33.01		

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2501.50	2515.90	10+20	P_1@0	S_1@99	16.54	17.32	< 33.01
2583.60	2598.00				16.54	17.32	< 33.01
2665.60	2680.00				16.18	16.96	< 33.01
2501.50	2515.90		P_1@25	S_0@0	22.04	22.82	< 33.01
2583.60	2598.00				22.21	22.99	< 33.01
2665.60	2680.00				21.90	22.68	< 33.01
2501.50	2515.90		P_1@49	S_1@0	22.71	23.49	< 33.01
2583.60	2598.00				22.87	23.65	< 33.01
2665.60	2680.00				22.51	23.29	< 33.01
2501.50	2515.90		P_50@0	S_100@0	21.78	22.56	< 33.01
2583.60	2598.00				21.72	22.50	< 33.01
2665.60	2680.00				21.69	22.47	< 33.01
2506.00	2517.70	20+5	P_1@0	S_1@24	16.76	17.54	< 33.01
2590.50	2602.20				16.27	17.05	< 33.01
2675.00	2686.70				16.60	17.38	< 33.01
2506.00	2517.70		P_1@49	S_0@0	22.27	23.05	< 33.01
2590.50	2602.20				21.80	22.58	< 33.01
2675.00	2686.70				22.19	22.97	< 33.01
2506.00	2517.70		P_1@99	S_1@0	23.05	23.83	< 33.01
2590.50	2602.20				22.67	23.45	< 33.01
2675.00	2686.70				22.38	23.16	< 33.01
2506.00	2517.70		P_100@	S_25@0	21.72	22.50	< 33.01
2590.50	2602.20				21.58	22.36	< 33.01
2675.00	2686.70				21.63	22.41	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2499.30	2511.00	5+20	P_1@0	S_1@99	16.42	17.20	< 33.01
2583.80	2595.50				16.57	17.35	< 33.01
2668.30	2680.00				16.84	17.62	< 33.01
2499.30	2511.00		P_1@13	S_0@0	22.12	22.90	< 33.01
2583.80	2595.50				22.43	23.21	< 33.01
2668.30	2680.00				22.61	23.39	< 33.01
2499.30	2511.00		P_1@24	S_1@0	22.97	23.75	< 33.01
2583.80	2595.50				23.01	23.79	< 33.01
2668.30	2680.00				23.18	23.96	< 33.01
2499.30	2511.00		P_25@0	S_100@0	21.83	22.61	< 33.01
2583.80	2595.50				21.71	22.49	< 33.01
2668.30	2680.00				21.68	22.46	< 33.01
2503.50	2518.50	15+15	P_1@0	S_1@74	16.75	17.53	< 33.01
2585.50	2600.50				16.63	17.41	< 33.01
2667.50	2682.50				16.28	17.06	< 33.01
2503.50	2518.50		P_1@38	S_0@0	22.23	23.01	< 33.01
2585.50	2600.50				22.29	23.07	< 33.01
2667.50	2682.50				21.96	22.74	< 33.01
2503.50	2518.50		P_1@74	S_1@0	22.94	23.72	< 33.01
2585.50	2600.50				22.89	23.67	< 33.01
2667.50	2682.50				22.47	23.25	< 33.01
2503.50	2518.50		P_75@0	S_75@0	21.83	22.61	< 33.01
2585.50	2600.50				21.76	22.54	< 33.01
2667.50	2682.50				21.68	22.46	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
2501.30	2513.30	10+15	P_1@0	S_1@74	16.52	17.30	< 33.01
2585.90	2597.90				16.51	17.29	< 33.01
2670.50	2682.50				16.13	16.91	< 33.01
2501.30	2513.30		P_1@25	S_0@0	22.07	22.85	< 33.01
2585.90	2597.90				22.19	22.97	< 33.01
2670.50	2682.50				21.88	22.66	< 33.01
2501.30	2513.30		P_1@49	S_1@0	22.56	23.34	< 33.01
2585.90	2597.90				22.84	23.62	< 33.01
2670.50	2682.50				22.20	22.98	< 33.01
2501.30	2513.30		P_50@0	S_75@0	21.77	22.55	< 33.01
2585.90	2597.90				21.68	22.46	< 33.01
2670.50	2682.50				21.70	22.48	< 33.01
2503.50	2515.50	15+10	P_1@0	S_1@49	16.72	17.50	< 33.01
2588.10	2600.10				16.60	17.38	< 33.01
2672.70	2684.70				16.30	17.08	< 33.01
2503.50	2515.50		P_1@38	S_0@0	22.31	23.09	< 33.01
2588.10	2600.10				22.26	23.04	< 33.01
2672.70	2684.70				21.91	22.69	< 33.01
2503.50	2515.50		P_1@74	S_1@0	23.01	23.79	< 33.01
2588.10	2600.10				22.92	23.70	< 33.01
2672.70	2684.70				22.38	23.16	< 33.01
2503.50	2515.50		P_75@0	S_50@0	21.78	22.56	< 33.01
2588.10	2600.10				21.69	22.47	< 33.01
2672.70	2684.70				21.70	22.48	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
2506.00	2525.80	20+20	P_1@0	S_1@99	15.39	16.17	< 33.01
2583.10	2602.90				15.65	16.43	< 33.01
2660.20	2680.00				14.86	15.64	< 33.01
2506.00	2525.80		P_1@49	S_0@0	18.73	19.51	< 33.01
2583.10	2602.90				17.79	18.57	< 33.01
2660.20	2680.00				14.75	15.53	< 33.01
2506.00	2525.80		P_1@99	S_1@0	19.02	19.80	< 33.01
2583.10	2602.90				17.94	18.72	< 33.01
2660.20	2680.00				18.15	18.93	< 33.01
2506.00	2525.80		P_100@0	S_100@0	18.58	19.36	< 33.01
2583.10	2602.90				18.23	19.01	< 33.01
2660.20	2680.00				17.23	18.01	< 33.01
2506.00	2523.10	20+15	P_1@0	S_1@74	15.81	16.59	< 33.01
2585.60	2602.70				15.66	16.44	< 33.01
2665.10	2682.20				14.68	15.46	< 33.01
2506.00	2523.10		P_1@49	S_0@0	15.06	15.84	< 33.01
2585.60	2602.70				19.07	19.85	< 33.01
2665.10	2682.20				14.88	15.66	< 33.01
2506.00	2523.10		P_1@99	S_1@0	18.88	19.66	< 33.01
2585.60	2602.70				18.03	18.81	< 33.01
2665.10	2682.20				18.27	19.05	< 33.01
2506.00	2523.10		P_100@0	S_75@0	18.57	19.35	< 33.01
2585.60	2602.70				17.83	18.61	< 33.01
2665.10	2682.20				17.80	18.58	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)		
PCC	SCC								
256QAM									
2503.80	2520.90	15+20	P_1@0	S_1@99	16.03	16.81	< 33.01		
2593.30	2600.40				14.63	15.41	< 33.01		
2662.90	2680.00				14.61	15.39	< 33.01		
2503.80	2520.90		P_1@38	S_0@0	18.52	19.30	< 33.01		
2593.30	2600.40				14.49	15.27	< 33.01		
2662.90	2680.00				17.85	18.63	< 33.01		
2503.80	2520.90				P_1@74	S_1@0	18.66	19.44	< 33.01
2593.30	2600.40						17.43	18.21	< 33.01
2662.90	2680.00						17.77	18.55	< 33.01
2503.80	2520.90		P_75@0	S_100@0	18.61	19.39	< 33.01		
2593.30	2600.40				18.26	19.04	< 33.01		
2662.90	2680.00				18.14	18.92	< 33.01		
2506.00	2520.40	20+10	P_1@0	S_1@49	15.03	15.81	< 33.01		
2588.10	2602.50				14.99	15.77	< 33.01		
2670.10	2684.50				14.66	15.44	< 33.01		
2506.00	2520.40		P_1@49	S_0@0	18.75	19.53	< 33.01		
2588.10	2602.50				14.68	15.46	< 33.01		
2670.10	2684.50				18.08	18.86	< 33.01		
2506.00	2520.40		P_1@99	S_1@0	18.35	19.13	< 33.01		
2588.10	2602.50				18.55	19.33	< 33.01		
2670.10	2684.50				17.73	18.51	< 33.01		
2506.00	2520.40		P_100@0	S_50@0	17.70	18.48	< 33.01		
2588.10	2602.50				17.34	18.12	< 33.01		
2670.10	2684.50				17.85	18.63	< 33.01		

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
2501.50	2515.90	10+20	P_1@0	S_1@99	15.43	16.21	< 33.01
2583.60	2598.00				14.97	15.75	< 33.01
2665.60	2680.00				14.52	15.30	< 33.01
2501.50	2515.90		P_1@25	S_0@0	19.30	20.08	< 33.01
2583.60	2598.00				18.83	19.61	< 33.01
2665.60	2680.00				18.56	19.34	< 33.01
2501.50	2515.90		P_1@49	S_1@0	19.01	19.79	< 33.01
2583.60	2598.00				18.52	19.30	< 33.01
2665.60	2680.00				18.26	19.04	< 33.01
2501.50	2515.90		P_50@0	S_100@0	18.71	19.49	< 33.01
2583.60	2598.00				18.11	18.89	< 33.01
2665.60	2680.00				18.66	19.44	< 33.01
2506.00	2517.70	20+5	P_1@0	S_1@24	15.45	16.23	< 33.01
2590.50	2602.20				15.26	16.04	< 33.01
2675.00	2686.70				15.38	16.16	< 33.01
2506.00	2517.70		P_1@49	S_0@0	18.93	19.71	< 33.01
2590.50	2602.20				18.59	19.37	< 33.01
2675.00	2686.70				17.57	18.35	< 33.01
2506.00	2517.70		P_1@99	S_1@0	18.95	19.73	< 33.01
2590.50	2602.20				18.51	19.29	< 33.01
2675.00	2686.70				19.22	20.00	< 33.01
2506.00	2517.70		P_100@	S_25@0	18.44	19.22	< 33.01
2590.50	2602.20				18.03	18.81	< 33.01
2675.00	2686.70				17.85	18.63	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
2499.30	2511.00	5+20	P_1@0	S_1@99	15.88	16.66	< 33.01
2583.80	2595.50				15.13	15.91	< 33.01
2668.30	2680.00				14.81	15.59	< 33.01
2499.30	2511.00		P_1@13	S_0@0	19.10	19.88	< 33.01
2583.80	2595.50				18.52	19.30	< 33.01
2668.30	2680.00				17.86	18.64	< 33.01
2499.30	2511.00		P_1@24	S_1@0	18.99	19.77	< 33.01
2583.80	2595.50				18.97	19.75	< 33.01
2668.30	2680.00				18.73	19.51	< 33.01
2499.30	2511.00		P_25@0	S_100@0	18.53	19.31	< 33.01
2583.80	2595.50				18.01	18.79	< 33.01
2668.30	2680.00				17.66	18.44	< 33.01
2503.50	2518.50	15+15	P_1@0	S_1@74	15.71	16.49	< 33.01
2585.50	2600.50				14.95	15.73	< 33.01
2667.50	2682.50				17.53	18.31	< 33.01
2503.50	2518.50		P_1@38	S_0@0	18.31	19.09	< 33.01
2585.50	2600.50				18.46	19.24	< 33.01
2667.50	2682.50				18.58	19.36	< 33.01
2503.50	2518.50		P_1@74	S_1@0	18.82	19.60	< 33.01
2585.50	2600.50				17.19	17.97	< 33.01
2667.50	2682.50				18.14	18.92	< 33.01
2503.50	2518.50		P_75@0	S_75@0	18.23	19.01	< 33.01
2585.50	2600.50				18.12	18.90	< 33.01
2667.50	2682.50				17.97	18.75	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
2501.30	2513.30	10+15	P_1@0	S_1@74	14.88	15.66	< 33.01
2585.90	2597.90				14.98	15.76	< 33.01
2670.50	2682.50				14.83	15.61	< 33.01
2501.30	2513.30		P_1@25	S_0@0	18.04	18.82	< 33.01
2585.90	2597.90				18.70	19.48	< 33.01
2670.50	2682.50				18.16	18.94	< 33.01
2501.30	2513.30		P_1@49	S_1@0	19.08	19.86	< 33.01
2585.90	2597.90				18.10	18.88	< 33.01
2670.50	2682.50				18.13	18.91	< 33.01
2501.30	2513.30		P_50@0	S_75@0	18.53	19.31	< 33.01
2585.90	2597.90				17.93	18.71	< 33.01
2670.50	2682.50				17.82	18.60	< 33.01
2503.50	2515.50	15+10	P_1@0	S_1@49	14.95	15.73	< 33.01
2588.10	2600.10				15.08	15.86	< 33.01
2672.70	2684.70				14.51	15.29	< 33.01
2503.50	2515.50		P_1@38	S_0@0	18.73	19.51	< 33.01
2588.10	2600.10				18.89	19.67	< 33.01
2672.70	2684.70				17.87	18.65	< 33.01
2503.50	2515.50		P_1@74	S_1@0	18.25	19.03	< 33.01
2588.10	2600.10				18.36	19.14	< 33.01
2672.70	2684.70				18.35	19.13	< 33.01
2503.50	2515.50		P_75@0	S_50@0	18.30	19.08	< 33.01
2588.10	2600.10				17.94	18.72	< 33.01
2672.70	2684.70				17.75	18.53	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Candy Luo	Test Date	2020/10/18 ~ 2020/11/14
Test Band	Intra-Band CA_66C		

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)		
PCC	SCC								
QPSK									
1715.3	1727.3	10+15	P_1@0	S_1@74	15.50	16.97	< 30.00		
1747.9	1759.9				15.47	16.94	< 30.00		
1760.5	1772.5				15.57	17.04	< 30.00		
1715.3	1727.3		10+15	P_1@25	S_0@0	23.18	24.65	< 30.00	
1747.9	1759.9					23.12	24.59	< 30.00	
1760.5	1772.5					23.20	24.67	< 30.00	
1715.3	1727.3			P_1@49	S_1@0	23.83	25.30	< 30.00	
1747.9	1759.9					23.82	25.29	< 30.00	
1760.5	1772.5					23.98	25.45	< 30.00	
1715.3	1727.3		15+10	P_50@0	S_75@0	22.12	23.59	< 30.00	
1747.9	1759.9					22.08	23.55	< 30.00	
1760.5	1772.5					22.07	23.54	< 30.00	
1717.5	1729.5	15+10		P_1@0	S_1@49	15.48	16.95	< 30.00	
1750.1	1762.1					15.48	16.95	< 30.00	
1762.7	1774.7					15.51	16.98	< 30.00	
1717.5	1729.5			15+10	P_1@38	S_0@0	23.10	24.57	< 30.00
1750.1	1762.1						22.97	24.44	< 30.00
1762.7	1774.7						22.96	24.43	< 30.00
1717.5	1729.5				P_1@74	S_1@0	23.71	25.18	< 30.00
1750.1	1762.1						23.73	25.20	< 30.00
1762.7	1774.7						23.82	25.29	< 30.00
1717.5	1729.5		15+10	P_75@0	S_50@0	22.02	23.49	< 30.00	
1750.1	1762.1					22.03	23.50	< 30.00	
1762.7	1774.7					22.03	23.50	< 30.00	

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1715.5	1729.9	10+20	P_1@0	S_1@99	15.53	17.00	< 30.00
1745.6	1760				15.51	16.98	< 30.00
1755.6	1770				15.60	17.07	< 30.00
1715.5	1729.9		P_1@25	S_0@0	23.09	24.56	< 30.00
1745.6	1760				23.15	24.62	< 30.00
1755.6	1770				23.13	24.60	< 30.00
1715.5	1729.9		P_1@49	S_1@0	23.86	25.33	< 30.00
1745.6	1760				23.92	25.39	< 30.00
1755.6	1770				23.92	25.39	< 30.00
1715.5	1729.9		P_50@0	S_100@0	22.14	23.61	< 30.00
1745.6	1760				22.06	23.53	< 30.00
1755.6	1770				22.04	23.51	< 30.00
1720	1734.4	20+10	P_1@0	S_1@49	15.61	17.08	< 30.00
1750.1	1764.5				15.53	17.00	< 30.00
1760.1	1774.5				15.60	17.07	< 30.00
1720	1734.4		P_1@49	S_0@0	23.09	24.56	< 30.00
1750.1	1764.5				23.11	24.58	< 30.00
1760.1	1774.5				23.09	24.56	< 30.00
1720	1734.4		P_1@99	S_1@0	23.85	25.32	< 30.00
1750.1	1764.5				23.88	25.35	< 30.00
1760.1	1774.5				23.91	25.38	< 30.00
1720	1734.4		P_100@0	S_50@0	22.11	23.58	< 30.00
1750.1	1764.5				22.02	23.49	< 30.00
1760.1	1774.5				22.05	23.52	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1717.8	1734.9	15+20	P_1@0	S_1@99	15.60	17.07	< 30.00
1745.3	1762.4				15.56	17.03	< 30.00
1752.9	1770.0				15.59	17.06	< 30.00
1717.8	1734.9		P_1@38	S_0@0	23.32	24.79	< 30.00
1745.3	1762.4				23.19	24.66	< 30.00
1752.9	1770.0				23.22	24.69	< 30.00
1717.8	1734.9		P_1@74	S_1@0	23.82	25.29	< 30.00
1745.3	1762.4				23.81	25.28	< 30.00
1752.9	1770.0				23.82	25.29	< 30.00
1717.8	1734.9		P_75@0	S_100@0	22.10	23.57	< 30.00
1745.3	1762.4				22.09	23.56	< 30.00
1752.9	1770.0				22.08	23.55	< 30.00
1720.0	1737.1	20+15	P_1@0	S_1@74	15.66	17.13	< 30.00
1747.6	1764.7				15.57	17.04	< 30.00
1755.1	1772.2				15.65	17.12	< 30.00
1720.0	1737.1		P_1@49	S_0@0	23.18	24.65	< 30.00
1747.6	1764.7				23.07	24.54	< 30.00
1755.1	1772.2				23.12	24.59	< 30.00
1720.0	1737.1		P_1@99	S_1@0	23.86	25.33	< 30.00
1747.6	1764.7				23.89	25.36	< 30.00
1755.1	1772.2				23.90	25.37	< 30.00
1720.0	1737.1		P_100@	S_75@0	22.11	23.58	< 30.00
1747.6	1764.7				22.09	23.56	< 30.00
1755.1	1772.2				22.10	23.57	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1720.0	1731.7	20+5	P_1@0	S_1@24	15.56	17.03	< 30.00
1752.5	1764.2				15.49	16.96	< 30.00
1765.0	1776.7				15.53	17.00	< 30.00
1720.0	1731.7		P_1@49	S_0@0	23.12	24.59	< 30.00
1752.5	1764.2				23.09	24.56	< 30.00
1765.0	1776.7				23.05	24.52	< 30.00
1720.0	1731.7		P_1@99	S_1@0	23.92	25.39	< 30.00
1752.5	1764.2				23.86	25.33	< 30.00
1765.0	1776.7				23.97	25.44	< 30.00
1720.0	1731.7		P_100@0	S_25@0	22.06	23.53	< 30.00
1752.5	1764.2				22.00	23.47	< 30.00
1765.0	1776.7				22.05	23.52	< 30.00
1713.3	1725.0	5+20	P_1@0	S_1@99	15.60	17.07	< 30.00
1745.8	1757.5				15.52	16.99	< 30.00
1758.3	1770.0				15.49	16.96	< 30.00
1713.3	1725.0		P_1@13	S_0@0	23.36	24.83	< 30.00
1745.8	1757.5				23.27	24.74	< 30.00
1758.3	1770.0				23.24	24.71	< 30.00
1713.3	1725.0		P_1@24	S_1@0	24.02	25.49	< 30.00
1745.8	1757.5				24.04	25.51	< 30.00
1758.3	1770.0				23.94	25.41	< 30.00
1713.3	1725.0		P_25@0	S_100@0	22.17	23.64	< 30.00
1745.8	1757.5				22.06	23.53	< 30.00
1758.3	1770.0				22.13	23.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1713.3	1725.0	15+15	P_1@0	S_1@74	15.54	17.01	< 30.00
1745.8	1757.5				15.52	16.99	< 30.00
1758.3	1770.0				15.56	17.03	< 30.00
1713.3	1725.0		P_1@38	S_0@0	23.19	24.66	< 30.00
1745.8	1757.5				23.23	24.70	< 30.00
1758.3	1770.0				23.01	24.48	< 30.00
1713.3	1725.0		P_1@74	S_1@0	23.72	25.19	< 30.00
1745.8	1757.5				23.80	25.27	< 30.00
1758.3	1770.0				23.75	25.22	< 30.00
1713.3	1725.0		P_75@0	S_75@0	22.06	23.53	< 30.00
1745.8	1757.5				22.04	23.51	< 30.00
1758.3	1770.0				22.03	23.50	< 30.00
1720.0	1739.8	20+20	P_1@0	S_1@99	15.62	17.09	< 30.00
1745.1	1764.9				15.60	17.07	< 30.00
1750.2	1770.0				15.52	16.99	< 30.00
1720.0	1739.8		P_1@49	S_0@0	23.14	24.61	< 30.00
1745.1	1764.9				23.08	24.55	< 30.00
1750.2	1770.0				23.14	24.61	< 30.00
1720.0	1739.8		P_1@99	S_1@0	23.82	25.29	< 30.00
1745.1	1764.9				23.93	25.40	< 30.00
1750.2	1770.0				23.84	25.31	< 30.00
1720.0	1739.8		P_100@0	S_100@0	22.08	23.55	< 30.00
1745.1	1764.9				22.10	23.57	< 30.00
1750.2	1770.0				22.09	23.56	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
1715.3	1727.3	10+15	P_1@0	S_1@74	16.15	17.62	< 30.00
1747.9	1759.9				15.73	17.20	< 30.00
1760.5	1772.5				15.58	17.05	< 30.00
1715.3	1727.3		P_1@25	S_0@0	22.81	24.28	< 30.00
1747.9	1759.9				22.42	23.89	< 30.00
1760.5	1772.5				22.27	23.74	< 30.00
1715.3	1727.3		P_1@49	S_1@0	23.47	24.94	< 30.00
1747.9	1759.9				23.16	24.63	< 30.00
1760.5	1772.5				22.96	24.43	< 30.00
1715.3	1727.3		P_50@0	S_75@0	21.15	22.62	< 30.00
1747.9	1759.9				21.10	22.57	< 30.00
1760.5	1772.5				21.11	22.58	< 30.00
1717.5	1729.5	15+10	P_1@0	S_1@49	16.16	17.63	< 30.00
1750.1	1762.1				15.69	17.16	< 30.00
1762.7	1774.7				16.05	17.52	< 30.00
1717.5	1729.5		P_1@38	S_0@0	22.75	24.22	< 30.00
1750.1	1762.1				22.42	23.89	< 30.00
1762.7	1774.7				22.57	24.04	< 30.00
1717.5	1729.5		P_1@74	S_1@0	23.33	24.80	< 30.00
1750.1	1762.1				23.07	24.54	< 30.00
1762.7	1774.7				23.42	24.89	< 30.00
1717.5	1729.5		P_75@0	S_50@0	21.04	22.51	< 30.00
1750.1	1762.1				21.07	22.54	< 30.00
1762.7	1774.7				21.08	22.55	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
1715.5	1729.9	10+20	P_1@0	S_1@99	16.22	17.69	< 30.00
1745.6	1760				15.76	17.23	< 30.00
1755.6	1770				15.58	17.05	< 30.00
1715.5	1729.9		P_1@25	S_0@0	22.84	24.31	< 30.00
1745.6	1760				22.43	23.90	< 30.00
1755.6	1770				22.30	23.77	< 30.00
1715.5	1729.9		P_1@49	S_1@0	23.16	24.63	< 30.00
1745.6	1760				23.20	24.67	< 30.00
1755.6	1770				22.98	24.45	< 30.00
1715.5	1729.9		P_50@0	S_100@0	21.16	22.63	< 30.00
1745.6	1760				21.11	22.58	< 30.00
1755.6	1770				21.11	22.58	< 30.00
1720	1734.4	20+10	P_1@0	S_1@49	15.97	17.44	< 30.00
1750.1	1764.5				15.86	17.33	< 30.00
1760.1	1774.5				16.15	17.62	< 30.00
1720	1734.4		P_1@49	S_0@0	22.82	24.29	< 30.00
1750.1	1764.5				22.40	23.87	< 30.00
1760.1	1774.5				22.65	24.12	< 30.00
1720	1734.4		P_1@99	S_1@0	23.16	24.63	< 30.00
1750.1	1764.5				23.13	24.60	< 30.00
1760.1	1774.5				23.43	24.90	< 30.00
1720	1734.4		P_100@0	S_50@0	21.13	22.60	< 30.00
1750.1	1764.5				21.06	22.53	< 30.00
1760.1	1774.5				21.10	22.57	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
1717.8	1734.9	15+20	P_1@0	S_1@99	16.30	17.77	< 30.00
1745.3	1762.4				15.83	17.30	< 30.00
1752.9	1770.0				16.07	17.54	< 30.00
1717.8	1734.9		P_1@38	S_0@0	22.84	24.31	< 30.00
1745.3	1762.4				22.49	23.96	< 30.00
1752.9	1770.0				22.62	24.09	< 30.00
1717.8	1734.9		P_1@74	S_1@0	23.51	24.98	< 30.00
1745.3	1762.4				23.17	24.64	< 30.00
1752.9	1770.0				23.24	24.71	< 30.00
1717.8	1734.9		P_75@0	S_100@0	21.20	22.67	< 30.00
1745.3	1762.4				21.17	22.64	< 30.00
1752.9	1770.0				21.10	22.57	< 30.00
1720.0	1737.1	20+15	P_1@0	S_1@74	15.99	17.46	< 30.00
1747.6	1764.7				15.88	17.35	< 30.00
1755.1	1772.2				16.23	17.70	< 30.00
1720.0	1737.1		P_1@49	S_0@0	22.65	24.12	< 30.00
1747.6	1764.7				22.43	23.90	< 30.00
1755.1	1772.2				22.69	24.16	< 30.00
1720.0	1737.1		P_1@99	S_1@0	23.12	24.59	< 30.00
1747.6	1764.7				23.14	24.61	< 30.00
1755.1	1772.2				23.44	24.91	< 30.00
1720.0	1737.1		P_100@	S_75@0	21.12	22.59	< 30.00
1747.6	1764.7				21.15	22.62	< 30.00
1755.1	1772.2				21.15	22.62	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
1720.0	1731.7	20+5	P_1@0	S_1@24	15.90	17.37	< 30.00
1752.5	1764.2				15.81	17.28	< 30.00
1765.0	1776.7				16.09	17.56	< 30.00
1720.0	1731.7		P_1@49	S_0@0	22.41	23.88	< 30.00
1752.5	1764.2				22.37	23.84	< 30.00
1765.0	1776.7				22.68	24.15	< 30.00
1720.0	1731.7		P_1@99	S_1@0	23.15	24.62	< 30.00
1752.5	1764.2				23.09	24.56	< 30.00
1765.0	1776.7				23.51	24.98	< 30.00
1720.0	1731.7		P_100@0	S_25@0	21.06	22.53	< 30.00
1752.5	1764.2				21.02	22.49	< 30.00
1765.0	1776.7				21.10	22.57	< 30.00
1713.3	1725.0	5+20	P_1@0	S_1@99	15.64	17.11	< 30.00
1745.8	1757.5				15.87	17.34	< 30.00
1758.3	1770.0				15.66	17.13	< 30.00
1713.3	1725.0		P_1@13	S_0@0	22.40	23.87	< 30.00
1745.8	1757.5				22.78	24.25	< 30.00
1758.3	1770.0				22.54	24.01	< 30.00
1713.3	1725.0		P_1@24	S_1@0	23.05	24.52	< 30.00
1745.8	1757.5				23.38	24.85	< 30.00
1758.3	1770.0				23.20	24.67	< 30.00
1713.3	1725.0		P_25@0	S_100@0	21.20	22.67	< 30.00
1745.8	1757.5				21.12	22.59	< 30.00
1758.3	1770.0				21.17	22.64	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
1713.3	1725.0	15+15	P_1@0	S_1@74	16.22	17.69	< 30.00
1745.8	1757.5				15.78	17.25	< 30.00
1758.3	1770.0				16.06	17.53	< 30.00
1713.3	1725.0		P_1@38	S_0@0	22.84	24.31	< 30.00
1745.8	1757.5				22.48	23.95	< 30.00
1758.3	1770.0				22.57	24.04	< 30.00
1713.3	1725.0		P_1@74	S_1@0	23.37	24.84	< 30.00
1745.8	1757.5				23.11	24.58	< 30.00
1758.3	1770.0				23.19	24.66	< 30.00
1713.3	1725.0		P_75@0	S_75@0	21.15	22.62	< 30.00
1745.8	1757.5				21.09	22.56	< 30.00
1758.3	1770.0				21.05	22.52	< 30.00
1720.0	1739.8	20+20	P_1@0	S_1@99	16.18	17.65	< 30.00
1745.1	1764.9				15.93	17.40	< 30.00
1750.2	1770.0				15.86	17.33	< 30.00
1720.0	1739.8		P_1@49	S_0@0	22.83	24.30	< 30.00
1745.1	1764.9				22.55	24.02	< 30.00
1750.2	1770.0				22.51	23.98	< 30.00
1720.0	1739.8		P_1@99	S_1@0	23.10	24.57	< 30.00
1745.1	1764.9				23.19	24.66	< 30.00
1750.2	1770.0				23.12	24.59	< 30.00
1720.0	1739.8		P_100@0	S_100@0	21.13	22.60	< 30.00
1745.1	1764.9				21.11	22.58	< 30.00
1750.2	1770.0				21.12	22.59	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
1715.3	1727.3	10+15	P_1@0	S_1@74	15.87	17.34	< 30.00
1747.9	1759.9				15.67	17.14	< 30.00
1760.5	1772.5				15.45	16.92	< 30.00
1715.3	1727.3		P_1@25	S_0@0	21.53	23.00	< 30.00
1747.9	1759.9				21.39	22.86	< 30.00
1760.5	1772.5				21.14	22.61	< 30.00
1715.3	1727.3		P_1@49	S_1@0	22.18	23.65	< 30.00
1747.9	1759.9				22.13	23.60	< 30.00
1760.5	1772.5				20.36	21.83	< 30.00
1715.3	1727.3		P_50@0	S_75@0	21.09	22.56	< 30.00
1747.9	1759.9				21.15	22.62	< 30.00
1760.5	1772.5				20.92	22.39	< 30.00
1717.5	1729.5	15+10	P_1@0	S_1@49	15.82	17.29	< 30.00
1750.1	1762.1				15.64	17.11	< 30.00
1762.7	1774.7				15.73	17.20	< 30.00
1717.5	1729.5		P_1@38	S_0@0	21.49	22.96	< 30.00
1750.1	1762.1				21.41	22.88	< 30.00
1762.7	1774.7				21.40	22.87	< 30.00
1717.5	1729.5		P_1@74	S_1@0	22.15	23.62	< 30.00
1750.1	1762.1				21.40	22.87	< 30.00
1762.7	1774.7				20.78	22.25	< 30.00
1717.5	1729.5		P_75@0	S_50@0	21.08	22.55	< 30.00
1750.1	1762.1				21.05	22.52	< 30.00
1762.7	1774.7				20.88	22.35	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
1715.5	1729.9	10+20	P_1@0	S_1@99	15.89	17.36	< 30.00
1745.6	1760				15.72	17.19	< 30.00
1755.6	1770				15.50	16.97	< 30.00
1715.5	1729.9		P_1@25	S_0@0	21.60	23.07	< 30.00
1745.6	1760				21.45	22.92	< 30.00
1755.6	1770				21.32	22.79	< 30.00
1715.5	1729.9		P_1@49	S_1@0	22.28	23.75	< 30.00
1745.6	1760				22.19	23.66	< 30.00
1755.6	1770				20.42	21.89	< 30.00
1715.5	1729.9		P_50@0	S_100@0	21.18	22.65	< 30.00
1745.6	1760				21.13	22.60	< 30.00
1755.6	1770				21.14	22.61	< 30.00
1720	1734.4	20+10	P_1@0	S_1@49	15.89	17.36	< 30.00
1750.1	1764.5				16.03	17.50	< 30.00
1760.1	1774.5				15.70	17.17	< 30.00
1720	1734.4		P_1@49	S_0@0	21.35	22.82	< 30.00
1750.1	1764.5				21.56	23.03	< 30.00
1760.1	1774.5				21.16	22.63	< 30.00
1720	1734.4		P_1@99	S_1@0	20.82	22.29	< 30.00
1750.1	1764.5				21.13	22.60	< 30.00
1760.1	1774.5				20.40	21.87	< 30.00
1720	1734.4		P_100@0	S_50@0	21.14	22.61	< 30.00
1750.1	1764.5				21.06	22.53	< 30.00
1760.1	1774.5				21.02	22.49	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
1717.8	1734.9	15+20	P_1@0	S_1@99	15.91	17.38	< 30.00
1745.3	1762.4				15.76	17.23	< 30.00
1752.9	1770.0				15.97	17.44	< 30.00
1717.8	1734.9		P_1@38	S_0@0	21.51	22.98	< 30.00
1745.3	1762.4				21.48	22.95	< 30.00
1752.9	1770.0				21.70	23.17	< 30.00
1717.8	1734.9		P_1@74	S_1@0	21.65	23.12	< 30.00
1745.3	1762.4				22.15	23.62	< 30.00
1752.9	1770.0				20.32	21.79	< 30.00
1717.8	1734.9		P_75@0	S_100@0	21.21	22.68	< 30.00
1745.3	1762.4				21.18	22.65	< 30.00
1752.9	1770.0				21.13	22.60	< 30.00
1720.0	1737.1	20+15	P_1@0	S_1@74	15.91	17.38	< 30.00
1747.6	1764.7				16.05	17.52	< 30.00
1755.1	1772.2				15.75	17.22	< 30.00
1720.0	1737.1		P_1@49	S_0@0	21.46	22.93	< 30.00
1747.6	1764.7				21.55	23.02	< 30.00
1755.1	1772.2				21.20	22.67	< 30.00
1720.0	1737.1		P_1@99	S_1@0	21.73	23.20	< 30.00
1747.6	1764.7				21.56	23.03	< 30.00
1755.1	1772.2				20.18	21.65	< 30.00
1720.0	1737.1		P_100@	S_75@0	21.15	22.62	< 30.00
1747.6	1764.7				21.11	22.58	< 30.00
1755.1	1772.2				21.16	22.63	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
1720.0	1731.7	20+5	P_1@0	S_1@24	15.71	17.18	< 30.00
1752.5	1764.2				16.02	17.49	< 30.00
1765.0	1776.7				16.63	18.10	< 30.00
1720.0	1731.7		P_1@49	S_0@0	21.34	22.81	< 30.00
1752.5	1764.2				21.62	23.09	< 30.00
1765.0	1776.7				21.07	22.54	< 30.00
1720.0	1731.7		P_1@99	S_1@0	21.71	23.18	< 30.00
1752.5	1764.2				20.74	22.21	< 30.00
1765.0	1776.7				20.15	21.62	< 30.00
1720.0	1731.7		P_100@0	S_25@0	21.09	22.56	< 30.00
1752.5	1764.2				21.06	22.53	< 30.00
1765.0	1776.7				20.89	22.36	< 30.00
1713.3	1725.0	5+20	P_1@0	S_1@99	15.69	17.16	< 30.00
1745.8	1757.5				15.80	17.27	< 30.00
1758.3	1770.0				15.66	17.13	< 30.00
1713.3	1725.0		P_1@13	S_0@0	21.46	22.93	< 30.00
1745.8	1757.5				21.49	22.96	< 30.00
1758.3	1770.0				21.55	23.02	< 30.00
1713.3	1725.0		P_1@24	S_1@0	22.21	23.68	< 30.00
1745.8	1757.5				22.17	23.64	< 30.00
1758.3	1770.0				20.87	22.34	< 30.00
1713.3	1725.0		P_25@0	S_100@0	21.19	22.66	< 30.00
1745.8	1757.5				21.18	22.65	< 30.00
1758.3	1770.0				21.03	22.50	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
1713.3	1725.0	15+15	P_1@0	S_1@74	15.89	17.36	< 30.00
1745.8	1757.5				15.71	17.18	< 30.00
1758.3	1770.0				15.82	17.29	< 30.00
1713.3	1725.0		P_1@38	S_0@0	21.55	23.02	< 30.00
1745.8	1757.5				21.47	22.94	< 30.00
1758.3	1770.0				21.50	22.97	< 30.00
1713.3	1725.0		P_1@74	S_1@0	22.16	23.63	< 30.00
1745.8	1757.5				21.56	23.03	< 30.00
1758.3	1770.0				20.36	21.83	< 30.00
1713.3	1725.0		P_75@0	S_75@0	21.16	22.63	< 30.00
1745.8	1757.5				21.09	22.56	< 30.00
1758.3	1770.0				21.10	22.57	< 30.00
1720.0	1739.8	20+20	P_1@0	S_1@99	15.81	17.28	< 30.00
1745.1	1764.9				16.05	17.52	< 30.00
1750.2	1770.0				21.31	22.78	< 30.00
1720.0	1739.8		P_1@49	S_0@0	21.37	22.84	< 30.00
1745.1	1764.9				21.52	22.99	< 30.00
1750.2	1770.0				21.45	22.92	< 30.00
1720.0	1739.8		P_1@99	S_1@0	21.78	23.25	< 30.00
1745.1	1764.9				20.81	22.28	< 30.00
1750.2	1770.0				21.14	22.61	< 30.00
1720.0	1739.8		P_100@0	S_100@0	21.12	22.59	< 30.00
1745.1	1764.9				21.13	22.60	< 30.00
1750.2	1770.0				15.81	17.28	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
1715.3	1727.3	10+15	P_1@0	S_1@74	12.77	14.24	< 30.00
1747.9	1759.9				12.18	13.65	< 30.00
1760.5	1772.5				12.06	13.53	< 30.00
1715.3	1727.3		P_1@25	S_0@0	15.79	17.26	< 30.00
1747.9	1759.9				16.98	18.45	< 30.00
1760.5	1772.5				15.13	16.60	< 30.00
1715.3	1727.3		P_1@49	S_1@0	15.76	17.23	< 30.00
1747.9	1759.9				15.60	17.07	< 30.00
1760.5	1772.5				15.63	17.10	< 30.00
1715.3	1727.3		P_50@0	S_75@0	16.08	17.55	< 30.00
1747.9	1759.9				15.89	17.36	< 30.00
1760.5	1772.5				15.60	17.07	< 30.00
1717.5	1729.5	15+10	P_1@0	S_1@49	12.78	14.25	< 30.00
1750.1	1762.1				14.77	16.24	< 30.00
1762.7	1774.7				14.87	16.34	< 30.00
1717.5	1729.5		P_1@38	S_0@0	15.53	17.00	< 30.00
1750.1	1762.1				16.68	18.15	< 30.00
1762.7	1774.7				15.79	17.26	< 30.00
1717.5	1729.5		P_1@74	S_1@0	16.12	17.59	< 30.00
1750.1	1762.1				15.33	16.80	< 30.00
1762.7	1774.7				16.55	18.02	< 30.00
1717.5	1729.5		P_75@0	S_50@0	16.12	17.59	< 30.00
1750.1	1762.1				15.95	17.42	< 30.00
1762.7	1774.7				16.08	17.55	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
1715.5	1729.9	10+20	P_1@0	S_1@99	12.98	14.45	< 30.00
1745.6	1760				13.61	15.08	< 30.00
1755.6	1770				13.26	14.73	< 30.00
1715.5	1729.9		P_1@25	S_0@0	16.31	17.78	< 30.00
1745.6	1760				17.51	18.98	< 30.00
1755.6	1770				17.15	18.62	< 30.00
1715.5	1729.9		P_1@49	S_1@0	15.79	17.26	< 30.00
1745.6	1760				17.15	18.62	< 30.00
1755.6	1770				17.87	19.34	< 30.00
1715.5	1729.9		P_50@0	S_100@0	16.96	18.43	< 30.00
1745.6	1760				16.68	18.15	< 30.00
1755.6	1770				16.67	18.14	< 30.00
1720	1734.4	20+10	P_1@0	S_1@49	14.18	15.65	< 30.00
1750.1	1764.5				14.09	15.56	< 30.00
1760.1	1774.5				17.25	18.72	< 30.00
1720	1734.4		P_1@49	S_0@0	16.91	18.38	< 30.00
1750.1	1764.5				17.38	18.85	< 30.00
1760.1	1774.5				17.45	18.92	< 30.00
1720	1734.4		P_1@99	S_1@0	16.91	18.38	< 30.00
1750.1	1764.5				17.15	18.62	< 30.00
1760.1	1774.5				18.61	20.08	< 30.00
1720	1734.4		P_100@0	S_50@0	16.85	18.32	< 30.00
1750.1	1764.5				16.77	18.24	< 30.00
1760.1	1774.5				17.50	18.97	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
1717.8	1734.9	15+20	P_1@0	S_1@99	13.72	15.19	< 30.00
1745.3	1762.4				13.57	15.04	< 30.00
1752.9	1770.0				13.72	15.19	< 30.00
1717.8	1734.9		P_1@38	S_0@0	13.25	14.72	< 30.00
1745.3	1762.4				13.41	14.88	< 30.00
1752.9	1770.0				17.34	18.81	< 30.00
1717.8	1734.9		P_1@74	S_1@0	16.72	18.19	< 30.00
1745.3	1762.4				16.98	18.45	< 30.00
1752.9	1770.0				17.04	18.51	< 30.00
1717.8	1734.9		P_75@0	S_100@0	17.06	18.53	< 30.00
1745.3	1762.4				16.72	18.19	< 30.00
1752.9	1770.0				16.79	18.26	< 30.00
1720.0	1737.1	20+15	P_1@0	S_1@74	13.90	15.37	< 30.00
1747.6	1764.7				13.18	14.65	< 30.00
1755.1	1772.2				13.22	14.69	< 30.00
1720.0	1737.1		P_1@49	S_0@0	16.36	17.83	< 30.00
1747.6	1764.7				16.82	18.29	< 30.00
1755.1	1772.2				16.41	17.88	< 30.00
1720.0	1737.1		P_1@99	S_1@0	16.83	18.30	< 30.00
1747.6	1764.7				16.50	17.97	< 30.00
1755.1	1772.2				17.05	18.52	< 30.00
1720.0	1737.1		P_100@	S_75@0	17.10	18.57	< 30.00
1747.6	1764.7				16.90	18.37	< 30.00
1755.1	1772.2				16.68	18.15	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
1720.0	1731.7	20+5	P_1@0	S_1@24	13.57	15.04	< 30.00
1752.5	1764.2				13.28	14.75	< 30.00
1765.0	1776.7				13.88	15.35	< 30.00
1720.0	1731.7		P_1@49	S_0@0	17.60	19.07	< 30.00
1752.5	1764.2				17.38	18.85	< 30.00
1765.0	1776.7				16.67	18.14	< 30.00
1720.0	1731.7		P_1@99	S_1@0	17.09	18.56	< 30.00
1752.5	1764.2				16.64	18.11	< 30.00
1765.0	1776.7				17.30	18.77	< 30.00
1720.0	1731.7		P_100@0	S_25@0	16.98	18.45	< 30.00
1752.5	1764.2				16.64	18.11	< 30.00
1765.0	1776.7				16.93	18.40	< 30.00
1713.3	1725.0	5+20	P_1@0	S_1@99	13.21	14.68	< 30.00
1745.8	1757.5				13.20	14.67	< 30.00
1758.3	1770.0				13.51	14.98	< 30.00
1713.3	1725.0		P_1@13	S_0@0	17.43	18.90	< 30.00
1745.8	1757.5				17.38	18.85	< 30.00
1758.3	1770.0				16.94	18.41	< 30.00
1713.3	1725.0		P_1@24	S_1@0	16.55	18.02	< 30.00
1745.8	1757.5				16.87	18.34	< 30.00
1758.3	1770.0				17.09	18.56	< 30.00
1713.3	1725.0		P_25@0	S_100@0	16.08	17.55	< 30.00
1745.8	1757.5				16.93	18.40	< 30.00
1758.3	1770.0				16.78	18.25	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
1713.3	1725.0	15+15	P_1@0	S_1@74	14.55	16.02	< 30.00
1745.8	1757.5				13.77	15.24	< 30.00
1758.3	1770.0				15.91	17.38	< 30.00
1713.3	1725.0		P_1@38	S_0@0	17.45	18.92	< 30.00
1745.8	1757.5				17.42	18.89	< 30.00
1758.3	1770.0				17.27	18.74	< 30.00
1713.3	1725.0		P_1@74	S_1@0	17.72	19.19	< 30.00
1745.8	1757.5				17.22	18.69	< 30.00
1758.3	1770.0				16.99	18.46	< 30.00
1713.3	1725.0		P_75@0	S_75@0	17.65	19.12	< 30.00
1745.8	1757.5				17.59	19.06	< 30.00
1758.3	1770.0				16.69	18.16	< 30.00
1720.0	1739.8	20+20	P_1@0	S_1@99	13.90	15.37	< 30.00
1745.1	1764.9				13.56	15.03	< 30.00
1750.2	1770.0				12.12	13.59	< 30.00
1720.0	1739.8		P_1@49	S_0@0	16.69	18.16	< 30.00
1745.1	1764.9				16.83	18.30	< 30.00
1750.2	1770.0				15.88	17.35	< 30.00
1720.0	1739.8		P_1@99	S_1@0	16.87	18.34	< 30.00
1745.1	1764.9				16.45	17.92	< 30.00
1750.2	1770.0				15.77	17.24	< 30.00
1720.0	1739.8		P_100@0	S_100@0	17.84	19.31	< 30.00
1745.1	1764.9				16.71	18.18	< 30.00
1750.2	1770.0				15.92	17.39	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Candy Luo	Test Date	2020/10/22
Test Band	Band 38_HPUE		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
37775.00	2572.50	5	1	0	25.97	26.75	< 33.01
38000.00	2595.00				25.80	26.58	< 33.01
38225.00	2617.50				25.92	26.70	< 33.01
37775.00	2572.50	5	1	12	25.97	26.75	< 33.01
38000.00	2595.00				25.93	26.71	< 33.01
38225.00	2617.50				25.94	26.72	< 33.01
37775.00	2572.50	5	1	24	25.90	26.68	< 33.01
38000.00	2595.00				25.90	26.68	< 33.01
38225.00	2617.50				25.89	26.67	< 33.01
37775.00	2572.50	5	25	0	24.91	25.69	< 33.01
38000.00	2595.00				24.92	25.70	< 33.01
38225.00	2617.50				25.00	25.78	< 33.01
37800.00	2575.00	10	1	0	25.96	26.74	< 33.01
38000.00	2595.00				25.92	26.70	< 33.01
38200.00	2615.00				25.98	26.76	< 33.01
37800.00	2575.00	10	1	24	25.89	26.67	< 33.01
38000.00	2595.00				25.93	26.71	< 33.01
38200.00	2615.00				26.01	26.79	< 33.01
37800.00	2575.00	10	1	49	25.90	26.68	< 33.01
38000.00	2595.00				25.93	26.71	< 33.01
38200.00	2615.00				25.99	26.77	< 33.01
37800.00	2575.00	10	50	0	25.02	25.80	< 33.01
38000.00	2595.00				24.96	25.74	< 33.01
38200.00	2615.00				24.94	25.72	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
37825.00	2577.50	15	1	0	25.90	26.68	< 33.01
38000.00	2595.00				25.87	26.65	< 33.01
38175.00	2612.50				25.80	26.58	< 33.01
37825.00	2577.50	15	1	37	25.88	26.66	< 33.01
38000.00	2595.00				25.93	26.71	< 33.01
38175.00	2612.50				25.78	26.56	< 33.01
37825.00	2577.50	15	1	74	25.91	26.69	< 33.01
38000.00	2595.00				25.93	26.71	< 33.01
38175.00	2612.50				25.83	26.61	< 33.01
37825.00	2577.50	15	75	0	25.03	25.81	< 33.01
38000.00	2595.00				24.92	25.70	< 33.01
38175.00	2612.50				25.02	25.80	< 33.01
37850.00	2580.00	20	1	0	25.94	26.72	< 33.01
38000.00	2595.00				25.93	26.71	< 33.01
38150.00	2610.00				25.85	26.63	< 33.01
37850.00	2580.00	20	1	49	25.84	26.62	< 33.01
38000.00	2595.00				25.90	26.68	< 33.01
38150.00	2610.00				25.85	26.63	< 33.01
37850.00	2580.00	20	1	99	25.87	26.65	< 33.01
38000.00	2595.00				25.94	26.72	< 33.01
38150.00	2610.00				25.86	26.64	< 33.01
37850.00	2580.00	20	100	0	25.06	25.84	< 33.01
38000.00	2595.00				24.96	25.74	< 33.01
38150.00	2610.00				24.96	25.74	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
37775.00	2572.50	5	1	0	25.23	26.01	< 33.01
38000.00	2595.00				24.99	25.77	< 33.01
38225.00	2617.50				25.15	25.93	< 33.01
37775.00	2572.50	5	1	12	25.31	26.09	< 33.01
38000.00	2595.00				25.10	25.88	< 33.01
38225.00	2617.50				25.19	25.97	< 33.01
37775.00	2572.50	5	1	24	25.21	25.99	< 33.01
38000.00	2595.00				25.08	25.86	< 33.01
38225.00	2617.50				25.13	25.91	< 33.01
37775.00	2572.50	5	25	0	23.87	24.65	< 33.01
38000.00	2595.00				23.94	24.72	< 33.01
38225.00	2617.50				24.04	24.82	< 33.01
37800.00	2575.00	10	1	0	24.99	25.77	< 33.01
38000.00	2595.00				24.91	25.69	< 33.01
38200.00	2615.00				25.08	25.86	< 33.01
37800.00	2575.00	10	1	24	24.87	25.65	< 33.01
38000.00	2595.00				24.90	25.68	< 33.01
38200.00	2615.00				25.09	25.87	< 33.01
37800.00	2575.00	10	1	49	24.96	25.74	< 33.01
38000.00	2595.00				24.94	25.72	< 33.01
38200.00	2615.00				25.13	25.91	< 33.01
37800.00	2575.00	10	50	0	24.01	24.79	< 33.01
38000.00	2595.00				23.98	24.76	< 33.01
38200.00	2615.00				23.96	24.74	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
37825.00	2577.50	15	1	0	25.00	25.78	< 33.01
38000.00	2595.00				25.10	25.88	< 33.01
38175.00	2612.50				25.12	25.90	< 33.01
37825.00	2577.50	15	1	37	24.91	25.69	< 33.01
38000.00	2595.00				25.11	25.89	< 33.01
38175.00	2612.50				25.11	25.89	< 33.01
37825.00	2577.50	15	1	74	24.93	25.71	< 33.01
38000.00	2595.00				25.16	25.94	< 33.01
38175.00	2612.50				25.15	25.93	< 33.01
37825.00	2577.50	15	75	0	24.04	24.82	< 33.01
38000.00	2595.00				23.94	24.72	< 33.01
38175.00	2612.50				24.01	24.79	< 33.01
37850.00	2580.00	20	1	0	25.04	25.82	< 33.01
38000.00	2595.00				25.17	25.95	< 33.01
38150.00	2610.00				25.11	25.89	< 33.01
37850.00	2580.00	20	1	49	24.93	25.71	< 33.01
38000.00	2595.00				25.14	25.92	< 33.01
38150.00	2610.00				25.11	25.89	< 33.01
37850.00	2580.00	20	1	99	24.98	25.76	< 33.01
38000.00	2595.00				25.17	25.95	< 33.01
38150.00	2610.00				25.12	25.90	< 33.01
37850.00	2580.00	20	100	0	24.08	24.86	< 33.01
38000.00	2595.00				23.98	24.76	< 33.01
38150.00	2610.00				23.95	24.73	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
37775.00	2572.50	5	1	0	24.57	25.35	< 33.01
38000.00	2595.00				23.92	24.70	< 33.01
38225.00	2617.50				24.35	25.13	< 33.01
37775.00	2572.50	5	1	12	24.59	25.37	< 33.01
38000.00	2595.00				24.01	24.79	< 33.01
38225.00	2617.50				24.39	25.17	< 33.01
37775.00	2572.50	5	1	24	24.48	25.26	< 33.01
38000.00	2595.00				23.98	24.76	< 33.01
38225.00	2617.50				24.35	25.13	< 33.01
37775.00	2572.50	5	25	0	22.89	23.67	< 33.01
38000.00	2595.00				22.92	23.70	< 33.01
38225.00	2617.50				23.05	23.83	< 33.01
37800.00	2575.00	10	1	0	24.31	25.09	< 33.01
38000.00	2595.00				24.25	25.03	< 33.01
38200.00	2615.00				23.86	24.64	< 33.01
37800.00	2575.00	10	1	24	24.28	25.06	< 33.01
38000.00	2595.00				24.32	25.10	< 33.01
38200.00	2615.00				23.90	24.68	< 33.01
37800.00	2575.00	10	1	49	24.24	25.02	< 33.01
38000.00	2595.00				24.30	25.08	< 33.01
38200.00	2615.00				23.93	24.71	< 33.01
37800.00	2575.00	10	50	0	23.02	23.80	< 33.01
38000.00	2595.00				22.92	23.70	< 33.01
38200.00	2615.00				23.01	23.79	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
37825.00	2577.50	15	1	0	24.16	24.94	< 33.01
38000.00	2595.00				24.22	25.00	< 33.01
38175.00	2612.50				23.80	24.58	< 33.01
37825.00	2577.50	15	1	37	24.22	25.00	< 33.01
38000.00	2595.00				24.24	25.02	< 33.01
38175.00	2612.50				23.82	24.60	< 33.01
37825.00	2577.50	15	1	74	24.18	24.96	< 33.01
38000.00	2595.00				24.28	25.06	< 33.01
38175.00	2612.50				23.84	24.62	< 33.01
37825.00	2577.50	15	75	0	23.10	23.88	< 33.01
38000.00	2595.00				22.97	23.75	< 33.01
38175.00	2612.50				23.03	23.81	< 33.01
37850.00	2580.00	20	1	0	23.85	24.63	< 33.01
38000.00	2595.00				24.23	25.01	< 33.01
38150.00	2610.00				24.22	25.00	< 33.01
37850.00	2580.00	20	1	49	23.83	24.61	< 33.01
38000.00	2595.00				24.30	25.08	< 33.01
38150.00	2610.00				24.28	25.06	< 33.01
37850.00	2580.00	20	1	99	23.88	24.66	< 33.01
38000.00	2595.00				24.32	25.10	< 33.01
38150.00	2610.00				24.28	25.06	< 33.01
37850.00	2580.00	20	100	0	23.08	23.86	< 33.01
38000.00	2595.00				23.03	23.81	< 33.01
38150.00	2610.00				22.91	23.69	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
37775.00	2572.50	5	1	0	23.66	24.44	< 33.01
38000.00	2595.00				23.53	24.31	< 33.01
38225.00	2617.50				23.35	24.13	< 33.01
37775.00	2572.50	5	1	12	23.70	24.48	< 33.01
38000.00	2595.00				23.51	24.29	< 33.01
38225.00	2617.50				23.30	24.08	< 33.01
37775.00	2572.50	5	1	24	23.63	24.41	< 33.01
38000.00	2595.00				23.45	24.23	< 33.01
38225.00	2617.50				23.36	24.14	< 33.01
37775.00	2572.50	5	25	0	23.65	24.43	< 33.01
38000.00	2595.00				23.49	24.27	< 33.01
38225.00	2617.50				23.25	24.03	< 33.01
37800.00	2575.00	10	1	0	23.72	24.50	< 33.01
38000.00	2595.00				23.35	24.13	< 33.01
38200.00	2615.00				23.23	24.01	< 33.01
37800.00	2575.00	10	1	24	23.67	24.45	< 33.01
38000.00	2595.00				23.38	24.16	< 33.01
38200.00	2615.00				23.15	23.93	< 33.01
37800.00	2575.00	10	1	49	23.72	24.50	< 33.01
38000.00	2595.00				23.28	24.06	< 33.01
38200.00	2615.00				22.21	22.99	< 33.01
37800.00	2575.00	10	50	0	23.65	24.43	< 33.01
38000.00	2595.00				23.43	24.21	< 33.01
38200.00	2615.00				23.18	23.96	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
37825.00	2577.50	15	1	0	23.51	24.29	< 33.01
38000.00	2595.00				23.31	24.09	< 33.01
38175.00	2612.50				23.03	23.81	< 33.01
37825.00	2577.50	15	1	37	23.50	24.28	< 33.01
38000.00	2595.00				23.31	24.09	< 33.01
38175.00	2612.50				23.11	23.89	< 33.01
37825.00	2577.50	15	1	74	23.51	24.29	< 33.01
38000.00	2595.00				23.33	24.11	< 33.01
38175.00	2612.50				22.97	23.75	< 33.01
37825.00	2577.50	15	75	0	22.64	23.42	< 33.01
38000.00	2595.00				23.51	24.29	< 33.01
38175.00	2612.50				23.27	24.05	< 33.01
37850.00	2580.00	20	1	0	20.92	21.70	< 33.01
38000.00	2595.00				20.97	21.75	< 33.01
38150.00	2610.00				20.89	21.67	< 33.01
37850.00	2580.00	20	1	49	20.87	21.65	< 33.01
38000.00	2595.00				20.69	21.47	< 33.01
38150.00	2610.00				20.68	21.46	< 33.01
37850.00	2580.00	20	1	99	21.05	21.83	< 33.01
38000.00	2595.00				20.64	21.42	< 33.01
38150.00	2610.00				20.78	21.56	< 33.01
37850.00	2580.00	20	100	0	20.75	21.53	< 33.01
38000.00	2595.00				20.57	21.35	< 33.01
38150.00	2610.00				20.26	21.04	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							