

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
23205	779.5	5	1	0	21.78	21.17	< 34.77
23230	782.0				21.69	21.08	< 34.77
23255	784.5				21.68	21.07	< 34.77
23205	779.5	5	1	12	21.86	21.25	< 34.77
23230	782.0				21.73	21.12	< 34.77
23255	784.5				21.79	21.18	< 34.77
23205	779.5	5	1	24	21.79	21.18	< 34.77
23230	782.0				21.72	21.11	< 34.77
23255	784.5				21.70	21.09	< 34.77
23205	779.5	5	25	0	20.65	20.04	< 34.77
23230	782.0				20.62	20.01	< 34.77
23255	784.5				20.56	19.95	< 34.77
23230	782.0	10	1	0	21.66	21.05	< 34.77
23230	782.0		1	24	21.80	21.19	< 34.77
23230	782.0		1	49	21.88	21.27	< 34.77
23230	782.0		50	0	20.68	20.07	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
23205	779.5	5	1	0	19.69	19.08	< 34.77
23230	782.0				18.66	18.05	< 34.77
23255	784.5				19.57	18.96	< 34.77
23205	779.5	5	1	12	19.36	18.75	< 34.77
23230	782.0				18.73	18.12	< 34.77
23255	784.5				19.32	18.71	< 34.77
23205	779.5	5	1	24	19.63	19.02	< 34.77
23230	782.0				18.97	18.36	< 34.77
23255	784.5				19.37	18.76	< 34.77
23205	779.5	5	25	0	18.81	18.20	< 34.77
23230	782.0				19.04	18.43	< 34.77
23255	784.5				19.56	18.95	< 34.77
23230	782.0	10	1	0	19.55	18.94	< 34.77
23230	782.0		1	24	19.53	18.92	< 34.77
23230	782.0		1	49	19.41	18.80	< 34.77
23230	782.0		50	0	19.88	19.27	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Candy Luo	Test Date	2020/10/17 ~ 2020/11/14
Test Band	LTE Band 17		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
23755	706.5	5	1	0	23.49	21.14	< 34.77
23790	710.0				23.43	21.08	< 34.77
23825	713.5				23.45	21.10	< 34.77
23755	706.5	5	1	12	23.50	21.15	< 34.77
23790	710.0				23.53	21.18	< 34.77
23825	713.5				23.54	21.19	< 34.77
23755	706.5	5	1	24	23.51	21.16	< 34.77
23790	710.0				23.48	21.13	< 34.77
23825	713.5				23.45	21.10	< 34.77
23755	706.5	5	25	0	22.59	20.24	< 34.77
23790	710.0				22.51	20.16	< 34.77
23825	713.5				22.55	20.20	< 34.77
23780	709.0	10	1	0	23.38	21.03	< 34.77
23790	710.0				23.47	21.12	< 34.77
23800	711.0				23.46	21.11	< 34.77
23780	709.0	10	1	24	23.44	21.09	< 34.77
23790	710.0				23.53	21.18	< 34.77
23800	711.0				23.39	21.04	< 34.77
23780	709.0	10	1	49	23.31	20.96	< 34.77
23790	710.0				23.42	21.07	< 34.77
23800	711.0				23.35	21.00	< 34.77
23780	709.0	10	50	0	22.49	20.14	< 34.77
23790	710.0				22.48	20.13	< 34.77
23800	711.0				22.51	20.16	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
23755	706.5	5	1	0	22.82	20.47	< 34.77
23790	710.0				22.60	20.25	< 34.77
23825	713.5				22.67	20.32	< 34.77
23755	706.5	5	1	12	22.87	20.52	< 34.77
23790	710.0				22.49	20.14	< 34.77
23825	713.5				22.73	20.38	< 34.77
23755	706.5	5	1	24	22.85	20.50	< 34.77
23790	710.0				22.46	20.11	< 34.77
23825	713.5				22.70	20.35	< 34.77
23755	706.5	5	25	0	21.56	19.21	< 34.77
23790	710.0				21.54	19.19	< 34.77
23825	713.5				21.57	19.22	< 34.77
23780	709.0	10	1	0	22.76	20.41	< 34.77
23790	710.0				22.48	20.13	< 34.77
23800	711.0				23.04	20.69	< 34.77
23780	709.0	10	1	24	22.69	20.34	< 34.77
23790	710.0				22.49	20.14	< 34.77
23800	711.0				22.99	20.64	< 34.77
23780	709.0	10	1	49	22.59	20.24	< 34.77
23790	710.0				22.45	20.10	< 34.77
23800	711.0				22.97	20.62	< 34.77
23780	709.0	10	50	0	21.51	19.16	< 34.77
23790	710.0				21.47	19.12	< 34.77
23800	711.0				21.48	19.13	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
23755	706.5	5	1	0	21.70	19.35	< 34.77
23790	710.0				21.72	19.37	< 34.77
23825	713.5				21.71	19.36	< 34.77
23755	706.5	5	1	12	21.79	19.44	< 34.77
23790	710.0				21.64	19.29	< 34.77
23825	713.5				21.74	19.39	< 34.77
23755	706.5	5	1	24	21.73	19.38	< 34.77
23790	710.0				21.58	19.23	< 34.77
23825	713.5				21.69	19.34	< 34.77
23755	706.5	5	25	0	20.63	18.28	< 34.77
23790	710.0				20.56	18.21	< 34.77
23825	713.5				20.55	18.20	< 34.77
23780	709.0	10	1	0	21.56	19.21	< 34.77
23790	710.0				21.31	18.96	< 34.77
23800	711.0				21.76	19.41	< 34.77
23780	709.0	10	1	24	21.56	19.21	< 34.77
23790	710.0				21.40	19.05	< 34.77
23800	711.0				21.72	19.37	< 34.77
23780	709.0	10	1	49	21.54	19.19	< 34.77
23790	710.0				21.28	18.93	< 34.77
23800	711.0				21.69	19.34	< 34.77
23780	709.0	10	50	0	20.54	18.19	< 34.77
23790	710.0				20.51	18.16	< 34.77
23800	711.0				20.49	18.14	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
23755	706.5	5	1	0	19.91	17.56	< 34.77
23790	710.0				20.05	17.70	< 34.77
23825	713.5				19.53	17.18	< 34.77
23755	706.5	5	1	12	20.02	17.67	< 34.77
23790	710.0				20.44	18.09	< 34.77
23825	713.5				19.47	17.12	< 34.77
23755	706.5	5	1	24	20.03	17.68	< 34.77
23790	710.0				20.23	17.88	< 34.77
23825	713.5				19.46	17.11	< 34.77
23755	706.5	5	25	0	19.67	17.32	< 34.77
23790	710.0				19.51	17.16	< 34.77
23825	713.5				18.80	16.45	< 34.77
23780	709.0	10	1	0	18.75	16.40	< 34.77
23790	710.0				18.75	16.40	< 34.77
23800	711.0				19.25	16.90	< 34.77
23780	709.0	10	1	24	18.98	16.63	< 34.77
23790	710.0				18.81	16.46	< 34.77
23800	711.0				19.32	16.97	< 34.77
23780	709.0	10	1	49	19.01	16.66	< 34.77
23790	710.0				18.86	16.51	< 34.77
23800	711.0				19.78	17.43	< 34.77
23780	709.0	10	50	0	18.72	16.37	< 34.77
23790	710.0				19.07	16.72	< 34.77
23800	711.0				19.54	17.19	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Candy Luo	Test Date	2020/10/17 ~ 2020/11/14
Test Band	LTE Band 38/41		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
39675	2498.50	5	1	0	23.64	24.42	< 33.01
40620	2593.00				23.30	24.08	< 33.01
40565	2687.50				23.24	24.02	< 33.01
39675	2498.50	5	1	12	23.64	24.42	< 33.01
40620	2593.00				23.45	24.23	< 33.01
40565	2687.50				23.30	24.08	< 33.01
39675	2498.50	5	1	24	23.59	24.37	< 33.01
40620	2593.00				23.37	24.15	< 33.01
40565	2687.50				23.22	24.00	< 33.01
39675	2498.50	5	25	0	22.68	23.46	< 33.01
40620	2593.00				22.41	23.19	< 33.01
40565	2687.50				22.27	23.05	< 33.01
39700	2501.00	10	1	0	23.60	24.38	< 33.01
40620	2593.00				23.33	24.11	< 33.01
41540	2685.00				23.28	24.06	< 33.01
39700	2501.00	10	1	24	23.56	24.34	< 33.01
40620	2593.00				23.29	24.07	< 33.01
41540	2685.00				23.28	24.06	< 33.01
39700	2501.00	10	1	49	23.59	24.37	< 33.01
40620	2593.00				23.30	24.08	< 33.01
41540	2685.00				23.28	24.06	< 33.01
39700	2501.00	10	50	0	22.72	23.50	< 33.01
40620	2593.00				22.40	23.18	< 33.01
41540	2685.00				22.32	23.10	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK							
39725	2503.50	15	1	0	23.63	24.41	< 33.01
40620	2593.00				23.29	24.07	< 33.01
41515	2682.50				23.21	23.99	< 33.01
39725	2503.50	15	1	37	23.59	24.37	< 33.01
40620	2593.00				23.21	23.99	< 33.01
41515	2682.50				23.19	23.97	< 33.01
39725	2503.50	15	1	74	23.59	24.37	< 33.01
40620	2593.00				23.32	24.10	< 33.01
41515	2682.50				23.22	24.00	< 33.01
39725	2503.50	15	75	0	22.64	23.42	< 33.01
40620	2593.00				22.39	23.17	< 33.01
41515	2682.50				22.29	23.07	< 33.01
39750	2506.00	20	1	0	23.63	24.41	< 33.01
40620	2593.00				23.38	24.16	< 33.01
41490	2680.00				23.28	24.06	< 33.01
39750	2506.00	20	1	49	23.54	24.32	< 33.01
40620	2593.00				23.29	24.07	< 33.01
41490	2680.00				23.14	23.92	< 33.01
39750	2506.00	20	1	99	23.48	24.26	< 33.01
40620	2593.00				23.39	24.17	< 33.01
41490	2680.00				23.19	23.97	< 33.01
39750	2506.00	20	100	0	22.69	23.47	< 33.01
40620	2593.00				22.43	23.21	< 33.01
41490	2680.00				22.26	23.04	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
39675	2498.50	5	1	0	22.89	23.67	< 33.01
40620	2593.00				22.59	23.37	< 33.01
40565	2687.50				22.39	23.17	< 33.01
39675	2498.50	5	1	12	22.89	23.67	< 33.01
40620	2593.00				22.74	23.52	< 33.01
40565	2687.50				22.48	23.26	< 33.01
39675	2498.50	5	1	24	22.82	23.60	< 33.01
40620	2593.00				22.68	23.46	< 33.01
40565	2687.50				22.37	23.15	< 33.01
39675	2498.50	5	25	0	21.74	22.52	< 33.01
40620	2593.00				21.39	22.17	< 33.01
40565	2687.50				21.26	22.04	< 33.01
39700	2501.00	10	1	0	22.94	23.72	< 33.01
40620	2593.00				22.42	23.20	< 33.01
41540	2685.00				22.53	23.31	< 33.01
39700	2501.00	10	1	24	22.91	23.69	< 33.01
40620	2593.00				22.43	23.21	< 33.01
41540	2685.00				22.53	23.31	< 33.01
39700	2501.00	10	1	49	22.86	23.64	< 33.01
40620	2593.00				22.52	23.30	< 33.01
41540	2685.00				22.49	23.27	< 33.01
39700	2501.00	10	50	0	21.72	22.50	< 33.01
40620	2593.00				21.36	22.14	< 33.01
41540	2685.00				21.27	22.05	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM							
39725	2503.50	15	1	0	22.75	23.53	< 33.01
40620	2593.00				22.50	23.28	< 33.01
41515	2682.50				22.46	23.24	< 33.01
39725	2503.50	15	1	37	22.60	23.38	< 33.01
40620	2593.00				22.45	23.23	< 33.01
41515	2682.50				22.42	23.20	< 33.01
39725	2503.50	15	1	74	22.64	23.42	< 33.01
40620	2593.00				22.57	23.35	< 33.01
41515	2682.50				22.51	23.29	< 33.01
39725	2503.50	15	75	0	21.68	22.46	< 33.01
40620	2593.00				21.43	22.21	< 33.01
41515	2682.50				21.25	22.03	< 33.01
39750	2506.00	20	1	0	22.70	23.48	< 33.01
40620	2593.00				22.63	23.41	< 33.01
41490	2680.00				22.56	23.34	< 33.01
39750	2506.00	20	1	49	22.58	23.36	< 33.01
40620	2593.00				22.50	23.28	< 33.01
41490	2680.00				22.39	23.17	< 33.01
39750	2506.00	20	1	99	22.58	23.36	< 33.01
40620	2593.00				22.65	23.43	< 33.01
41490	2680.00				22.47	23.25	< 33.01
39750	2506.00	20	100	0	21.72	22.50	< 33.01
40620	2593.00				21.43	22.21	< 33.01
41490	2680.00				21.26	22.04	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
39675	2498.50	5	1	0	22.05	22.83	< 33.01
40620	2593.00				21.87	22.65	< 33.01
40565	2687.50				21.24	22.02	< 33.01
39675	2498.50	5	1	12	22.09	22.87	< 33.01
40620	2593.00				22.00	22.78	< 33.01
40565	2687.50				21.36	22.14	< 33.01
39675	2498.50	5	1	24	22.02	22.80	< 33.01
40620	2593.00				21.95	22.73	< 33.01
40565	2687.50				21.44	22.22	< 33.01
39675	2498.50	5	25	0	20.77	21.55	< 33.01
40620	2593.00				20.39	21.17	< 33.01
40565	2687.50				20.29	21.07	< 33.01
39700	2501.00	10	1	0	21.93	22.71	< 33.01
40620	2593.00				21.24	22.02	< 33.01
41540	2685.00				21.33	22.11	< 33.01
39700	2501.00	10	1	24	21.89	22.67	< 33.01
40620	2593.00				21.24	22.02	< 33.01
41540	2685.00				21.25	22.03	< 33.01
39700	2501.00	10	1	49	21.65	22.43	< 33.01
40620	2593.00				21.56	22.34	< 33.01
41540	2685.00				21.36	22.14	< 33.01
39700	2501.00	10	50	0	20.70	21.48	< 33.01
40620	2593.00				20.38	21.16	< 33.01
41540	2685.00				20.31	21.09	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM							
39725	2503.50	15	1	0	21.90	22.68	< 33.01
40620	2593.00				21.60	22.38	< 33.01
41515	2682.50				21.18	21.96	< 33.01
39725	2503.50	15	1	37	21.89	22.67	< 33.01
40620	2593.00				21.61	22.39	< 33.01
41515	2682.50				21.15	21.93	< 33.01
39725	2503.50	15	1	74	21.85	22.63	< 33.01
40620	2593.00				21.73	22.51	< 33.01
41515	2682.50				21.26	22.04	< 33.01
39725	2503.50	15	75	0	20.73	21.51	< 33.01
40620	2593.00				20.44	21.22	< 33.01
41515	2682.50				20.30	21.08	< 33.01
39750	2506.00	20	1	0	21.60	22.38	< 33.01
40620	2593.00				21.72	22.50	< 33.01
41490	2680.00				21.61	22.39	< 33.01
39750	2506.00	20	1	49	21.54	22.32	< 33.01
40620	2593.00				21.65	22.43	< 33.01
41490	2680.00				21.56	22.34	< 33.01
39750	2506.00	20	1	99	21.50	22.28	< 33.01
40620	2593.00				21.75	22.53	< 33.01
41490	2680.00				21.57	22.35	< 33.01
39750	2506.00	20	100	0	20.74	21.52	< 33.01
40620	2593.00				20.46	21.24	< 33.01
41490	2680.00				20.28	21.06	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
39675	2498.50	5	1	0	21.53	22.31	< 33.01
40620	2593.00				21.17	21.95	< 33.01
40565	2687.50				20.62	21.40	< 33.01
39675	2498.50	5	1	12	21.77	22.55	< 33.01
40620	2593.00				21.17	21.95	< 33.01
40565	2687.50				20.75	21.53	< 33.01
39675	2498.50	5	1	24	21.62	22.40	< 33.01
40620	2593.00				21.08	21.86	< 33.01
40565	2687.50				20.76	21.54	< 33.01
39675	2498.50	5	25	0	21.08	21.86	< 33.01
40620	2593.00				20.35	21.13	< 33.01
40565	2687.50				20.22	21.00	< 33.01
39700	2501.00	10	1	0	22.03	22.81	< 33.01
40620	2593.00				21.02	21.80	< 33.01
41540	2685.00				20.54	21.32	< 33.01
39700	2501.00	10	1	24	21.96	22.74	< 33.01
40620	2593.00				20.86	21.64	< 33.01
41540	2685.00				20.39	21.17	< 33.01
39700	2501.00	10	1	49	21.89	22.67	< 33.01
40620	2593.00				20.88	21.66	< 33.01
41540	2685.00				20.43	21.21	< 33.01
39700	2501.00	10	50	0	21.39	22.17	< 33.01
40620	2593.00				20.77	21.55	< 33.01
41540	2685.00				20.31	21.09	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
256QAM							
39725	2503.50	15	1	0	21.62	22.40	< 33.01
40620	2593.00				20.30	21.08	< 33.01
41515	2682.50				20.47	21.25	< 33.01
39725	2503.50	15	1	37	21.73	22.51	< 33.01
40620	2593.00				20.76	21.54	< 33.01
41515	2682.50				20.35	21.13	< 33.01
39725	2503.50	15	1	74	20.79	21.57	< 33.01
40620	2593.00				20.79	21.57	< 33.01
41515	2682.50				20.28	21.06	< 33.01
39725	2503.50	15	75	0	21.38	22.16	< 33.01
40620	2593.00				20.36	21.14	< 33.01
41515	2682.50				20.29	21.07	< 33.01
39750	2506.00	20	1	0	21.77	22.55	< 33.01
40620	2593.00				21.11	21.89	< 33.01
41490	2680.00				20.86	21.64	< 33.01
39750	2506.00	20	1	49	21.62	22.40	< 33.01
40620	2593.00				21.24	22.02	< 33.01
41490	2680.00				20.96	21.74	< 33.01
39750	2506.00	20	1	99	21.55	22.33	< 33.01
40620	2593.00				21.03	21.81	< 33.01
41490	2680.00				21.01	21.79	< 33.01
39750	2506.00	20	100	0	21.40	22.18	< 33.01
40620	2593.00				20.78	21.56	< 33.01
41490	2680.00				20.56	21.34	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Candy Luo	Test Date	2020/10/17 ~ 2020/11/14
Test Band	LTE Band 71		

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
133147	665.5	5	1	0	23.16	22.23	< 34.77
133297	680.5				23.14	22.21	< 34.77
133447	695.5				22.99	22.06	< 34.77
133147	665.5	5	1	12	22.92	21.99	< 34.77
133297	680.5				23.15	22.22	< 34.77
133447	695.5				22.99	22.06	< 34.77
133147	665.5	5	1	24	22.69	21.76	< 34.77
133297	680.5				23.03	22.10	< 34.77
133447	695.5				22.85	21.92	< 34.77
133147	665.5	5	25	0	22.09	21.16	< 34.77
133297	680.5				22.14	21.21	< 34.77
133447	695.5				21.98	21.05	< 34.77
133172	668.0	10	1	0	23.24	22.31	< 34.77
133297	680.5				23.18	22.25	< 34.77
133422	693.0				23.04	22.11	< 34.77
133172	668.0	10	1	24	23.09	22.16	< 34.77
133297	680.5				23.11	22.18	< 34.77
133422	693.0				22.96	22.03	< 34.77
133172	668.0	10	1	49	22.97	22.04	< 34.77
133297	680.5				23.05	22.12	< 34.77
133422	693.0				22.85	21.92	< 34.77
133172	668.0	10	50	0	22.29	21.36	< 34.77
133297	680.5				22.12	21.19	< 34.77
133422	693.0				22.03	21.10	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK							
133197	670.5	15	1	0	23.31	22.38	< 34.77
133297	680.5				23.16	22.23	< 34.77
133397	690.5				23.13	22.20	< 34.77
133197	670.5	15	1	37	23.10	22.17	< 34.77
133297	680.5				23.05	22.12	< 34.77
133397	690.5				22.98	22.05	< 34.77
133197	670.5	15	1	74	23.07	22.14	< 34.77
133297	680.5				22.95	22.02	< 34.77
133397	690.5				22.89	21.96	< 34.77
133197	670.5	15	75	0	22.23	21.30	< 34.77
133297	680.5				22.13	21.20	< 34.77
133397	690.5				22.09	21.16	< 34.77
133222	673.0	20	1	0	23.33	22.40	< 34.77
133322	683.0				23.19	22.26	< 34.77
133372	688.0				23.15	22.22	< 34.77
133222	673.0	20	1	49	23.12	22.19	< 34.77
133322	683.0				22.95	22.02	< 34.77
133372	688.0				23.01	22.08	< 34.77
133222	673.0	20	1	99	23.04	22.11	< 34.77
133322	683.0				22.91	21.98	< 34.77
133372	688.0				22.96	22.03	< 34.77
133222	673.0	20	100	0	22.24	21.31	< 34.77
133322	683.0				22.12	21.19	< 34.77
133372	688.0				22.12	21.19	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
133147	665.5	5	1	0	22.41	21.48	< 34.77
133297	680.5				22.37	21.44	< 34.77
133447	695.5				21.99	21.06	< 34.77
133147	665.5	5	1	12	22.25	21.32	< 34.77
133297	680.5				22.29	21.36	< 34.77
133447	695.5				21.96	21.03	< 34.77
133147	665.5	5	1	24	21.97	21.04	< 34.77
133297	680.5				22.21	21.28	< 34.77
133447	695.5				21.80	20.87	< 34.77
133147	665.5	5	25	0	20.99	20.06	< 34.77
133297	680.5				21.15	20.22	< 34.77
133447	695.5				21.03	20.10	< 34.77
133172	668.0	10	1	0	22.46	21.53	< 34.77
133297	680.5				22.24	21.31	< 34.77
133422	693.0				22.71	21.78	< 34.77
133172	668.0	10	1	24	22.35	21.42	< 34.77
133297	680.5				22.13	21.20	< 34.77
133422	693.0				22.57	21.64	< 34.77
133172	668.0	10	1	49	22.29	21.36	< 34.77
133297	680.5				22.09	21.16	< 34.77
133422	693.0				22.48	21.55	< 34.77
133172	668.0	10	50	0	21.26	20.33	< 34.77
133297	680.5				21.17	20.24	< 34.77
133422	693.0				21.01	20.08	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM							
133197	670.5	15	1	0	22.57	21.64	< 34.77
133297	680.5				22.62	21.69	< 34.77
133397	690.5				22.77	21.84	< 34.77
133197	670.5	15	1	37	22.40	21.47	< 34.77
133297	680.5				22.52	21.59	< 34.77
133397	690.5				22.62	21.69	< 34.77
133197	670.5	15	1	74	22.35	21.42	< 34.77
133297	680.5				22.44	21.51	< 34.77
133397	690.5				22.47	21.54	< 34.77
133197	670.5	15	75	0	21.32	20.39	< 34.77
133297	680.5				21.12	20.19	< 34.77
133397	690.5				21.13	20.20	< 34.77
133222	673.0	20	1	0	22.70	21.77	< 34.77
133322	683.0				22.77	21.84	< 34.77
133372	688.0				22.51	21.58	< 34.77
133222	673.0	20	1	49	22.39	21.46	< 34.77
133322	683.0				22.72	21.79	< 34.77
133372	688.0				22.37	21.44	< 34.77
133222	673.0	20	1	99	22.31	21.38	< 34.77
133322	683.0				22.59	21.66	< 34.77
133372	688.0				22.28	21.35	< 34.77
133222	673.0	20	100	0	21.26	20.33	< 34.77
133322	683.0				21.11	20.18	< 34.77
133372	688.0				21.17	20.24	< 34.77

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
133147	665.5	5	1	0	20.30	19.37	< 34.77
133297	680.5				21.41	20.48	< 34.77
133447	695.5				21.09	20.16	< 34.77
133147	665.5	5	1	12	20.28	19.35	< 34.77
133297	680.5				21.40	20.47	< 34.77
133447	695.5				21.00	20.07	< 34.77
133147	665.5	5	1	24	19.93	19.00	< 34.77
133297	680.5				21.31	20.38	< 34.77
133447	695.5				20.44	19.51	< 34.77
133147	665.5	5	25	0	19.01	18.08	< 34.77
133297	680.5				19.80	18.87	< 34.77
133447	695.5				19.85	18.92	< 34.77
133172	668.0	10	1	0	21.43	20.50	< 34.77
133297	680.5				21.02	20.09	< 34.77
133422	693.0				21.33	20.40	< 34.77
133172	668.0	10	1	24	20.97	20.04	< 34.77
133297	680.5				20.91	19.98	< 34.77
133422	693.0				21.25	20.32	< 34.77
133172	668.0	10	1	49	21.25	20.32	< 34.77
133297	680.5				20.21	19.28	< 34.77
133422	693.0				21.17	20.24	< 34.77
133172	668.0	10	50	0	19.36	18.43	< 34.77
133297	680.5				20.04	19.11	< 34.77
133422	693.0				20.07	19.14	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM							
133197	670.5	15	1	0	20.95	20.02	< 34.77
133297	680.5				21.53	20.60	< 34.77
133397	690.5				20.82	19.89	< 34.77
133197	670.5	15	1	37	20.70	19.77	< 34.77
133297	680.5				21.45	20.52	< 34.77
133397	690.5				21.29	20.36	< 34.77
133197	670.5	15	1	74	21.22	20.29	< 34.77
133297	680.5				21.38	20.45	< 34.77
133397	690.5				21.18	20.25	< 34.77
133197	670.5	15	75	0	19.87	18.94	< 34.77
133297	680.5				20.18	19.25	< 34.77
133397	690.5				20.13	19.20	< 34.77
133222	673.0	20	1	0	21.40	20.47	< 34.77
133322	683.0				21.12	20.19	< 34.77
133372	688.0				21.36	20.43	< 34.77
133222	673.0	20	1	49	21.42	20.49	< 34.77
133322	683.0				21.01	20.08	< 34.77
133372	688.0				21.28	20.35	< 34.77
133222	673.0	20	1	99	21.29	20.36	< 34.77
133322	683.0				20.88	19.95	< 34.77
133372	688.0				21.14	20.21	< 34.77
133222	673.0	20	100	0	20.10	19.17	< 34.77
133322	683.0				20.18	19.25	< 34.77
133372	688.0				20.17	19.24	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
133147	665.5	5	1	0	18.93	18.03	< 34.77
133297	680.5				18.77	17.87	< 34.77
133447	695.5				19.12	18.22	< 34.77
133147	665.5	5	1	12	18.37	17.47	< 34.77
133297	680.5				18.76	17.86	< 34.77
133447	695.5				19.09	18.19	< 34.77
133147	665.5	5	1	24	18.76	17.86	< 34.77
133297	680.5				18.96	18.06	< 34.77
133447	695.5				18.92	18.02	< 34.77
133147	665.5	5	25	0	18.80	17.90	< 34.77
133297	680.5				18.57	17.67	< 34.77
133447	695.5				18.81	17.91	< 34.77
133172	668.0	10	1	0	19.36	18.46	< 34.77
133297	680.5				19.22	18.32	< 34.77
133422	693.0				18.59	17.69	< 34.77
133172	668.0	10	1	24	19.27	18.37	< 34.77
133297	680.5				19.35	18.45	< 34.77
133422	693.0				18.62	17.72	< 34.77
133172	668.0	10	1	49	19.44	18.54	< 34.77
133297	680.5				19.13	18.23	< 34.77
133422	693.0				18.58	17.68	< 34.77
133172	668.0	10	50	0	18.95	18.05	< 34.77
133297	680.5				18.99	18.09	< 34.77
133422	693.0				18.67	17.77	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Channel No.	Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
256QAM							
133197	670.5	15	1	0	19.35	18.45	< 34.77
133297	680.5				18.78	17.88	< 34.77
133397	690.5				18.33	17.43	< 34.77
133197	670.5	15	1	37	19.33	18.43	< 34.77
133297	680.5				19.19	18.29	< 34.77
133397	690.5				18.40	17.50	< 34.77
133197	670.5	15	1	74	19.44	18.54	< 34.77
133297	680.5				18.90	18.00	< 34.77
133397	690.5				18.38	17.48	< 34.77
133197	670.5	15	75	0	19.13	18.23	< 34.77
133297	680.5				18.73	17.83	< 34.77
133397	690.5				18.61	17.71	< 34.77
133222	673.0	20	1	0	19.45	18.55	< 34.77
133322	683.0				18.91	18.01	< 34.77
133372	688.0				18.98	18.08	< 34.77
133222	673.0	20	1	49	19.69	18.79	< 34.77
133322	683.0				19.01	18.11	< 34.77
133372	688.0				19.65	18.75	< 34.77
133222	673.0	20	1	99	19.55	18.65	< 34.77
133322	683.0				18.96	18.06	< 34.77
133372	688.0				18.75	17.85	< 34.77
133222	673.0	20	100	0	19.11	18.21	< 34.77
133322	683.0				18.96	18.06	< 34.77
133372	688.0				18.99	18.09	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Candy Luo	Test Date	2020/10/18 ~ 2020/11/14
Test Band	Intra-Band CA_2C		

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1860.0	1879.8	20+20	P_1@0	S_1@99	15.61	15.86	< 33.01
1870.1	1889.9				15.62	15.87	< 33.01
1880.2	1900.0				15.67	15.92	< 33.01
1860.0	1879.8		P_1@49	S_0@0	23.18	23.43	< 33.01
1870.1	1889.9				23.18	23.43	< 33.01
1880.2	1900.0				23.21	23.46	< 33.01
1860.0	1879.8		P_1@99	S_1@0	23.95	24.20	< 33.01
1870.1	1889.9				23.97	24.22	< 33.01
1880.2	1900.0				23.91	24.16	< 33.01
1860.0	1879.8		P_100@0	S_10@0	22.10	22.35	< 33.01
1870.1	1889.9				22.17	22.42	< 33.01
1880.2	1900.0				22.09	22.34	< 33.01
1860.0	1877.1	20+15	P_1@0	S_1@74	15.56	15.81	< 33.01
1872.6	1889.7				15.59	15.84	< 33.01
1885.1	1902.2				15.65	15.90	< 33.01
1860.0	1877.1		P_1@49	S_0@0	23.12	23.37	< 33.01
1872.6	1889.7				23.11	23.36	< 33.01
1885.1	1902.2				23.10	23.35	< 33.01
1860.0	1877.1		P_1@99	S_1@0	23.97	24.22	< 33.01
1872.6	1889.7				23.95	24.20	< 33.01
1885.1	1902.2				23.86	24.11	< 33.01
1860.0	1877.1		P_100@0	S_75@0	22.01	22.26	< 33.01
1872.6	1889.7				22.09	22.34	< 33.01
1885.1	1902.2				22.01	22.26	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)	
PCC	SCC							
QPSK								
1857.8	1874.9	15+20	P_1@0	S_1@99	15.74	15.99	< 33.01	
1870.3	1887.4				15.73	15.98	< 33.01	
1882.9	1900.0				15.73	15.98	< 33.01	
1857.8	1874.9		P_1@38	S_0@0	23.17	23.42	< 33.01	
1870.3	1887.4				23.21	23.46	< 33.01	
1882.9	1900.0				23.03	23.28	< 33.01	
1857.8	1874.9		P_1@74	S_1@0	24.01	24.26	< 33.01	
1870.3	1887.4				23.85	24.10	< 33.01	
1882.9	1900.0				23.80	24.05	< 33.01	
1857.8	1874.9		20+10	P_75@0	S_100@0	22.19	22.44	< 33.01
1870.3	1887.4					22.17	22.42	< 33.01
1882.9	1900.0					22.08	22.33	< 33.01
1860.0	1874.4	P_1@0		S_1@49	15.71	15.96	< 33.01	
1875.1	1889.5				15.68	15.93	< 33.01	
1890.1	1904.5				15.72	15.97	< 33.01	
1860.0	1874.4	P_1@49	S_0@0	23.21	23.46	< 33.01		
1875.1	1889.5			23.19	23.44	< 33.01		
1890.1	1904.5			23.12	23.37	< 33.01		
1860.0	1874.4	P_1@99	S_1@0	24.11	24.36	< 33.01		
1875.1	1889.5			24.05	24.30	< 33.01		
1890.1	1904.5			23.90	24.15	< 33.01		
1860.0	1874.4	P_100@0	S_50@0	22.14	22.39	< 33.01		
1875.1	1889.5			22.16	22.41	< 33.01		
1890.1	1904.5			22.06	22.31	< 33.01		

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1855.5	1869.9	10+20	P_1@0	S_1@99	15.64	15.89	< 33.01
1870.6	1885.0				15.68	15.93	< 33.01
1885.6	1900.0				15.66	15.91	< 33.01
1855.5	1869.9		P_1@25	S_0@0	23.11	23.36	< 33.01
1870.6	1885.0				23.10	23.35	< 33.01
1885.6	1900.0				22.99	23.24	< 33.01
1855.5	1869.9		P_1@49	S_1@0	23.89	24.14	< 33.01
1870.6	1885.0				23.89	24.14	< 33.01
1885.6	1900.0				23.78	24.03	< 33.01
1855.5	1869.9		P_50@0	S_100@0	22.11	22.36	< 33.01
1870.6	1885.0				22.06	22.31	< 33.01
1885.6	1900.0				22.09	22.34	< 33.01
1860.0	1871.7	20+5	P_1@0	S_1@24	15.53	15.78	< 33.01
1877.5	1889.2				15.51	15.76	< 33.01
1895.0	1906.7				15.46	15.71	< 33.01
1860.0	1871.7		P_1@49	S_0@0	23.08	23.33	< 33.01
1877.5	1889.2				23.07	23.32	< 33.01
1895.0	1906.7				22.94	23.19	< 33.01
1860.0	1871.7		P_1@99	S_1@0	24.08	24.33	< 33.01
1877.5	1889.2				24.05	24.30	< 33.01
1895.0	1906.7				23.82	24.07	< 33.01
1860.0	1871.7		P_100@	S_25@0	22.01	22.26	< 33.01
1877.5	1889.2				22.06	22.31	< 33.01
1895.0	1906.7				21.88	22.13	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1853.3	1865.0	5+20	P_1@0	S_1@99	15.56	15.81	< 33.01
1870.8	1882.5				15.57	15.82	< 33.01
1888.3	1900.0				15.44	15.69	< 33.01
1853.3	1865.0		P_1@13	S_0@0	23.24	23.49	< 33.01
1870.8	1882.5				23.28	23.53	< 33.01
1888.3	1900.0				23.13	23.38	< 33.01
1853.3	1865.0		P_1@24	S_1@0	23.95	24.20	< 33.01
1870.8	1882.5				24.01	24.26	< 33.01
1888.3	1900.0				23.90	24.15	< 33.01
1853.3	1865.0		P_25@0	S_100@0	22.05	22.30	< 33.01
1870.8	1882.5				22.04	22.29	< 33.01
1888.3	1900.0				21.98	22.23	< 33.01
1857.5	1904.5	15+15	P_1@0	S_1@74	15.68	15.93	< 33.01
1872.5	1872.5				15.75	16.00	< 33.01
1887.5	1887.5				15.72	15.97	< 33.01
1857.5	1902.5		P_1@38	S_0@0	23.11	23.36	< 33.01
1872.5	1872.5				23.19	23.44	< 33.01
1887.5	1887.5				23.11	23.36	< 33.01
1857.5	1902.5		P_1@74	S_1@0	23.93	24.18	< 33.01
1872.5	1872.5				23.97	24.22	< 33.01
1887.5	1887.5				23.89	24.14	< 33.01
1857.5	1902.5		P_75@0	S_75@0	22.07	22.32	< 33.01
1872.5	1872.5				22.12	22.37	< 33.01
1887.5	1887.5				22.07	22.32	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
1855.3	1867.3	10+15	P_1@0	S_1@74	15.60	15.85	< 33.01
1872.9	1884.9				15.63	15.88	< 33.01
1890.5	1902.5				15.45	15.70	< 33.01
1855.3	1867.3		P_1@25	S_0@0	23.11	23.36	< 33.01
1872.9	1884.9				23.19	23.44	< 33.01
1890.5	1902.5				23.03	23.28	< 33.01
1855.3	1867.3		P_1@49	S_1@0	23.88	24.13	< 33.01
1872.9	1884.9				23.92	24.17	< 33.01
1890.5	1902.5				23.80	24.05	< 33.01
1855.3	1867.3		P_50@0	S_75@0	22.07	22.32	< 33.01
1872.9	1884.9				22.10	22.35	< 33.01
1890.5	1902.5				21.95	22.20	< 33.01
1857.5	1869.5	15+10	P_1@0	S_1@49	15.63	15.88	< 33.01
1875.1	1887.1				15.69	15.94	< 33.01
1892.7	1904.7				15.52	15.77	< 33.01
1857.5	1869.5		P_1@38	S_0@0	23.05	23.30	< 33.01
1875.1	1887.1				23.16	23.41	< 33.01
1892.7	1904.7				22.96	23.21	< 33.01
1857.5	1869.5		P_1@74	S_1@0	24.01	24.26	< 33.01
1875.1	1887.1				23.97	24.22	< 33.01
1892.7	1904.7				23.85	24.10	< 33.01
1857.5	1869.5		P_75@0	S_50@0	22.09	22.34	< 33.01
1875.1	1887.1				22.06	22.31	< 33.01
1892.7	1904.7				21.97	22.22	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
1860.0	1879.8	20+20	P_1@0	S_1@99	16.08	16.33	< 33.01
1870.1	1889.9				16.11	16.36	< 33.01
1880.2	1900.0				16.23	16.48	< 33.01
1860.0	1879.8		P_1@49	S_0@0	22.59	22.84	< 33.01
1870.1	1889.9				22.57	22.82	< 33.01
1880.2	1900.0				22.85	23.10	< 33.01
1860.0	1879.8		P_1@99	S_1@0	23.30	23.55	< 33.01
1870.1	1889.9				23.26	23.51	< 33.01
1880.2	1900.0				23.48	23.73	< 33.01
1860.0	1879.8		P_100@0	S_10@0	21.16	21.41	< 33.01
1870.1	1889.9				21.17	21.42	< 33.01
1880.2	1900.0				21.14	21.39	< 33.01
1860.0	1877.1	20+15	P_1@0	S_1@74	16.03	16.28	< 33.01
1872.6	1889.7				16.05	16.30	< 33.01
1885.1	1902.2				16.01	16.26	< 33.01
1860.0	1877.1		P_1@49	S_0@0	22.47	22.72	< 33.01
1872.6	1889.7				22.53	22.78	< 33.01
1885.1	1902.2				22.74	22.99	< 33.01
1860.0	1877.1		P_1@99	S_1@0	23.19	23.44	< 33.01
1872.6	1889.7				23.23	23.48	< 33.01
1885.1	1902.2				23.41	23.66	< 33.01
1860.0	1877.1		P_100@0	S_75@0	21.08	21.33	< 33.01
1872.6	1889.7				21.08	21.33	< 33.01
1885.1	1902.2				21.03	21.28	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
1857.8	1874.9	15+20	P_1@0	S_1@99	16.14	16.39	< 33.01
1870.3	1887.4				15.93	16.18	< 33.01
1882.9	1900.0				16.38	16.63	< 33.01
1857.8	1874.9		P_1@38	S_0@0	22.73	22.98	< 33.01
1870.3	1887.4				22.56	22.81	< 33.01
1882.9	1900.0				22.88	23.13	< 33.01
1857.8	1874.9		P_1@74	S_1@0	23.47	23.72	< 33.01
1870.3	1887.4				23.23	23.48	< 33.01
1882.9	1900.0				23.46	23.71	< 33.01
1857.8	1874.9		P_75@0	S_100@0	21.21	21.46	< 33.01
1870.3	1887.4				21.22	21.47	< 33.01
1882.9	1900.0				21.13	21.38	< 33.01
1860.0	1874.4	20+10	P_1@0	S_1@49	16.16	16.41	< 33.01
1875.1	1889.5				16.18	16.43	< 33.01
1890.1	1904.5				16.25	16.50	< 33.01
1860.0	1874.4		P_1@49	S_0@0	22.56	22.81	< 33.01
1875.1	1889.5				22.58	22.83	< 33.01
1890.1	1904.5				22.73	22.98	< 33.01
1860.0	1874.4		P_1@99	S_1@0	23.40	23.65	< 33.01
1875.1	1889.5				23.34	23.59	< 33.01
1890.1	1904.5				23.42	23.67	< 33.01
1860.0	1874.4		P_100@0	S_50@0	21.20	21.45	< 33.01
1875.1	1889.5				21.20	21.45	< 33.01
1890.1	1904.5				21.10	21.35	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
1855.5	1869.9	10+20	P_1@0	S_1@99	16.30	16.55	< 33.01
1870.6	1885.0				16.38	16.63	< 33.01
1885.6	1900.0				15.88	16.13	< 33.01
1855.5	1869.9		P_1@25	S_0@0	22.82	23.07	< 33.01
1870.6	1885.0				22.83	23.08	< 33.01
1885.6	1900.0				22.39	22.64	< 33.01
1855.5	1869.9		P_1@49	S_1@0	23.55	23.80	< 33.01
1870.6	1885.0				23.50	23.75	< 33.01
1885.6	1900.0				23.09	23.34	< 33.01
1855.5	1869.9		P_50@0	S_100@0	21.16	21.41	< 33.01
1870.6	1885.0				21.15	21.40	< 33.01
1885.6	1900.0				21.14	21.39	< 33.01
1860.0	1871.7	20+5	P_1@0	S_1@24	16.10	16.35	< 33.01
1877.5	1889.2				16.03	16.28	< 33.01
1895.0	1906.7				15.84	16.09	< 33.01
1860.0	1871.7		P_1@49	S_0@0	22.65	22.90	< 33.01
1877.5	1889.2				22.60	22.85	< 33.01
1895.0	1906.7				22.31	22.56	< 33.01
1860.0	1871.7		P_1@99	S_1@0	23.65	23.90	< 33.01
1877.5	1889.2				23.39	23.64	< 33.01
1895.0	1906.7				23.14	23.39	< 33.01
1860.0	1871.7		P_100@	S_25@0	21.09	21.34	< 33.01
1877.5	1889.2				21.08	21.33	< 33.01
1895.0	1906.7				20.95	21.20	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
1853.3	1865.0	5+20	P_1@0	S_1@99	15.78	16.03	< 33.01
1870.8	1882.5				15.79	16.04	< 33.01
1888.3	1900.0				15.90	16.15	< 33.01
1853.3	1865.0		P_1@13	S_0@0	22.64	22.89	< 33.01
1870.8	1882.5				22.68	22.93	< 33.01
1888.3	1900.0				22.62	22.87	< 33.01
1853.3	1865.0		P_1@24	S_1@0	23.02	23.27	< 33.01
1870.8	1882.5				23.04	23.29	< 33.01
1888.3	1900.0				23.21	23.46	< 33.01
1853.3	1865.0		P_25@0	S_100@0	21.12	21.37	< 33.01
1870.8	1882.5				21.14	21.39	< 33.01
1888.3	1900.0				21.05	21.30	< 33.01
1857.5	1904.5	15+15	P_1@0	S_1@74	16.34	16.59	< 33.01
1872.5	1872.5				15.92	16.17	< 33.01
1887.5	1887.5				15.94	16.19	< 33.01
1857.5	1902.5		P_1@38	S_0@0	22.86	23.11	< 33.01
1872.5	1872.5				22.47	22.72	< 33.01
1887.5	1887.5				22.56	22.81	< 33.01
1857.5	1902.5		P_1@74	S_1@0	23.55	23.80	< 33.01
1872.5	1872.5				23.26	23.51	< 33.01
1887.5	1887.5				23.39	23.64	< 33.01
1857.5	1902.5		P_75@0	S_75@0	21.10	21.35	< 33.01
1872.5	1872.5				21.18	21.43	< 33.01
1887.5	1887.5				21.11	21.36	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
1855.3	1867.3	10+15	P_1@0	S_1@74	16.30	16.55	< 33.01
1872.9	1884.9				16.02	16.27	< 33.01
1890.5	1902.5				15.49	15.74	< 33.01
1855.3	1867.3		P_1@25	S_0@0	22.84	23.09	< 33.01
1872.9	1884.9				22.47	22.72	< 33.01
1890.5	1902.5				22.11	22.36	< 33.01
1855.3	1867.3		P_1@49	S_1@0	23.51	23.76	< 33.01
1872.9	1884.9				23.23	23.48	< 33.01
1890.5	1902.5				22.85	23.10	< 33.01
1855.3	1867.3		P_50@0	S_75@0	21.11	21.36	< 33.01
1872.9	1884.9				21.18	21.43	< 33.01
1890.5	1902.5				20.98	21.23	< 33.01
1857.5	1869.5	15+10	P_1@0	S_1@49	16.30	16.55	< 33.01
1875.1	1887.1				15.88	16.13	< 33.01
1892.7	1904.7				15.91	16.16	< 33.01
1857.5	1869.5		P_1@38	S_0@0	22.85	23.10	< 33.01
1875.1	1887.1				22.52	22.77	< 33.01
1892.7	1904.7				22.51	22.76	< 33.01
1857.5	1869.5		P_1@74	S_1@0	23.65	23.90	< 33.01
1875.1	1887.1				23.27	23.52	< 33.01
1892.7	1904.7				23.32	23.57	< 33.01
1857.5	1869.5		P_75@0	S_50@0	21.15	21.40	< 33.01
1875.1	1887.1				21.11	21.36	< 33.01
1892.7	1904.7				20.97	21.22	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
1860.0	1879.8	20+20	P_1@0	S_1@99	15.87	16.12	< 33.01
1870.1	1889.9				15.90	16.15	< 33.01
1880.2	1900.0				15.67	15.92	< 33.01
1860.0	1879.8		P_1@49	S_0@0	21.36	21.61	< 33.01
1870.1	1889.9				21.55	21.80	< 33.01
1880.2	1900.0				21.28	21.53	< 33.01
1860.0	1879.8		P_1@99	S_1@0	22.06	22.31	< 33.01
1870.1	1889.9				22.31	22.56	< 33.01
1880.2	1900.0				21.74	21.99	< 33.01
1860.0	1879.8		P_100@0	S_10@0	21.18	21.43	< 33.01
1870.1	1889.9				21.16	21.41	< 33.01
1880.2	1900.0				21.15	21.40	< 33.01
1860.0	1877.1	20+15	P_1@0	S_1@74	15.84	16.09	< 33.01
1872.6	1889.7				15.86	16.11	< 33.01
1885.1	1902.2				15.99	16.24	< 33.01
1860.0	1877.1		P_1@49	S_0@0	21.39	21.64	< 33.01
1872.6	1889.7				21.52	21.77	< 33.01
1885.1	1902.2				21.45	21.70	< 33.01
1860.0	1877.1		P_1@99	S_1@0	22.10	22.35	< 33.01
1872.6	1889.7				22.31	22.56	< 33.01
1885.1	1902.2				21.16	21.41	< 33.01
1860.0	1877.1		P_100@0	S_75@0	21.07	21.32	< 33.01
1872.6	1889.7				21.12	21.37	< 33.01
1885.1	1902.2				21.03	21.28	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
1857.8	1874.9	15+20	P_1@0	S_1@99	16.20	16.45	< 33.01
1870.3	1887.4				15.92	16.17	< 33.01
1882.9	1900.0				16.00	16.25	< 33.01
1857.8	1874.9		P_1@38	S_0@0	21.71	21.96	< 33.01
1870.3	1887.4				21.32	21.57	< 33.01
1882.9	1900.0				21.68	21.93	< 33.01
1857.8	1874.9		P_1@74	S_1@0	22.36	22.61	< 33.01
1870.3	1887.4				22.22	22.47	< 33.01
1882.9	1900.0				22.16	22.41	< 33.01
1857.8	1874.9		P_75@0	S_100@0	21.25	21.50	< 33.01
1870.3	1887.4				21.21	21.46	< 33.01
1882.9	1900.0				21.12	21.37	< 33.01
1860.0	1874.4	20+10	P_1@0	S_1@49	15.93	16.18	< 33.01
1875.1	1889.5				15.94	16.19	< 33.01
1890.1	1904.5				15.96	16.21	< 33.01
1860.0	1874.4		P_1@49	S_0@0	21.46	21.71	< 33.01
1875.1	1889.5				21.57	21.82	< 33.01
1890.1	1904.5				21.15	21.40	< 33.01
1860.0	1874.4		P_1@99	S_1@0	22.15	22.40	< 33.01
1875.1	1889.5				22.34	22.59	< 33.01
1890.1	1904.5				21.33	21.58	< 33.01
1860.0	1874.4		P_100@0	S_50@0	21.21	21.46	< 33.01
1875.1	1889.5				21.19	21.44	< 33.01
1890.1	1904.5				21.11	21.36	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
1855.5	1869.9	10+20	P_1@0	S_1@99	15.97	16.22	< 33.01
1870.6	1885.0				16.03	16.28	< 33.01
1885.6	1900.0				15.85	16.10	< 33.01
1855.5	1869.9		P_1@25	S_0@0	21.55	21.80	< 33.01
1870.6	1885.0				21.60	21.85	< 33.01
1885.6	1900.0				21.37	21.62	< 33.01
1855.5	1869.9		P_1@49	S_1@0	22.09	22.34	< 33.01
1870.6	1885.0				22.33	22.58	< 33.01
1885.6	1900.0				21.57	21.82	< 33.01
1855.5	1869.9		P_50@0	S_100@0	21.18	21.43	< 33.01
1870.6	1885.0				21.15	21.40	< 33.01
1885.6	1900.0				21.17	21.42	< 33.01
1860.0	1871.7	20+5	P_1@0	S_1@24	15.62	15.87	< 33.01
1877.5	1889.2				15.78	16.03	< 33.01
1895.0	1906.7				15.79	16.04	< 33.01
1860.0	1871.7		P_1@49	S_0@0	21.15	21.40	< 33.01
1877.5	1889.2				21.31	21.56	< 33.01
1895.0	1906.7				21.34	21.59	< 33.01
1860.0	1871.7		P_1@99	S_1@0	22.02	22.27	< 33.01
1877.5	1889.2				21.71	21.96	< 33.01
1895.0	1906.7				21.02	21.27	< 33.01
1860.0	1871.7		P_100@	S_25@0	21.08	21.33	< 33.01
1877.5	1889.2				21.07	21.32	< 33.01
1895.0	1906.7				20.93	21.18	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
1853.3	1865.0	5+20	P_1@0	S_1@99	15.92	16.17	< 33.01
1870.8	1882.5				15.66	15.91	< 33.01
1888.3	1900.0				15.66	15.91	< 33.01
1853.3	1865.0		P_1@13	S_0@0	21.52	21.77	< 33.01
1870.8	1882.5				21.50	21.75	< 33.01
1888.3	1900.0				21.39	21.64	< 33.01
1853.3	1865.0		P_1@24	S_1@0	22.14	22.39	< 33.01
1870.8	1882.5				22.09	22.34	< 33.01
1888.3	1900.0				21.63	21.88	< 33.01
1853.3	1865.0		P_25@0	S_100@0	21.08	21.33	< 33.01
1870.8	1882.5				21.10	21.35	< 33.01
1888.3	1900.0				21.03	21.28	< 33.01
1857.5	1904.5	15+15	P_1@0	S_1@74	15.92	16.17	< 33.01
1872.5	1872.5				15.66	15.91	< 33.01
1887.5	1887.5				15.66	15.91	< 33.01
1857.5	1902.5		P_1@38	S_0@0	21.52	21.77	< 33.01
1872.5	1872.5				21.50	21.75	< 33.01
1887.5	1887.5				21.39	21.64	< 33.01
1857.5	1902.5		P_1@74	S_1@0	22.14	22.39	< 33.01
1872.5	1872.5				22.09	22.34	< 33.01
1887.5	1887.5				21.63	21.88	< 33.01
1857.5	1902.5		P_75@0	S_75@0	21.08	21.33	< 33.01
1872.5	1872.5				21.10	21.35	< 33.01
1887.5	1887.5				21.03	21.28	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
1855.3	1867.3	10+15	P_1@0	S_1@74	16.01	16.26	< 33.01
1872.9	1884.9				15.96	16.21	< 33.01
1890.5	1902.5				15.57	15.82	< 33.01
1855.3	1867.3		P_1@25	S_0@0	21.57	21.82	< 33.01
1872.9	1884.9				21.44	21.69	< 33.01
1890.5	1902.5				21.12	21.37	< 33.01
1855.3	1867.3		P_1@49	S_1@0	22.17	22.42	< 33.01
1872.9	1884.9				21.97	22.22	< 33.01
1890.5	1902.5				21.22	21.47	< 33.01
1855.3	1867.3		P_50@0	S_75@0	21.10	21.35	< 33.01
1872.9	1884.9				21.15	21.40	< 33.01
1890.5	1902.5				20.99	21.24	< 33.01
1857.5	1869.5	15+10	P_1@0	S_1@49	15.98	16.23	< 33.01
1875.1	1887.1				15.85	16.10	< 33.01
1892.7	1904.7				16.01	16.26	< 33.01
1857.5	1869.5		P_1@38	S_0@0	21.55	21.80	< 33.01
1875.1	1887.1				21.47	21.72	< 33.01
1892.7	1904.7				21.46	21.71	< 33.01
1857.5	1869.5		P_1@74	S_1@0	22.10	22.35	< 33.01
1875.1	1887.1				22.13	22.38	< 33.01
1892.7	1904.7				21.21	21.46	< 33.01
1857.5	1869.5		P_75@0	S_50@0	21.16	21.41	< 33.01
1875.1	1887.1				21.17	21.42	< 33.01
1892.7	1904.7				21.02	21.27	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
1860.0	1879.8	20+20	P_1@0	S_1@99	14.04	14.29	< 33.01
1870.1	1889.9				14.17	14.42	< 33.01
1880.2	1900.0				14.33	14.58	< 33.01
1860.0	1879.8		P_1@49	S_0@0	14.06	14.31	< 33.01
1870.1	1889.9				14.28	14.53	< 33.01
1880.2	1900.0				14.54	14.79	< 33.01
1860.0	1879.8		P_1@99	S_1@0	17.61	17.86	< 33.01
1870.1	1889.9				17.57	17.82	< 33.01
1880.2	1900.0				17.89	18.14	< 33.01
1860.0	1879.8		P_100@0	S_10@0	17.14	17.39	< 33.01
1870.1	1889.9				17.33	17.58	< 33.01
1880.2	1900.0				17.44	17.69	< 33.01
1860.0	1877.1	20+15	P_1@0	S_1@74	14.05	14.30	< 33.01
1872.6	1889.7				14.39	14.64	< 33.01
1885.1	1902.2				14.35	14.60	< 33.01
1860.0	1877.1		P_1@49	S_0@0	14.12	14.37	< 33.01
1872.6	1889.7				14.48	14.73	< 33.01
1885.1	1902.2				14.43	14.68	< 33.01
1860.0	1877.1		P_1@99	S_1@0	17.55	17.80	< 33.01
1872.6	1889.7				18.14	18.39	< 33.01
1885.1	1902.2				17.56	17.81	< 33.01
1860.0	1877.1		P_100@0	S_75@0	17.24	17.49	< 33.01
1872.6	1889.7				17.36	17.61	< 33.01
1885.1	1902.2				17.35	17.60	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
1857.8	1874.9	15+20	P_1@0	S_1@99	14.24	14.49	< 33.01
1870.3	1887.4				13.93	14.18	< 33.01
1882.9	1900.0				13.98	14.23	< 33.01
1857.8	1874.9		P_1@38	S_0@0	14.13	14.38	< 33.01
1870.3	1887.4				14.00	14.25	< 33.01
1882.9	1900.0				14.07	14.32	< 33.01
1857.8	1874.9		P_1@74	S_1@0	18.29	18.54	< 33.01
1870.3	1887.4				17.27	17.52	< 33.01
1882.9	1900.0				17.26	17.51	< 33.01
1857.8	1874.9		P_75@0	S_100@0	17.15	17.40	< 33.01
1870.3	1887.4				17.36	17.61	< 33.01
1882.9	1900.0				17.41	17.66	< 33.01
1860.0	1874.4	20+10	P_1@0	S_1@49	14.11	14.36	< 33.01
1875.1	1889.5				14.52	14.77	< 33.01
1890.1	1904.5				14.42	14.67	< 33.01
1860.0	1874.4		P_1@49	S_0@0	14.01	14.26	< 33.01
1875.1	1889.5				14.44	14.69	< 33.01
1890.1	1904.5				14.95	15.20	< 33.01
1860.0	1874.4		P_1@99	S_1@0	17.62	17.87	< 33.01
1875.1	1889.5				17.91	18.16	< 33.01
1890.1	1904.5				17.77	18.02	< 33.01
1860.0	1874.4		P_100@0	S_50@0	17.07	17.32	< 33.01
1875.1	1889.5				17.54	17.79	< 33.01
1890.1	1904.5				17.41	17.66	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
1855.5	1869.9	10+20	P_1@0	S_1@99	14.15	14.40	< 33.01
1870.6	1885.0				14.54	14.79	< 33.01
1885.6	1900.0				13.92	14.17	< 33.01
1855.5	1869.9		P_1@25	S_0@0	13.98	14.23	< 33.01
1870.6	1885.0				14.66	14.91	< 33.01
1885.6	1900.0				14.16	14.41	< 33.01
1855.5	1869.9		P_1@49	S_1@0	17.47	17.72	< 33.01
1870.6	1885.0				17.66	17.91	< 33.01
1885.6	1900.0				17.28	17.53	< 33.01
1855.5	1869.9		P_50@0	S_100@0	17.07	17.32	< 33.01
1870.6	1885.0				17.31	17.56	< 33.01
1885.6	1900.0				17.31	17.56	< 33.01
1860.0	1871.7	20+5	P_1@0	S_1@24	14.08	14.33	< 33.01
1877.5	1889.2				14.28	14.53	< 33.01
1895.0	1906.7				15.09	15.34	< 33.01
1860.0	1871.7		P_1@49	S_0@0	15.70	15.95	< 33.01
1877.5	1889.2				15.76	16.01	< 33.01
1895.0	1906.7				15.40	15.65	< 33.01
1860.0	1871.7		P_1@99	S_1@0	18.27	18.52	< 33.01
1877.5	1889.2				17.93	18.18	< 33.01
1895.0	1906.7				18.61	18.86	< 33.01
1860.0	1871.7		P_100@	S_25@0	17.09	17.34	< 33.01
1877.5	1889.2				17.31	17.56	< 33.01
1895.0	1906.7				17.41	17.66	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
1853.3	1865.0	5+20	P_1@0	S_1@99	13.56	13.81	< 33.01
1870.8	1882.5				13.55	13.80	< 33.01
1888.3	1900.0				13.59	13.84	< 33.01
1853.3	1865.0		P_1@13	S_0@0	17.64	17.89	< 33.01
1870.8	1882.5				17.75	18.00	< 33.01
1888.3	1900.0				17.77	18.02	< 33.01
1853.3	1865.0		P_1@24	S_1@0	17.43	17.68	< 33.01
1870.8	1882.5				17.47	17.72	< 33.01
1888.3	1900.0				18.26	18.51	< 33.01
1853.3	1865.0		P_25@0	S_100@0	17.13	17.38	< 33.01
1870.8	1882.5				17.24	17.49	< 33.01
1888.3	1900.0				17.23	17.48	< 33.01
1857.5	1904.5	15+15	P_1@0	S_1@74	13.76	14.01	< 33.01
1872.5	1872.5				14.30	14.55	< 33.01
1887.5	1887.5				14.16	14.41	< 33.01
1857.5	1902.5		P_1@38	S_0@0	14.07	14.32	< 33.01
1872.5	1872.5				14.55	14.80	< 33.01
1887.5	1887.5				14.25	14.50	< 33.01
1857.5	1902.5		P_1@74	S_1@0	17.10	17.35	< 33.01
1872.5	1872.5				17.46	17.71	< 33.01
1887.5	1887.5				17.11	17.36	< 33.01
1857.5	1902.5		P_75@0	S_75@0	17.22	17.47	< 33.01
1872.5	1872.5				17.29	17.54	< 33.01
1887.5	1887.5				17.35	17.60	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
1855.3	1867.3	10+15	P_1@0	S_1@74	14.63	14.88	< 33.01
1872.9	1884.9				14.20	14.45	< 33.01
1890.5	1902.5				13.95	14.20	< 33.01
1855.3	1867.3		P_1@25	S_0@0	14.40	14.65	< 33.01
1872.9	1884.9				13.64	13.89	< 33.01
1890.5	1902.5				14.14	14.39	< 33.01
1855.3	1867.3		P_1@49	S_1@0	17.72	17.97	< 33.01
1872.9	1884.9				17.78	18.03	< 33.01
1890.5	1902.5				17.69	17.94	< 33.01
1855.3	1867.3		P_50@0	S_75@0	17.45	17.70	< 33.01
1872.9	1884.9				17.67	17.92	< 33.01
1890.5	1902.5				17.57	17.82	< 33.01
1857.5	1869.5	15+10	P_1@0	S_1@49	14.55	14.80	< 33.01
1875.1	1887.1				13.76	14.01	< 33.01
1892.7	1904.7				14.63	14.88	< 33.01
1857.5	1869.5		P_1@38	S_0@0	14.24	14.49	< 33.01
1875.1	1887.1				13.87	14.12	< 33.01
1892.7	1904.7				15.08	15.33	< 33.01
1857.5	1869.5		P_1@74	S_1@0	17.20	17.45	< 33.01
1875.1	1887.1				17.27	17.52	< 33.01
1892.7	1904.7				17.86	18.11	< 33.01
1857.5	1869.5		P_75@0	S_50@0	17.09	17.34	< 33.01
1875.1	1887.1				17.43	17.68	< 33.01
1892.7	1904.7				17.31	17.56	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Candy Luo	Test Date	2020/10/18 ~ 2020/11/14
Test Band	Intra-Band CA_5B		

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
826.8	834.0	5+10	P_1@0	S_1@49	12.99	13.52	< 38.45
831.8	839.0				13.39	13.92	< 38.45
836.8	844.0				13.28	13.81	< 38.45
826.8	834.0		P_1@13	S_0@0	22.72	23.25	< 38.45
831.8	839.0				22.73	23.26	< 38.45
836.8	844.0				22.72	23.25	< 38.45
826.8	834.0		P_1@24	S_1@0	23.47	24.00	< 38.45
831.8	839.0				23.48	24.01	< 38.45
836.8	844.0				23.45	23.98	< 38.45
826.8	834.0		P_25@0	S_50@0	21.54	22.07	< 38.45
831.8	839.0				21.51	22.04	< 38.45
836.8	844.0				21.51	22.04	< 38.45
829.0	836.2	10+5	P_1@0	S_1@24	13.16	13.69	< 38.45
834.0	841.2				13.56	14.09	< 38.45
839.0	846.2				13.22	13.75	< 38.45
829.0	836.2		P_1@25	S_0@0	22.72	23.25	< 38.45
834.0	841.2				22.70	23.23	< 38.45
839.0	846.2				22.65	23.18	< 38.45
829.0	836.2		P_1@49	S_1@0	23.59	24.12	< 38.45
834.0	841.2				23.57	24.10	< 38.45
839.0	846.2				23.47	24.00	< 38.45
829.0	836.2		P_50@0	S_25@0	21.62	22.15	< 38.45
834.0	841.2				21.59	22.12	< 38.45
839.0	846.2				21.60	22.13	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
829.0	838.9	10+10	P_1@0	S_1@49	12.36	12.89	< 38.45
831.6	841.5				12.42	12.95	< 38.45
834.1	844.0				12.56	13.09	< 38.45
829.0	838.9		P_1@25	S_0@0	22.54	23.07	< 38.45
831.6	841.5				22.63	23.16	< 38.45
834.1	844.0				22.60	23.13	< 38.45
829.0	838.9		P_1@49	S_1@0	23.38	23.91	< 38.45
831.6	841.5				23.45	23.98	< 38.45
834.1	844.0				23.39	23.92	< 38.45
829.0	838.9		P_50@0	S_50@0	21.55	22.08	< 38.45
831.6	841.5				21.57	22.10	< 38.45
834.1	844.0				21.64	22.17	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
826.8	834.0	5+10	P_1@0	S_1@49	13.01	13.54	< 38.45
831.8	839.0				13.52	14.05	< 38.45
836.8	844.0				13.49	14.02	< 38.45
826.8	834.0		P_1@13	S_0@0	21.80	22.33	< 38.45
831.8	839.0				22.16	22.69	< 38.45
836.8	844.0				22.02	22.55	< 38.45
826.8	834.0		P_1@24	S_1@0	22.48	23.01	< 38.45
831.8	839.0				22.79	23.32	< 38.45
836.8	844.0				22.67	23.20	< 38.45
826.8	834.0		P_25@0	S_50@0	20.62	21.15	< 38.45
831.8	839.0				20.59	21.12	< 38.45
836.8	844.0				20.59	21.12	< 38.45
829.0	836.2	10+5	P_1@0	S_1@24	13.79	14.32	< 38.45
834.0	841.2				13.85	14.38	< 38.45
839.0	846.2				13.85	14.38	< 38.45
829.0	836.2		P_1@25	S_0@0	22.43	22.96	< 38.45
834.0	841.2				22.06	22.59	< 38.45
839.0	846.2				22.33	22.86	< 38.45
829.0	836.2		P_1@49	S_1@0	23.24	23.77	< 38.45
834.0	841.2				22.85	23.38	< 38.45
839.0	846.2				23.05	23.58	< 38.45
829.0	836.2		P_50@0	S_25@0	20.69	21.22	< 38.45
834.0	841.2				20.61	21.14	< 38.45
839.0	846.2				20.61	21.14	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
829.0	838.9	10+10	P_1@0	S_1@49	12.70	13.23	< 38.45
831.6	841.5				12.49	13.02	< 38.45
834.1	844.0				13.23	13.76	< 38.45
829.0	838.9		P_1@25	S_0@0	22.01	22.54	< 38.45
831.6	841.5				21.67	22.20	< 38.45
834.1	844.0				22.28	22.81	< 38.45
829.0	838.9		P_1@49	S_1@0	22.71	23.24	< 38.45
831.6	841.5				22.54	23.07	< 38.45
834.1	844.0				23.01	23.54	< 38.45
829.0	838.9		P_50@0	S_50@0	20.58	21.11	< 38.45
831.6	841.5				20.62	21.15	< 38.45
834.1	844.0				20.61	21.14	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
826.8	834.0	5+10	P_1@0	S_1@49	13.11	13.64	< 38.45
831.8	839.0				13.34	13.87	< 38.45
836.8	844.0				13.56	14.09	< 38.45
826.8	834.0		P_1@13	S_0@0	20.85	21.38	< 38.45
831.8	839.0				20.89	21.42	< 38.45
836.8	844.0				21.02	21.55	< 38.45
826.8	834.0		P_1@24	S_1@0	21.55	22.08	< 38.45
831.8	839.0				21.63	22.16	< 38.45
836.8	844.0				21.71	22.24	< 38.45
826.8	834.0		P_25@0	S_50@0	20.61	21.14	< 38.45
831.8	839.0				20.64	21.17	< 38.45
836.8	844.0				20.59	21.12	< 38.45
829.0	836.2	10+5	P_1@0	S_1@24	13.53	14.06	< 38.45
834.0	841.2				13.81	14.34	< 38.45
839.0	846.2				13.62	14.15	< 38.45
829.0	836.2		P_1@25	S_0@0	21.18	21.71	< 38.45
834.0	841.2				21.11	21.64	< 38.45
839.0	846.2				21.10	21.63	< 38.45
829.0	836.2		P_1@49	S_1@0	21.44	21.97	< 38.45
834.0	841.2				21.83	22.36	< 38.45
839.0	846.2				20.97	21.50	< 38.45
829.0	836.2		P_50@0	S_25@0	20.70	21.23	< 38.45
834.0	841.2				20.69	21.22	< 38.45
839.0	846.2				20.63	21.16	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PCC	SCC						
64QAM							
829.0	838.9	10+10	P_1@0	S_1@49	12.73	13.26	< 38.45
831.6	841.5				12.45	12.98	< 38.45
834.1	844.0				12.97	13.50	< 38.45
829.0	838.9		P_1@25	S_0@0	21.02	21.55	< 38.45
831.6	841.5				20.73	21.26	< 38.45
834.1	844.0				21.02	21.55	< 38.45
829.0	838.9		P_1@49	S_1@0	21.70	22.23	< 38.45
831.6	841.5				21.53	22.06	< 38.45
834.1	844.0				21.76	22.29	< 38.45
829.0	838.9		P_50@0	S_50@0	20.60	21.13	< 38.45
831.6	841.5				20.64	21.17	< 38.45
834.1	844.0				20.62	21.15	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
826.8	834.0	5+10	P_1@0	S_1@49	13.85	14.38	< 38.45
831.8	839.0				14.19	14.72	< 38.45
836.8	844.0				13.87	14.40	< 38.45
826.8	834.0		P_1@13	S_0@0	18.50	19.03	< 38.45
831.8	839.0				18.99	19.52	< 38.45
836.8	844.0				13.87	14.40	< 38.45
826.8	834.0		P_1@24	S_1@0	19.77	20.30	< 38.45
831.8	839.0				19.25	19.78	< 38.45
836.8	844.0				19.10	19.63	< 38.45
826.8	834.0		P_25@0	S_50@0	18.25	18.78	< 38.45
831.8	839.0				18.88	19.41	< 38.45
836.8	844.0				18.74	19.27	< 38.45
829.0	836.2	10+5	P_1@0	S_1@24	13.67	14.20	< 38.45
834.0	841.2				14.40	14.93	< 38.45
839.0	846.2				13.27	13.80	< 38.45
829.0	836.2		P_1@25	S_0@0	13.71	14.24	< 38.45
834.0	841.2				14.27	14.80	< 38.45
839.0	846.2				13.60	14.13	< 38.45
829.0	836.2		P_1@49	S_1@0	19.13	19.66	< 38.45
834.0	841.2				19.59	20.12	< 38.45
839.0	846.2				18.83	19.36	< 38.45
829.0	836.2		P_50@0	S_25@0	20.93	21.46	< 38.45
834.0	841.2				18.73	19.26	< 38.45
839.0	846.2				18.68	19.21	< 38.45

Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	ERP (dBm)	Limit (dBm)
PCC	SCC						
256QAM							
829.0	838.9	10+10	P_1@0	S_1@49	12.58	13.11	< 38.45
831.6	841.5				13.37	13.90	< 38.45
834.1	844.0				12.98	13.51	< 38.45
829.0	838.9		P_1@25	S_0@0	12.93	13.46	< 38.45
831.6	841.5				13.79	14.32	< 38.45
834.1	844.0				13.59	14.12	< 38.45
829.0	838.9		P_1@49	S_1@0	18.51	19.04	< 38.45
831.6	841.5				19.56	20.09	< 38.45
834.1	844.0				19.01	19.54	< 38.45
829.0	838.9		P_50@0	S_50@0	18.57	19.10	< 38.45
831.6	841.5				18.58	19.11	< 38.45
834.1	844.0				19.13	19.66	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15							

Product	5G Sub-6 GHz M.2 Module	Test Site	WZ-SR6
Test Engineer	Candy Luo	Test Date	2020/10/18 ~ 2020/11/14
Test Band	Intra-Band CA_7C		

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2510.0	2529.8	20+20	P_1@0	S_1@99	15.94	16.49	< 33.01
2525.1	2544.9				15.91	16.46	< 33.01
2540.2	2560.0				15.88	16.43	< 33.01
2510.0	2529.8		P_1@49	S_0@0	23.48	24.03	< 33.01
2525.1	2544.9				23.48	24.03	< 33.01
2540.2	2560.0				23.45	24.00	< 33.01
2510.0	2529.8		P_1@99	S_1@0	24.21	24.76	< 33.01
2525.1	2544.9				24.17	24.72	< 33.01
2540.2	2560.0				24.15	24.70	< 33.01
2510.0	2529.8		P_100@0	S_100@0	22.42	22.97	< 33.01
2525.1	2544.9				22.37	22.92	< 33.01
2540.2	2560.0				22.32	22.87	< 33.01
2510.0	2527.1	20+15	P_1@0	S_1@74	16.28	16.83	< 33.01
2527.6	2544.7				15.89	16.44	< 33.01
2545.1	2562.2				15.83	16.38	< 33.01
2510.0	2527.1		P_1@49	S_0@0	23.52	24.07	< 33.01
2527.6	2544.7				23.46	24.01	< 33.01
2545.1	2562.2				23.40	23.95	< 33.01
2510.0	2527.1		P_1@99	S_1@0	24.23	24.78	< 33.01
2527.6	2544.7				24.20	24.75	< 33.01
2545.1	2562.2				24.14	24.69	< 33.01
2510.0	2527.1		P_100@0	S_75@0	22.40	22.95	< 33.01
2527.6	2544.7				22.33	22.88	< 33.01
2545.1	2562.2				22.31	22.86	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2507.8	2524.9	15+20	P_1@0	S_1@99	15.86	16.41	< 33.01
2525.3	2542.4				15.89	16.44	< 33.01
2542.9	2560.0				15.80	16.35	< 33.01
2507.8	2524.9		P_1@18	S_0@0	23.44	23.99	< 33.01
2525.3	2542.4				23.40	23.95	< 33.01
2542.9	2560.0				23.37	23.92	< 33.01
2507.8	2524.9		P_1@74	S_1@0	24.18	24.73	< 33.01
2525.3	2542.4				24.13	24.68	< 33.01
2542.9	2560.0				24.14	24.69	< 33.01
2507.8	2524.9		P_75@0	S_100@0	22.40	22.95	< 33.01
2525.3	2542.4				22.40	22.95	< 33.01
2542.9	2560.0				22.30	22.85	< 33.01
2507.5	2564.7	15+15	P_1@0	S_1@74	15.86	16.41	< 33.01
2527.5	2522.5				15.83	16.38	< 33.01
2547.5	2542.5				15.77	16.32	< 33.01
2507.5	2562.5		P_1@18	S_0@0	23.42	23.97	< 33.01
2527.5	2522.5				23.35	23.90	< 33.01
2547.5	2542.5				23.35	23.90	< 33.01
2507.5	2562.5		P_1@74	S_1@0	24.14	24.69	< 33.01
2527.5	2522.5				24.08	24.63	< 33.01
2547.5	2542.5				24.09	24.64	< 33.01
2507.5	2562.5		P_75@0	S_75@0	22.33	22.88	< 33.01
2527.5	2522.5				22.32	22.87	< 33.01
2547.5	2542.5				22.25	22.80	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2505.5	2519.9	10+20	P_1@0	S_1@99	15.90	16.45	< 33.01
2525.6	2540.0				15.81	16.36	< 33.01
2545.6	2560.0				15.77	16.32	< 33.01
2505.5	2519.9		P_1@25	S_0@0	23.52	24.07	< 33.01
2525.6	2540.0				23.29	23.84	< 33.01
2545.6	2560.0				23.32	23.87	< 33.01
2505.5	2519.9		P_1@49	S_1@0	24.24	24.79	< 33.01
2525.6	2540.0				24.13	24.68	< 33.01
2545.6	2560.0				24.09	24.64	< 33.01
2505.5	2519.9		P_50@0	S_100@0	22.40	22.95	< 33.01
2525.6	2540.0				22.36	22.91	< 33.01
2545.6	2560.0				22.32	22.87	< 33.01
2510.0	2524.4	20+10	P_1@0	S_1@49	15.91	16.46	< 33.01
2530.1	2544.5				15.85	16.40	< 33.01
2550.1	2564.5				15.81	16.36	< 33.01
2510.0	2524.4		P_1@49	S_0@0	23.42	23.97	< 33.01
2530.1	2544.5				23.41	23.96	< 33.01
2550.1	2564.5				23.35	23.90	< 33.01
2510.0	2524.4		P_1@99	S_1@0	24.31	24.86	< 33.01
2530.1	2544.5				24.18	24.73	< 33.01
2550.1	2564.5				24.18	24.73	< 33.01
2510.0	2524.4		P_100@0	S_50@0	22.37	22.92	< 33.01
2530.1	2544.5				22.32	22.87	< 33.01
2550.1	2564.5				22.33	22.88	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
QPSK							
2507.5	2519.5	15+10	P_1@0	S_1@49	15.87	16.42	< 33.01
2530.1	2542.1				15.83	16.38	< 33.01
2552.7	2564.7				15.77	16.32	< 33.01
2507.5	2519.5		P_1@38	S_0@0	23.50	24.05	< 33.01
2530.1	2542.1				23.31	23.86	< 33.01
2552.7	2564.7				23.35	23.90	< 33.01
2507.5	2519.5		P_1@74	S_1@0	24.21	24.76	< 33.01
2530.1	2542.1				24.10	24.65	< 33.01
2552.7	2564.7				24.14	24.69	< 33.01
2507.5	2519.5		P_75@0	S_50@0	22.37	22.92	< 33.01
2530.1	2542.1				22.31	22.86	< 33.01
2552.7	2564.7				22.24	22.79	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2510.0	2529.8	20+20	P_1@0	S_1@99	16.51	17.06	< 33.01
2525.1	2544.9				16.29	16.84	< 33.01
2540.2	2560.0				16.22	16.77	< 33.01
2510.0	2529.8		P_1@49	S_0@0	23.14	23.69	< 33.01
2525.1	2544.9				22.89	23.44	< 33.01
2540.2	2560.0				22.82	23.37	< 33.01
2510.0	2529.8		P_1@99	S_1@0	23.76	24.31	< 33.01
2525.1	2544.9				23.49	24.04	< 33.01
2540.2	2560.0				23.46	24.01	< 33.01
2510.0	2529.8		P_100@0	S_100@0	21.50	22.05	< 33.01
2525.1	2544.9				21.43	21.98	< 33.01
2540.2	2560.0				21.38	21.93	< 33.01
2510.0	2527.1	20+15	P_1@0	S_1@74	16.24	16.79	< 33.01
2527.6	2544.7				16.45	17.00	< 33.01
2545.1	2562.2				16.22	16.77	< 33.01
2510.0	2527.1		P_1@49	S_0@0	22.82	23.37	< 33.01
2527.6	2544.7				23.10	23.65	< 33.01
2545.1	2562.2				22.89	23.44	< 33.01
2510.0	2527.1		P_1@99	S_1@0	23.54	24.09	< 33.01
2527.6	2544.7				23.68	24.23	< 33.01
2545.1	2562.2				23.49	24.04	< 33.01
2510.0	2527.1		P_100@0	S_75@0	21.41	21.96	< 33.01
2527.6	2544.7				21.39	21.94	< 33.01
2545.1	2562.2				21.34	21.89	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2507.8	2524.9	15+20	P_1@0	S_1@99	16.29	16.84	< 33.01
2525.3	2542.4				16.16	16.71	< 33.01
2542.9	2560.0				16.25	16.80	< 33.01
2507.8	2524.9		P_1@18	S_0@0	23.21	23.76	< 33.01
2525.3	2542.4				22.78	23.33	< 33.01
2542.9	2560.0				22.85	23.40	< 33.01
2507.8	2524.9		P_1@74	S_1@0	23.82	24.37	< 33.01
2525.3	2542.4				23.41	23.96	< 33.01
2542.9	2560.0				23.56	24.11	< 33.01
2507.8	2524.9		P_75@0	S_100@0	21.50	22.05	< 33.01
2525.3	2542.4				21.46	22.01	< 33.01
2542.9	2560.0				21.36	21.91	< 33.01
2507.5	2564.7	15+15	P_1@0	S_1@74	16.52	17.07	< 33.01
2527.5	2522.5				16.11	16.66	< 33.01
2547.5	2542.5				16.19	16.74	< 33.01
2507.5	2562.5		P_1@18	S_0@0	23.17	23.72	< 33.01
2527.5	2522.5				22.72	23.27	< 33.01
2547.5	2542.5				22.86	23.41	< 33.01
2507.5	2562.5		P_1@74	S_1@0	23.79	24.34	< 33.01
2527.5	2522.5				23.38	23.93	< 33.01
2547.5	2542.5				23.55	24.10	< 33.01
2507.5	2562.5		P_75@0	S_75@0	21.41	21.96	< 33.01
2527.5	2522.5				21.37	21.92	< 33.01
2547.5	2542.5				21.30	21.85	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)							

Frequency (MHz)		Channel Bandwidth (MHz)	PCC RB	SCC RB	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
PCC	SCC						
16QAM							
2505.5	2519.9	10+20	P_1@0	S_1@99	15.98	16.53	< 33.01
2525.6	2540.0				16.47	17.02	< 33.01
2545.6	2560.0				16.06	16.61	< 33.01
2505.5	2519.9		P_1@25	S_0@0	22.59	23.14	< 33.01
2525.6	2540.0				23.12	23.67	< 33.01
2545.6	2560.0				22.69	23.24	< 33.01
2505.5	2519.9		P_1@49	S_1@0	23.34	23.89	< 33.01
2525.6	2540.0				23.75	24.30	< 33.01
2545.6	2560.0				23.39	23.94	< 33.01
2505.5	2519.9		P_50@0	S_100@0	21.44	21.99	< 33.01
2525.6	2540.0				21.43	21.98	< 33.01
2545.6	2560.0				21.36	21.91	< 33.01
2510.0	2524.4	20+10	P_1@0	S_1@49	16.29	16.84	< 33.01
2530.1	2544.5				16.26	16.81	< 33.01
2550.1	2564.5				16.22	16.77	< 33.01
2510.0	2524.4		P_1@49	S_0@0	23.12	23.67	< 33.01
2530.1	2544.5				22.76	23.31	< 33.01
2550.1	2564.5				22.96	23.51	< 33.01
2510.0	2524.4		P_1@99	S_1@0	23.59	24.14	< 33.01
2530.1	2544.5				23.47	24.02	< 33.01
2550.1	2564.5				23.53	24.08	< 33.01
2510.0	2524.4		P_100@0	S_50@0	21.42	21.97	< 33.01
2530.1	2544.5				21.35	21.90	< 33.01
2550.1	2564.5				21.34	21.89	< 33.01

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)