





2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																			
ANT	802.11g CH01 2412MHz																																																																			
CDD 1+2	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3317.0M 75957 HORIZONTAL Power : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Project : FR230408 Mode : 13 Plane : Y Full-directivity : Y IMEI : 821 Power setting : 04</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 4830.00</td> <td>40.29</td> <td>-33.71</td> <td>74.00</td> <td>41.22</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	dB	1 4830.00	40.29	-33.71	74.00	41.22	34.20	10.25	65.38	300	0 Peak	HORIZONTAL	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3317.0M 75957 VERTICAL Power : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Project : FR230408 Mode : 13 Plane : Y Full-directivity : Y IMEI : 821 Power setting : 04</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 4830.00</td> <td>41.11</td> <td>-32.89</td> <td>74.00</td> <td>42.04</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	dB	1 4830.00	41.11	-32.89	74.00	42.04	34.20	10.25	65.38	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	dB																																																										
1 4830.00	40.29	-33.71	74.00	41.22	34.20	10.25	65.38	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	dB																																																										
1 4830.00	41.11	-32.89	74.00	42.04	34.20	10.25	65.38	100	0 Peak	VERTICAL																																																										



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11g CH02 2417MHz																																																																																					
CDD 1+2	Horizontal	Vertical																																																																																				
Peak Avg.	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT:Auto Bode : 1 Plane : Y IMEI : Full-directivity Powersetting : 21</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>40.39</td> <td>-33.61</td> <td>74.00</td> <td>61.32</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7260.00</td> <td>47.39</td> <td>-26.61</td> <td>74.00</td> <td>64.58</td> <td>35.85</td> <td>12.72</td> <td>65.76</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cm	deg	1	4830.00	40.39	-33.61	74.00	61.32	34.20	10.25	65.38	300	0 Peak	HORIZONTAL	2	7260.00	47.39	-26.61	74.00	64.58	35.85	12.72	65.76	300	0 Peak	HORIZONTAL	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT:Auto Bode : 1 Plane : Y IMEI : Full-directivity Powersetting : 21</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>49.74</td> <td>-33.26</td> <td>74.00</td> <td>61.67</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7245.00</td> <td>48.64</td> <td>-25.36</td> <td>74.00</td> <td>65.77</td> <td>35.85</td> <td>12.72</td> <td>65.70</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cm	deg	1	4830.00	49.74	-33.26	74.00	61.67	34.20	10.25	65.38	100	0 Peak	VERTICAL	2	7245.00	48.64	-25.36	74.00	65.77	35.85	12.72	65.70	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	cm	deg																																																																														
1	4830.00	40.39	-33.61	74.00	61.32	34.20	10.25	65.38	300	0 Peak	HORIZONTAL																																																																											
2	7260.00	47.39	-26.61	74.00	64.58	35.85	12.72	65.76	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	cm	deg																																																																														
1	4830.00	49.74	-33.26	74.00	61.67	34.20	10.25	65.38	100	0 Peak	VERTICAL																																																																											
2	7245.00	48.64	-25.36	74.00	65.77	35.85	12.72	65.70	100	0 Peak	VERTICAL																																																																											



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	802.11g CH06 2437MHz																																																																																																	
CDD 1+2	Horizontal	Vertical																																																																																																
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : RBE 1000.000KHz VBR 3000.000KHz SRT:Auto FES230408C Bode : 14 Plane : Y Full-directivity IMEI : 821 Powersetting : 73</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>41.66</td> <td>-32.35</td> <td>74.00</td> <td>62.55</td> <td>34.23</td> <td>10.29</td> <td>65.42</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>51.01</td> <td>-22.99</td> <td>74.00</td> <td>68.34</td> <td>35.86</td> <td>12.72</td> <td>65.91</td> <td>337</td> <td>210 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>7305.00</td> <td>40.16</td> <td>-13.24</td> <td>54.00</td> <td>58.07</td> <td>30.66</td> <td>12.72</td> <td>65.91</td> <td>337</td> <td>210 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4875.00	41.66	-32.35	74.00	62.55	34.23	10.29	65.42	300	0 Peak	HORIZONTAL	2	7305.00	51.01	-22.99	74.00	68.34	35.86	12.72	65.91	337	210 Peak	HORIZONTAL	3	7305.00	40.16	-13.24	54.00	58.07	30.66	12.72	65.91	337	210 Average	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : RBE 1000.000KHz VBR 3000.000KHz SRT:Auto FES230408C Bode : 14 Plane : Y Full-directivity IMEI : 821 Powersetting : 73</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>41.66</td> <td>-32.64</td> <td>74.00</td> <td>62.36</td> <td>34.23</td> <td>10.29</td> <td>65.42</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>47.82</td> <td>-26.18</td> <td>74.00</td> <td>65.15</td> <td>35.86</td> <td>12.72</td> <td>65.91</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4875.00	41.66	-32.64	74.00	62.36	34.23	10.29	65.42	100	0 Peak	VERTICAL	2	7305.00	47.82	-26.18	74.00	65.15	35.86	12.72	65.91	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																																										
1	4875.00	41.66	-32.35	74.00	62.55	34.23	10.29	65.42	300	0 Peak	HORIZONTAL																																																																																							
2	7305.00	51.01	-22.99	74.00	68.34	35.86	12.72	65.91	337	210 Peak	HORIZONTAL																																																																																							
3	7305.00	40.16	-13.24	54.00	58.07	30.66	12.72	65.91	337	210 Average	HORIZONTAL																																																																																							
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																										
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																																										
1	4875.00	41.66	-32.64	74.00	62.36	34.23	10.29	65.42	100	0 Peak	VERTICAL																																																																																							
2	7305.00	47.82	-26.18	74.00	65.15	35.86	12.72	65.91	100	0 Peak	VERTICAL																																																																																							



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11g CH09 2452MHz																																																																																									
CDD 1+2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT:Auto FR230408C Mode : 3 Plane : Y Full-directivity IMEI : 821 Powersetting : 21</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4905.00</td> <td>41.38</td> <td>-32.62</td> <td>74.00</td> <td>62.23</td> <td>34.25</td> <td>10.34</td> <td>65.44</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>44.33</td> <td>-29.67</td> <td>74.00</td> <td>61.79</td> <td>35.87</td> <td>12.73</td> <td>66.06</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4905.00	41.38	-32.62	74.00	62.23	34.25	10.34	65.44	300	0	Peak	HORIZONTAL	2	7356.00	44.33	-29.67	74.00	61.79	35.87	12.73	66.06	300	0	Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT:Auto FR230408C Mode : 3 Plane : Y Full-directivity IMEI : 821 Powersetting : 21</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>40.41</td> <td>-33.99</td> <td>74.00</td> <td>61.28</td> <td>34.25</td> <td>10.32</td> <td>65.44</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7350.00</td> <td>46.18</td> <td>-27.82</td> <td>74.00</td> <td>63.65</td> <td>35.87</td> <td>12.72</td> <td>66.06</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4904.00	40.41	-33.99	74.00	61.28	34.25	10.32	65.44	100	0	Peak	VERTICAL	2	7350.00	46.18	-27.82	74.00	63.65	35.87	12.72	66.06	100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																																		
1	4905.00	41.38	-32.62	74.00	62.23	34.25	10.34	65.44	300	0	Peak	HORIZONTAL																																																																														
2	7356.00	44.33	-29.67	74.00	61.79	35.87	12.73	66.06	300	0	Peak	HORIZONTAL																																																																														
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																																		
1	4904.00	40.41	-33.99	74.00	61.28	34.25	10.32	65.44	100	0	Peak	VERTICAL																																																																														
2	7350.00	46.18	-27.82	74.00	63.65	35.87	12.72	66.06	100	0	Peak	VERTICAL																																																																														



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11g CH10 2457MHz																																																																																					
CDD 1+2	Horizontal	Vertical																																																																																				
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : RBE 1000.000KHz VBR 3000.000KHz SRT:Auto Freq: 2457.000000 Mode : 2 Plane : Y Full-directivity : Y IMEI : 821 Power setting : 20</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>40.52</td> <td>-33.48</td> <td>74.00</td> <td>61.37</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>42.42</td> <td>-31.58</td> <td>74.00</td> <td>59.92</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4920.00	40.52	-33.48	74.00	61.37	34.26	10.34	65.45	300	0 Peak	HORIZONTAL	2	7371.00	42.42	-31.58	74.00	59.92	35.88	12.73	66.11	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : RBE 1000.000KHz VBR 3000.000KHz SRT:Auto Freq: 2457.000000 Mode : 2 Plane : Y Full-directivity : Y IMEI : 821 Power setting : 20</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>41.90</td> <td>-32.10</td> <td>74.00</td> <td>62.75</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>41.87</td> <td>-32.13</td> <td>74.00</td> <td>59.37</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4920.00	41.90	-32.10	74.00	62.75	34.26	10.34	65.45	100	0 Peak	VERTICAL	2	7371.00	41.87	-32.13	74.00	59.37	35.88	12.73	66.11	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																														
1	4920.00	40.52	-33.48	74.00	61.37	34.26	10.34	65.45	300	0 Peak	HORIZONTAL																																																																											
2	7371.00	42.42	-31.58	74.00	59.92	35.88	12.73	66.11	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																														
1	4920.00	41.90	-32.10	74.00	62.75	34.26	10.34	65.45	100	0 Peak	VERTICAL																																																																											
2	7371.00	41.87	-32.13	74.00	59.37	35.88	12.73	66.11	100	0 Peak	VERTICAL																																																																											



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11g CH11 2462MHz																																																																																					
CDD 1+2	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT:Auto Freq: 230408C Mode : 15 Plane : Y Full-directivity : Y IMEI : 821 Power setting : 27</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>40.93</td> <td>-33.07</td> <td>74.00</td> <td>61.78</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>44.35</td> <td>-29.65</td> <td>74.00</td> <td>61.85</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4920.00	40.93	-33.07	74.00	61.78	34.26	10.34	65.45	300	0 Peak	HORIZONTAL	2	7380.00	44.35	-29.65	74.00	61.85	35.88	12.73	66.11	300	0 Peak	HORIZONTAL	<p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT:Auto Freq: 230408C Mode : 15 Plane : Y Full-directivity : Y IMEI : 821 Power setting : 27</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>40.89</td> <td>-33.11</td> <td>74.00</td> <td>61.74</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>44.72</td> <td>-29.28</td> <td>74.00</td> <td>62.22</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4920.00	40.89	-33.11	74.00	61.74	34.26	10.34	65.45	100	0 Peak	VERTICAL	2	7380.00	44.72	-29.28	74.00	62.22	35.88	12.73	66.11	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																														
1	4920.00	40.93	-33.07	74.00	61.78	34.26	10.34	65.45	300	0 Peak	HORIZONTAL																																																																											
2	7380.00	44.35	-29.65	74.00	61.85	35.88	12.73	66.11	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																														
1	4920.00	40.89	-33.11	74.00	61.74	34.26	10.34	65.45	100	0 Peak	VERTICAL																																																																											
2	7380.00	44.72	-29.28	74.00	62.22	35.88	12.73	66.11	100	0 Peak	VERTICAL																																																																											



2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																													
ANT	802.11 ax HE20 Full CH01 2412MHz																																																													
CDD 1+2	Horizontal	Vertical																																																												
Peak Avg.	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3317.0M 79957 HORIZONTAL Power : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Project : FR230408C Mode : 16 Plane : Y Full-directivity : Y IMEI : 821 Power setting : 07</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>40.50</td> <td>-33.60</td> <td>74.00</td> <td>61.43</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Factor	Loss	Factor	Factor	dB	dB	1	4830.00	40.50	-33.60	74.00	61.43	34.20	10.25	65.38	300	0 Peak	HORIZONTAL	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3317.0M 79957 VERTICAL Power : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Project : FR230408C Mode : 16 Plane : Y Full-directivity : Y IMEI : 821 Power setting : 07</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>40.34</td> <td>-33.60</td> <td>74.00</td> <td>61.27</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Factor	Loss	Factor	Factor	dB	dB	1	4830.00	40.34	-33.60	74.00	61.27	34.20	10.25	65.38	100	0 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
Level	Level	Level	Factor	Loss	Factor	Factor	dB	dB																																																						
1	4830.00	40.50	-33.60	74.00	61.43	34.20	10.25	65.38	300	0 Peak	HORIZONTAL																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
Level	Level	Level	Factor	Loss	Factor	Factor	dB	dB																																																						
1	4830.00	40.34	-33.60	74.00	61.27	34.20	10.25	65.38	100	0 Peak	VERTICAL																																																			



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11 ax HE20 Full CH02 2417MHz																																																																																	
CDD 1+2	Horizontal	Vertical																																																																																
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT:Auto Bode : 4 Plane : Y IMEI : Full-directivity Powersetting : 06 06 06</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dBm/100m</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4830.00</td> <td>40.26</td> <td>-33.74</td> <td>74.00</td> <td>61.19</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2 7251.00</td> <td>45.06</td> <td>-28.94</td> <td>74.00</td> <td>62.25</td> <td>35.85</td> <td>12.72</td> <td>65.76</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Frq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm	dB	dB	cm	deg			1 4830.00	40.26	-33.74	74.00	61.19	34.20	10.25	65.38	300	0 Peak HORIZONTAL	2 7251.00	45.06	-28.94	74.00	62.25	35.85	12.72	65.76	300	0 Peak HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT:Auto Bode : 4 Plane : Y IMEI : Full-directivity Powersetting : 06 06 06</p> <table border="1"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100m</th> <th>dBm/100m</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4834.00</td> <td>40.07</td> <td>-33.93</td> <td>74.00</td> <td>61.00</td> <td>34.21</td> <td>10.25</td> <td>65.39</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2 7251.00</td> <td>44.77</td> <td>-27.23</td> <td>74.00</td> <td>63.96</td> <td>35.85</td> <td>12.72</td> <td>65.76</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Frq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm	dB	dB	cm	deg			1 4834.00	40.07	-33.93	74.00	61.00	34.21	10.25	65.39	100	0 Peak VERTICAL	2 7251.00	44.77	-27.23	74.00	63.96	35.85	12.72	65.76	100	0 Peak VERTICAL
Frq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBm/100m	dBm/100m	dBm	dB	dB	cm	deg																																																																											
1 4830.00	40.26	-33.74	74.00	61.19	34.20	10.25	65.38	300	0 Peak HORIZONTAL																																																																									
2 7251.00	45.06	-28.94	74.00	62.25	35.85	12.72	65.76	300	0 Peak HORIZONTAL																																																																									
Frq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBm/100m	dBm/100m	dBm	dB	dB	cm	deg																																																																											
1 4834.00	40.07	-33.93	74.00	61.00	34.21	10.25	65.39	100	0 Peak VERTICAL																																																																									
2 7251.00	44.77	-27.23	74.00	63.96	35.85	12.72	65.76	100	0 Peak VERTICAL																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11 ax HE20 Full CH09 2452MHz																																																																																									
CDD 1+2	Horizontal	Vertical																																																																																								
<p>Peak</p> <p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : R98 1000.000KHz VBR 3000.000KHz SRT:Auto Freq: 230408C Mode : 0 Plane : Y Full-directivity IMEI : 821 Power setting : 00</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>40.54</td> <td>-33.46</td> <td>74.00</td> <td>61.41</td> <td>34.25</td> <td>10.32</td> <td>65.44</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>43.27</td> <td>-30.73</td> <td>74.00</td> <td>60.74</td> <td>35.87</td> <td>12.72</td> <td>66.06</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4904.00	40.54	-33.46	74.00	61.41	34.25	10.32	65.44	300	0	Peak	HORIZONTAL	2	7356.00	43.27	-30.73	74.00	60.74	35.87	12.72	66.06	300	0	Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : R98 1000.000KHz VBR 3000.000KHz SRT:Auto Freq: 230408C Mode : 0 Plane : Y Full-directivity IMEI : 821 Power setting : 00</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4905.00</td> <td>41.21</td> <td>-32.49</td> <td>74.00</td> <td>62.16</td> <td>34.25</td> <td>10.34</td> <td>65.44</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>43.53</td> <td>-30.47</td> <td>74.00</td> <td>60.99</td> <td>35.87</td> <td>12.73</td> <td>66.06</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4905.00	41.21	-32.49	74.00	62.16	34.25	10.34	65.44	100	0	Peak	VERTICAL	2	7356.00	43.53	-30.47	74.00	60.99	35.87	12.73	66.06	100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																																		
1	4904.00	40.54	-33.46	74.00	61.41	34.25	10.32	65.44	300	0	Peak	HORIZONTAL																																																																														
2	7356.00	43.27	-30.73	74.00	60.74	35.87	12.72	66.06	300	0	Peak	HORIZONTAL																																																																														
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																																		
1	4905.00	41.21	-32.49	74.00	62.16	34.25	10.34	65.44	100	0	Peak	VERTICAL																																																																														
2	7356.00	43.53	-30.47	74.00	60.99	35.87	12.73	66.06	100	0	Peak	VERTICAL																																																																														



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11 ax HE20 Full CH10 2457MHz																																																																																	
CDD 1+2	Horizontal	Vertical																																																																																
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : R98 1000.000kHz VBR 3000.000kHz SRT:Auto FR230408C Mode : S Plane : Y Full-directivity IMEI : 821 Powersetting : S6</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4920.00</td> <td>40.74</td> <td>-33.26</td> <td>74.00</td> <td>61.59</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 7371.00</td> <td>43.65</td> <td>-30.35</td> <td>74.00</td> <td>61.15</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1 4920.00	40.74	-33.26	74.00	61.59	34.26	10.34	65.45	300	0 Peak	HORIZONTAL	2 7371.00	43.65	-30.35	74.00	61.15	35.88	12.73	66.11	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : R98 1000.000kHz VBR 3000.000kHz SRT:Auto FR230408C Mode : S Plane : Y Full-directivity IMEI : 821 Powersetting : S6</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4920.00</td> <td>40.43</td> <td>-33.37</td> <td>74.00</td> <td>61.48</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 7371.00</td> <td>43.69</td> <td>-30.31</td> <td>74.00</td> <td>61.19</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1 4920.00	40.43	-33.37	74.00	61.48	34.26	10.34	65.45	100	0 Peak	VERTICAL	2 7371.00	43.69	-30.31	74.00	61.19	35.88	12.73	66.11	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																										
1 4920.00	40.74	-33.26	74.00	61.59	34.26	10.34	65.45	300	0 Peak	HORIZONTAL																																																																								
2 7371.00	43.65	-30.35	74.00	61.15	35.88	12.73	66.11	300	0 Peak	HORIZONTAL																																																																								
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																										
1 4920.00	40.43	-33.37	74.00	61.48	34.26	10.34	65.45	100	0 Peak	VERTICAL																																																																								
2 7371.00	43.69	-30.31	74.00	61.19	35.88	12.73	66.11	100	0 Peak	VERTICAL																																																																								



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11 ax HE20 Full CH11 2462MHz																																																																																					
CDD 1+2	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT:Auto Bode : FREQ230408C Mode : IS Plane : Y Full-directivity : Y IMEI : 821 Powersetting : 49</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>40.78</td> <td>-33.22</td> <td>74.00</td> <td>61.63</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>41.99</td> <td>-32.01</td> <td>74.00</td> <td>59.49</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4920.00	40.78	-33.22	74.00	61.63	34.26	10.34	65.45	300	0 Peak	HORIZONTAL	2	7380.00	41.99	-32.01	74.00	59.49	35.88	12.73	66.11	300	0 Peak	HORIZONTAL	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT:Auto Bode : FREQ230408C Mode : IS Plane : Y Full-directivity : Y IMEI : 821 Powersetting : 49</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>40.64</td> <td>-33.36</td> <td>74.00</td> <td>61.49</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>43.16</td> <td>-30.84</td> <td>74.00</td> <td>60.66</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4920.00	40.64	-33.36	74.00	61.49	34.26	10.34	65.45	100	0 Peak	VERTICAL	2	7380.00	43.16	-30.84	74.00	60.66	35.88	12.73	66.11	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																														
1	4920.00	40.78	-33.22	74.00	61.63	34.26	10.34	65.45	300	0 Peak	HORIZONTAL																																																																											
2	7380.00	41.99	-32.01	74.00	59.49	35.88	12.73	66.11	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																														
1	4920.00	40.64	-33.36	74.00	61.49	34.26	10.34	65.45	100	0 Peak	VERTICAL																																																																											
2	7380.00	43.16	-30.84	74.00	60.66	35.88	12.73	66.11	100	0 Peak	VERTICAL																																																																											



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																									
ANT	802.11ax HE20 Partial 106/53 CH01 2412MHz																																																									
CDD 1+2	Horizontal	Vertical																																																								
Peak Avg.	<p>Site : 03D005-KS Condition : FCC PART 15C 3m 3317.0M 75957 HORIZONTAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : FR230408C Plane : Y IWEI : Full-directivity Powersetting : S4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>39.82</td> <td>-34.18</td> <td>74.00</td> <td>40.75</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Loss	Factor	dB	dB	1	4830.00	39.82	-34.18	74.00	40.75	34.20	10.25	65.38	300	0 Peak	HORIZONTAL	<p>Site : 03D005-KS Condition : FCC PART 15C 3m 3317.0M 75957 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : FR230408C Plane : Y IWEI : Full-directivity Powersetting : S4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>40.29</td> <td>-33.71</td> <td>74.00</td> <td>41.22</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Loss	Factor	dB	dB	1	4830.00	40.29	-33.71	74.00	41.22	34.20	10.25	65.38	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																			
Level	Level	Level	Level	Loss	Factor	dB	dB																																																			
1	4830.00	39.82	-34.18	74.00	40.75	34.20	10.25	65.38	300	0 Peak	HORIZONTAL																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																			
Level	Level	Level	Level	Loss	Factor	dB	dB																																																			
1	4830.00	40.29	-33.71	74.00	41.22	34.20	10.25	65.38	100	0 Peak	VERTICAL																																															



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11ax HE20 Partial 106/54 CH11 2462MHz																																																																																	
CDD 1+2	Horizontal	Vertical																																																																																
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : R98 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FFS230408C Mode : 20 Plane : Y Full-directivity IMEI : 821 Power setting : 46 Over Limit : 46</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4920.00</td> <td>40.50</td> <td>-33.50</td> <td>74.00</td> <td>61.35</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2 7380.00</td> <td>43.24</td> <td>-30.76</td> <td>74.00</td> <td>60.74</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dB	dB	dB	cm	deg			1 4920.00	40.50	-33.50	74.00	61.35	34.26	10.34	65.45	300	0 Peak HORIZONTAL	2 7380.00	43.24	-30.76	74.00	60.74	35.88	12.73	66.11	300	0 Peak HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : R98 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FFS230408C Mode : 20 Plane : Y Full-directivity IMEI : 821 Power setting : 46 Over Limit : 46</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/100MHz</th> <th>dBm/100MHz</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4920.00</td> <td>40.45</td> <td>-33.55</td> <td>74.00</td> <td>61.30</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2 7380.00</td> <td>42.48</td> <td>-31.52</td> <td>74.00</td> <td>59.98</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100MHz	dBm/100MHz	dB	dB	dB	cm	deg			1 4920.00	40.45	-33.55	74.00	61.30	34.26	10.34	65.45	100	0 Peak VERTICAL	2 7380.00	42.48	-31.52	74.00	59.98	35.88	12.73	66.11	100	0 Peak VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBm/100MHz	dBm/100MHz	dB	dB	dB	cm	deg																																																																											
1 4920.00	40.50	-33.50	74.00	61.35	34.26	10.34	65.45	300	0 Peak HORIZONTAL																																																																									
2 7380.00	43.24	-30.76	74.00	60.74	35.88	12.73	66.11	300	0 Peak HORIZONTAL																																																																									
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBm/100MHz	dBm/100MHz	dB	dB	dB	cm	deg																																																																											
1 4920.00	40.45	-33.55	74.00	61.30	34.26	10.34	65.45	100	0 Peak VERTICAL																																																																									
2 7380.00	42.48	-31.52	74.00	59.98	35.88	12.73	66.11	100	0 Peak VERTICAL																																																																									



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11ax HE20 Full CH01 2412MHz																																																													
TXBF 1+2	Horizontal	Fundamental																																																												
Peak	<p>Site : 030905-KS Condition : FCC PART 15C 3a 3317.0M 79597 HORIZONTAL Economic & Technical Development Zone, Jiangsu, China Project : FR230408 Mode : Z1 Plane : T Full-directivity : Y IRE1 : Full-directivity Powersetting : 820</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.49</td> <td>65.66</td> <td>-8.34</td> <td>74.00</td> <td>62.54</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>306</td> <td>314 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg	1 2389.49	65.66	-8.34	74.00	62.54	32.88	7.10	36.86	306	314 Peak	<p>Site : 030905-KS Condition : FCC PART 15C 3a 3317.0M 79597 HORIZONTAL Economic & Technical Development Zone, Jiangsu, China Project : FR230408 Mode : Z1 Plane : T Full-directivity : Y IRE1 : Full-directivity Powersetting : 820</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2412.00</td> <td>110.52</td> <td>36.52</td> <td>74.00</td> <td>107.34</td> <td>32.90</td> <td>7.13</td> <td>36.85</td> <td>306</td> <td>314 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg	1 * 2412.00	110.52	36.52	74.00	107.34	32.90	7.13	36.85	306	314 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg																																																					
1 2389.49	65.66	-8.34	74.00	62.54	32.88	7.10	36.86	306	314 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg																																																					
1 * 2412.00	110.52	36.52	74.00	107.34	32.90	7.13	36.85	306	314 Peak																																																					
Avg.	<p>Site : 030905-KS Condition : FCC PART 15C (AVG) 3a 3317.0M 79597 HORIZONTAL Economic & Technical Development Zone, Jiangsu, China Project : FR230408 Mode : Z1 Plane : T Full-directivity : Y IRE1 : Full-directivity Powersetting : 820</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 1 2389.95</td> <td>52.59</td> <td>-1.41</td> <td>54.00</td> <td>49.47</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>306</td> <td>314 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg	1 1 2389.95	52.59	-1.41	54.00	49.47	32.88	7.10	36.86	306	314 Average	<p>Site : 030905-KS Condition : FCC PART 15C (AVG) 3a 3317.0M 79597 HORIZONTAL Economic & Technical Development Zone, Jiangsu, China Project : FR230408 Mode : Z1 Plane : T Full-directivity : Y IRE1 : Full-directivity Powersetting : 820</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2412.00</td> <td>96.76</td> <td>42.76</td> <td>54.00</td> <td>93.58</td> <td>32.90</td> <td>7.13</td> <td>36.85</td> <td>306</td> <td>314 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg	1 * 2412.00	96.76	42.76	54.00	93.58	32.90	7.13	36.85	306	314 Average
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg																																																					
1 1 2389.95	52.59	-1.41	54.00	49.47	32.88	7.10	36.86	306	314 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dB	dBm	dBm	dB	dB	dB	cm	deg																																																					
1 * 2412.00	96.76	42.76	54.00	93.58	32.90	7.13	36.85	306	314 Average																																																					



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11ax HE20 Full CH01 2412MHz																																																													
TXBF 1+2	Vertical	Fundamental																																																												
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79957 VERTICAL Project : FR230408 Mode : 21 Plane : Y IME1 : Full-directivity Powersetting : 60</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2389.30</td> <td>57.34</td> <td>-16.66</td> <td>74.00</td> <td>94.22</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>220</td> <td>122 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg			1 2389.30	57.34	-16.66	74.00	94.22	32.88	7.10	36.86	220	122 Peak VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79957 VERTICAL Project : FR230408 Mode : 21 Plane : Y IME1 : Full-directivity Powersetting : 60</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2416.00</td> <td>111.21</td> <td>37.21</td> <td>74.00</td> <td>108.00</td> <td>32.90</td> <td>7.16</td> <td>36.85</td> <td>220</td> <td>122 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg			1 * 2416.00	111.21	37.21	74.00	108.00	32.90	7.16	36.85	220	122 Peak VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg																																																							
1 2389.30	57.34	-16.66	74.00	94.22	32.88	7.10	36.86	220	122 Peak VERTICAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg																																																							
1 * 2416.00	111.21	37.21	74.00	108.00	32.90	7.16	36.85	220	122 Peak VERTICAL																																																					
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79957 VERTICAL Project : FR230408 Mode : 21 Plane : Y IME1 : Full-directivity Powersetting : 60</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2389.30</td> <td>41.23</td> <td>-12.77</td> <td>54.00</td> <td>38.11</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>220</td> <td>122 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg			1 2389.30	41.23	-12.77	54.00	38.11	32.88	7.10	36.86	220	122 Average VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79957 VERTICAL Project : FR230408 Mode : 21 Plane : Y IME1 : Full-directivity Powersetting : 60</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2416.00</td> <td>97.57</td> <td>43.57</td> <td>54.00</td> <td>94.36</td> <td>32.90</td> <td>7.16</td> <td>36.85</td> <td>220</td> <td>122 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg			1 * 2416.00	97.57	43.57	54.00	94.36	32.90	7.16	36.85	220	122 Average VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg																																																							
1 2389.30	41.23	-12.77	54.00	38.11	32.88	7.10	36.86	220	122 Average VERTICAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBV/m	dB	dBV/m	dBV	dB	cm	deg																																																							
1 * 2416.00	97.57	43.57	54.00	94.36	32.90	7.16	36.85	220	122 Average VERTICAL																																																					







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11ax HE20 Full CH02 2417MHz																																																											
CDD 1+2	Horizontal	Fundamental																																																										
Peak	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79567 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408 Plane : Z Polarization : Full-directivity JME1 : 70 Powersetting : 70</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>52.87</td> <td>-21.13</td> <td>74.00</td> <td>49.75</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>302</td> <td>299</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	cm	deg	1	2389.95	52.87	-21.13	74.00	49.75	32.88	7.10	36.86	302	299	Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79567 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408 Plane : Z Polarization : Full-directivity JME1 : 70 Powersetting : 70</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2424.00</td> <td>110.10</td> <td>36.10</td> <td>74.00</td> <td>106.87</td> <td>32.92</td> <td>7.16</td> <td>36.85</td> <td>302</td> <td>299</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	cm	deg	1	2424.00	110.10	36.10	74.00	106.87	32.92	7.16	36.85	302	299	Peak	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	dBm	cm	deg																																																					
1	2389.95	52.87	-21.13	74.00	49.75	32.88	7.10	36.86	302	299	Peak	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	dBm	cm	deg																																																					
1	2424.00	110.10	36.10	74.00	106.87	32.92	7.16	36.85	302	299	Peak	HORIZONTAL																																																
Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79567 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408 Plane : Z Polarization : Full-directivity JME1 : 70 Powersetting : 70</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>39.12</td> <td>-14.88</td> <td>54.00</td> <td>35.00</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>302</td> <td>299</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	cm	deg	1	2389.95	39.12	-14.88	54.00	35.00	32.88	7.10	36.86	302	299	Average	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79567 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408 Plane : Z Polarization : Full-directivity JME1 : 70 Powersetting : 70</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>91.59</td> <td>37.59</td> <td>54.00</td> <td>88.36</td> <td>32.92</td> <td>7.16</td> <td>36.85</td> <td>302</td> <td>299</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	cm	deg	1	2422.00	91.59	37.59	54.00	88.36	32.92	7.16	36.85	302	299	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	dBm	cm	deg																																																					
1	2389.95	39.12	-14.88	54.00	35.00	32.88	7.10	36.86	302	299	Average	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	dBm	cm	deg																																																					
1	2422.00	91.59	37.59	54.00	88.36	32.92	7.16	36.85	302	299	Average	HORIZONTAL																																																



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Full CH02 2417MHz																																																																	
TXBF 1+2	Vertical	Fundamental																																																																
Peak	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79927 VERTICAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : FR230408C Plane : Y IMEI : Full-directivity Powersetting : 70</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.09</td> <td>51.24</td> <td>-22.76</td> <td>74.00</td> <td>48.12</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>100</td> <td>27 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2387.09	51.24	-22.76	74.00	48.12	32.88	7.10	36.86	100	27 Peak	VERTICAL	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79927 VERTICAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : FR230408C Plane : Y IMEI : Full-directivity Powersetting : 70</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.92</td> <td>31.92</td> <td>74.00</td> <td>102.74</td> <td>32.90</td> <td>7.13</td> <td>36.85</td> <td>100</td> <td>27 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2412.00	105.92	31.92	74.00	102.74	32.90	7.13	36.85	100	27 Peak	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	2387.09	51.24	-22.76	74.00	48.12	32.88	7.10	36.86	100	27 Peak	VERTICAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	2412.00	105.92	31.92	74.00	102.74	32.90	7.13	36.85	100	27 Peak	VERTICAL																																																							
Avg.	<p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79927 VERTICAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : FR230408C Plane : Y IMEI : Full-directivity Powersetting : 70</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2383.19</td> <td>38.83</td> <td>-15.17</td> <td>54.00</td> <td>35.74</td> <td>32.86</td> <td>7.10</td> <td>36.87</td> <td>100</td> <td>27 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2383.19	38.83	-15.17	54.00	35.74	32.86	7.10	36.87	100	27 Average	VERTICAL	<p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79927 VERTICAL Project : RSM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : FR230408C Plane : Y IMEI : Full-directivity Powersetting : 70</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2414.00</td> <td>89.85</td> <td>35.85</td> <td>54.00</td> <td>86.67</td> <td>32.90</td> <td>7.13</td> <td>36.85</td> <td>100</td> <td>27 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2414.00	89.85	35.85	54.00	86.67	32.90	7.13	36.85	100	27 Average	VERTICAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	2383.19	38.83	-15.17	54.00	35.74	32.86	7.10	36.87	100	27 Average	VERTICAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																											
1	2414.00	89.85	35.85	54.00	86.67	32.90	7.13	36.85	100	27 Average	VERTICAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	802.11ax HE20 Full CH06 2437MHz - L																																																																	
TXBF 1+2	Horizontal	Fundamental																																																																
Peak	 <p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79957 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408C Plane : 27 Full-directivity IMEI : 85 Powersetting : 70</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dBμV</th> <th>dBμV</th> <th>dB</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>52.24</td> <td>-21.76</td> <td>74.00</td> <td>49.12</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>295</td> <td>314 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dBμV	dB	deg	cm	deg	1	2389.69	52.24	-21.76	74.00	49.12	32.88	7.10	36.86	295	314 Peak	HORIZONTAL	 <p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79957 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408C Plane : 27 Full-directivity IMEI : 85 Powersetting : 70</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dBμV</th> <th>dBμV</th> <th>dB</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2436.00</td> <td>112.46</td> <td>38.46</td> <td>74.00</td> <td>109.20</td> <td>32.92</td> <td>7.19</td> <td>36.85</td> <td>295</td> <td>314 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dBμV	dB	deg	cm	deg	1	2436.00	112.46	38.46	74.00	109.20	32.92	7.19	36.85	295	314 Peak	HORIZONTAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBμV/m	dB	dBμV/m	dBμV	dBμV	dB	deg	cm	deg																																																									
1	2389.69	52.24	-21.76	74.00	49.12	32.88	7.10	36.86	295	314 Peak	HORIZONTAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBμV/m	dB	dBμV/m	dBμV	dBμV	dB	deg	cm	deg																																																									
1	2436.00	112.46	38.46	74.00	109.20	32.92	7.19	36.85	295	314 Peak	HORIZONTAL																																																							
Avg.	 <p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79957 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408C Plane : 27 Full-directivity IMEI : 85 Powersetting : 70</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dBμV</th> <th>dBμV</th> <th>dB</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.55</td> <td>39.99</td> <td>-14.01</td> <td>54.00</td> <td>35.87</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>295</td> <td>314 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dBμV	dB	deg	cm	deg	1	2389.55	39.99	-14.01	54.00	35.87	32.88	7.10	36.86	295	314 Average	HORIZONTAL	 <p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79957 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408C Plane : 27 Full-directivity IMEI : 85 Powersetting : 70</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBμV/m</th> <th>dB</th> <th>dBμV/m</th> <th>dBμV</th> <th>dBμV</th> <th>dB</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2434.00</td> <td>98.64</td> <td>44.64</td> <td>54.00</td> <td>95.41</td> <td>32.92</td> <td>7.19</td> <td>36.85</td> <td>295</td> <td>314 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dBμV	dB	deg	cm	deg	1	2434.00	98.64	44.64	54.00	95.41	32.92	7.19	36.85	295	314 Average	HORIZONTAL
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBμV/m	dB	dBμV/m	dBμV	dBμV	dB	deg	cm	deg																																																									
1	2389.55	39.99	-14.01	54.00	35.87	32.88	7.10	36.86	295	314 Average	HORIZONTAL																																																							
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBμV/m	dB	dBμV/m	dBμV	dBμV	dB	deg	cm	deg																																																									
1	2434.00	98.64	44.64	54.00	95.41	32.92	7.19	36.85	295	314 Average	HORIZONTAL																																																							



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																						
ANT	802.11ax HE20 Full CH06 2437MHz - R																																						
TXBF 1+2	Horizontal	Fundamental																																					
Peak	<p>Site : 032005-KS Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : RBE 1000.000kHz VSW 3000.000kHz SW: Auto Mode : (FR) 230408 Plane : Y IMEI : Full-directivity Powersetting : 20</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>57.45</td> <td>-16.55</td> <td>74.00</td> <td>64.04</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>295</td> <td>314</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	2483.56	57.45	-16.55	74.00	64.04	32.98	7.25	36.82	295	314	Peak	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
Freq	Level	Line	Level Factor	Loss Factor																																			
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																
1	2483.56	57.45	-16.55	74.00	64.04	32.98	7.25	36.82	295	314	Peak	HORIZONTAL																											
Avg.	<p>Site : 032005-KS Condition : FCC PART 15C (AVG) 3m 3317.5M 75957 HORIZONTAL Project : RBE 1000.000kHz VSW 3000.000kHz SW: Auto Mode : (FR) 230408 Plane : Y IMEI : Full-directivity Powersetting : 20</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.80</td> <td>43.77</td> <td>-10.23</td> <td>54.00</td> <td>40.36</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>295</td> <td>314</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg	1	2483.80	43.77	-10.23	54.00	40.36	32.98	7.25	36.82	295	314	Average	HORIZONTAL	Left blank
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
Freq	Level	Line	Level Factor	Loss Factor																																			
MHz	dBV/m	dB	dBV/m	dB	dB	cm	deg																																
1	2483.80	43.77	-10.23	54.00	40.36	32.98	7.25	36.82	295	314	Average	HORIZONTAL																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																							
ANT	802.11ax HE20 Full CH06 2437MHz - L																																																							
TXBF 1+2	Vertical	Fundamental																																																						
Peak	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79957 VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : FR230408C Plane : 27 Polarization : Full-directivity PowerSetting : 70</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2384.23</td> <td>50.12</td> <td>-23.88</td> <td>74.00</td> <td>47.03</td> <td>32.86</td> <td>7.10</td> <td>36.87</td> <td>173</td> <td>124</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dB	dB	cm	deg	cm	deg	1	2384.23	50.12	-23.88	74.00	47.03	32.86	7.10	36.87	173	124	Peak	VERTICAL	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79957 VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : FR230408C Plane : 27 Polarization : Full-directivity PowerSetting : 70</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2436.00</td> <td>114.37</td> <td>40.37</td> <td>74.00</td> <td>111.11</td> <td>32.92</td> <td>7.19</td> <td>36.85</td> <td>173</td> <td>124</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dB	dB	cm	deg	cm	deg	1	2436.00	114.37	40.37	74.00	111.11	32.92	7.19	36.85	173	124	Peak	VERTICAL
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
dB	dB	dB	cm	deg	cm	deg																																																		
1	2384.23	50.12	-23.88	74.00	47.03	32.86	7.10	36.87	173	124	Peak	VERTICAL																																												
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
dB	dB	dB	cm	deg	cm	deg																																																		
1	2436.00	114.37	40.37	74.00	111.11	32.92	7.19	36.85	173	124	Peak	VERTICAL																																												
Avg.	<p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79957 VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : FR230408C Plane : 27 Polarization : Full-directivity PowerSetting : 70</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>39.17</td> <td>-14.83</td> <td>54.00</td> <td>35.05</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>173</td> <td>124</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dB	dB	cm	deg	cm	deg	1	2389.82	39.17	-14.83	54.00	35.05	32.88	7.10	36.86	173	124	Average	VERTICAL	<p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79957 VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : FR230408C Plane : 27 Polarization : Full-directivity PowerSetting : 70</p> <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2434.00</td> <td>98.89</td> <td>44.89</td> <td>54.00</td> <td>95.66</td> <td>32.92</td> <td>7.10</td> <td>36.85</td> <td>173</td> <td>124</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	dB	dB	dB	cm	deg	cm	deg	1	2434.00	98.89	44.89	54.00	95.66	32.92	7.10	36.85	173	124	Average	VERTICAL
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
dB	dB	dB	cm	deg	cm	deg																																																		
1	2389.82	39.17	-14.83	54.00	35.05	32.88	7.10	36.86	173	124	Average	VERTICAL																																												
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
dB	dB	dB	cm	deg	cm	deg																																																		
1	2434.00	98.89	44.89	54.00	95.66	32.92	7.10	36.85	173	124	Average	VERTICAL																																												



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																						
ANT	802.11ax HE20 Full CH06 2437MHz - R																																						
TXBF 1+2	Vertical	Fundamental																																					
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : RRM 1000.000KHz VSW 3000.000KHz SW: Auto FR2320408 Mode : Z Plane : Y Full-directivity IMEI : PowerSetting : RS</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>55.41</td> <td>-18.59</td> <td>74.00</td> <td>52.00</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>173</td> <td>124</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2483.56	55.41	-18.59	74.00	52.00	32.98	7.25	36.82	173	124	Peak	VERTICAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
Freq	Level	Line	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																
1	2483.56	55.41	-18.59	74.00	52.00	32.98	7.25	36.82	173	124	Peak	VERTICAL																											
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : FCC PART 15C (AVE) 3m 3317.5M 75957 VERTICAL Project : RRM 1000.000KHz VSW 3000.000KHz SW: Auto FR2320408 Mode : Z Plane : Y Full-directivity IMEI : PowerSetting : RS</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>43.28</td> <td>-10.72</td> <td>54.00</td> <td>39.87</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>173</td> <td>124</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2483.50	43.28	-10.72	54.00	39.87	32.98	7.25	36.82	173	124	Average	VERTICAL	<p>Left blank</p>
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
Freq	Level	Line	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																
1	2483.50	43.28	-10.72	54.00	39.87	32.98	7.25	36.82	173	124	Average	VERTICAL																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																									
ANT	802.11ax HE20 Full CH10 2457MHz																																																									
TXBF 1+2	Horizontal	Fundamental																																																								
Peak	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 7957 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : FR230408C Plane : Y IMEI : Full-directivity Powersetting : 68</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 1 2483.50</td> <td>70.66</td> <td>-3.34</td> <td>74.00</td> <td>67.25</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>332 311 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	cm	deg		1 1 2483.50	70.66	-3.34	74.00	67.25	32.98	7.25	36.82	332 311 Peak	HORIZONTAL	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 7957 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : FR230408C Plane : Y IMEI : Full-directivity Powersetting : 68</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2460.00</td> <td>109.92</td> <td>35.92</td> <td>74.00</td> <td>106.57</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>332 311 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	cm	deg		1 * 2460.00	109.92	35.92	74.00	106.57	32.96	7.22	36.83	332 311 Peak	HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBm	dBm	dBm	dBm	dB	cm	deg																																																			
1 1 2483.50	70.66	-3.34	74.00	67.25	32.98	7.25	36.82	332 311 Peak	HORIZONTAL																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBm	dBm	dBm	dBm	dB	cm	deg																																																			
1 * 2460.00	109.92	35.92	74.00	106.57	32.96	7.22	36.83	332 311 Peak	HORIZONTAL																																																	
Avg.	<p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 7957 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : FR230408C Plane : Y IMEI : Full-directivity Powersetting : 68</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 1 2484.52</td> <td>49.62</td> <td>-4.38</td> <td>54.00</td> <td>46.21</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>332 311 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	cm	deg		1 1 2484.52	49.62	-4.38	54.00	46.21	32.98	7.25	36.82	332 311 Average	HORIZONTAL	<p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 7957 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : FR230408C Plane : Y IMEI : Full-directivity Powersetting : 68</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2460.00</td> <td>90.14</td> <td>36.14</td> <td>54.00</td> <td>86.79</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>332 311 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	cm	deg		1 * 2460.00	90.14	36.14	54.00	86.79	32.96	7.22	36.83	332 311 Average	HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBm	dBm	dBm	dBm	dB	cm	deg																																																			
1 1 2484.52	49.62	-4.38	54.00	46.21	32.98	7.25	36.82	332 311 Average	HORIZONTAL																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBm	dBm	dBm	dBm	dB	cm	deg																																																			
1 * 2460.00	90.14	36.14	54.00	86.79	32.96	7.22	36.83	332 311 Average	HORIZONTAL																																																	



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																									
ANT	802.11ax HE20 Full CH10 2457MHz																																																									
TXBF 1+2	Vertical	Fundamental																																																								
Peak	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79957 VERTICAL Economic & Technical Development Zone, Jiangsu China Project : FR230408 Mode : 23 Plane : Y Full-directivity IMEI : 85 Powersetting : 68</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 1</td> <td>2483.74</td> <td>69.32</td> <td>-4.68</td> <td>74.00</td> <td>65.91</td> <td>32.98</td> <td>7.25 36.82</td> <td>100 242 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	cm	deg			1 1	2483.74	69.32	-4.68	74.00	65.91	32.98	7.25 36.82	100 242 Peak	VERTICAL	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79957 VERTICAL Economic & Technical Development Zone, Jiangsu China Project : FR230408 Mode : 23 Plane : Y Full-directivity IMEI : 85 Powersetting : 68</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2460.00</td> <td>107.87</td> <td>33.87</td> <td>74.00</td> <td>104.62</td> <td>32.96</td> <td>7.22 36.83</td> <td>100 242 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	cm	deg			1 *	2460.00	107.87	33.87	74.00	104.62	32.96	7.22 36.83	100 242 Peak	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBm	dBm	dBm	dBm	cm	deg																																																				
1 1	2483.74	69.32	-4.68	74.00	65.91	32.98	7.25 36.82	100 242 Peak	VERTICAL																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBm	dBm	dBm	dBm	cm	deg																																																				
1 *	2460.00	107.87	33.87	74.00	104.62	32.96	7.22 36.83	100 242 Peak	VERTICAL																																																	
Avg.	<p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79957 VERTICAL Economic & Technical Development Zone, Jiangsu China Project : FR230408 Mode : 23 Plane : Y Full-directivity IMEI : 85 Powersetting : 68</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.74</td> <td>44.95</td> <td>-9.05</td> <td>54.00</td> <td>41.54</td> <td>32.98</td> <td>7.25 36.82</td> <td>100 242 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	cm	deg			1	2483.74	44.95	-9.05	54.00	41.54	32.98	7.25 36.82	100 242 Average	VERTICAL	<p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79957 VERTICAL Economic & Technical Development Zone, Jiangsu China Project : FR230408 Mode : 23 Plane : Y Full-directivity IMEI : 85 Powersetting : 68</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2460.00</td> <td>90.28</td> <td>36.28</td> <td>54.00</td> <td>86.93</td> <td>32.96</td> <td>7.22 36.83</td> <td>100 242 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	cm	deg			1 *	2460.00	90.28	36.28	54.00	86.93	32.96	7.22 36.83	100 242 Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBm	dBm	dBm	dBm	cm	deg																																																				
1	2483.74	44.95	-9.05	54.00	41.54	32.98	7.25 36.82	100 242 Average	VERTICAL																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
MHz	dBm	dBm	dBm	dBm	cm	deg																																																				
1 *	2460.00	90.28	36.28	54.00	86.93	32.96	7.22 36.83	100 242 Average	VERTICAL																																																	



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Full CH11 2462MHz																																																																			
TXBF 1+2	Horizontal	Fundamental																																																																		
Peak	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79957 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408C Plane : 23 Polarization : Full-directivity PowerSetting : 49</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.62</td> <td>65.13</td> <td>-8.87</td> <td>74.00</td> <td>61.72</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>100</td> <td>23 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2483.62	65.13	-8.87	74.00	61.72	32.98	7.25	36.82	100	23 Peak	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79957 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408C Plane : 23 Polarization : Full-directivity PowerSetting : 49</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>109.04</td> <td>35.04</td> <td>74.00</td> <td>105.69</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>100</td> <td>22 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2462.00	109.04	35.04	74.00	105.69	32.96	7.22	36.83	100	22 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2483.62	65.13	-8.87	74.00	61.72	32.98	7.25	36.82	100	23 Peak																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2462.00	109.04	35.04	74.00	105.69	32.96	7.22	36.83	100	22 Peak																																																										
Avg.	<p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79957 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408C Plane : 23 Polarization : Full-directivity PowerSetting : 49</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.16</td> <td>50.91</td> <td>-3.09</td> <td>54.00</td> <td>47.50</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>100</td> <td>22 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2484.16	50.91	-3.09	54.00	47.50	32.98	7.25	36.82	100	22 Average	<p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79957 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408C Plane : 23 Polarization : Full-directivity PowerSetting : 49</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2460.00</td> <td>96.12</td> <td>42.12</td> <td>54.00</td> <td>92.77</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>100</td> <td>22 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2460.00	96.12	42.12	54.00	92.77	32.96	7.22	36.83	100	22 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2484.16	50.91	-3.09	54.00	47.50	32.98	7.25	36.82	100	22 Average																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1	2460.00	96.12	42.12	54.00	92.77	32.96	7.22	36.83	100	22 Average																																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11ax HE20 Full CH11 2462MHz																																																													
TXBF 1+2	Vertical	Fundamental																																																												
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79567 VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408C Plane : Y Full-directivity IMEI : 49 Powersetting : 49</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2462.04</td> <td>65.72</td> <td>-82</td> <td>74.00</td> <td>62.31</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>195 123 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	cm	deg			1 2462.04	65.72	-82	74.00	62.31	32.98	7.25	36.82	195 123 Peak	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79567 VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408C Plane : Y Full-directivity IMEI : 49 Powersetting : 49</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2462.00</td> <td>98.41</td> <td>-82</td> <td>95.06</td> <td>95.06</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>195 123 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	cm	deg			1 * 2462.00	98.41	-82	95.06	95.06	32.96	7.22	36.83	195 123 Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	dBm	cm	deg																																																							
1 2462.04	65.72	-82	74.00	62.31	32.98	7.25	36.82	195 123 Peak	VERTICAL																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	dBm	cm	deg																																																							
1 * 2462.00	98.41	-82	95.06	95.06	32.96	7.22	36.83	195 123 Average	VERTICAL																																																					
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79567 VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408C Plane : Y Full-directivity IMEI : 49 Powersetting : 49</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2463.56</td> <td>51.32</td> <td>-82</td> <td>54.00</td> <td>47.91</td> <td>32.98</td> <td>7.25</td> <td>36.82</td> <td>195 123 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	cm	deg			1 2463.56	51.32	-82	54.00	47.91	32.98	7.25	36.82	195 123 Average	VERTICAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900958 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 79567 VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT Auto Mode : FR230408C Plane : Y Full-directivity IMEI : 49 Powersetting : 49</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2462.00</td> <td>110.50</td> <td>-82</td> <td>107.15</td> <td>107.15</td> <td>32.96</td> <td>7.22</td> <td>36.83</td> <td>195 123 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	cm	deg			1 * 2462.00	110.50	-82	107.15	107.15	32.96	7.22	36.83	195 123 Peak	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	dBm	cm	deg																																																							
1 2463.56	51.32	-82	54.00	47.91	32.98	7.25	36.82	195 123 Average	VERTICAL																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dBm	dBm	cm	deg																																																							
1 * 2462.00	110.50	-82	107.15	107.15	32.96	7.22	36.83	195 123 Peak	VERTICAL																																																					



2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																			
ANT	802.11 ax HE20 Full CH01 2412MHz																																																																			
TXBF 1+2	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3317.0M 75957 HORIZONTAL Power : RSM 1000.000MHz VBR 3000.000MHz SRT Auto Project : FR230408C Mode : 21 Plane : Y Full-directivity : Y IPEI : 820 Power setting : 60</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/1m</th> <th>dB</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 4830.00</td> <td>40.10</td> <td>-33.90</td> <td>74.00</td> <td>61.03</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dB	dB	dB	dB	dB	dB	dB	1 4830.00	40.10	-33.90	74.00	61.03	34.20	10.25	65.38	300	0 Peak	HORIZONTAL	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3317.0M 75957 VERTICAL Power : RSM 1000.000MHz VBR 3000.000MHz SRT Auto Project : FR230408C Mode : 21 Plane : Y Full-directivity : Y IPEI : 820 Power setting : 60</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/1m</th> <th>dB</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 4830.00</td> <td>40.55</td> <td>-33.45</td> <td>74.00</td> <td>61.48</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dB	dB	dB	dB	dB	dB	dB	1 4830.00	40.55	-33.45	74.00	61.48	34.20	10.25	65.38	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/1m	dB	dBm/1m	dB	dB	dB	dB	dB	dB	dB																																																										
1 4830.00	40.10	-33.90	74.00	61.03	34.20	10.25	65.38	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/1m	dB	dBm/1m	dB	dB	dB	dB	dB	dB	dB																																																										
1 4830.00	40.55	-33.45	74.00	61.48	34.20	10.25	65.38	100	0 Peak	VERTICAL																																																										



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11 ax HE20 Full CH02 2417MHz																																																																																	
TXBF 1+2	Horizontal	Vertical																																																																																
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT:Auto Bode : FREQ230408C Mode : 21 Plane : Y IMEI : Full-directivity Powersetting : 820</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/1m</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4834.00</td> <td>40.10</td> <td>-33.90</td> <td>74.00</td> <td>61.03</td> <td>34.21</td> <td>10.25</td> <td>65.39</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2 7251.00</td> <td>41.83</td> <td>-32.17</td> <td>74.00</td> <td>59.02</td> <td>35.85</td> <td>12.72</td> <td>65.76</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dBm/1m	dB	dB	dB	cm	deg			1 4834.00	40.10	-33.90	74.00	61.03	34.21	10.25	65.39	300	0 Peak HORIZONTAL	2 7251.00	41.83	-32.17	74.00	59.02	35.85	12.72	65.76	300	0 Peak HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT:Auto Bode : FREQ230408C Mode : 21 Plane : Y IMEI : Full-directivity Powersetting : 820</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/1m</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4834.00</td> <td>40.55</td> <td>-33.45</td> <td>74.00</td> <td>61.48</td> <td>34.21</td> <td>10.25</td> <td>65.39</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2 7251.00</td> <td>42.35</td> <td>-31.65</td> <td>74.00</td> <td>59.54</td> <td>35.85</td> <td>12.72</td> <td>65.76</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dBm/1m	dB	dB	dB	cm	deg			1 4834.00	40.55	-33.45	74.00	61.48	34.21	10.25	65.39	100	0 Peak VERTICAL	2 7251.00	42.35	-31.65	74.00	59.54	35.85	12.72	65.76	100	0 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBm/1m	dBm/1m	dB	dB	dB	cm	deg																																																																											
1 4834.00	40.10	-33.90	74.00	61.03	34.21	10.25	65.39	300	0 Peak HORIZONTAL																																																																									
2 7251.00	41.83	-32.17	74.00	59.02	35.85	12.72	65.76	300	0 Peak HORIZONTAL																																																																									
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
MHz	dBm/1m	dBm/1m	dB	dB	dB	cm	deg																																																																											
1 4834.00	40.55	-33.45	74.00	61.48	34.21	10.25	65.39	100	0 Peak VERTICAL																																																																									
2 7251.00	42.35	-31.65	74.00	59.54	35.85	12.72	65.76	100	0 Peak VERTICAL																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11 ax HE20 Full CH06 2437MHz																																																																																									
TXBF 1+2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FREQ230408C Plane : 27 IMEI : Full-directivity Powersetting : 820</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>39.44</td> <td>34.54</td> <td>74.00</td> <td>60.34</td> <td>34.23</td> <td>10.29</td> <td>65.42</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>42.18</td> <td>-31.82</td> <td>74.00</td> <td>59.51</td> <td>35.86</td> <td>12.72</td> <td>65.91</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cm	deg	1	4875.00	39.44	34.54	74.00	60.34	34.23	10.29	65.42	300	0	Peak	HORIZONTAL	2	7305.00	42.18	-31.82	74.00	59.51	35.86	12.72	65.91	300	0	Peak	HORIZONTAL	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Mode : FREQ230408C Plane : 27 IMEI : Full-directivity Powersetting : 820</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>40.45</td> <td>-33.55</td> <td>74.00</td> <td>61.35</td> <td>34.23</td> <td>10.29</td> <td>65.42</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>41.97</td> <td>-32.03</td> <td>74.00</td> <td>59.30</td> <td>35.86</td> <td>12.72</td> <td>65.91</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cm	deg	1	4875.00	40.45	-33.55	74.00	61.35	34.23	10.29	65.42	100	0	Peak	VERTICAL	2	7305.00	41.97	-32.03	74.00	59.30	35.86	12.72	65.91	100	0	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Limit	Level	Factor	Loss	Factor	cm	deg																																																																																		
1	4875.00	39.44	34.54	74.00	60.34	34.23	10.29	65.42	300	0	Peak	HORIZONTAL																																																																														
2	7305.00	42.18	-31.82	74.00	59.51	35.86	12.72	65.91	300	0	Peak	HORIZONTAL																																																																														
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Limit	Level	Factor	Loss	Factor	cm	deg																																																																																		
1	4875.00	40.45	-33.55	74.00	61.35	34.23	10.29	65.42	100	0	Peak	VERTICAL																																																																														
2	7305.00	41.97	-32.03	74.00	59.30	35.86	12.72	65.91	100	0	Peak	VERTICAL																																																																														



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11 ax HE20 Full CH10 2457MHz																																																																																									
TXBF 1+2	Horizontal	Vertical																																																																																								
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FREQ230408C Mode : 23 Plane : Y Full-directivity IMEI : 820 Powersetting : 0dB</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>39.93</td> <td>-34.07</td> <td>74.00</td> <td>60.78</td> <td>34.25</td> <td>10.34</td> <td>65.44</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>42.56</td> <td>-31.44</td> <td>74.00</td> <td>60.06</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4914.00	39.93	-34.07	74.00	60.78	34.25	10.34	65.44	300	0	Peak	HORIZONTAL	2	7371.00	42.56	-31.44	74.00	60.06	35.88	12.73	66.11	300	0	Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FREQ230408C Mode : 23 Plane : Y Full-directivity IMEI : 820 Powersetting : 0dB</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4914.00</td> <td>41.33</td> <td>-32.47</td> <td>74.00</td> <td>62.18</td> <td>34.25</td> <td>10.34</td> <td>65.44</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7371.00</td> <td>42.23</td> <td>-31.77</td> <td>74.00</td> <td>59.73</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4914.00	41.33	-32.47	74.00	62.18	34.25	10.34	65.44	100	0	Peak	VERTICAL	2	7371.00	42.23	-31.77	74.00	59.73	35.88	12.73	66.11	100	0	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																																		
1	4914.00	39.93	-34.07	74.00	60.78	34.25	10.34	65.44	300	0	Peak	HORIZONTAL																																																																														
2	7371.00	42.56	-31.44	74.00	60.06	35.88	12.73	66.11	300	0	Peak	HORIZONTAL																																																																														
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																																		
1	4914.00	41.33	-32.47	74.00	62.18	34.25	10.34	65.44	100	0	Peak	VERTICAL																																																																														
2	7371.00	42.23	-31.77	74.00	59.73	35.88	12.73	66.11	100	0	Peak	VERTICAL																																																																														



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																					
ANT	802.11 ax HE20 Full CH11 2462MHz																																																																																					
TXBF 1+2	Horizontal	Vertical																																																																																				
Peak Avg.	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 HORIZONTAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FREQ230408C Mode : Y Plane : Y IMEI : Full-directivity Powersetting : 40</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>39.63</td> <td>-34.27</td> <td>74.00</td> <td>60.48</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>42.26</td> <td>-31.74</td> <td>74.00</td> <td>59.76</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4920.00	39.63	-34.27	74.00	60.48	34.26	10.34	65.45	300	0 Peak	HORIZONTAL	2	7380.00	42.26	-31.74	74.00	59.76	35.88	12.73	66.11	300	0 Peak	HORIZONTAL	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 030905-K5 Condition : FCC PART 15C 3m 3317.5M 75957 VERTICAL Project : RRM 1000.000KHz VBR 3000.000KHz SRT:Auto Bode : FREQ230408C Mode : Y Plane : Y IMEI : Full-directivity Powersetting : 40</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cn</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4920.00</td> <td>40.83</td> <td>-33.17</td> <td>74.00</td> <td>61.68</td> <td>34.26</td> <td>10.34</td> <td>65.45</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7380.00</td> <td>41.83</td> <td>-32.17</td> <td>74.00</td> <td>59.33</td> <td>35.88</td> <td>12.73</td> <td>66.11</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg	1	4920.00	40.83	-33.17	74.00	61.68	34.26	10.34	65.45	100	0 Peak	VERTICAL	2	7380.00	41.83	-32.17	74.00	59.33	35.88	12.73	66.11	100	0 Peak	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																														
1	4920.00	39.63	-34.27	74.00	60.48	34.26	10.34	65.45	300	0 Peak	HORIZONTAL																																																																											
2	7380.00	42.26	-31.74	74.00	59.76	35.88	12.73	66.11	300	0 Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
Freq	Level	Limit	Level	Factor	Loss	Factor	cn	deg																																																																														
1	4920.00	40.83	-33.17	74.00	61.68	34.26	10.34	65.45	100	0 Peak	VERTICAL																																																																											
2	7380.00	41.83	-32.17	74.00	59.33	35.88	12.73	66.11	100	0 Peak	VERTICAL																																																																											



Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																																																																																	
ANT	802.11g LF																																																																																																																																																																																																	
CDD 1+2	Horizontal	Vertical																																																																																																																																																																																																
QP / Peak	<p>Site : 030905-KS Condition : FCC PART 15C 3m CBL1110 SN23188 HORIZONTAL Project : FR230408C Project mode : 13 IMEI : T Full-directivity</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poa</th> <th>T/Poa</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.97</td> <td>25.17</td> <td>-14.83</td> <td>40.00</td> <td>32.28</td> <td>24.98</td> <td>0.71</td> <td>32.80</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>157.07</td> <td>20.15</td> <td>-22.30</td> <td>43.00</td> <td>33.74</td> <td>17.34</td> <td>1.91</td> <td>33.84</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>399.66</td> <td>24.30</td> <td>-21.80</td> <td>46.00</td> <td>34.26</td> <td>20.20</td> <td>2.46</td> <td>32.92</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>475.73</td> <td>25.40</td> <td>-20.40</td> <td>46.00</td> <td>30.77</td> <td>24.05</td> <td>3.33</td> <td>32.75</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5</td> <td>639.16</td> <td>22.69</td> <td>-23.31</td> <td>46.00</td> <td>28.68</td> <td>22.81</td> <td>3.86</td> <td>32.66</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>6</td> <td>784.66</td> <td>28.21</td> <td>-17.79</td> <td>46.00</td> <td>29.71</td> <td>26.78</td> <td>4.28</td> <td>32.56</td> <td>---</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas		MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	dB			1	30.97	25.17	-14.83	40.00	32.28	24.98	0.71	32.80	---	Peak	HORIZONTAL	2	157.07	20.15	-22.30	43.00	33.74	17.34	1.91	33.84	---	Peak	HORIZONTAL	3	399.66	24.30	-21.80	46.00	34.26	20.20	2.46	32.92	---	Peak	HORIZONTAL	4	475.73	25.40	-20.40	46.00	30.77	24.05	3.33	32.75	---	Peak	HORIZONTAL	5	639.16	22.69	-23.31	46.00	28.68	22.81	3.86	32.66	---	Peak	HORIZONTAL	6	784.66	28.21	-17.79	46.00	29.71	26.78	4.28	32.56	---	Peak	HORIZONTAL	<p>Site : 030905-KS Condition : FCC PART 15C 3m CBL1110 SN23188 VERTICAL Project : FR230408C Project mode : 13 IMEI : T Full-directivity</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Poa</th> <th>T/Poa</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm/100m</th> <th>dB</th> <th>dBm/100m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.97</td> <td>31.15</td> <td>-8.85</td> <td>40.00</td> <td>38.26</td> <td>24.98</td> <td>0.71</td> <td>32.80</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>48.43</td> <td>30.21</td> <td>-9.57</td> <td>40.00</td> <td>45.48</td> <td>15.77</td> <td>1.05</td> <td>32.97</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>146.40</td> <td>19.71</td> <td>-23.79</td> <td>43.00</td> <td>33.14</td> <td>11.56</td> <td>1.83</td> <td>32.81</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>323.91</td> <td>25.90</td> <td>-20.04</td> <td>46.00</td> <td>35.34</td> <td>20.78</td> <td>2.74</td> <td>32.90</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5</td> <td>503.50</td> <td>25.95</td> <td>-20.05</td> <td>46.00</td> <td>29.68</td> <td>25.79</td> <td>3.62</td> <td>32.57</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>6</td> <td>700.41</td> <td>31.37</td> <td>-14.63</td> <td>46.00</td> <td>33.23</td> <td>26.58</td> <td>4.22</td> <td>32.66</td> <td>---</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas		MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	dB			1	30.97	31.15	-8.85	40.00	38.26	24.98	0.71	32.80	---	Peak	VERTICAL	2	48.43	30.21	-9.57	40.00	45.48	15.77	1.05	32.97	---	Peak	VERTICAL	3	146.40	19.71	-23.79	43.00	33.14	11.56	1.83	32.81	---	Peak	VERTICAL	4	323.91	25.90	-20.04	46.00	35.34	20.78	2.74	32.90	---	Peak	VERTICAL	5	503.50	25.95	-20.05	46.00	29.68	25.79	3.62	32.57	---	Peak	VERTICAL	6	700.41	31.37	-14.63	46.00	33.23	26.58	4.22	32.66	---	Peak	VERTICAL
	IMEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																																																																																																																																																						
	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	dB																																																																																																																																																																																									
1	30.97	25.17	-14.83	40.00	32.28	24.98	0.71	32.80	---	Peak	HORIZONTAL																																																																																																																																																																																							
2	157.07	20.15	-22.30	43.00	33.74	17.34	1.91	33.84	---	Peak	HORIZONTAL																																																																																																																																																																																							
3	399.66	24.30	-21.80	46.00	34.26	20.20	2.46	32.92	---	Peak	HORIZONTAL																																																																																																																																																																																							
4	475.73	25.40	-20.40	46.00	30.77	24.05	3.33	32.75	---	Peak	HORIZONTAL																																																																																																																																																																																							
5	639.16	22.69	-23.31	46.00	28.68	22.81	3.86	32.66	---	Peak	HORIZONTAL																																																																																																																																																																																							
6	784.66	28.21	-17.79	46.00	29.71	26.78	4.28	32.56	---	Peak	HORIZONTAL																																																																																																																																																																																							
IMEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poa	T/Poa	Remark	Pol/Phas																																																																																																																																																																																							
	MHz	dBm/100m	dB	dBm/100m	dB	dB	dB	dB	dB																																																																																																																																																																																									
1	30.97	31.15	-8.85	40.00	38.26	24.98	0.71	32.80	---	Peak	VERTICAL																																																																																																																																																																																							
2	48.43	30.21	-9.57	40.00	45.48	15.77	1.05	32.97	---	Peak	VERTICAL																																																																																																																																																																																							
3	146.40	19.71	-23.79	43.00	33.14	11.56	1.83	32.81	---	Peak	VERTICAL																																																																																																																																																																																							
4	323.91	25.90	-20.04	46.00	35.34	20.78	2.74	32.90	---	Peak	VERTICAL																																																																																																																																																																																							
5	503.50	25.95	-20.05	46.00	29.68	25.79	3.62	32.57	---	Peak	VERTICAL																																																																																																																																																																																							
6	700.41	31.37	-14.63	46.00	33.23	26.58	4.22	32.66	---	Peak	VERTICAL																																																																																																																																																																																							



Co-location

2.4GHz 2400~2483.5MHz

WIFI 802.11g & Part 96 LTE B48 CA_48C (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																											
ANT	802.11g CH01 2412MHz																																																											
CDD 1+2	Horizontal	Fundamental																																																										
Peak	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3317 SN 79957 HORIZONTAL Project : RRM 1000.000MHz VSW.3000.000MHz SRT:Auto Mode : (FR) 230408 Plane : 19 Full-directivity : Y Powersetting : 63</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2389.56</td> <td>63.85</td> <td>-10.15</td> <td>74.00</td> <td>60.73</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>203</td> <td>157 Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	cm	deg		1 * 2389.56	63.85	-10.15	74.00	60.73	32.88	7.10	36.86	203	157 Peak	HORIZONT	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3317 SN 79957 HORIZONTAL Project : RRM 1000.000MHz VSW.3000.000MHz SRT:Auto Mode : (FR) 230408 Plane : 19 Full-directivity : Y Powersetting : 63</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2410.00</td> <td>109.35</td> <td>35.35</td> <td>74.00</td> <td>106.17</td> <td>32.90</td> <td>7.13</td> <td>36.85</td> <td>203</td> <td>157 Peak</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	cm	deg		1 * 2410.00	109.35	35.35	74.00	106.17	32.90	7.13	36.85	203	157 Peak	HORIZONT
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBm	dBm	dBm	dBm	dB	cm	deg																																																					
1 * 2389.56	63.85	-10.15	74.00	60.73	32.88	7.10	36.86	203	157 Peak	HORIZONT																																																		
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBm	dBm	dBm	dBm	dB	cm	deg																																																					
1 * 2410.00	109.35	35.35	74.00	106.17	32.90	7.13	36.85	203	157 Peak	HORIZONT																																																		
Avg.	<p>Site : 030905-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79957 HORIZONTAL Project : RRM 1000.000MHz VSW.0.0100MHz SRT:Auto Mode : (FR) 230408 Plane : 19 Full-directivity : Y Powersetting : 63</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2389.95</td> <td>51.11</td> <td>-2.89</td> <td>54.00</td> <td>47.99</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>203</td> <td>157 Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	cm	deg		1 * 2389.95	51.11	-2.89	54.00	47.99	32.88	7.10	36.86	203	157 Average	HORIZONT	<p>Site : 030905-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 79957 HORIZONTAL Project : RRM 1000.000MHz VSW.0.0100MHz SRT:Auto Mode : (FR) 230408 Plane : 19 Full-directivity : Y Powersetting : 63</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2410.00</td> <td>102.22</td> <td>48.22</td> <td>54.00</td> <td>99.01</td> <td>32.90</td> <td>7.16</td> <td>36.85</td> <td>203</td> <td>157 Average</td> <td>HORIZONT</td> </tr> </tbody> </table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dB	cm	deg		1 * 2410.00	102.22	48.22	54.00	99.01	32.90	7.16	36.85	203	157 Average	HORIZONT
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBm	dBm	dBm	dBm	dB	cm	deg																																																					
1 * 2389.95	51.11	-2.89	54.00	47.99	32.88	7.10	36.86	203	157 Average	HORIZONT																																																		
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBm	dBm	dBm	dBm	dB	cm	deg																																																					
1 * 2410.00	102.22	48.22	54.00	99.01	32.90	7.16	36.85	203	157 Average	HORIZONT																																																		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																													
ANT	802.11g CH01 2412MHz																																																													
CDD 1+2	Vertical	Fundamental																																																												
Peak	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 75957 VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : (FR)230408 Plane : Y JME1 : Full-directivity Powersetting : 63</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.56</td> <td>64.80</td> <td>+9.20</td> <td>74.00</td> <td>61.68</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>300</td> <td>89 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg	1 2389.56	64.80	+9.20	74.00	61.68	32.88	7.10	36.86	300	89 Peak VERTICAL	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3317 SN 75957 VERTICAL Project : RRM 1000.000kHz VBR 3000.000kHz SRT:Auto Mode : (FR)230408 Plane : Y JME1 : Full-directivity Powersetting : 63</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2414.00</td> <td>107.74</td> <td>33.74</td> <td>74.00</td> <td>104.56</td> <td>32.90</td> <td>7.13</td> <td>36.85</td> <td>300</td> <td>89 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg	1 2414.00	107.74	33.74	74.00	104.56	32.90	7.13	36.85	300	89 Peak VERTICAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg																																																					
1 2389.56	64.80	+9.20	74.00	61.68	32.88	7.10	36.86	300	89 Peak VERTICAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg																																																					
1 2414.00	107.74	33.74	74.00	104.56	32.90	7.13	36.85	300	89 Peak VERTICAL																																																					
Avg.	<p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 75957 VERTICAL Project : RRM 1000.000kHz VBR 0.5100kHz SRT:Auto Mode : (FR)230408 Plane : Y JME1 : Full-directivity Powersetting : 63</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.95</td> <td>51.53</td> <td>-2.47</td> <td>54.00</td> <td>48.41</td> <td>32.88</td> <td>7.10</td> <td>36.86</td> <td>300</td> <td>89 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg	1 2389.95	51.53	-2.47	54.00	48.41	32.88	7.10	36.86	300	89 Average VERTICAL	<p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3317 SN 75957 VERTICAL Project : RRM 1000.000kHz VBR 0.5100kHz SRT:Auto Mode : (FR)230408 Plane : Y JME1 : Full-directivity Powersetting : 63</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2414.00</td> <td>100.88</td> <td>46.88</td> <td>54.00</td> <td>97.70</td> <td>32.90</td> <td>7.13</td> <td>36.85</td> <td>300</td> <td>89 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg	1 2414.00	100.88	46.88	54.00	97.70	32.90	7.13	36.85	300	89 Average VERTICAL
	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg																																																					
1 2389.95	51.53	-2.47	54.00	48.41	32.88	7.10	36.86	300	89 Average VERTICAL																																																					
Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBm	dBm	dBm	dB	dB	cm	deg	cm	deg																																																					
1 2414.00	100.88	46.88	54.00	97.70	32.90	7.13	36.85	300	89 Average VERTICAL																																																					



2.4GHz 2400~2483.5MHz

WIFI 802.11g&Part 96 LTE B48 CA_48C (Harmonic @ 3m)


WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																			
ANT	802.11g CH01 2412MHz																																																																			
CDD 1+2	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3317 CM 79587 HORIZONTAL Power : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Project : FR230408C Mode : 19 Plane : Y Polarization : Full-directivity IMEI : 821 PowerSetting : 63</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 4830.00</td> <td>40.57</td> <td>-33.43</td> <td>74.00</td> <td>61.50</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	dB	1 4830.00	40.57	-33.43	74.00	61.50	34.20	10.25	65.38	300	0 Peak	HORIZONTAL	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3317 CM 79587 VERTICAL Power : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Project : FR230408C Mode : 19 Plane : Y Polarization : Full-directivity IMEI : 821 PowerSetting : 63</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 4830.00</td> <td>39.62</td> <td>-34.38</td> <td>74.00</td> <td>60.55</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	dB	1 4830.00	39.62	-34.38	74.00	60.55	34.20	10.25	65.38	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	dB																																																										
1 4830.00	40.57	-33.43	74.00	61.50	34.20	10.25	65.38	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	dB																																																										
1 4830.00	39.62	-34.38	74.00	60.55	34.20	10.25	65.38	100	0 Peak	VERTICAL																																																										
	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3317 CM 79587 HORIZONTAL Power : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Project : FR230408C Mode : 19 Plane : Y Polarization : Full-directivity IMEI : 821 PowerSetting : 63</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 4830.00</td> <td>40.57</td> <td>-33.43</td> <td>74.00</td> <td>61.50</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	dB	1 4830.00	40.57	-33.43	74.00	61.50	34.20	10.25	65.38	300	0 Peak	HORIZONTAL	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3317 CM 79587 VERTICAL Power : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Project : FR230408C Mode : 19 Plane : Y Polarization : Full-directivity IMEI : 821 PowerSetting : 63</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 4830.00</td> <td>39.62</td> <td>-34.38</td> <td>74.00</td> <td>60.55</td> <td>34.20</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	dB	1 4830.00	39.62	-34.38	74.00	60.55	34.20	10.25	65.38	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	dB																																																										
1 4830.00	40.57	-33.43	74.00	61.50	34.20	10.25	65.38	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dB	dBm	dB	dB	dB	dB	dB	dB	dB																																																										
1 4830.00	39.62	-34.38	74.00	60.55	34.20	10.25	65.38	100	0 Peak	VERTICAL																																																										



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	99.31	-	-	10Hz
802.11g	95.34	2.073	0.483	0.51KHz
802.11ax HE20	97.47	3.899	0.257	0.27kHz

802.11b





802.11g



802.11ax HE20

