





FR1 B2_N71 / 10MHz / CP OFDM / Middle Channel / Full RB

QPSK




Date: 15 JUN 2022 11:58:39

16QAM




Date: 15 JUN 2022 11:59:26

64QAM



Date: 15 JUN 2022 12:00:25

64QAM




Date: 15 JUN 2022 12:00:56




FR1 B2_N71 / 15MHz / CP OFDM / Middle Channel / Full RB

QPSK




Date: 15 JUN 2022 12:08:14

16QAM




Date: 15 JUN 2022 12:10:00

64QAM



Date: 15 JUN 2022 12:09:24

256QAM




Date: 15 JUN 2022 12:10:00




FR1 B2_N71 / 20MHz / CP OFDM / Middle Channel / Full RB

QPSK




Date: 15 JUN 2022 12:15:07

16QAM




Date: 15 JUN 2022 12:15:38

64QAM



Date: 15 JUN 2022 12:16:09

256QAM



Date: 15 JUN 2022 12:16:17





Conducted Band Edge

FR1 B2_N71 / 5MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 15 JUN 2022 11:36:11

Date: 15 JUN 2022 11:51:31

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 15 JUN 2022 11:44:02



Date: 15 JUN 2022 11:49:06



FR1 B2_N71 / 5MHz / DFT-S OFDM / QPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 15 JUN 2022 11:36:54

Date: 15 JUN 2022 11:50:40

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 15 JUN 2022 11:37:36



Date: 15 JUN 2022 11:49:56



FR1 B2_N71 / 10MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 15 JUN 2022 11:54:14

Date: 15 JUN 2022 12:07:39

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 15 JUN 2022 11:57:32



Date: 15 JUN 2022 12:02:56



FR1 B2_N71 / 10MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 15 JUN 2022 11:55:53

Date: 15 JUN 2022 12:06:57

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 15 JUN 2022 11:56:42



Date: 15 JUN 2022 12:05:53



FR1 B2_N71 / 20MHz / DFT-s-OFDM / PI/2 BPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





Date: 15 JUN 2022 12:12:21

Date: 15 JUN 2022 12:23:21

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 15 JUN 2022 12:14:22


Date: 15 JUN 2022 12:20:10




FR1 B2_N71 / 20MHz / DFT-s-OFDM / QPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax




Date: 15 JUN.2022 12:13:01




Date: 15 JUN.2022 12:21:34

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 15 JUN.2022 12:13:45



Date: 15 JUN.2022 12:20:49





Conducted Spurious Emission

FR1 B2_N71 / 5MHz / DFT-S OFDM / BPSK

Lowest Channel / 1RB1


Middle Channel / 1RB1



Date: 15 JUN.2022 23:18:42

Date: 15 JUN.2022 23:16:43

Highest Channel / 1RB1





Date: 15 JUN.2022 23:19:27



FR1 B2_N71 / 5MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1


Middle Channel / 1RB1



Date: 15 JUN.2022 23:18:09

Date: 15 JUN.2022 23:17:24

Highest Channel / 1RB1





Date: 15 JUN.2022 23:19:59



FR1 B2_N71 / 10MHz / DFT-S OFDM / BPSK

Lowest Channel / 1RB1


Middle Channel / 1RB1



Date: 15 JUN 2022 23:21:21

Date: 15 JUN 2022 23:24:00

Highest Channel / 1RB1





Date: 15 JUN 2022 23:25:04



FR1 B2_N71 / 10MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1


Middle Channel / 1RB1



Date: 15 JUN.2022 23:21:51

Date: 15 JUN.2022 23:23:31

Highest Channel / 1RB1





Date: 15 JUN.2022 23:25:38



FR1 B2_N71 / 20MHz / DFT-S OFDM / BPSK

Lowest Channel / 1RB1


Middle Channel / 1RB1



Date: 15 JUN.2022 23:27:06

Date: 15 JUN.2022 23:29:21

Highest Channel / 1RB1




Date: 15 JUN.2022 23:30:36




FR1 B2_N71 / 20MHz / DFT-S OFDM / QPSK

Lowest Channel / 1RB1

Middle Channel / 1RB1




Date: 15 JUN.2022 23:28:05



Date: 15 JUN.2022 23:28:41

Highest Channel / 1RB1



Date: 15 JUN.2022 23:31:07



Frequency Stability

Test Conditions		FR1 n71 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0028	PASS
40	Normal Voltage	0.0017	
30	Normal Voltage	0.0003	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0035	
0	Normal Voltage	0.0014	
-10	Normal Voltage	0.0021	
-20	Normal Voltage	0.0026	
-30	Normal Voltage	0.0001	
20	Maximum Voltage	0.0014	
20	Normal Voltage	0.0017	
20	Battery End Point	0.0005	

Note:

1. Normal Voltage =3.87 V. ; Battery End Point (BEP) =3.55 V. ; Maximum Voltage =4.45 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

n5 / NR 20MHz / QPSK / ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-60.25	-13	-47.25	-67.22	1.58	10.70	H
	2472	-59.18	-13	-46.18	-67.43	2.10	12.50	H
	3304	-60.14	-13	-47.14	-69.03	2.86	13.90	H
	1648	-63.63	-13	-50.63	-70.60	1.58	10.70	V
	2472	-58.86	-13	-45.86	-67.11	2.10	12.50	V
	3304	-60.37	-13	-47.37	-69.26	2.86	13.90	V
Middle	1656	-60.41	-13	-47.41	-67.38	1.58	10.70	H
	2480	-60.21	-13	-47.21	-68.46	2.10	12.50	H
	3312	-59.48	-13	-46.48	-68.37	2.86	13.90	H
	1656	-63.15	-13	-50.15	-70.12	1.58	10.70	V
	2480	-59.20	-13	-46.20	-67.45	2.10	12.50	V
	3312	-59.86	-13	-46.86	-68.75	2.86	13.90	V
Highest	1656	-62.55	-13	-49.55	-69.52	1.58	10.70	H
	2488	-60.56	-13	-47.56	-68.81	2.10	12.50	H
	3320	-60.05	-13	-47.05	-68.94	2.86	13.90	H
	1656	-62.77	-13	-49.77	-69.74	1.58	10.70	V
	2488	-59.45	-13	-46.45	-67.70	2.10	12.50	V
	3320	-60.09	-13	-47.09	-68.98	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_66A_n5A / LTE 15MHz + NR 20MHz / QPSK / ANT2(LTE) & ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-49.96	-13	-36.96	-56.93	1.58	10.70	H
	2472	-60.27	-13	-47.27	-68.52	2.10	12.50	H
	3304	-60.13	-13	-47.13	-69.02	2.86	13.90	H
	1648	-54.69	-13	-41.69	-61.66	1.58	10.70	V
	2472	-58.79	-13	-45.79	-67.04	2.10	12.50	V
	3304	-59.64	-13	-46.64	-68.53	2.86	13.90	V
Middle	1654	-52.64	-13	-39.64	-59.61	1.58	10.70	H
	2482	-60.48	-13	-47.48	-68.73	2.10	12.50	H
	3312	-59.76	-13	-46.76	-68.65	2.86	13.90	H
	1654	-57.39	-13	-44.39	-64.36	1.58	10.70	V
	2482	-59.59	-13	-46.59	-67.84	2.10	12.50	V
	3312	-60.00	-13	-47.00	-68.89	2.86	13.90	V
Highest	1656	-53.21	-13	-40.21	-60.18	1.58	10.70	H
	2488	-60.75	-13	-47.75	-69.00	2.10	12.50	H
	3320	-60.45	-13	-47.45	-69.34	2.86	13.90	H
	1656	-55.76	-13	-42.76	-62.73	1.58	10.70	V
	2488	-58.91	-13	-45.91	-67.16	2.10	12.50	V
	3320	-60.26	-13	-47.26	-69.15	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



n12 / NR 15MHz / QPSK / ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-63.31	-13	-50.31	-70.28	1.58	10.70	H
	2104	-60.72	-13	-47.72	-68.97	2.102	12.50	H
	2808	-59.85	-13	-46.85	-68.74	2.856	13.90	H
	1400	-61.29	-13	-48.29	-68.26	1.58	10.70	V
	2104	-61.03	-13	-48.03	-69.28	2.10	12.50	V
	2808	-59.28	-13	-46.28	-68.17	2.86	13.90	V
Middle	1408	-61.75	-13	-48.75	-68.72	1.58	10.70	H
	2112	-59.64	-13	-46.64	-67.89	2.102	12.50	H
	2808	-59.91	-13	-46.91	-68.80	2.856	13.90	H
	1408	-60.79	-13	-47.79	-67.76	1.58	10.70	V
	2112	-60.90	-13	-47.90	-69.15	2.10	12.50	V
	2808	-59.30	-13	-46.30	-68.19	2.86	13.90	V
Highest	1408	-63.20	-13	-50.20	-70.17	1.58	10.70	H
	2112	-59.26	-13	-46.26	-67.51	2.102	12.50	H
	2816	-59.92	-13	-46.92	-68.81	2.856	13.90	H
	1408	-63.26	-13	-50.26	-70.23	1.58	10.70	V
	2112	-60.70	-13	-47.70	-68.95	2.10	12.50	V
	2816	-58.82	-13	-45.82	-67.71	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_66A_n12A / LTE 20MHz + NR 15MHz / QPSK / ANT2(LTE) & ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-66.97	-13	-53.97	-73.94	1.58	10.70	H
	2104	-60.38	-13	-47.38	-68.63	2.102	12.50	H
	2808	-59.17	-13	-46.17	-68.06	2.856	13.90	H
	1400	-67.01	-13	-54.01	-73.98	1.58	10.70	V
	2104	-60.30	-13	-47.30	-68.55	2.10	12.50	V
	2808	-59.09	-13	-46.09	-67.98	2.86	13.90	V
Middle	1408	-67.15	-13	-54.15	-74.12	1.58	10.70	H
	2112	-60.88	-13	-47.88	-69.13	2.102	12.50	H
	2808	-59.59	-13	-46.59	-68.48	2.856	13.90	H
	1408	-66.85	-13	-53.85	-73.82	1.58	10.70	V
	2112	-60.78	-13	-47.78	-69.03	2.10	12.50	V
	2808	-59.23	-13	-46.23	-68.12	2.86	13.90	V
Highest	1408	-67.73	-13	-54.73	-74.70	1.58	10.70	H
	2112	-60.69	-13	-47.69	-68.94	2.102	12.50	H
	2816	-59.40	-13	-46.40	-68.29	2.856	13.90	H
	1408	-67.23	-13	-54.23	-74.20	1.58	10.70	V
	2112	-60.74	-13	-47.74	-68.99	2.10	12.50	V
	2816	-58.74	-13	-45.74	-67.63	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



n25 / NR 20MHz / QPSK / ANT0(NR)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-57.05	-13	-44.05	-69.31	2.64	14.90	H
	5553	-55.21	-13	-42.21	-67.07	2.94	14.80	H
	7404	-52.66	-13	-39.66	-62.43	3.39	13.16	H
	3702	-56.23	-13	-43.23	-68.49	2.64	14.90	V
	5553	-54.22	-13	-41.22	-66.08	2.94	14.80	V
	7404	-52.71	-13	-39.71	-62.48	3.39	13.16	V
Middle	3747	-56.94	-13	-43.94	-69.20	2.64	14.90	H
	5619	-55.03	-13	-42.03	-66.89	2.94	14.80	H
	7488	-51.86	-13	-38.86	-61.63	3.39	13.16	H
	3747	-56.16	-13	-43.16	-68.42	2.64	14.90	V
	5619	-55.74	-13	-42.74	-67.60	2.94	14.80	V
	7488	-51.94	-13	-38.94	-61.71	3.39	13.16	V
Highest	3792	-57.44	-13	-44.44	-69.70	2.64	14.90	H
	5688	-55.18	-13	-42.18	-67.04	2.94	14.80	H
	7584	-52.17	-13	-39.17	-61.94	3.39	13.16	H
	3792	-56.41	-13	-43.41	-68.67	2.64	14.90	V
	5688	-55.03	-13	-42.03	-66.89	2.94	14.80	V
	7584	-51.90	-13	-38.90	-61.67	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC 48A_n25A / LTE 20MHz + NR 20MHz / QPSK / ANT3(LTE) & ANT0(NR)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-54.05	-13	-41.05	-66.31	2.64	14.90	H
	5553	-55.22	-13	-42.22	-67.08	2.94	14.80	H
	7404	-52.42	-13	-39.42	-62.19	3.39	13.16	H
	3702	-56.37	-13	-43.37	-68.63	2.64	14.90	V
	5553	-55.65	-13	-42.65	-67.51	2.94	14.80	V
	7404	-51.15	-13	-38.15	-60.92	3.39	13.16	V
Middle	3747	-56.67	-13	-43.67	-68.93	2.64	14.90	H
	5619	-54.49	-13	-41.49	-66.35	2.94	14.80	H
	7488	-52.09	-13	-39.09	-61.86	3.39	13.16	H
	3747	-54.97	-13	-41.97	-67.23	2.64	14.90	V
	5619	-55.59	-13	-42.59	-67.45	2.94	14.80	V
	7488	-52.11	-13	-39.11	-61.88	3.39	13.16	V
Highest	3792	-57.08	-13	-44.08	-69.34	2.64	14.90	H
	5688	-54.63	-13	-41.63	-66.49	2.94	14.80	H
	7584	-51.58	-13	-38.58	-61.35	3.39	13.16	H
	3792	-56.08	-13	-43.08	-68.34	2.64	14.90	V
	5688	-55.27	-13	-42.27	-67.13	2.94	14.80	V
	7584	-51.93	-13	-38.93	-61.70	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



n13 / NR 5MHz / QPSK / ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1552	-66.95	-13	-53.95	-69.58	1.09	5.87	H
	2328	-61.87	-13	-48.87	-64.27	1.37	5.92	H
	3112	-59.92	-13	-46.92	-63.81	1.64	7.68	H
	1552	-66.49	-13	-53.49	-69.12	1.09	5.87	V
	2328	-60.19	-13	-47.19	-62.59	1.37	5.92	V
	3112	-59.79	-13	-46.79	-63.68	1.64	7.68	V
Middle	1560	-66.51	-42.15	-24.36	-69.14	1.09	5.87	H
	2336	-61.41	-13	-48.41	-63.81	1.37	5.92	H
	3120	-59.49	-13	-46.49	-63.38	1.64	7.68	H
	1560	-65.09	-42.15	-22.94	-67.72	1.09	5.87	V
	2336	-60.07	-13	-47.07	-62.47	1.37	5.92	V
	3120	-59.85	-13	-46.85	-63.74	1.64	7.68	V
Highest	1560	-66.63	-42.15	-24.48	-69.26	1.09	5.87	H
	2344	-62.18	-13	-49.18	-64.58	1.37	5.92	H
	3128	-60.61	-13	-47.61	-64.50	1.64	7.68	H
	1560	-66.19	-42.15	-24.04	-68.82	1.09	5.87	V
	2344	-60.51	-13	-47.51	-62.91	1.37	5.92	V
	3128	-60.43	-13	-47.43	-64.32	1.64	7.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

n13 / NR 10MHz / QPSK / ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1552	-63.23	-13	-50.23	-65.86	1.09	5.87	H
	2328	-61.56	-13	-48.56	-63.96	1.37	5.92	H
	3112	-59.92	-13	-46.92	-63.81	1.64	7.68	H
	1552	-63.50	-13	-50.50	-66.13	1.09	5.87	V
	2328	-60.30	-13	-47.30	-62.70	1.37	5.92	V
	3112	-59.99	-13	-46.99	-63.88	1.64	7.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



n71 / NR 20MHz / QPSK / ANT0(NR)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-68.34	-13	-55.34	-70.09	1.02	4.92	H
	1992	-62.79	-13	-49.79	-64.76	1.27	5.39	H
	2656	-60.10	-13	-47.10	-63.03	1.49	6.57	H
	1328	-68.15	-13	-55.15	-69.90	1.02	4.92	V
	1992	-62.16	-13	-49.16	-64.13	1.27	5.39	V
	2656	-59.52	-13	-46.52	-62.45	1.49	6.57	V
Middle	1344	-65.82	-13	-52.82	-67.57	1.02	4.92	H
	2016	-60.24	-13	-47.24	-62.21	1.27	5.39	H
	2688	-60.22	-13	-47.22	-63.15	1.49	6.57	H
	1344	-66.42	-13	-53.42	-68.17	1.02	4.92	V
	2016	-61.46	-13	-48.46	-63.43	1.27	5.39	V
	2688	-59.73	-13	-46.73	-62.66	1.49	6.57	V
Highest	1360	-65.18	-13	-52.18	-66.93	1.02	4.92	H
	2040	-61.71	-13	-48.71	-63.68	1.27	5.39	H
	2712	-60.10	-13	-47.10	-63.03	1.49	6.57	H
	1360	-66.80	-13	-53.80	-68.55	1.02	4.92	V
	2040	-61.43	-13	-48.43	-63.40	1.27	5.39	V
	2712	-59.66	-13	-46.66	-62.59	1.49	6.57	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_2A_n71A / LTE 20MHz + NR 20MHz / QPSK / ANT0(LTE) & ANT2(NR)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-68.52	-13	-55.52	-70.27	1.02	4.92	H
	1992	-62.82	-13	-49.82	-64.79	1.27	5.39	H
	2656	-56.71	-13	-43.71	-59.64	1.49	6.57	H
	1328	-67.99	-13	-54.99	-69.74	1.02	4.92	V
	1992	-61.53	-13	-48.53	-63.50	1.27	5.39	V
	2656	-54.90	-13	-41.90	-57.83	1.49	6.57	V
Middle	1344	-69.18	-13	-56.18	-70.93	1.02	4.92	H
	2014	-63.45	-13	-50.45	-65.42	1.27	5.39	H
	2686	-60.79	-13	-47.79	-63.72	1.49	6.57	H
	1344	-68.61	-13	-55.61	-70.36	1.02	4.92	V
	2014	-62.44	-13	-49.44	-64.41	1.27	5.39	V
	2686	-60.37	-13	-47.37	-63.30	1.49	6.57	V
Highest	1360	-68.27	-13	-55.27	-70.02	1.02	4.92	H
	2040	-62.30	-13	-49.30	-64.27	1.27	5.39	H
	2712	-59.31	-13	-46.31	-62.24	1.49	6.57	H
	1360	-67.21	-13	-54.21	-68.96	1.02	4.92	V
	2040	-61.19	-13	-48.19	-63.16	1.27	5.39	V
	2712	-59.38	-13	-46.38	-62.31	1.49	6.57	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.