





LTE Band 41C / 15MHz+10MHz

64QAM

Lowest Band Edge / 1RB0 and 1RB9

Highest Band Edge / 1RB0 and 1RB9





Date: 20 JUN 2022 23:39:25

Date: 20 JUN 2022 23:59:44

Lowest Band Edge / 1RB99 and 1RB0

Highest Band Edge / 1RB99 and 1RB0





Date: 20 JUN 2022 23:39:43

Date: 20 JUN 2022 23:59:02

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 20 JUN 2022 23:42:53


Date: 21 JUN 2022 00:03:15



LTE Band 41C / 15MHz+15MHz

64QAM

Lowest Band Edge / 1RB0 and 1RB99




Date: 21 JUN 2022 00:09:55

Highest Band Edge / 1RB0 and 1RB99




Date: 21 JUN 2022 00:24:16

Lowest Band Edge / 1RB99 and 1RB0




Date: 21 JUN 2022 00:09:13

Highest Band Edge / 1RB99 and 1RB0




Date: 21 JUN 2022 00:23:34

Lowest Band Edge / Full RB



Date: 21 JUN 2022 00:13:26

Highest Band Edge / Full RB



Date: 21 JUN 2022 00:27:47





LTE Band 41C / 15MHz+20MHz

64QAM

Lowest Band Edge / 1RB0 and 1RB9

Highest Band Edge / 1RB0 and 1RB9





Date: 21 JUN 2022 00:34:58

Date: 21 JUN 2022 00:46:50

Lowest Band Edge / 1RB99 and 1RB0

Highest Band Edge / 1RB99 and 1RB0





Date: 21 JUN 2022 00:34:16

Date: 21 JUN 2022 00:46:08

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 21 JUN 2022 00:38:28

Date: 21 JUN 2022 00:50:21





LTE Band 41C / 20MHz+5MHz

64QAM

Lowest Band Edge / 1RB0 and 1RB9

Highest Band Edge / 1RB0 and 1RB9





Date: 21 JUN 2022 06:19:08

Date: 21 JUN 2022 06:58:23

Lowest Band Edge / 1RB99 and 1RB0

Highest Band Edge / 1RB99 and 1RB0





Date: 21 JUN 2022 06:19:26

Date: 21 JUN 2022 06:57:40

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 21 JUN 2022 06:22:38


Date: 21 JUN 2022 07:01:56



LTE Band 41C / 20MHz+10MHz

64QAM

Lowest Band Edge / 1RB0 and 1RB9




Date: 21 JUN 2022 00:58:45

Highest Band Edge / 1RB0 and 1RB9




Date: 21 JUN 2022 01:57:56

Lowest Band Edge / 1RB99 and 1RB0




Date: 21 JUN 2022 00:58:02

Highest Band Edge / 1RB99 and 1RB0




Date: 21 JUN 2022 01:10:29

Lowest Band Edge / Full RB



Date: 21 JUN 2022 01:02:16

Highest Band Edge / Full RB



Date: 21 JUN 2022 02:01:28





LTE Band 41C / 20MHz+15MHz

64QAM

Lowest Band Edge / 1RB0 and 1RB9

Highest Band Edge / 1RB0 and 1RB9





Date: 21 JUN 2022 03:03:28

Date: 21 JUN 2022 03:18:18

Lowest Band Edge / 1RB99 and 1RB0

Highest Band Edge / 1RB99 and 1RB0





Date: 21 JUN 2022 03:02:45

Date: 21 JUN 2022 03:17:36

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 21 JUN 2022 03:09:13


Date: 21 JUN 2022 03:22:28



LTE Band 41C / 20MHz+20MHz


64QAM

Lowest Band Edge / 1RB0 and 1RB9




Date: 21 JUN 2022 03:27:21

Highest Band Edge / 1RB0 and 1RB9




Date: 21 JUN 2022 03:39:16

Lowest Band Edge / 1RB99 and 1RB0




Date: 21 JUN 2022 03:26:38

Highest Band Edge / 1RB99 and 1RB0




Date: 21 JUN 2022 03:38:33

Lowest Band Edge / Full RB



Date: 21 JUN 2022 03:30:54

Highest Band Edge / Full RB



Date: 21 JUN 2022 03:42:49







# Conducted Spurious Emission

## LTE Band 41C / 5MHz+20MHz

### Lowest Channel / QPSK


### Middle Channel / QPSK



Date: 21 JUN.2022 05:56:59

Date: 21 JUN.2022 05:58:52

### Highest Channel / QPSK



Date: 21 JUN.2022 06:00:45







LTE Band 41C / 10MHz+15MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 20 JUN 2022 22:37:48

Date: 20 JUN 2022 22:41:21

Highest Channel / QPSK





Date: 20 JUN 2022 22:43:13



LTE Band 41C / 10MHz+20MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 20 JUN.2022 23:14:57

Date: 20 JUN.2022 23:16:50

Highest Channel / QPSK





Date: 20 JUN.2022 23:18:42



LTE Band 41C / 15MHz+10MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 20 JUN.2022 23:44:40

Date: 20 JUN.2022 23:46:32

Highest Channel / QPSK




Date: 20 JUN.2022 23:48:24




LTE Band 41C / 15MHz+15MHz

Lowest Channel / QPSK

Middle Channel / QPSK




Date: 21 JUN.2022 00:15:12



Date: 21 JUN.2022 00:17:04

Highest Channel / QPSK





Date: 21 JUN.2022 00:18:57



LTE Band 41C / 15MHz+20MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 21 JUN.2022 00:40:15

Date: 21 JUN.2022 00:42:07

Highest Channel / QPSK





Date: 21 JUN.2022 00:44:02



LTE Band 41C / 20MHz+5MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 21 JUN.2022 06:24:25

Date: 21 JUN.2022 06:26:18

Highest Channel / QPSK





Date: 21 JUN.2022 06:28:11



LTE Band 41C / 20MHz+10MHz

Lowest Channel / QPSK


Middle Channel / QPSK



Date: 21 JUN.2022 01:04:02

Date: 21 JUN.2022 01:05:54

Highest Channel / QPSK



Date: 21 JUN.2022 01:07:46







LTE Band 41C / 20MHz+15MHz

Lowest Channel / QPSK

Middle Channel / QPSK




Date: 21 JUN.2022 03:10:00



Date: 21 JUN.2022 03:13:34

Highest Channel / QPSK




Date: 21 JUN.2022 03:15:27




LTE Band 41C / 20MHz+20MHz

Lowest Channel / QPSK

Middle Channel / QPSK




Date: 21 JUN.2022 03:32:41



Date: 21 JUN.2022 03:34:33

Highest Channel / QPSK



Date: 21 JUN.2022 03:36:26



## Appendix B. Test Results of Radiated Test

### Radiated Spurious Emission

Test Engineer :	Chris Chen	Temperature :	23~25°C
		Relative Humidity :	41~42%

LTE Band 7 / 20MHz / QPSK / Ant.0								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5004	-53.40	-25	-28.40	-63.61	3.03	13.24	H
	7504	-54.33	-25	-29.33	-63.78	3.56	13.01	H
	10000	-53.42	-25	-28.42	-62.94	3.92	13.44	H
	5004	-55.65	-25	-30.65	-65.86	3.03	13.24	V
	7504	-50.58	-25	-25.58	-60.03	3.56	13.01	V
	10000	-53.77	-25	-28.77	-63.29	3.92	13.44	V
Middle	5052	-54.18	-25	-29.18	-64.39	3.03	13.24	H
	7580	-48.45	-25	-23.45	-57.90	3.56	13.01	H
	10100	-54.52	-25	-29.52	-64.04	3.92	13.44	H
	5052	-55.32	-25	-30.32	-65.53	3.03	13.24	V
	7580	-51.87	-25	-26.87	-61.32	3.56	13.01	V
	10100	-53.90	-25	-28.90	-63.42	3.92	13.44	V
Highest	5104	-53.86	-25	-28.86	-64.07	3.03	13.24	H
	7652	-51.83	-25	-26.83	-61.28	3.56	13.01	H
	10200	-53.11	-25	-28.11	-62.63	3.92	13.44	H
	5104	-55.80	-25	-30.80	-66.01	3.03	13.24	V
	7652	-52.25	-25	-27.25	-61.70	3.56	13.01	V
	10200	-53.25	-25	-28.25	-62.77	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 10MHz / QPSK / Ant.0								
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-57.59	-13	-44.59	-64.56	1.58	10.70	H
	2098	-53.55	-13	-40.55	-61.80	2.102	12.50	H
	2798	-50.51	-13	-37.51	-59.40	2.856	13.90	H
	1400	-57.09	-13	-44.09	-64.06	1.58	10.70	V
	2098	-52.98	-13	-39.98	-61.23	2.10	12.50	V
	2798	-51.02	-13	-38.02	-59.91	2.86	13.90	V
Middle	1406	-57.79	-13	-44.79	-64.76	1.58	10.70	H
	2110	-53.65	-13	-40.65	-61.90	2.102	12.50	H
	2812	-51.63	-13	-38.63	-60.52	2.856	13.90	H
	1406	-58.36	-13	-45.36	-65.33	1.58	10.70	V
	2110	-51.96	-13	-38.96	-60.21	2.10	12.50	V
	2812	-51.75	-13	-38.75	-60.64	2.86	13.90	V
Highest	1414	-56.87	-13	-43.87	-63.84	1.58	10.70	H
	2120	-53.17	-13	-40.17	-61.42	2.102	12.50	H
	2826	-50.93	-13	-37.93	-59.82	2.856	13.90	H
	1414	-57.90	-13	-44.90	-64.87	1.58	10.70	V
	2120	-52.93	-13	-39.93	-61.18	2.10	12.50	V
	2826	-51.72	-13	-38.72	-60.61	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13 / 5MHz / QPSK / Ant.0								
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1554	-57.94	-13	-44.94	-60.57	1.09	5.87	H
	2332	-52.73	-13	-39.73	-55.13	1.37	5.92	H
	3108	-50.96	-13	-37.96	-54.85	1.64	7.68	H
	1554	-56.56	-13	-43.56	-59.19	1.09	5.87	V
	2332	-52.35	-13	-39.35	-54.75	1.37	5.92	V
	3108	-50.67	-13	-37.67	-54.56	1.64	7.68	V
Middle	1560	-56.90	-42.15	-14.75	-59.53	1.09	5.87	H
	2340	-52.31	-13	-39.31	-54.71	1.37	5.92	H
	3120	-50.48	-13	-37.48	-54.37	1.64	7.68	H
	1560	-56.43	-42.15	-14.28	-59.06	1.09	5.87	V
	2340	-52.43	-13	-39.43	-54.83	1.37	5.92	V
	3120	-51.12	-13	-38.12	-55.01	1.64	7.68	V
Highest	1564	-56.66	-42.15	-14.51	-59.29	1.09	5.87	H
	2348	-53.03	-13	-40.03	-55.43	1.37	5.92	H
	3132	-51.04	-13	-38.04	-54.93	1.64	7.68	H
	1564	-55.82	-42.15	-13.67	-58.45	1.09	5.87	V
	2348	-51.51	-13	-38.51	-53.91	1.37	5.92	V
	3132	-51.31	-13	-38.31	-55.20	1.64	7.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 13 / 10MHz / QPSK / Ant.0								
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1556	-56.83	-13	-43.83	-59.46	1.09	5.87	H
	2332	-51.64	-13	-38.64	-54.04	1.37	5.92	H
	3108	-49.75	-13	-36.75	-53.64	1.64	7.68	H
	1556	-56.68	-13	-43.68	-59.31	1.09	5.87	V
	2332	-52.11	-13	-39.11	-54.51	1.37	5.92	V
	3108	-50.20	-13	-37.20	-54.09	1.64	7.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 38 / 20MHz / QPSK / Ant.0								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5144	-60.50	-25	-35.50	-70.71	3.03	13.24	H
	7712	-60.17	-25	-35.17	-69.62	3.56	13.01	H
	10280	-58.99	-25	-33.99	-68.51	3.92	13.44	H
	5144	-60.58	-25	-35.58	-70.79	3.03	13.24	H
	7712	-60.10	-25	-35.10	-69.55	3.56	13.01	V
	10280	-58.55	-25	-33.55	-68.07	3.92	13.44	V
	5144	-60.50	-25	-35.50	-70.71	3.03	13.24	V
Middle	5172	-60.57	-25	-35.57	-70.78	3.03	13.24	H
	7760	-60.07	-25	-35.07	-69.52	3.56	13.01	H
	10340	-58.57	-25	-33.57	-68.09	3.92	13.44	H
	5172	-62.19	-25	-37.19	-72.40	3.03	13.24	H
	7760	-60.18	-25	-35.18	-69.63	3.56	13.01	V
	10340	-58.04	-25	-33.04	-67.56	3.92	13.44	V
	5172	-60.57	-25	-35.57	-70.78	3.03	13.24	V
Highest	7760	-60.07	-25	-35.07	-69.52	3.56	13.01	V
	5204	-60.90	-25	-35.90	-71.11	3.03	13.24	H
	7804	-60.26	-25	-35.26	-69.71	3.56	13.01	H
	10400	-58.32	-25	-33.32	-67.84	3.92	13.44	H
	5204	-62.46	-25	-37.46	-72.67	3.03	13.24	H
	7804	-60.00	-25	-35.00	-69.45	3.56	13.01	V
	10400	-58.63	-25	-33.63	-68.15	3.92	13.44	V
5204	-60.90	-25	-35.90	-71.11	3.03	13.24	V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 / 20MHz / QPSK / Ant.2								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4996	-53.72	-25	-28.72	-63.93	3.03	13.24	H
	7492	-53.05	-25	-28.05	-62.50	3.56	13.01	H
	9990	-54.85	-25	-29.85	-64.37	3.92	13.44	H
	4996	-56.42	-25	-31.42	-66.63	3.03	13.24	V
	7492	-53.67	-25	-28.67	-63.12	3.56	13.01	V
	9990	-53.84	-25	-28.84	-63.36	3.92	13.44	V
Middle	5168	-53.47	-25	-28.47	-63.68	3.03	13.24	H
	7752	-55.16	-25	-30.16	-64.61	3.56	13.01	H
	10340	-54.50	-25	-29.50	-64.02	3.92	13.44	H
	5168	-54.64	-25	-29.64	-64.85	3.03	13.24	V
	7752	-54.63	-25	-29.63	-64.08	3.56	13.01	V
	10340	-53.52	-25	-28.52	-63.04	3.92	13.44	V
Highest	5340	-54.03	-25	-29.03	-64.24	3.03	13.24	H
	8015	-53.15	-25	-28.15	-62.60	3.56	13.01	H
	10688	-52.95	-25	-27.95	-62.47	3.92	13.44	H
	5340	-53.33	-25	-28.33	-63.54	3.03	13.24	V
	8015	-50.45	-25	-25.45	-59.90	3.56	13.01	V
	10688	-53.34	-25	-28.34	-62.86	3.92	13.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.





LTE Band 71 / 20MHz / QPSK / Ant.0								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-57.47	-13	-44.47	-59.22	1.02	4.92	H
	1992	-51.06	-13	-38.06	-53.03	1.27	5.39	H
	2656	-51.08	-13	-38.08	-54.01	1.49	6.57	H
	1328	-56.65	-13	-43.65	-58.40	1.02	4.92	V
	1992	-52.73	-13	-39.73	-54.70	1.27	5.39	V
	2656	-52.69	-13	-39.69	-55.62	1.49	6.57	V
Middle	1348	-55.05	-13	-42.05	-56.80	1.02	4.92	H
	2022	-50.04	-13	-37.04	-52.01	1.27	5.39	H
	2696	-50.75	-13	-37.75	-53.68	1.49	6.57	H
	1348	-53.62	-13	-40.62	-55.37	1.02	4.92	V
	2022	-51.94	-13	-38.94	-53.91	1.27	5.39	V
	2696	-50.78	-13	-37.78	-53.71	1.49	6.57	V
Highest	1358	-58.36	-13	-45.36	-60.11	1.02	4.92	H
	2038	-51.22	-13	-38.22	-53.19	1.27	5.39	H
	2716	-51.91	-13	-38.91	-54.84	1.49	6.57	H
	1358	-55.03	-13	-42.03	-56.78	1.02	4.92	V
	2038	-51.73	-13	-38.73	-53.70	1.27	5.39	V
	2716	-50.69	-13	-37.69	-53.62	1.49	6.57	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7C / 20MHz + 20MHz / QPSK / Ant.0								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5004	-52.69	-25	-27.69	-62.90	3.03	13.24	H
	7504	-55.38	-25	-30.38	-64.83	3.56	13.01	H
	10000	-53.96	-25	-28.96	-63.48	3.92	13.44	H
	5040	-53.91	-25	-28.91	-64.12	3.03	13.24	H
	7556	-55.20	-25	-30.20	-64.65	3.56	13.01	H
	10080	-54.95	-25	-29.95	-64.47	3.92	13.44	H
	5004	-54.96	-25	-29.96	-65.17	3.03	13.24	V
	7504	-54.72	-25	-29.72	-64.17	3.56	13.01	V
	10000	-55.33	-25	-30.33	-64.85	3.92	13.44	V
	5040	-56.52	-25	-31.52	-66.73	3.03	13.24	V
	7556	-54.65	-25	-29.65	-64.10	3.56	13.01	V
10080	-55.10	-25	-30.10	-64.62	3.92	13.44	V	
Middle	5032	-52.88	-25	-27.88	-63.09	3.03	13.24	H
	7548	-55.13	-25	-30.13	-64.58	3.56	13.01	H
	10060	-53.17	-25	-28.17	-62.69	3.92	13.44	H
	5068	-53.06	-25	-28.06	-63.27	3.03	13.24	H
	7604	-54.35	-25	-29.35	-63.80	3.56	13.01	H
	10140	-54.08	-25	-29.08	-63.60	3.92	13.44	H
	5032	-54.49	-25	-29.49	-64.70	3.03	13.24	V
	7548	-55.52	-25	-30.52	-64.97	3.56	13.01	V
	10060	-55.05	-25	-30.05	-64.57	3.92	13.44	V
	5068	-55.40	-25	-30.40	-65.61	3.03	13.24	V
	7604	-53.63	-25	-28.63	-63.08	3.56	13.01	V
10140	-54.65	-25	-29.65	-64.17	3.92	13.44	V	
Highest	5064	-53.70	-25	-28.70	-63.91	3.03	13.24	H
	7592	-54.15	-25	-29.15	-63.60	3.56	13.01	H
	10130	-54.42	-25	-29.42	-63.94	3.92	13.44	H
	5100	-54.33	-25	-29.33	-64.54	3.03	13.24	H
	7648	-53.47	-25	-28.47	-62.92	3.56	13.01	H
	10200	-53.89	-25	-28.89	-63.41	3.92	13.44	H
	5064	-55.48	-25	-30.48	-65.69	3.03	13.24	V
	7592	-55.33	-25	-30.33	-64.78	3.56	13.01	V
	10130	-53.81	-25	-28.81	-63.33	3.92	13.44	V
	5100	-54.84	-25	-29.84	-65.05	3.03	13.24	V
	7648	-53.00	-25	-28.00	-62.45	3.56	13.01	V
10200	-53.72	-25	-28.72	-63.24	3.92	13.44	V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41C / 20MHz + 20MHz / QPSK / Ant.2								
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4996	-61.49	-25	-36.49	-71.70	3.03	13.24	H
	7492	-60.97	-25	-35.97	-70.42	3.56	13.01	H
	9990	-60.86	-25	-35.86	-70.38	3.92	13.44	H
	5032	-61.38	-25	-36.38	-71.59	3.03	13.24	H
	7544	-61.75	-25	-36.75	-71.20	3.56	13.01	H
	10060	-61.04	-25	-36.04	-70.56	3.92	13.44	H
	4994	-66.40	-25	-41.40	-76.61	3.03	13.24	V
	7486	-63.39	-25	-38.39	-72.84	3.56	13.01	V
	9990	-62.85	-25	-37.85	-72.37	3.92	13.44	V
	5036	-66.41	-25	-41.41	-76.62	3.03	13.24	V
	7542	-63.63	-25	-38.63	-73.08	3.56	13.01	V
10060	-62.80	-25	-37.80	-72.32	3.92	13.44	V	
Middle	5148	-63.91	-25	-38.91	-74.12	3.03	13.24	H
	7724	-62.02	-25	-37.02	-71.47	3.56	13.01	H
	10300	-61.78	-25	-36.78	-71.30	3.92	13.44	H
	5184	-62.10	-25	-37.10	-72.31	3.03	13.24	H
	7776	-59.38	-25	-34.38	-68.83	3.56	13.01	H
	10370	-62.43	-25	-37.43	-71.95	3.92	13.44	H
	5148	-59.81	-25	-34.81	-70.02	3.03	13.24	V
	7724	-60.37	-25	-35.37	-69.82	3.56	13.01	V
	10300	-60.13	-25	-35.13	-69.65	3.92	13.44	V
	5184	-59.23	-25	-34.23	-69.44	3.03	13.24	V
	7776	-58.61	-25	-33.61	-68.06	3.56	13.01	V
10370	-60.69	-25	-35.69	-70.21	3.92	13.44	V	
Highest	5304	-61.57	-25	-36.57	-71.78	3.03	13.24	H
	7952	-60.07	-25	-35.07	-69.52	3.56	13.01	H
	10610	-59.51	-25	-34.51	-69.03	3.92	13.44	H
	5340	-60.52	-25	-35.52	-70.73	3.03	13.24	H
	8010	-57.57	-25	-32.57	-67.02	3.56	13.01	H
	10680	-58.79	-25	-33.79	-68.31	3.92	13.44	H
	5304	-62.93	-25	-37.93	-73.14	3.03	13.24	V
	7952	-60.27	-25	-35.27	-69.72	3.56	13.01	V
	10610	-59.80	-25	-34.80	-69.32	3.92	13.44	V
	5340	-60.68	-25	-35.68	-70.89	3.03	13.24	V
	8010	-58.22	-25	-33.22	-67.67	3.56	13.01	V
10680	-58.57	-25	-33.57	-68.09	3.92	13.44	V	

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.