






Mode	50																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																																																																																																									
ANT	TxBF 1+2																																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																																								
Peak	 <table border="1" data-bbox="263 1153 790 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5125.60</td> <td>58.60</td> <td>74.00</td> <td>-15.40</td> <td>42.93</td> <td>34.35</td> <td>10.61</td> <td>29.29</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>255</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>175 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5125.60	58.60	74.00	-15.40	42.93	34.35	10.61	29.29							0.00	255								175 Peak	 <table border="1" data-bbox="904 1153 1431 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5224.00</td> <td>101.06</td> <td>68.30</td> <td>32.76</td> <td>85.28</td> <td>34.50</td> <td>10.67</td> <td>29.39</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>255</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>175 Peak</td> </tr> <tr> <td>2 5224.00</td> <td>84.71</td> <td>-----</td> <td>-----</td> <td>68.93</td> <td>34.50</td> <td>10.67</td> <td>29.39</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>255</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>175 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5224.00	101.06	68.30	32.76	85.28	34.50	10.67	29.39							0.00	255								175 Peak	2 5224.00	84.71	-----	-----	68.93	34.50	10.67	29.39							0.00	255								175 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1 5125.60	58.60	74.00	-15.40	42.93	34.35	10.61	29.29																																																																																																																			
						0.00	255																																																																																																																			
							175 Peak																																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1 5224.00	101.06	68.30	32.76	85.28	34.50	10.67	29.39																																																																																																																			
						0.00	255																																																																																																																			
							175 Peak																																																																																																																			
2 5224.00	84.71	-----	-----	68.93	34.50	10.67	29.39																																																																																																																			
						0.00	255																																																																																																																			
							175 Average																																																																																																																			
Avg	 <table border="1" data-bbox="263 1830 790 1953"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5112.80</td> <td>51.53</td> <td>54.00</td> <td>-2.47</td> <td>35.86</td> <td>34.33</td> <td>10.61</td> <td>29.27</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>255</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>175 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5112.80	51.53	54.00	-2.47	35.86	34.33	10.61	29.27							0.00	255								175 Average	Blank																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1 5112.80	51.53	54.00	-2.47	35.86	34.33	10.61	29.27																																																																																																																			
						0.00	255																																																																																																																			
							175 Average																																																																																																																			





Mode	50																																														
	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																														
ANT	TxBF 1+2																																														
Pol.	Horizontal	Fundamental																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th>Remark</th> <th colspan="5"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5397.12</td> <td>55.46</td> <td>74.00</td> <td>-18.54</td> <td>39.64</td> <td>34.50</td> <td>10.89</td> <td>29.57</td> <td>0.00</td> <td>255</td> <td>175</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark						1	5397.12	55.46	74.00	-18.54	39.64	34.50	10.89	29.57	0.00	255	175	Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																								
cm	deg	Remark																																													
1	5397.12	55.46	74.00	-18.54	39.64	34.50	10.89	29.57	0.00	255	175	Peak																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th>Remark</th> <th colspan="5"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5396.94</td> <td>49.24</td> <td>54.00</td> <td>-4.76</td> <td>33.42</td> <td>34.50</td> <td>10.89</td> <td>29.57</td> <td>0.00</td> <td>255</td> <td>175</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark						1	5396.94	49.24	54.00	-4.76	33.42	34.50	10.89	29.57	0.00	255	175	Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																								
cm	deg	Remark																																													
1	5396.94	49.24	54.00	-4.76	33.42	34.50	10.89	29.57	0.00	255	175	Average																																			







Mode	50																																																																																										
	Band Edge - L																																																																																										
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																																																																										
ANT	TxBF 1+2																																																																																										
Pol.	Vertical	Fundamental																																																																																									
Peak	<table border="1" data-bbox="268 1160 778 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5109.28</td> <td>57.92</td> <td>74.00</td> <td>-16.08</td> <td>42.27</td> <td>34.32</td> <td>10.60</td> <td>29.27</td> <td>0.00</td> <td>300</td> <td>190 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5109.28	57.92	74.00	-16.08	42.27	34.32	10.60	29.27	0.00	300	190 Peak	<table border="1" data-bbox="909 1137 1420 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5218.00</td> <td>99.18</td> <td>68.30</td> <td>30.88</td> <td>83.40</td> <td>34.50</td> <td>10.66</td> <td>29.38</td> <td>0.00</td> <td>300</td> <td>190 Peak</td> </tr> <tr> <td>2 5218.00</td> <td>83.59</td> <td>-----</td> <td>-----</td> <td>67.81</td> <td>34.50</td> <td>10.66</td> <td>29.38</td> <td>0.00</td> <td>300</td> <td>190 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5218.00	99.18	68.30	30.88	83.40	34.50	10.66	29.38	0.00	300	190 Peak	2 5218.00	83.59	-----	-----	67.81	34.50	10.66	29.38	0.00	300	190 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5109.28	57.92	74.00	-16.08	42.27	34.32	10.60	29.27	0.00	300	190 Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5218.00	99.18	68.30	30.88	83.40	34.50	10.66	29.38	0.00	300	190 Peak																																																																																	
2 5218.00	83.59	-----	-----	67.81	34.50	10.66	29.38	0.00	300	190 Average																																																																																	
Avg	<table border="1" data-bbox="268 1832 778 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5126.88</td> <td>51.56</td> <td>54.00</td> <td>-2.44</td> <td>35.89</td> <td>34.35</td> <td>10.61</td> <td>29.29</td> <td>0.00</td> <td>300</td> <td>190 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5126.88	51.56	54.00	-2.44	35.89	34.35	10.61	29.29	0.00	300	190 Average	Blank																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5126.88	51.56	54.00	-2.44	35.89	34.35	10.61	29.29	0.00	300	190 Average																																																																																	



Mode	50																																																									
	Band Edge - R																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																																									
ANT	TxBF 1+2																																																									
Pol.	Vertical	Fundamental																																																								
Peak	 <table border="1" data-bbox="263 1153 796 1279"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5359.50</td> <td>56.46</td> <td>74.00</td> <td>-17.54</td> <td>40.65</td> <td>34.50</td> <td>10.84</td> <td>29.53</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>190</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5359.50	56.46	74.00	-17.54	40.65	34.50	10.84	29.53							0.00	300								190								Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5359.50	56.46	74.00	-17.54	40.65	34.50	10.84	29.53																																																			
						0.00	300																																																			
							190																																																			
							Peak																																																			
Avg	 <table border="1" data-bbox="263 1825 796 1951"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5366.70</td> <td>48.97</td> <td>54.00</td> <td>-5.03</td> <td>33.16</td> <td>34.50</td> <td>10.85</td> <td>29.54</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>190</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5366.70	48.97	54.00	-5.03	33.16	34.50	10.85	29.54							0.00	300								190								Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5366.70	48.97	54.00	-5.03	33.16	34.50	10.85	29.54																																																			
						0.00	300																																																			
							190																																																			
							Average																																																			






Mode	50	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz	
ANT	TxBF 1+2	
Pol.	Horizontal	Vertical
Peak		
Avg		



51																																																			
Mode	Band Edge - L																																																		
U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz																																																			
ANT	TxBF 1+2																																																		
Pol.	Horizontal																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5377.50</td> <td>55.46</td> <td>74.00</td> <td>-18.54</td> <td>39.65</td> <td>34.50</td> <td>10.86</td> <td>29.55</td> <td>0.00</td> <td>300</td> <td>327 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5377.50	55.46	74.00	-18.54	39.65	34.50	10.86	29.55	0.00	300	327 Peak											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1 5377.50	55.46	74.00	-18.54	39.65	34.50	10.86	29.55	0.00	300	327 Peak																																									
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5236.00</td> <td>97.91</td> <td>68.30</td> <td>29.61</td> <td>82.12</td> <td>34.50</td> <td>10.69</td> <td>29.40</td> <td>0.00</td> <td>300</td> <td>327 Peak</td> </tr> <tr> <td>2 5236.00</td> <td>78.46</td> <td>-----</td> <td>-----</td> <td>62.67</td> <td>34.50</td> <td>10.69</td> <td>29.40</td> <td>0.00</td> <td>300</td> <td>327 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5236.00	97.91	68.30	29.61	82.12	34.50	10.69	29.40	0.00	300	327 Peak	2 5236.00	78.46	-----	-----	62.67	34.50	10.69	29.40	0.00	300	327 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1 5236.00	97.91	68.30	29.61	82.12	34.50	10.69	29.40	0.00	300	327 Peak																																									
2 5236.00	78.46	-----	-----	62.67	34.50	10.69	29.40	0.00	300	327 Average																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5365.62</td> <td>49.32</td> <td>54.00</td> <td>-4.68</td> <td>33.51</td> <td>34.50</td> <td>10.85</td> <td>29.54</td> <td>0.00</td> <td>300</td> <td>327 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5365.62	49.32	54.00	-4.68	33.51	34.50	10.85	29.54	0.00	300	327 Average											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1 5365.62	49.32	54.00	-4.68	33.51	34.50	10.85	29.54	0.00	300	327 Average																																									
Blank																																																			



51																																																			
Mode	Band Edge - L																																																		
U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz																																																			
ANT	TxBF 1+2																																																		
Pol.	Vertical																																																		
Peak	 <p>Level (dBuV) vs Frequency (MHz) plot showing a signal peak at 5351.40 MHz. The plot includes a red limit line for 5G BAND 1-3 at -60dB. The signal level is approximately 102.4 dBuV at the peak.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.40</td> <td>56.37</td> <td>74.00</td> <td>-17.63</td> <td>40.56</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>332 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5351.40	56.37	74.00	-17.63	40.56	34.50	10.83	29.52	0.00	100	332 Peak											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1 5351.40	56.37	74.00	-17.63	40.56	34.50	10.83	29.52	0.00	100	332 Peak																																									
Fundamental	 <p>Level (dBuV) vs Frequency (MHz) plot showing a signal peak at 5248.00 MHz. The plot includes a red limit line for 5G BAND 1-3 at -60dB. The signal level is approximately 102.4 dBuV at the peak.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5248.00</td> <td>99.01</td> <td>68.30</td> <td>30.71</td> <td>83.22</td> <td>34.50</td> <td>10.70</td> <td>29.41</td> <td>0.00</td> <td>100</td> <td>332 Peak</td> </tr> <tr> <td>2 5248.00</td> <td>81.65</td> <td>-----</td> <td>-----</td> <td>65.86</td> <td>34.50</td> <td>10.70</td> <td>29.41</td> <td>0.00</td> <td>100</td> <td>332 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5248.00	99.01	68.30	30.71	83.22	34.50	10.70	29.41	0.00	100	332 Peak	2 5248.00	81.65	-----	-----	65.86	34.50	10.70	29.41	0.00	100	332 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1 5248.00	99.01	68.30	30.71	83.22	34.50	10.70	29.41	0.00	100	332 Peak																																									
2 5248.00	81.65	-----	-----	65.86	34.50	10.70	29.41	0.00	100	332 Average																																									
Avg	 <p>Level (dBuV) vs Frequency (MHz) plot showing an average signal at 5306.50 MHz. The plot includes a red limit line for 5G BAND 1-3 (AVG) at -60dB. The signal level is approximately 74.00 dBuV at the peak.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5306.50</td> <td>49.36</td> <td>54.00</td> <td>-4.64</td> <td>33.55</td> <td>34.50</td> <td>10.87</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>332 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5306.50	49.36	54.00	-4.64	33.55	34.50	10.87	29.56	0.00	100	332 Average											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1 5306.50	49.36	54.00	-4.64	33.55	34.50	10.87	29.56	0.00	100	332 Average																																									
Blank																																																			






Mode	51																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10400.00</td> <td>44.70</td> <td>68.30</td> <td>-23.60</td> <td>57.89</td> <td>37.53</td> <td>15.62</td> <td>66.34</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10400.00	44.70	68.30	-23.60	57.89	37.53	15.62	66.34	0.00	100	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10400.00</td> <td>44.43</td> <td>68.30</td> <td>-23.87</td> <td>57.62</td> <td>37.53</td> <td>15.62</td> <td>66.34</td> <td>0.00</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10400.00	44.43	68.30	-23.87	57.62	37.53	15.62	66.34	0.00	300	0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10400.00	44.70	68.30	-23.60	57.89	37.53	15.62	66.34	0.00	100	0 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10400.00	44.43	68.30	-23.87	57.62	37.53	15.62	66.34	0.00	300	0 Peak																																																																						



	52																																																																																							
Mode	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																																																							
ANT	TxBF 1+2																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5260.00</td> <td>104.31</td> <td>68.30</td> <td>36.01</td> <td>88.52</td> <td>34.50</td> <td>10.72</td> <td>29.43</td> <td>0.00</td> <td>300 301 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5260.00	104.31	68.30	36.01	88.52	34.50	10.72	29.43	0.00	300 301 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5260.00</td> <td>104.31</td> <td>68.30</td> <td>36.01</td> <td>88.52</td> <td>34.50</td> <td>10.72</td> <td>29.43</td> <td>0.00</td> <td>300 301 Peak</td> </tr> <tr> <td>2 5260.00</td> <td>85.15</td> <td>-----</td> <td>-----</td> <td>69.36</td> <td>34.50</td> <td>10.72</td> <td>29.43</td> <td>0.00</td> <td>300 301 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5260.00	104.31	68.30	36.01	88.52	34.50	10.72	29.43	0.00	300 301 Peak	2 5260.00	85.15	-----	-----	69.36	34.50	10.72	29.43	0.00	300 301 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5260.00	104.31	68.30	36.01	88.52	34.50	10.72	29.43	0.00	300 301 Peak																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5260.00	104.31	68.30	36.01	88.52	34.50	10.72	29.43	0.00	300 301 Peak																																																																															
2 5260.00	85.15	-----	-----	69.36	34.50	10.72	29.43	0.00	300 301 Average																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5109.60</td> <td>51.23</td> <td>54.00</td> <td>-2.77</td> <td>35.58</td> <td>34.32</td> <td>10.60</td> <td>29.27</td> <td>0.00</td> <td>300 301 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5109.60	51.23	54.00	-2.77	35.58	34.32	10.60	29.27	0.00	300 301 Average	Blank																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5109.60	51.23	54.00	-2.77	35.58	34.32	10.60	29.27	0.00	300 301 Average																																																																															






	52																																																																																							
Mode	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																																																							
ANT	TxBF 1+2																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Level (dBuV) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal level rising from approximately 58.5 dBuV at 5100 MHz to about 102.4 dBuV at 5260 MHz. A red horizontal line indicates a limit at 73.1 dBuV. A blue vertical line marks the peak at 5129.92 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5129.92</td> <td>57.76</td> <td>74.00</td> <td>-16.24</td> <td>42.08</td> <td>34.36</td> <td>10.61</td> <td>29.29</td> <td>0.00</td> <td>241 259 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5129.92	57.76	74.00	-16.24	42.08	34.36	10.61	29.29	0.00	241 259 Peak	 <p>Level (dBuV) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level rising from approximately 58.5 dBuV at 4000 MHz to about 102.4 dBuV at 5260 MHz. A red horizontal line indicates a limit at 73.1 dBuV. A blue vertical line marks the peak at 5266.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5266.00</td> <td>100.02</td> <td>68.30</td> <td>31.72</td> <td>84.22</td> <td>34.50</td> <td>10.73</td> <td>29.43</td> <td>0.00</td> <td>241 259 Peak</td> </tr> <tr> <td>2 5266.00</td> <td>81.63</td> <td>-----</td> <td>-----</td> <td>65.83</td> <td>34.50</td> <td>10.73</td> <td>29.43</td> <td>0.00</td> <td>241 259 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5266.00	100.02	68.30	31.72	84.22	34.50	10.73	29.43	0.00	241 259 Peak	2 5266.00	81.63	-----	-----	65.83	34.50	10.73	29.43	0.00	241 259 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5129.92	57.76	74.00	-16.24	42.08	34.36	10.61	29.29	0.00	241 259 Peak																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5266.00	100.02	68.30	31.72	84.22	34.50	10.73	29.43	0.00	241 259 Peak																																																																															
2 5266.00	81.63	-----	-----	65.83	34.50	10.73	29.43	0.00	241 259 Average																																																																															
Avg	 <p>Level (dBuV) vs Frequency (MHz) plot for Vertical polarization showing the average signal. The plot shows a signal level rising from approximately 43.9 dBuV at 5100 MHz to about 73.1 dBuV at 5260 MHz. A red horizontal line indicates a limit at 58.5 dBuV. A blue vertical line marks the average at 5120.32 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5120.32</td> <td>51.37</td> <td>54.00</td> <td>-2.63</td> <td>35.70</td> <td>34.34</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>241 259 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5120.32	51.37	54.00	-2.63	35.70	34.34	10.61	29.28	0.00	241 259 Average	Blank																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5120.32	51.37	54.00	-2.63	35.70	34.34	10.61	29.28	0.00	241 259 Average																																																																															





Mode	52																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>45.94</td> <td>68.30</td> <td>-22.36</td> <td>59.02</td> <td>37.57</td> <td>15.64</td> <td>66.29</td> <td>0.00</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10520.00	45.94	68.30	-22.36	59.02	37.57	15.64	66.29	0.00	300	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>44.36</td> <td>68.30</td> <td>-23.94</td> <td>57.44</td> <td>37.57</td> <td>15.64</td> <td>66.29</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10520.00	44.36	68.30	-23.94	57.44	37.57	15.64	66.29	0.00	100	0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10520.00	45.94	68.30	-22.36	59.02	37.57	15.64	66.29	0.00	300	0 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10520.00	44.36	68.30	-23.94	57.44	37.57	15.64	66.29	0.00	100	0 Peak																																																																						






	53																																																																																							
Mode	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																																																																							
ANT	TxBF 1+2																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <p>Level (dBuV) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level around 58.5 dBuV with a peak at 5124.16 MHz. Limits for 5G BAND 1-3 are shown at 73.1 dBuV and 58.5 dBuV (-6dB).</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5124.16</td> <td>58.48</td> <td>74.00</td> <td>-15.52</td> <td>42.80</td> <td>34.35</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>235 314 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5124.16	58.48	74.00	-15.52	42.80	34.35	10.61	29.28	0.00	235 314 Peak	 <p>Level (dBuV) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal level around 58.5 dBuV with a peak at 5308.00 MHz. Limits for 5G BAND 1-3 are shown at 73.1 dBuV and 58.5 dBuV (-6dB).</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5308.00</td> <td>103.99</td> <td>68.30</td> <td>35.69</td> <td>88.19</td> <td>34.50</td> <td>10.78</td> <td>29.48</td> <td>0.00</td> <td>235 314 Peak</td> </tr> <tr> <td>2 5308.00</td> <td>86.07</td> <td>-----</td> <td>-----</td> <td>70.27</td> <td>34.50</td> <td>10.78</td> <td>29.48</td> <td>0.00</td> <td>235 314 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5308.00	103.99	68.30	35.69	88.19	34.50	10.78	29.48	0.00	235 314 Peak	2 5308.00	86.07	-----	-----	70.27	34.50	10.78	29.48	0.00	235 314 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5124.16	58.48	74.00	-15.52	42.80	34.35	10.61	29.28	0.00	235 314 Peak																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5308.00	103.99	68.30	35.69	88.19	34.50	10.78	29.48	0.00	235 314 Peak																																																																															
2 5308.00	86.07	-----	-----	70.27	34.50	10.78	29.48	0.00	235 314 Average																																																																															
Avg	 <p>Level (dBuV) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal level around 51.36 dBuV. Limits for 5G BAND 1-3 (AVG) are shown at 58.5 dBuV and 51.36 dBuV (-6dB).</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5116.32</td> <td>51.36</td> <td>54.00</td> <td>-2.64</td> <td>35.70</td> <td>34.33</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>235 314 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5116.32	51.36	54.00	-2.64	35.70	34.33	10.61	29.28	0.00	235 314 Average	Blank																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5116.32	51.36	54.00	-2.64	35.70	34.33	10.61	29.28	0.00	235 314 Average																																																																															





Mode	53																																							
	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																							
ANT	TxBF 1+2																																							
Pol.	Horizontal	Fundamental																																						
Peak	 <table border="1" data-bbox="263 1153 774 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5365.50</td> <td>56.52</td> <td>74.00</td> <td>-17.48</td> <td>40.71</td> <td>34.50</td> <td>10.85</td> <td>29.54</td> <td>0.00</td> <td>235 314 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5365.50	56.52	74.00	-17.48	40.71	34.50	10.85	29.54	0.00	235 314 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5365.50	56.52	74.00	-17.48	40.71	34.50	10.85	29.54	0.00	235 314 Peak																															
Avg	 <table border="1" data-bbox="263 1825 774 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5385.20</td> <td>49.28</td> <td>54.00</td> <td>-4.72</td> <td>33.47</td> <td>34.50</td> <td>10.87</td> <td>29.56</td> <td>0.00</td> <td>235 314 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5385.20	49.28	54.00	-4.72	33.47	34.50	10.87	29.56	0.00	235 314 Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5385.20	49.28	54.00	-4.72	33.47	34.50	10.87	29.56	0.00	235 314 Average																															



	53																																																																																							
Mode	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																																																																							
ANT	TxBF 1+2																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Level (dBuV) vs Frequency (MHz) plot for Vertical polarization. Shows a peak at 5102.56 MHz. Limit line for SG BAND 1-3 is at 73.1 dBuV. Read level is 58.30 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5102.56</td> <td>58.30</td> <td>74.00</td> <td>-15.70</td> <td>42.65</td> <td>34.31</td> <td>10.60</td> <td>29.26</td> <td>0.00</td> <td>347 317 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5102.56	58.30	74.00	-15.70	42.65	34.31	10.60	29.26	0.00	347 317 Peak	 <p>Level (dBuV) vs Frequency (MHz) plot for Fundamental polarization. Shows a peak at 5308.00 MHz. Limit line for SG BAND 1-3 is at 73.1 dBuV. Read level is 102.99 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5308.00</td> <td>102.99</td> <td>68.30</td> <td>34.69</td> <td>87.19</td> <td>34.50</td> <td>10.78</td> <td>29.48</td> <td>0.00</td> <td>347 317 Peak</td> </tr> <tr> <td>2 5308.00</td> <td>87.16</td> <td>-----</td> <td>-----</td> <td>71.36</td> <td>34.50</td> <td>10.78</td> <td>29.48</td> <td>0.00</td> <td>347 317 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5308.00	102.99	68.30	34.69	87.19	34.50	10.78	29.48	0.00	347 317 Peak	2 5308.00	87.16	-----	-----	71.36	34.50	10.78	29.48	0.00	347 317 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5102.56	58.30	74.00	-15.70	42.65	34.31	10.60	29.26	0.00	347 317 Peak																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5308.00	102.99	68.30	34.69	87.19	34.50	10.78	29.48	0.00	347 317 Peak																																																																															
2 5308.00	87.16	-----	-----	71.36	34.50	10.78	29.48	0.00	347 317 Average																																																																															
Avg	 <p>Level (dBuV) vs Frequency (MHz) plot for Vertical polarization. Shows an average level at 5113.60 MHz. Limit line for SG BAND 1-3 (AVG) is at 58.5 dBuV. Read level is 51.32 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5113.60</td> <td>51.32</td> <td>54.00</td> <td>-2.68</td> <td>35.65</td> <td>34.33</td> <td>10.61</td> <td>29.27</td> <td>0.00</td> <td>347 317 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5113.60	51.32	54.00	-2.68	35.65	34.33	10.61	29.27	0.00	347 317 Average	Blank																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5113.60	51.32	54.00	-2.68	35.65	34.33	10.61	29.27	0.00	347 317 Average																																																																															






Mode	53																																							
	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																							
ANT	TxBF 1+2																																							
Pol.	Vertical	Fundamental																																						
Peak	 <table border="1" data-bbox="263 1153 774 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5388.60</td> <td>56.17</td> <td>74.00</td> <td>-17.83</td> <td>40.35</td> <td>34.50</td> <td>10.88</td> <td>29.56</td> <td>0.00</td> <td>347 317 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5388.60	56.17	74.00	-17.83	40.35	34.50	10.88	29.56	0.00	347 317 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5388.60	56.17	74.00	-17.83	40.35	34.50	10.88	29.56	0.00	347 317 Peak																															
Avg	 <table border="1" data-bbox="263 1825 774 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5367.60</td> <td>49.30</td> <td>54.00</td> <td>-4.70</td> <td>33.49</td> <td>34.50</td> <td>10.85</td> <td>29.54</td> <td>0.00</td> <td>347 317 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5367.60	49.30	54.00	-4.70	33.49	34.50	10.85	29.54	0.00	347 317 Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5367.60	49.30	54.00	-4.70	33.49	34.50	10.85	29.54	0.00	347 317 Average																															






Mode	53																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>45.13</td> <td>74.00</td> <td>-28.87</td> <td>57.99</td> <td>37.66</td> <td>15.68</td> <td>66.20</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	45.13	74.00	-28.87	57.99	37.66	15.68	66.20	0.00	100	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>44.93</td> <td>74.00</td> <td>-29.07</td> <td>57.79</td> <td>37.66</td> <td>15.68</td> <td>66.20</td> <td>0.00</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	44.93	74.00	-29.07	57.79	37.66	15.68	66.20	0.00	300	0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10600.00	45.13	74.00	-28.87	57.99	37.66	15.68	66.20	0.00	100	0 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10600.00	44.93	74.00	-29.07	57.79	37.66	15.68	66.20	0.00	300	0 Peak																																																																						



	54																																																																																								
Mode	Band Edge																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																								
ANT	TxBF 1+2																																																																																								
Pol.	Horizontal	Fundamental																																																																																							
Peak	 <p>Level (dBuV) vs Frequency (MHz) plot for Horizontal polarization. The plot shows a signal between 5300 and 5400 MHz. A red horizontal line indicates the 5G BAND 1 limit at -60dB. The signal level is approximately 102.4 dBuV at 5320 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.00</td> <td>57.19</td> <td>74.00</td> <td>-16.81</td> <td>41.38</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>239</td> <td>356</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.00	57.19	74.00	-16.81	41.38	34.50	10.83	29.52	0.00	239	356	Peak	 <p>Level (dBuV) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal between 1000 and 7000 MHz. A red horizontal line indicates the 5G BAND 1 limit at -60dB. The signal level is approximately 102.4 dBuV at 5320 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.79</td> <td>68.30</td> <td>34.49</td> <td>86.99</td> <td>34.50</td> <td>10.79</td> <td>29.49</td> <td>0.00</td> <td>239</td> <td>356</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>84.06</td> <td>-----</td> <td>-----</td> <td>68.26</td> <td>34.50</td> <td>10.79</td> <td>29.49</td> <td>0.00</td> <td>239</td> <td>356</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	102.79	68.30	34.49	86.99	34.50	10.79	29.49	0.00	239	356	Peak	2	5320.00	84.06	-----	-----	68.26	34.50	10.79	29.49	0.00	239	356	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5351.00	57.19	74.00	-16.81	41.38	34.50	10.83	29.52	0.00	239	356	Peak																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5320.00	102.79	68.30	34.49	86.99	34.50	10.79	29.49	0.00	239	356	Peak																																																																													
2	5320.00	84.06	-----	-----	68.26	34.50	10.79	29.49	0.00	239	356	Average																																																																													
Avg	 <p>Level (dBuV) vs Frequency (MHz) plot for Average Horizontal polarization. The plot shows a signal between 5300 and 5400 MHz. A red horizontal line indicates the 5G BAND 1 limit at -60dB. The signal level is approximately 74.00 dBuV at 5320 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.10</td> <td>49.47</td> <td>54.00</td> <td>-4.53</td> <td>33.66</td> <td>34.50</td> <td>10.84</td> <td>29.53</td> <td>0.00</td> <td>239</td> <td>356</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5355.10	49.47	54.00	-4.53	33.66	34.50	10.84	29.53	0.00	239	356	Average	Blank																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5355.10	49.47	54.00	-4.53	33.66	34.50	10.84	29.53	0.00	239	356	Average																																																																													






	54																																																																																								
Mode	Band Edge																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																								
ANT	TxBF 1+2																																																																																								
Pol.	Vertical	Fundamental																																																																																							
Peak	 <p>Level (dBuV) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal between 5300 and 5400 MHz. A red line indicates the 5G BAND 1 limit at -60dB. A peak is observed at 5347 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>56.47</td> <td>74.00</td> <td>-17.53</td> <td>40.65</td> <td>34.50</td> <td>10.87</td> <td>29.55</td> <td>0.00</td> <td>284</td> <td>347</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	56.47	74.00	-17.53	40.65	34.50	10.87	29.55	0.00	284	347	Peak	 <p>Level (dBuV) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a signal between 1000 and 7000 MHz. A red line indicates the 5G BAND 1 limit at -60dB. A peak is observed at 5347 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>101.11</td> <td>68.30</td> <td>32.81</td> <td>85.31</td> <td>34.50</td> <td>10.79</td> <td>29.49</td> <td>0.00</td> <td>284</td> <td>347</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5320.00</td> <td>82.55</td> <td>-----</td> <td>-----</td> <td>66.75</td> <td>34.50</td> <td>10.79</td> <td>29.49</td> <td>0.00</td> <td>284</td> <td>347</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	101.11	68.30	32.81	85.31	34.50	10.79	29.49	0.00	284	347	Peak	2	5320.00	82.55	-----	-----	66.75	34.50	10.79	29.49	0.00	284	347	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5320.00	56.47	74.00	-17.53	40.65	34.50	10.87	29.55	0.00	284	347	Peak																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5320.00	101.11	68.30	32.81	85.31	34.50	10.79	29.49	0.00	284	347	Peak																																																																													
2	5320.00	82.55	-----	-----	66.75	34.50	10.79	29.49	0.00	284	347	Average																																																																													
Avg	 <p>Level (dBuV) vs Frequency (MHz) plot for Vertical polarization. The plot shows a signal between 5300 and 5400 MHz. A red line indicates the 5G BAND 1 limit at -60dB. The signal is averaged.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.20</td> <td>49.24</td> <td>54.00</td> <td>-4.76</td> <td>33.43</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>284</td> <td>347</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.20	49.24	54.00	-4.76	33.43	34.50	10.83	29.52	0.00	284	347	Average	Blank																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5350.20	49.24	54.00	-4.76	33.43	34.50	10.83	29.52	0.00	284	347	Average																																																																													






Mode	54																																																																																																													
	Harmonic																																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																													
ANT	TxBF 1+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>45.47</td> <td>74.00</td> <td>-28.53</td> <td>58.21</td> <td>37.70</td> <td>15.71</td> <td>66.15</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10640.00	45.47	74.00	-28.53	58.21	37.70	15.71	66.15	0.00									300									0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>44.80</td> <td>74.00</td> <td>-29.20</td> <td>57.54</td> <td>37.70</td> <td>15.71</td> <td>66.15</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10640.00	44.80	74.00	-29.20	57.54	37.70	15.71	66.15	0.00									100									0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																						
1 10640.00	45.47	74.00	-28.53	58.21	37.70	15.71	66.15	0.00																																																																																																						
								300																																																																																																						
								0 Peak																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																						
1 10640.00	44.80	74.00	-29.20	57.54	37.70	15.71	66.15	0.00																																																																																																						
								100																																																																																																						
								0 Peak																																																																																																						



Mode	55																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.25-5.35_802.11ax HE20_CH100_5500MHz																																																																																																													
ANT	TxBF 1+2																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	 <table border="1" data-bbox="263 1131 782 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5439.92</td> <td>59.26</td> <td>74.00</td> <td>-14.74</td> <td>43.39</td> <td>34.52</td> <td>10.95</td> <td>29.60</td> <td>0.00</td> <td>328</td> <td>4 Peak</td> </tr> <tr> <td>2</td> <td>5468.40</td> <td>61.36</td> <td>68.30</td> <td>-6.94</td> <td>45.46</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>328</td> <td>4 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5439.92	59.26	74.00	-14.74	43.39	34.52	10.95	29.60	0.00	328	4 Peak	2	5468.40	61.36	68.30	-6.94	45.46	34.53	10.99	29.62	0.00	328	4 Peak	 <table border="1" data-bbox="861 1131 1420 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>110.82</td> <td>68.30</td> <td>42.52</td> <td>94.88</td> <td>34.55</td> <td>11.04</td> <td>29.65</td> <td>0.00</td> <td>328</td> <td>4 Peak</td> </tr> <tr> <td>2</td> <td>5500.00</td> <td>91.91</td> <td>-----</td> <td>-----</td> <td>75.97</td> <td>34.55</td> <td>11.04</td> <td>29.65</td> <td>0.00</td> <td>328</td> <td>4 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5500.00	110.82	68.30	42.52	94.88	34.55	11.04	29.65	0.00	328	4 Peak	2	5500.00	91.91	-----	-----	75.97	34.55	11.04	29.65	0.00	328	4 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																					
1	5439.92	59.26	74.00	-14.74	43.39	34.52	10.95	29.60	0.00	328	4 Peak																																																																																																			
2	5468.40	61.36	68.30	-6.94	45.46	34.53	10.99	29.62	0.00	328	4 Peak																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																					
1	5500.00	110.82	68.30	42.52	94.88	34.55	11.04	29.65	0.00	328	4 Peak																																																																																																			
2	5500.00	91.91	-----	-----	75.97	34.55	11.04	29.65	0.00	328	4 Average																																																																																																			
Avg	 <table border="1" data-bbox="263 1825 782 1960"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.12</td> <td>50.18</td> <td>54.00</td> <td>-3.82</td> <td>34.29</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>328</td> <td>4 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5459.12	50.18	54.00	-3.82	34.29	34.53	10.98	29.62	0.00	328	4 Average	Blank																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																					
1	5459.12	50.18	54.00	-3.82	34.29	34.53	10.98	29.62	0.00	328	4 Average																																																																																																			



Mode	55																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.25-5.35_802.11ax HE20_CH100_5500MHz																																																																																																					
ANT	TxBF 1+2																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.20</td> <td>57.30</td> <td>74.00</td> <td>-16.70</td> <td>41.43</td> <td>34.52</td> <td>10.96</td> <td>29.61</td> <td>0.00</td> <td>384</td> <td>150</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5468.40</td> <td>58.50</td> <td>68.30</td> <td>-9.80</td> <td>42.60</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>384</td> <td>150</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5445.20	57.30	74.00	-16.70	41.43	34.52	10.96	29.61	0.00	384	150	Peak	2	5468.40	58.50	68.30	-9.80	42.60	34.53	10.99	29.62	0.00	384	150	Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5506.00</td> <td>104.60</td> <td>68.30</td> <td>36.30</td> <td>88.66</td> <td>34.55</td> <td>11.05</td> <td>29.66</td> <td>0.00</td> <td>384</td> <td>150</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5506.00</td> <td>86.87</td> <td>-----</td> <td>-----</td> <td>70.93</td> <td>34.55</td> <td>11.05</td> <td>29.66</td> <td>0.00</td> <td>384</td> <td>150</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5506.00	104.60	68.30	36.30	88.66	34.55	11.05	29.66	0.00	384	150	Peak	2	5506.00	86.87	-----	-----	70.93	34.55	11.05	29.66	0.00	384	150	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	5445.20	57.30	74.00	-16.70	41.43	34.52	10.96	29.61	0.00	384	150	Peak																																																																																										
2	5468.40	58.50	68.30	-9.80	42.60	34.53	10.99	29.62	0.00	384	150	Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	5506.00	104.60	68.30	36.30	88.66	34.55	11.05	29.66	0.00	384	150	Peak																																																																																										
2	5506.00	86.87	-----	-----	70.93	34.55	11.05	29.66	0.00	384	150	Average																																																																																										
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.52</td> <td>49.86</td> <td>54.00</td> <td>-4.14</td> <td>33.97</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>384</td> <td>150</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5453.52	49.86	54.00	-4.14	33.97	34.53	10.97	29.61	0.00	384	150	Average	Blank																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	5453.52	49.86	54.00	-4.14	33.97	34.53	10.97	29.61	0.00	384	150	Average																																																																																										



Mode	55																																																																															
	Harmonic																																																																															
	U-NII-2C_5.25-5.35_802.11ax HE20_CH100_5500MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>45.34</td> <td>74.00</td> <td>-28.66</td> <td>57.07</td> <td>38.10</td> <td>15.90</td> <td>65.73</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	45.34	74.00	-28.66	57.07	38.10	15.90	65.73	0.00	100	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>45.26</td> <td>74.00</td> <td>-28.74</td> <td>56.99</td> <td>38.10</td> <td>15.90</td> <td>65.73</td> <td>0.00</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	45.26	74.00	-28.74	56.99	38.10	15.90	65.73	0.00	300	0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11000.00	45.34	74.00	-28.66	57.07	38.10	15.90	65.73	0.00	100	0 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11000.00	45.26	74.00	-28.74	56.99	38.10	15.90	65.73	0.00	300	0 Peak																																																																						






	56																																																																																																					
Mode	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																					
ANT	TxBF 1+2																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5363.92</td> <td>56.99</td> <td>74.00</td> <td>-17.01</td> <td>41.17</td> <td>34.50</td> <td>10.85</td> <td>29.53</td> <td>0.00</td> <td>312</td> <td>328</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5462.48</td> <td>56.36</td> <td>68.30</td> <td>-11.94</td> <td>40.47</td> <td>34.53</td> <td>10.90</td> <td>29.62</td> <td>0.00</td> <td>312</td> <td>328</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5363.92	56.99	74.00	-17.01	41.17	34.50	10.85	29.53	0.00	312	328	Peak	2	5462.48	56.36	68.30	-11.94	40.47	34.53	10.90	29.62	0.00	312	328	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5584.00</td> <td>108.33</td> <td>68.30</td> <td>40.03</td> <td>92.31</td> <td>34.59</td> <td>11.17</td> <td>29.74</td> <td>0.00</td> <td>312</td> <td>328</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5584.00</td> <td>91.20</td> <td>-----</td> <td>-----</td> <td>75.18</td> <td>34.59</td> <td>11.17</td> <td>29.74</td> <td>0.00</td> <td>312</td> <td>328</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5584.00	108.33	68.30	40.03	92.31	34.59	11.17	29.74	0.00	312	328	Peak	2	5584.00	91.20	-----	-----	75.18	34.59	11.17	29.74	0.00	312	328	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																															
1	5363.92	56.99	74.00	-17.01	41.17	34.50	10.85	29.53	0.00	312	328	Peak																																																																																										
2	5462.48	56.36	68.30	-11.94	40.47	34.53	10.90	29.62	0.00	312	328	Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																															
1	5584.00	108.33	68.30	40.03	92.31	34.59	11.17	29.74	0.00	312	328	Peak																																																																																										
2	5584.00	91.20	-----	-----	75.18	34.59	11.17	29.74	0.00	312	328	Average																																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.44</td> <td>50.01</td> <td>54.00</td> <td>-3.99</td> <td>34.12</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>312</td> <td>328</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5455.44	50.01	54.00	-3.99	34.12	34.53	10.97	29.61	0.00	312	328	Average	Blank																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																															
1	5455.44	50.01	54.00	-3.99	34.12	34.53	10.97	29.61	0.00	312	328	Average																																																																																										



Mode	56																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																							
ANT	TxBF 1+2																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5757.64</td> <td>58.26</td> <td>68.30</td> <td>-10.04</td> <td>41.79</td> <td>34.91</td> <td>11.34</td> <td>29.78</td> <td>0.00</td> <td>312 328 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5757.64	58.26	68.30	-10.04	41.79	34.91	11.34	29.78	0.00	312 328 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5757.64	58.26	68.30	-10.04	41.79	34.91	11.34	29.78	0.00	312 328 Peak																															



Mode	56																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																													
ANT	TxBF 1+2																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5378.48</td> <td>56.91</td> <td>74.00</td> <td>-17.09</td> <td>41.10</td> <td>34.50</td> <td>10.86</td> <td>29.55</td> <td>0.00</td> <td>381</td> <td>116</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5463.76</td> <td>56.35</td> <td>68.30</td> <td>-11.95</td> <td>40.45</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>381</td> <td>116</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.48	56.91	74.00	-17.09	41.10	34.50	10.86	29.55	0.00	381	116	Peak	2	5463.76	56.35	68.30	-11.95	40.45	34.53	10.99	29.62	0.00	381	116	Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5578.00</td> <td>107.18</td> <td>68.30</td> <td>38.88</td> <td>91.17</td> <td>34.59</td> <td>11.16</td> <td>29.74</td> <td>0.00</td> <td>381</td> <td>116</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5578.00</td> <td>89.24</td> <td>-----</td> <td>-----</td> <td>73.23</td> <td>34.59</td> <td>11.16</td> <td>29.74</td> <td>0.00</td> <td>381</td> <td>116</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5578.00	107.18	68.30	38.88	91.17	34.59	11.16	29.74	0.00	381	116	Peak	2	5578.00	89.24	-----	-----	73.23	34.59	11.16	29.74	0.00	381	116	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5378.48	56.91	74.00	-17.09	41.10	34.50	10.86	29.55	0.00	381	116	Peak																																																																																																		
2	5463.76	56.35	68.30	-11.95	40.45	34.53	10.99	29.62	0.00	381	116	Peak																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5578.00	107.18	68.30	38.88	91.17	34.59	11.16	29.74	0.00	381	116	Peak																																																																																																		
2	5578.00	89.24	-----	-----	73.23	34.59	11.16	29.74	0.00	381	116	Average																																																																																																		
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.16</td> <td>49.72</td> <td>54.00</td> <td>-4.28</td> <td>33.83</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>381</td> <td>116</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.16	49.72	54.00	-4.28	33.83	34.53	10.98	29.62	0.00	381	116	Average	Blank																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5458.16	49.72	54.00	-4.28	33.83	34.53	10.98	29.62	0.00	381	116	Average																																																																																																		



Mode	56																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																							
ANT	TxBF 1+2																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5753.88</td> <td>58.82</td> <td>68.30</td> <td>-9.48</td> <td>42.36</td> <td>34.90</td> <td>11.34</td> <td>29.78</td> <td>0.00</td> <td>381 116 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5753.88	58.82	68.30	-9.48	42.36	34.90	11.34	29.78	0.00	381 116 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5753.88	58.82	68.30	-9.48	42.36	34.90	11.34	29.78	0.00	381 116 Peak																															



Mode	56																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11600.00</td> <td>45.51</td> <td>74.00</td> <td>-28.49</td> <td>56.24</td> <td>38.46</td> <td>16.20</td> <td>65.39</td> <td>0.00</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11600.00	45.51	74.00	-28.49	56.24	38.46	16.20	65.39	0.00	300	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11600.00</td> <td>45.54</td> <td>74.00</td> <td>-28.46</td> <td>56.27</td> <td>38.46</td> <td>16.20</td> <td>65.39</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11600.00	45.54	74.00	-28.46	56.27	38.46	16.20	65.39	0.00	100	0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11600.00	45.51	74.00	-28.49	56.24	38.46	16.20	65.39	0.00	300	0 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11600.00	45.54	74.00	-28.46	56.27	38.46	16.20	65.39	0.00	100	0 Peak																																																																						



Mode	57																																																																																								
	Band Edge - L																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																								
ANT	TxBF 1+2																																																																																								
Pol.	Horizontal	Fundamental																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.00</td> <td>67.09</td> <td>68.30</td> <td>-1.21</td> <td>50.73</td> <td>34.84</td> <td>11.31</td> <td>29.79</td> <td>0.00</td> <td>164</td> <td>186</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.00	67.09	68.30	-1.21	50.73	34.84	11.31	29.79	0.00	164	186	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5698.00</td> <td>108.31</td> <td>68.30</td> <td>40.01</td> <td>92.05</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>164</td> <td>186</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5698.00</td> <td>90.71</td> <td>-----</td> <td>-----</td> <td>74.45</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>164</td> <td>186</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5698.00	108.31	68.30	40.01	92.05	34.78	11.28	29.80	0.00	164	186	Peak	2	5698.00	90.71	-----	-----	74.45	34.78	11.28	29.80	0.00	164	186	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5725.00	67.09	68.30	-1.21	50.73	34.84	11.31	29.79	0.00	164	186	Peak																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5698.00	108.31	68.30	40.01	92.05	34.78	11.28	29.80	0.00	164	186	Peak																																																																													
2	5698.00	90.71	-----	-----	74.45	34.78	11.28	29.80	0.00	164	186	Average																																																																													



Mode	57																																																																																								
	Band Edge - L																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																								
ANT	TxBF 1+2																																																																																								
Pol.	Vertical	Fundamental																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.44</td> <td>66.56</td> <td>68.30</td> <td>-1.74</td> <td>50.20</td> <td>34.84</td> <td>11.31</td> <td>29.79</td> <td>0.00</td> <td>332</td> <td>195</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.44	66.56	68.30	-1.74	50.20	34.84	11.31	29.79	0.00	332	195	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5698.00</td> <td>104.41</td> <td>68.30</td> <td>36.11</td> <td>88.15</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>332</td> <td>195</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5698.00</td> <td>86.51</td> <td>-----</td> <td>-----</td> <td>70.25</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>332</td> <td>195</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5698.00	104.41	68.30	36.11	88.15	34.78	11.28	29.80	0.00	332	195	Peak	2	5698.00	86.51	-----	-----	70.25	34.78	11.28	29.80	0.00	332	195	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5726.44	66.56	68.30	-1.74	50.20	34.84	11.31	29.79	0.00	332	195	Peak																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5698.00	104.41	68.30	36.11	88.15	34.78	11.28	29.80	0.00	332	195	Peak																																																																													
2	5698.00	86.51	-----	-----	70.25	34.78	11.28	29.80	0.00	332	195	Average																																																																													



Mode	57																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																	
ANT	TxBF 1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>45.57</td> <td>74.00</td> <td>-28.43</td> <td>56.64</td> <td>38.34</td> <td>16.10</td> <td>65.51</td> <td>0.00</td> <td>100</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	45.57	74.00	-28.43	56.64	38.34	16.10	65.51	0.00	100	360	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>45.20</td> <td>74.00</td> <td>-28.80</td> <td>56.27</td> <td>38.34</td> <td>16.10</td> <td>65.51</td> <td>0.00</td> <td>300</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	45.20	74.00	-28.80	56.27	38.34	16.10	65.51	0.00	300	360	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11400.00	45.57	74.00	-28.43	56.64	38.34	16.10	65.51	0.00	100	360	Peak																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 11400.00	45.20	74.00	-28.80	56.27	38.34	16.10	65.51	0.00	300	360	Peak																																																																							



Mode	58																																																																																							
	Band Edge - L																																																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																																							
ANT	TxBF 1+2																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1" data-bbox="271 1153 774 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5128.96</td> <td>58.38</td> <td>74.00</td> <td>-15.62</td> <td>42.70</td> <td>34.36</td> <td>10.61</td> <td>29.29</td> <td>0.00</td> <td>352 346 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5128.96	58.38	74.00	-15.62	42.70	34.36	10.61	29.29	0.00	352 346 Peak	<table border="1" data-bbox="909 1131 1412 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5182.00</td> <td>101.12</td> <td>68.30</td> <td>32.82</td> <td>85.37</td> <td>34.46</td> <td>10.63</td> <td>29.34</td> <td>0.00</td> <td>352 346 Peak</td> </tr> <tr> <td>2 5182.00</td> <td>84.28</td> <td>-----</td> <td>-----</td> <td>68.53</td> <td>34.46</td> <td>10.63</td> <td>29.34</td> <td>0.00</td> <td>352 346 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5182.00	101.12	68.30	32.82	85.37	34.46	10.63	29.34	0.00	352 346 Peak	2 5182.00	84.28	-----	-----	68.53	34.46	10.63	29.34	0.00	352 346 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5128.96	58.38	74.00	-15.62	42.70	34.36	10.61	29.29	0.00	352 346 Peak																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5182.00	101.12	68.30	32.82	85.37	34.46	10.63	29.34	0.00	352 346 Peak																																																																															
2 5182.00	84.28	-----	-----	68.53	34.46	10.63	29.34	0.00	352 346 Average																																																																															
Avg	<table border="1" data-bbox="271 1825 774 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5121.60</td> <td>52.74</td> <td>54.00</td> <td>-1.26</td> <td>37.07</td> <td>34.34</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>352 346 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5121.60	52.74	54.00	-1.26	37.07	34.34	10.61	29.28	0.00	352 346 Average	Blank																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5121.60	52.74	54.00	-1.26	37.07	34.34	10.61	29.28	0.00	352 346 Average																																																																															



	58																																							
Mode	Band Edge - R																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																							
ANT	TxBF 1+2																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5377.32</td> <td>56.12</td> <td>74.00</td> <td>-17.88</td> <td>40.31</td> <td>34.50</td> <td>10.86</td> <td>29.55</td> <td>0.00</td> <td>352 346 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5377.32	56.12	74.00	-17.88	40.31	34.50	10.86	29.55	0.00	352 346 Peak	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5377.32	56.12	74.00	-17.88	40.31	34.50	10.86	29.55	0.00	352 346 Peak																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5379.48</td> <td>50.87</td> <td>54.00</td> <td>-3.13</td> <td>35.05</td> <td>34.50</td> <td>10.87</td> <td>29.55</td> <td>0.00</td> <td>352 346 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5379.48	50.87	54.00	-3.13	35.05	34.50	10.87	29.55	0.00	352 346 Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5379.48	50.87	54.00	-3.13	35.05	34.50	10.87	29.55	0.00	352 346 Average																															



	58																																																																																																																																																	
Mode	Band Edge - L																																																																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																																																																																																	
ANT	TxBF 1+2																																																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5119.20</td> <td>58.38</td> <td>74.00</td> <td>-15.62</td> <td>42.71</td> <td>34.34</td> <td>10.61</td> <td>29.28</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>118</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5119.20	58.38	74.00	-15.62	42.71	34.34	10.61	29.28							0.00	100								118								Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5188.00</td> <td>95.27</td> <td>68.30</td> <td>26.97</td> <td>79.50</td> <td>34.48</td> <td>10.64</td> <td>29.35</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>118</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> <tr> <td>2 5188.00</td> <td>77.87</td> <td>-----</td> <td>-----</td> <td>62.10</td> <td>34.48</td> <td>10.64</td> <td>29.35</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>118</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5188.00	95.27	68.30	26.97	79.50	34.48	10.64	29.35							0.00	100								118								Peak	2 5188.00	77.87	-----	-----	62.10	34.48	10.64	29.35								100								118								Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1 5119.20	58.38	74.00	-15.62	42.71	34.34	10.61	29.28																																																																																																																																											
						0.00	100																																																																																																																																											
							118																																																																																																																																											
							Peak																																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1 5188.00	95.27	68.30	26.97	79.50	34.48	10.64	29.35																																																																																																																																											
						0.00	100																																																																																																																																											
							118																																																																																																																																											
							Peak																																																																																																																																											
2 5188.00	77.87	-----	-----	62.10	34.48	10.64	29.35																																																																																																																																											
							100																																																																																																																																											
							118																																																																																																																																											
							Average																																																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5124.16</td> <td>52.55</td> <td>54.00</td> <td>-1.45</td> <td>36.87</td> <td>34.35</td> <td>10.61</td> <td>29.28</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>118</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5124.16	52.55	54.00	-1.45	36.87	34.35	10.61	29.28							0.00	100								118								Average	Blank																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1 5124.16	52.55	54.00	-1.45	36.87	34.35	10.61	29.28																																																																																																																																											
						0.00	100																																																																																																																																											
							118																																																																																																																																											
							Average																																																																																																																																											






	58																																								
Mode	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																								
ANT	TxBF 1+2																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5364.36</td> <td>55.65</td> <td>74.00</td> <td>-18.35</td> <td>39.83</td> <td>34.50</td> <td>10.87</td> <td>29.55</td> <td>0.00</td> <td>100</td> <td>118 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5364.36	55.65	74.00	-18.35	39.83	34.50	10.87	29.55	0.00	100	118 Peak	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5364.36	55.65	74.00	-18.35	39.83	34.50	10.87	29.55	0.00	100	118 Peak																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5364.36</td> <td>50.60</td> <td>54.00</td> <td>-3.40</td> <td>34.78</td> <td>34.50</td> <td>10.85</td> <td>29.53</td> <td>0.00</td> <td>100</td> <td>118 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5364.36	50.60	54.00	-3.40	34.78	34.50	10.85	29.53	0.00	100	118 Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5364.36	50.60	54.00	-3.40	34.78	34.50	10.85	29.53	0.00	100	118 Average																															





Mode	58																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>44.52</td> <td>68.30</td> <td>-23.78</td> <td>57.99</td> <td>37.42</td> <td>15.57</td> <td>66.46</td> <td>0.00</td> <td>300</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	44.52	68.30	-23.78	57.99	37.42	15.57	66.46	0.00	300	360 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>44.83</td> <td>68.30</td> <td>-23.47</td> <td>58.30</td> <td>37.42</td> <td>15.57</td> <td>66.46</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	44.83	68.30	-23.47	58.30	37.42	15.57	66.46	0.00	100	360 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10380.00	44.52	68.30	-23.78	57.99	37.42	15.57	66.46	0.00	300	360 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10380.00	44.83	68.30	-23.47	58.30	37.42	15.57	66.46	0.00	100	360 Peak																																																																						






Mode	59																																																																																							
	Band Edge - L																																																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																																																							
ANT	TxBF 1+2																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <table border="1" data-bbox="263 1153 774 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5114.88</td> <td>58.52</td> <td>74.00</td> <td>-15.48</td> <td>42.85</td> <td>34.33</td> <td>10.61</td> <td>29.27</td> <td>0.00</td> <td>301 161 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5114.88	58.52	74.00	-15.48	42.85	34.33	10.61	29.27	0.00	301 161 Peak	 <table border="1" data-bbox="904 1153 1415 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5236.00</td> <td>103.97</td> <td>68.30</td> <td>35.67</td> <td>88.18</td> <td>34.50</td> <td>10.69</td> <td>29.40</td> <td>0.00</td> <td>301 161 Peak</td> </tr> <tr> <td>2 5236.00</td> <td>86.38</td> <td>-----</td> <td>-----</td> <td>70.59</td> <td>34.50</td> <td>10.69</td> <td>29.40</td> <td>0.00</td> <td>301 161 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5236.00	103.97	68.30	35.67	88.18	34.50	10.69	29.40	0.00	301 161 Peak	2 5236.00	86.38	-----	-----	70.59	34.50	10.69	29.40	0.00	301 161 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5114.88	58.52	74.00	-15.48	42.85	34.33	10.61	29.27	0.00	301 161 Peak																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5236.00	103.97	68.30	35.67	88.18	34.50	10.69	29.40	0.00	301 161 Peak																																																																															
2 5236.00	86.38	-----	-----	70.59	34.50	10.69	29.40	0.00	301 161 Average																																																																															
Avg	 <table border="1" data-bbox="263 1830 774 1953"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5119.84</td> <td>52.96</td> <td>54.00</td> <td>-1.04</td> <td>37.29</td> <td>34.34</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>301 161 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5119.84	52.96	54.00	-1.04	37.29	34.34	10.61	29.28	0.00	301 161 Average	Blank																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5119.84	52.96	54.00	-1.04	37.29	34.34	10.61	29.28	0.00	301 161 Average																																																																															





Mode	59																																							
	Band Edge - R																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																							
ANT	TxBF 1+2																																							
Pol.	Horizontal	Fundamental																																						
Peak	 <table border="1" data-bbox="263 1153 790 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5370.12</td> <td>57.28</td> <td>74.00</td> <td>-16.72</td> <td>41.47</td> <td>34.50</td> <td>10.85</td> <td>29.54</td> <td>0.00</td> <td>301 161 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5370.12	57.28	74.00	-16.72	41.47	34.50	10.85	29.54	0.00	301 161 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5370.12	57.28	74.00	-16.72	41.47	34.50	10.85	29.54	0.00	301 161 Peak																															
Avg	 <table border="1" data-bbox="263 1825 790 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5398.74</td> <td>50.95</td> <td>54.00</td> <td>-3.05</td> <td>35.13</td> <td>34.50</td> <td>10.89</td> <td>29.57</td> <td>0.00</td> <td>301 161 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5398.74	50.95	54.00	-3.05	35.13	34.50	10.89	29.57	0.00	301 161 Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5398.74	50.95	54.00	-3.05	35.13	34.50	10.89	29.57	0.00	301 161 Average																															



Mode	59																																																																																							
	Band Edge - L																																																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																																																							
ANT	TxBF 1+2																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Level (dBuV)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5120.16</td> <td>58.04</td> <td>74.00</td> <td>-15.96</td> <td>42.37</td> <td>34.34</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>385 343 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5120.16	58.04	74.00	-15.96	42.37	34.34	10.61	29.28	0.00	385 343 Peak	 <p>Level (dBuV)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5212.00</td> <td>95.23</td> <td>68.30</td> <td>26.93</td> <td>79.44</td> <td>34.50</td> <td>10.66</td> <td>29.37</td> <td>0.00</td> <td>385 343 Peak</td> </tr> <tr> <td>2 5212.00</td> <td>77.37</td> <td>-----</td> <td>-----</td> <td>61.58</td> <td>34.50</td> <td>10.66</td> <td>29.37</td> <td>0.00</td> <td>385 343 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5212.00	95.23	68.30	26.93	79.44	34.50	10.66	29.37	0.00	385 343 Peak	2 5212.00	77.37	-----	-----	61.58	34.50	10.66	29.37	0.00	385 343 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5120.16	58.04	74.00	-15.96	42.37	34.34	10.61	29.28	0.00	385 343 Peak																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5212.00	95.23	68.30	26.93	79.44	34.50	10.66	29.37	0.00	385 343 Peak																																																																															
2 5212.00	77.37	-----	-----	61.58	34.50	10.66	29.37	0.00	385 343 Average																																																																															
Avg	 <p>Level (dBuV)</p> <p>Frequency (MHz)</p> <p>5G BAND 1---3 (AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5112.00</td> <td>52.68</td> <td>54.00</td> <td>-1.32</td> <td>37.01</td> <td>34.33</td> <td>10.61</td> <td>29.27</td> <td>0.00</td> <td>385 343 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5112.00	52.68	54.00	-1.32	37.01	34.33	10.61	29.27	0.00	385 343 Average	Blank																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5112.00	52.68	54.00	-1.32	37.01	34.33	10.61	29.27	0.00	385 343 Average																																																																															



Mode	59																																																	
	Band Edge - R																																																	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																	
ANT	TxBF 1+2																																																	
Pol.	Vertical	Fundamental																																																
Peak	 <table border="1" data-bbox="263 1153 790 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5358.06</td> <td>55.95</td> <td>74.00</td> <td>-18.05</td> <td>40.14</td> <td>34.50</td> <td>10.84</td> <td>29.53</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>385</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>343 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5358.06	55.95	74.00	-18.05	40.14	34.50	10.84	29.53							0.00	385								343 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5358.06	55.95	74.00	-18.05	40.14	34.50	10.84	29.53																																											
						0.00	385																																											
							343 Peak																																											
Avg	 <table border="1" data-bbox="263 1836 790 1960"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5370.30</td> <td>50.86</td> <td>54.00</td> <td>-3.14</td> <td>35.05</td> <td>34.50</td> <td>10.85</td> <td>29.54</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>385</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>343 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5370.30	50.86	54.00	-3.14	35.05	34.50	10.85	29.54							0.00	385								343 Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																											
1 5370.30	50.86	54.00	-3.14	35.05	34.50	10.85	29.54																																											
						0.00	385																																											
							343 Average																																											



Mode	59																																																																													
	Harmonic																																																																													
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																																													
ANT	TxBF 1+2																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>45.12</td> <td>68.30</td> <td>-23.18</td> <td>58.36</td> <td>37.51</td> <td>15.61</td> <td>66.36</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10460.00	45.12	68.30	-23.18	58.36	37.51	15.61	66.36	0.00	100	360 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>45.89</td> <td>68.30</td> <td>-22.41</td> <td>59.13</td> <td>37.51</td> <td>15.61</td> <td>66.36</td> <td>0.00</td> <td>300</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10460.00	45.89	68.30	-22.41	59.13	37.51	15.61	66.36	0.00	300	360 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																						
1 10460.00	45.12	68.30	-23.18	58.36	37.51	15.61	66.36	0.00	100	360 Peak																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																						
1 10460.00	45.89	68.30	-22.41	59.13	37.51	15.61	66.36	0.00	300	360 Peak																																																																				






Mode	60																																																																																										
	Band Edge - L																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																																																																										
ANT	TxBF 1+2																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5114.88</td> <td>58.93</td> <td>74.00</td> <td>-15.07</td> <td>43.26</td> <td>34.33</td> <td>10.61</td> <td>29.27</td> <td>0.00</td> <td>100</td> <td>165 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5114.88	58.93	74.00	-15.07	43.26	34.33	10.61	29.27	0.00	100	165 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5266.00</td> <td>103.29</td> <td>68.30</td> <td>34.99</td> <td>87.49</td> <td>34.50</td> <td>10.73</td> <td>29.43</td> <td>0.00</td> <td>100</td> <td>165 Peak</td> </tr> <tr> <td>2 5266.00</td> <td>86.25</td> <td>-----</td> <td>-----</td> <td>70.45</td> <td>34.50</td> <td>10.73</td> <td>29.43</td> <td>0.00</td> <td>100</td> <td>165 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5266.00	103.29	68.30	34.99	87.49	34.50	10.73	29.43	0.00	100	165 Peak	2 5266.00	86.25	-----	-----	70.45	34.50	10.73	29.43	0.00	100	165 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5114.88	58.93	74.00	-15.07	43.26	34.33	10.61	29.27	0.00	100	165 Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5266.00	103.29	68.30	34.99	87.49	34.50	10.73	29.43	0.00	100	165 Peak																																																																																	
2 5266.00	86.25	-----	-----	70.45	34.50	10.73	29.43	0.00	100	165 Average																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5118.56</td> <td>52.79</td> <td>54.00</td> <td>-1.21</td> <td>37.12</td> <td>34.34</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>100</td> <td>165 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5118.56	52.79	54.00	-1.21	37.12	34.34	10.61	29.28	0.00	100	165 Average	Blank																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5118.56	52.79	54.00	-1.21	37.12	34.34	10.61	29.28	0.00	100	165 Average																																																																																	



Mode	60																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																								
ANT	TxBF 1+2																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5353.40</td> <td>57.46</td> <td>74.00</td> <td>-16.54</td> <td>41.65</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>165 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5353.40	57.46	74.00	-16.54	41.65	34.50	10.83	29.52	0.00	100	165 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5353.40	57.46	74.00	-16.54	41.65	34.50	10.83	29.52	0.00	100	165 Peak																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5379.00</td> <td>50.84</td> <td>54.00</td> <td>-3.16</td> <td>35.03</td> <td>34.50</td> <td>10.86</td> <td>29.55</td> <td>0.00</td> <td>100</td> <td>165 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5379.00	50.84	54.00	-3.16	35.03	34.50	10.86	29.55	0.00	100	165 Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5379.00	50.84	54.00	-3.16	35.03	34.50	10.86	29.55	0.00	100	165 Average																															







Mode	60																																																																																							
	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																																																																							
ANT	TxBF 1+2																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Level (dBuV) vs Frequency (MHz) plot for Vertical polarization. Shows a peak at 5270 MHz. Red lines indicate 5G BAND 1-3 limits at 73.1 dBuV and 58.5 dBuV. A blue line indicates the peak level at 58.03 dBuV.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5117.28</td> <td>58.03</td> <td>74.00</td> <td>-15.97</td> <td>42.37</td> <td>34.33</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>300 317 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5117.28	58.03	74.00	-15.97	42.37	34.33	10.61	29.28	0.00	300 317 Peak	 <p>Level (dBuV) vs Frequency (MHz) plot for Fundamental polarization. Shows a peak at 5270 MHz. Red lines indicate 5G BAND 1-3 limits at 73.1 dBuV and 58.5 dBuV. A blue line indicates the peak level at 81.17 dBuV.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5278.00</td> <td>98.40</td> <td>68.30</td> <td>30.10</td> <td>82.61</td> <td>34.50</td> <td>10.74</td> <td>29.45</td> <td>0.00</td> <td>300 317 Peak</td> </tr> <tr> <td>2 5278.00</td> <td>81.17</td> <td>-----</td> <td>-----</td> <td>65.38</td> <td>34.50</td> <td>10.74</td> <td>29.45</td> <td>0.00</td> <td>300 317 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5278.00	98.40	68.30	30.10	82.61	34.50	10.74	29.45	0.00	300 317 Peak	2 5278.00	81.17	-----	-----	65.38	34.50	10.74	29.45	0.00	300 317 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5117.28	58.03	74.00	-15.97	42.37	34.33	10.61	29.28	0.00	300 317 Peak																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5278.00	98.40	68.30	30.10	82.61	34.50	10.74	29.45	0.00	300 317 Peak																																																																															
2 5278.00	81.17	-----	-----	65.38	34.50	10.74	29.45	0.00	300 317 Average																																																																															
Avg	 <p>Level (dBuV) vs Frequency (MHz) plot for Vertical polarization. Shows a peak at 5270 MHz. Red lines indicate 5G BAND 1-3 (AVG) limits at 58.5 dBuV and 54.00 dBuV. A blue line indicates the average level at 52.96 dBuV.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5113.12</td> <td>52.96</td> <td>54.00</td> <td>-1.04</td> <td>37.29</td> <td>34.33</td> <td>10.61</td> <td>29.27</td> <td>0.00</td> <td>300 317 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5113.12	52.96	54.00	-1.04	37.29	34.33	10.61	29.27	0.00	300 317 Average	Blank																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5113.12	52.96	54.00	-1.04	37.29	34.33	10.61	29.27	0.00	300 317 Average																																																																															






Mode	60																																							
	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																							
ANT	TxBF 1+2																																							
Pol.	Vertical	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5391.50</td> <td>56.25</td> <td>74.00</td> <td>-17.75</td> <td>40.43</td> <td>34.50</td> <td>10.88</td> <td>29.56</td> <td>0.00</td> <td>300 317 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5391.50	56.25	74.00	-17.75	40.43	34.50	10.88	29.56	0.00	300 317 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5391.50	56.25	74.00	-17.75	40.43	34.50	10.88	29.56	0.00	300 317 Peak																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5307.90</td> <td>50.78</td> <td>54.00</td> <td>-3.22</td> <td>34.96</td> <td>34.50</td> <td>10.88</td> <td>29.56</td> <td>0.00</td> <td>300 317 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5307.90	50.78	54.00	-3.22	34.96	34.50	10.88	29.56	0.00	300 317 Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5307.90	50.78	54.00	-3.22	34.96	34.50	10.88	29.56	0.00	300 317 Average																															



Mode	60	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz	
ANT	TxBF 1+2	
Pol.	Horizontal	Vertical
Peak		
Avg		






	61																																																																																							
Mode	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																							
ANT	TxBF 1+2																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <p>Level (dBuV) vs Frequency (MHz) plot for Horizontal polarization. Shows a peak at 5113.60 MHz. Limits for 5G BAND 1-3 are shown at 73.1 dBuV and 58.5 dBuV.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5113.60</td> <td>58.44</td> <td>74.00</td> <td>-15.56</td> <td>42.77</td> <td>34.33</td> <td>10.61</td> <td>29.27</td> <td>0.00</td> <td>110 176 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5113.60	58.44	74.00	-15.56	42.77	34.33	10.61	29.27	0.00	110 176 Peak	 <p>Level (dBuV) vs Frequency (MHz) plot for Fundamental polarization. Shows a peak at 5314.00 MHz. Limits for 5G BAND 1-3 are shown at 73.1 dBuV and 58.5 dBuV.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5314.00</td> <td>103.07</td> <td>68.30</td> <td>34.77</td> <td>87.26</td> <td>34.50</td> <td>10.79</td> <td>29.48</td> <td>0.00</td> <td>110 176 Peak</td> </tr> <tr> <td>2 5314.00</td> <td>86.06</td> <td>-----</td> <td>-----</td> <td>70.25</td> <td>34.50</td> <td>10.79</td> <td>29.48</td> <td>0.00</td> <td>110 176 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5314.00	103.07	68.30	34.77	87.26	34.50	10.79	29.48	0.00	110 176 Peak	2 5314.00	86.06	-----	-----	70.25	34.50	10.79	29.48	0.00	110 176 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5113.60	58.44	74.00	-15.56	42.77	34.33	10.61	29.27	0.00	110 176 Peak																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5314.00	103.07	68.30	34.77	87.26	34.50	10.79	29.48	0.00	110 176 Peak																																																																															
2 5314.00	86.06	-----	-----	70.25	34.50	10.79	29.48	0.00	110 176 Average																																																																															
Avg	 <p>Level (dBuV) vs Frequency (MHz) plot for Horizontal polarization. Shows average level for 5G BAND 1-3 (AVG) at 58.5 dBuV.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5121.28</td> <td>52.88</td> <td>54.00</td> <td>-1.12</td> <td>37.21</td> <td>34.34</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>110 176 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5121.28	52.88	54.00	-1.12	37.21	34.34	10.61	29.28	0.00	110 176 Average	Blank																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5121.28	52.88	54.00	-1.12	37.21	34.34	10.61	29.28	0.00	110 176 Average																																																																															



Mode	61																																														
	Band Edge - R																																														
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																														
ANT	TxBF 1+2																																														
Pol.	Horizontal	Fundamental																																													
Peak	<table border="1" data-bbox="268 1160 778 1279"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Freq Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5386.70</td> <td>58.43</td> <td>74.00</td> <td>-15.57</td> <td>42.61</td> <td>34.50</td> <td>10.89</td> <td>29.57</td> <td>0.00</td> <td>110</td> <td>176</td> <td>Peak</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	5386.70	58.43	74.00	-15.57	42.61	34.50	10.89	29.57	0.00	110	176	Peak			Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5386.70	58.43	74.00	-15.57	42.61	34.50	10.89	29.57	0.00	110	176	Peak																																			
Avg	<table border="1" data-bbox="268 1832 778 1951"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Freq Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5386.70</td> <td>50.98</td> <td>54.00</td> <td>-3.02</td> <td>35.17</td> <td>34.50</td> <td>10.87</td> <td>29.56</td> <td>0.00</td> <td>110</td> <td>176</td> <td>Average</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	5386.70	50.98	54.00	-3.02	35.17	34.50	10.87	29.56	0.00	110	176	Average			Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5386.70	50.98	54.00	-3.02	35.17	34.50	10.87	29.56	0.00	110	176	Average																																			



61																																																			
Mode	Band Edge - L																																																		
U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																			
ANT	TxBF 1+2																																																		
Pol.	Vertical																																																		
Peak	 <p>Level (dBuV) vs Frequency (MHz) plot showing a peak at 5125.60 MHz. The plot includes a red limit line for SG BAND 1-3 at -6dB and a blue signal line. The y-axis ranges from 0 to 117 dBuV, and the x-axis ranges from 5100 to 5280 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5125.60</td> <td>57.99</td> <td>74.00</td> <td>-16.01</td> <td>42.32</td> <td>34.35</td> <td>10.61</td> <td>29.29</td> <td>0.00</td> <td>100</td> <td>308 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5125.60	57.99	74.00	-16.01	42.32	34.35	10.61	29.29	0.00	100	308 Peak											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1 5125.60	57.99	74.00	-16.01	42.32	34.35	10.61	29.29	0.00	100	308 Peak																																									
Avg	 <p>Level (dBuV) vs Frequency (MHz) plot showing an average level at 5109.12 MHz. The plot includes a red limit line for SG BAND 1-3 (AVG) at -6dB and a blue signal line. The y-axis ranges from 0 to 117 dBuV, and the x-axis ranges from 5100 to 5280 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5109.12</td> <td>52.66</td> <td>54.00</td> <td>-1.34</td> <td>37.01</td> <td>34.32</td> <td>10.60</td> <td>29.27</td> <td>0.00</td> <td>100</td> <td>308 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5109.12	52.66	54.00	-1.34	37.01	34.32	10.60	29.27	0.00	100	308 Average											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1 5109.12	52.66	54.00	-1.34	37.01	34.32	10.60	29.27	0.00	100	308 Average																																									
Fundamental	 <p>Level (dBuV) vs Frequency (MHz) plot showing a peak at 5308.00 MHz. The plot includes a red limit line for SG BAND 1-3 at -6dB and a blue signal line. The y-axis ranges from 0 to 117 dBuV, and the x-axis ranges from 1000 to 7000 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5308.00</td> <td>97.99</td> <td>68.30</td> <td>29.69</td> <td>82.19</td> <td>34.50</td> <td>10.78</td> <td>29.48</td> <td>0.00</td> <td>100</td> <td>308 Peak</td> </tr> <tr> <td>2 5308.00</td> <td>81.12</td> <td>-----</td> <td>-----</td> <td>65.32</td> <td>34.50</td> <td>10.78</td> <td>29.48</td> <td>0.00</td> <td>100</td> <td>308 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5308.00	97.99	68.30	29.69	82.19	34.50	10.78	29.48	0.00	100	308 Peak	2 5308.00	81.12	-----	-----	65.32	34.50	10.78	29.48	0.00	100	308 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1 5308.00	97.99	68.30	29.69	82.19	34.50	10.78	29.48	0.00	100	308 Peak																																									
2 5308.00	81.12	-----	-----	65.32	34.50	10.78	29.48	0.00	100	308 Average																																									
Blank																																																			






Mode	61																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																								
ANT	TxBF 1+2																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1" data-bbox="263 1153 774 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5304.20</td> <td>56.07</td> <td>74.00</td> <td>-17.93</td> <td>40.25</td> <td>34.50</td> <td>10.87</td> <td>29.55</td> <td>0.00</td> <td>100</td> <td>300 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5304.20	56.07	74.00	-17.93	40.25	34.50	10.87	29.55	0.00	100	300 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5304.20	56.07	74.00	-17.93	40.25	34.50	10.87	29.55	0.00	100	300 Peak																															
Avg	<table border="1" data-bbox="263 1825 774 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5303.40</td> <td>50.66</td> <td>54.00</td> <td>-3.34</td> <td>34.84</td> <td>34.50</td> <td>10.87</td> <td>29.55</td> <td>0.00</td> <td>100</td> <td>300 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5303.40	50.66	54.00	-3.34	34.84	34.50	10.87	29.55	0.00	100	300 Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5303.40	50.66	54.00	-3.34	34.84	34.50	10.87	29.55	0.00	100	300 Average																															



Mode	61																																																																																	
	Harmonic																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																	
ANT	TxBF 1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>46.23</td> <td>74.00</td> <td>-27.77</td> <td>59.03</td> <td>37.68</td> <td>15.69</td> <td>66.17</td> <td>0.00</td> <td>100</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10620.00	46.23	74.00	-27.77	59.03	37.68	15.69	66.17	0.00	100	360	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>45.24</td> <td>74.00</td> <td>-28.76</td> <td>58.04</td> <td>37.68</td> <td>15.69</td> <td>66.17</td> <td>0.00</td> <td>300</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10620.00	45.24	74.00	-28.76	58.04	37.68	15.69	66.17	0.00	300	360	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10620.00	46.23	74.00	-27.77	59.03	37.68	15.69	66.17	0.00	100	360	Peak																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10620.00	45.24	74.00	-28.76	58.04	37.68	15.69	66.17	0.00	300	360	Peak																																																																							






	62																																																																																																																	
Mode	Band Edge - L																																																																																																																	
	U-NII-2C_5.25-5.35_802.11ax HE40_CH102_5510MHz																																																																																																																	
ANT	TxBF 1+2																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	 <table border="1" data-bbox="263 1131 774 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5423.60</td> <td>59.65</td> <td>74.00</td> <td>-14.35</td> <td>43.80</td> <td>34.51</td> <td>10.93</td> <td>29.59</td> <td>0.00</td> <td>166</td> <td>337</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5469.36</td> <td>64.45</td> <td>68.30</td> <td>-3.85</td> <td>48.56</td> <td>34.53</td> <td>10.99</td> <td>29.63</td> <td>0.00</td> <td>166</td> <td>337</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5423.60	59.65	74.00	-14.35	43.80	34.51	10.93	29.59	0.00	166	337	Peak	2	5469.36	64.45	68.30	-3.85	48.56	34.53	10.99	29.63	0.00	166	337	Peak	 <table border="1" data-bbox="901 1131 1412 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5512.00</td> <td>104.90</td> <td>68.30</td> <td>36.60</td> <td>88.94</td> <td>34.56</td> <td>11.06</td> <td>29.66</td> <td>0.00</td> <td>166</td> <td>337</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5512.00</td> <td>87.64</td> <td>-----</td> <td>-----</td> <td>71.68</td> <td>34.56</td> <td>11.06</td> <td>29.66</td> <td>0.00</td> <td>166</td> <td>337</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5512.00	104.90	68.30	36.60	88.94	34.56	11.06	29.66	0.00	166	337	Peak	2	5512.00	87.64	-----	-----	71.68	34.56	11.06	29.66	0.00	166	337	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																											
1	5423.60	59.65	74.00	-14.35	43.80	34.51	10.93	29.59	0.00	166	337	Peak																																																																																																						
2	5469.36	64.45	68.30	-3.85	48.56	34.53	10.99	29.63	0.00	166	337	Peak																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																											
1	5512.00	104.90	68.30	36.60	88.94	34.56	11.06	29.66	0.00	166	337	Peak																																																																																																						
2	5512.00	87.64	-----	-----	71.68	34.56	11.06	29.66	0.00	166	337	Average																																																																																																						
Avg	 <table border="1" data-bbox="263 1825 774 1960"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.52</td> <td>51.88</td> <td>54.00</td> <td>-2.12</td> <td>35.99</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>166</td> <td>337</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5457.52	51.88	54.00	-2.12	35.99	34.53	10.98	29.62	0.00	166	337	Average	Blank																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																											
1	5457.52	51.88	54.00	-2.12	35.99	34.53	10.98	29.62	0.00	166	337	Average																																																																																																						



Mode	62																																							
	Band Edge - R																																							
	U-NII-2C_5.25-5.35_802.11ax HE40_CH102_5510MHz																																							
ANT	TxBF 1+2																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5743.96</td> <td>57.62</td> <td>68.30</td> <td>-10.68</td> <td>41.20</td> <td>34.88</td> <td>11.33</td> <td>29.79</td> <td>0.00</td> <td>166 337 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5743.96	57.62	68.30	-10.68	41.20	34.88	11.33	29.79	0.00	166 337 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5743.96	57.62	68.30	-10.68	41.20	34.88	11.33	29.79	0.00	166 337 Peak																															





	62																																																																																																																	
Mode	Band Edge - L																																																																																																																	
	U-NII-2C_5.25-5.35_802.11ax HE40_CH102_5510MHz																																																																																																																	
ANT	TxBF 1+2																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																
Peak	 <table border="1" data-bbox="263 1131 774 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.24</td> <td>58.02</td> <td>74.00</td> <td>-15.98</td> <td>42.13</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>327</td> <td>156</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5468.24</td> <td>65.06</td> <td>68.30</td> <td>-3.24</td> <td>49.16</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>327</td> <td>156</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg	1	5456.24	58.02	74.00	-15.98	42.13	34.53	10.97	29.61	0.00	327	156	Peak	2	5468.24	65.06	68.30	-3.24	49.16	34.53	10.99	29.62	0.00	327	156	Peak	 <table border="1" data-bbox="901 1131 1412 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5512.00</td> <td>101.99</td> <td>68.30</td> <td>33.69</td> <td>86.03</td> <td>34.56</td> <td>11.06</td> <td>29.66</td> <td>0.00</td> <td>327</td> <td>156</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5512.00</td> <td>86.57</td> <td>-----</td> <td>-----</td> <td>70.61</td> <td>34.56</td> <td>11.06</td> <td>29.66</td> <td>0.00</td> <td>327</td> <td>156</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg	1	5512.00	101.99	68.30	33.69	86.03	34.56	11.06	29.66	0.00	327	156	Peak	2	5512.00	86.57	-----	-----	70.61	34.56	11.06	29.66	0.00	327	156	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg																																																																																																									
1	5456.24	58.02	74.00	-15.98	42.13	34.53	10.97	29.61	0.00	327	156	Peak																																																																																																						
2	5468.24	65.06	68.30	-3.24	49.16	34.53	10.99	29.62	0.00	327	156	Peak																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg																																																																																																									
1	5512.00	101.99	68.30	33.69	86.03	34.56	11.06	29.66	0.00	327	156	Peak																																																																																																						
2	5512.00	86.57	-----	-----	70.61	34.56	11.06	29.66	0.00	327	156	Average																																																																																																						
Avg	 <table border="1" data-bbox="263 1825 774 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.32</td> <td>51.12</td> <td>54.00</td> <td>-2.88</td> <td>35.23</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>327</td> <td>156</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg	1	5458.32	51.12	54.00	-2.88	35.23	34.53	10.98	29.62	0.00	327	156	Average	Blank																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg																																																																																																									
1	5458.32	51.12	54.00	-2.88	35.23	34.53	10.98	29.62	0.00	327	156	Average																																																																																																						






Mode	62																																								
	Band Edge - R																																								
	U-NII-2C_5.25-5.35_802.11ax HE40_CH102_5510MHz																																								
ANT	TxBF 1+2																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5742.12</td> <td>58.06</td> <td>68.30</td> <td>-10.24</td> <td>41.65</td> <td>34.87</td> <td>11.33</td> <td>29.79</td> <td>0.00</td> <td>327</td> <td>156 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5742.12	58.06	68.30	-10.24	41.65	34.87	11.33	29.79	0.00	327	156 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5742.12	58.06	68.30	-10.24	41.65	34.87	11.33	29.79	0.00	327	156 Peak																															



Mode	62																																																																															
	Harmonic																																																																															
	U-NII-2C_5.25-5.35_802.11ax HE40_CH102_5510MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>45.78</td> <td>74.00</td> <td>-28.22</td> <td>57.48</td> <td>38.11</td> <td>15.91</td> <td>65.72</td> <td>0.00</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	45.78	74.00	-28.22	57.48	38.11	15.91	65.72	0.00	300	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>46.18</td> <td>74.00</td> <td>-27.82</td> <td>57.88</td> <td>38.11</td> <td>15.91</td> <td>65.72</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	46.18	74.00	-27.82	57.88	38.11	15.91	65.72	0.00	100	360 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11020.00	45.78	74.00	-28.22	57.48	38.11	15.91	65.72	0.00	300	0 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11020.00	46.18	74.00	-27.82	57.88	38.11	15.91	65.72	0.00	100	360 Peak																																																																						






Mode	63																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2C_5.25-5.35_802.11ax HE40_CH110_5500MHz																																																																																																																	
ANT	TxBF 1+2																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	 <table border="1" data-bbox="263 1131 774 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5409.52</td> <td>60.66</td> <td>74.00</td> <td>-13.34</td> <td>44.84</td> <td>34.50</td> <td>10.90</td> <td>29.58</td> <td>0.00</td> <td>255</td> <td>326</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5468.56</td> <td>59.76</td> <td>68.30</td> <td>-8.54</td> <td>43.86</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>255</td> <td>326</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5409.52	60.66	74.00	-13.34	44.84	34.50	10.90	29.58	0.00	255	326	Peak	2	5468.56	59.76	68.30	-8.54	43.86	34.53	10.99	29.62	0.00	255	326	Peak	 <table border="1" data-bbox="901 1131 1412 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5554.00</td> <td>108.44</td> <td>68.30</td> <td>40.14</td> <td>92.45</td> <td>34.58</td> <td>11.12</td> <td>29.71</td> <td>0.00</td> <td>255</td> <td>326</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5554.00</td> <td>90.43</td> <td>-----</td> <td>-----</td> <td>74.44</td> <td>34.58</td> <td>11.12</td> <td>29.71</td> <td>0.00</td> <td>255</td> <td>326</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5554.00	108.44	68.30	40.14	92.45	34.58	11.12	29.71	0.00	255	326	Peak	2	5554.00	90.43	-----	-----	74.44	34.58	11.12	29.71	0.00	255	326	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																											
1	5409.52	60.66	74.00	-13.34	44.84	34.50	10.90	29.58	0.00	255	326	Peak																																																																																																						
2	5468.56	59.76	68.30	-8.54	43.86	34.53	10.99	29.62	0.00	255	326	Peak																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																											
1	5554.00	108.44	68.30	40.14	92.45	34.58	11.12	29.71	0.00	255	326	Peak																																																																																																						
2	5554.00	90.43	-----	-----	74.44	34.58	11.12	29.71	0.00	255	326	Average																																																																																																						
Avg	 <table border="1" data-bbox="263 1825 774 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.20</td> <td>51.52</td> <td>54.00</td> <td>-2.48</td> <td>35.63</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>255</td> <td>326</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5457.20	51.52	54.00	-2.48	35.63	34.53	10.98	29.62	0.00	255	326	Average	Blank																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																											
1	5457.20	51.52	54.00	-2.48	35.63	34.53	10.98	29.62	0.00	255	326	Average																																																																																																						



Mode	63																																							
	Band Edge - R																																							
	U-NII-2C_5.25-5.35_802.11ax HE40_CH110_5500MHz																																							
ANT	TxBF 1+2																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.40</td> <td>58.27</td> <td>68.30</td> <td>-10.03</td> <td>41.85</td> <td>34.88</td> <td>11.33</td> <td>29.79</td> <td>0.00</td> <td>255 326 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.40	58.27	68.30	-10.03	41.85	34.88	11.33	29.79	0.00	255 326 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5745.40	58.27	68.30	-10.03	41.85	34.88	11.33	29.79	0.00	255 326 Peak																															



Mode	63																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2C_5.25-5.35_802.11ax HE40_CH110_5500MHz																																																																																																																	
ANT	TxBF 1+2																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5406.00</td> <td>57.16</td> <td>74.00</td> <td>-16.84</td> <td>41.33</td> <td>34.50</td> <td>10.90</td> <td>29.57</td> <td>0.00</td> <td>363</td> <td>162</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5465.20</td> <td>56.17</td> <td>68.30</td> <td>-12.13</td> <td>40.27</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>363</td> <td>162</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5406.00	57.16	74.00	-16.84	41.33	34.50	10.90	29.57	0.00	363	162	Peak	2	5465.20	56.17	68.30	-12.13	40.27	34.53	10.99	29.62	0.00	363	162	Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5536.00</td> <td>100.71</td> <td>68.30</td> <td>32.41</td> <td>84.74</td> <td>34.57</td> <td>11.09</td> <td>29.69</td> <td>0.00</td> <td>363</td> <td>162</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5536.00</td> <td>84.26</td> <td>-----</td> <td>-----</td> <td>68.29</td> <td>34.57</td> <td>11.09</td> <td>29.69</td> <td>0.00</td> <td>363</td> <td>162</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5536.00	100.71	68.30	32.41	84.74	34.57	11.09	29.69	0.00	363	162	Peak	2	5536.00	84.26	-----	-----	68.29	34.57	11.09	29.69	0.00	363	162	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5406.00	57.16	74.00	-16.84	41.33	34.50	10.90	29.57	0.00	363	162	Peak																																																																																																						
2	5465.20	56.17	68.30	-12.13	40.27	34.53	10.99	29.62	0.00	363	162	Peak																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5536.00	100.71	68.30	32.41	84.74	34.57	11.09	29.69	0.00	363	162	Peak																																																																																																						
2	5536.00	84.26	-----	-----	68.29	34.57	11.09	29.69	0.00	363	162	Average																																																																																																						
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.00</td> <td>51.04</td> <td>54.00</td> <td>-2.96</td> <td>35.15</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>363</td> <td>162</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5454.00	51.04	54.00	-2.96	35.15	34.53	10.97	29.61	0.00	363	162	Average	Blank																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5454.00	51.04	54.00	-2.96	35.15	34.53	10.97	29.61	0.00	363	162	Average																																																																																																						



Mode	63																																								
	Band Edge - R																																								
	U-NII-2C_5.25-5.35_802.11ax HE40_CH110_5500MHz																																								
ANT	TxBF 1+2																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5739.64</td> <td>58.29</td> <td>68.30</td> <td>-10.01</td> <td>41.89</td> <td>34.87</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>363</td> <td>162 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5739.64	58.29	68.30	-10.01	41.89	34.87	11.32	29.79	0.00	363	162 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5739.64	58.29	68.30	-10.01	41.89	34.87	11.32	29.79	0.00	363	162 Peak																															



Mode	63																																																																															
	Harmonic																																																																															
	U-NII-2C_5.25-5.35_802.11ax HE40_CH110_5500MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>45.63</td> <td>74.00</td> <td>-28.37</td> <td>57.19</td> <td>38.16</td> <td>15.95</td> <td>65.67</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	45.63	74.00	-28.37	57.19	38.16	15.95	65.67	0.00	100	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>44.74</td> <td>74.00</td> <td>-29.26</td> <td>56.30</td> <td>38.16</td> <td>15.95</td> <td>65.67</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	44.74	74.00	-29.26	56.30	38.16	15.95	65.67	0.00	100	360 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11100.00	45.63	74.00	-28.37	57.19	38.16	15.95	65.67	0.00	100	0 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11100.00	44.74	74.00	-29.26	56.30	38.16	15.95	65.67	0.00	100	360 Peak																																																																						






	64																																																																																																																	
Mode	Band Edge - L																																																																																																																	
	U-NII-2C_5.25-5.35_802.11ax HE40_CH134_5670MHz																																																																																																																	
ANT	TxBF 1+2																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5393.52</td> <td>57.17</td> <td>74.00</td> <td>-16.83</td> <td>41.35</td> <td>34.50</td> <td>10.88</td> <td>29.56</td> <td>0.00</td> <td>292</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5469.84</td> <td>56.37</td> <td>68.30</td> <td>-11.93</td> <td>40.48</td> <td>34.53</td> <td>10.99</td> <td>29.63</td> <td>0.00</td> <td>292</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5393.52	57.17	74.00	-16.83	41.35	34.50	10.88	29.56	0.00	292	360	Peak	2	5469.84	56.37	68.30	-11.93	40.48	34.53	10.99	29.63	0.00	292	360	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5668.00</td> <td>106.46</td> <td>68.30</td> <td>38.16</td> <td>90.28</td> <td>34.72</td> <td>11.25</td> <td>29.79</td> <td>0.00</td> <td>292</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5668.00</td> <td>89.97</td> <td>-----</td> <td>-----</td> <td>73.79</td> <td>34.72</td> <td>11.25</td> <td>29.79</td> <td>0.00</td> <td>292</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5668.00	106.46	68.30	38.16	90.28	34.72	11.25	29.79	0.00	292	360	Peak	2	5668.00	89.97	-----	-----	73.79	34.72	11.25	29.79	0.00	292	360	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5393.52	57.17	74.00	-16.83	41.35	34.50	10.88	29.56	0.00	292	360	Peak																																																																																																						
2	5469.84	56.37	68.30	-11.93	40.48	34.53	10.99	29.63	0.00	292	360	Peak																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5668.00	106.46	68.30	38.16	90.28	34.72	11.25	29.79	0.00	292	360	Peak																																																																																																						
2	5668.00	89.97	-----	-----	73.79	34.72	11.25	29.79	0.00	292	360	Average																																																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.36</td> <td>51.26</td> <td>54.00</td> <td>-2.74</td> <td>35.39</td> <td>34.52</td> <td>10.96</td> <td>29.61</td> <td>0.00</td> <td>292</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5449.36	51.26	54.00	-2.74	35.39	34.52	10.96	29.61	0.00	292	360	Average	Blank																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5449.36	51.26	54.00	-2.74	35.39	34.52	10.96	29.61	0.00	292	360	Average																																																																																																						



Mode	64																																								
	Band Edge - R																																								
	U-NII-2C_5.25-5.35_802.11ax HE40_CH134_5670MHz																																								
ANT	TxBF 1+2																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Level (dBuV)</p> <p>Frequency (MHz)</p> <p>5G BAND 1 ---3 -6dB</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5734.84</td> <td>62.68</td> <td>68.30</td> <td>-5.62</td> <td>46.29</td> <td>34.86</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>292</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5734.84	62.68	68.30	-5.62	46.29	34.86	11.32	29.79	0.00	292	360 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5734.84	62.68	68.30	-5.62	46.29	34.86	11.32	29.79	0.00	292	360 Peak																															





Mode	64																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2C_5.25-5.35_802.11ax HE40_CH134_5670MHz																																																																																																																	
ANT	TxBF 1+2																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>57.03</td> <td>74.00</td> <td>-16.97</td> <td>41.14</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>157</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5467.60</td> <td>56.35</td> <td>68.30</td> <td>-11.95</td> <td>40.45</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>157</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5459.44	57.03	74.00	-16.97	41.14	34.53	10.98	29.62	0.00	100	157	Peak	2	5467.60	56.35	68.30	-11.95	40.45	34.53	10.99	29.62	0.00	100	157	Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5686.00</td> <td>102.92</td> <td>68.30</td> <td>34.62</td> <td>86.69</td> <td>34.75</td> <td>11.27</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>157</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5686.00</td> <td>86.00</td> <td>-----</td> <td>-----</td> <td>69.77</td> <td>34.75</td> <td>11.27</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>157</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5686.00	102.92	68.30	34.62	86.69	34.75	11.27	29.79	0.00	100	157	Peak	2	5686.00	86.00	-----	-----	69.77	34.75	11.27	29.79	0.00	100	157	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																									
1	5459.44	57.03	74.00	-16.97	41.14	34.53	10.98	29.62	0.00	100	157	Peak																																																																																																						
2	5467.60	56.35	68.30	-11.95	40.45	34.53	10.99	29.62	0.00	100	157	Peak																																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																									
1	5686.00	102.92	68.30	34.62	86.69	34.75	11.27	29.79	0.00	100	157	Peak																																																																																																						
2	5686.00	86.00	-----	-----	69.77	34.75	11.27	29.79	0.00	100	157	Average																																																																																																						
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5432.08</td> <td>50.98</td> <td>54.00</td> <td>-3.02</td> <td>35.12</td> <td>34.52</td> <td>10.94</td> <td>29.60</td> <td>0.00</td> <td>100</td> <td>157</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5432.08	50.98	54.00	-3.02	35.12	34.52	10.94	29.60	0.00	100	157	Average	Blank																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																									
1	5432.08	50.98	54.00	-3.02	35.12	34.52	10.94	29.60	0.00	100	157	Average																																																																																																						



	64																																								
Mode	Band Edge - R																																								
	U-NII-2C_5.25-5.35_802.11ax HE40_CH134_5670MHz																																								
ANT	TxBF 1+2																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>The spectrum plot shows a signal level starting at approximately 102.4 dBuV at 5685 MHz and decreasing to about 58.5 dBuV at 5785 MHz. A sharp peak is observed at 5731.08 MHz. A red horizontal line at approximately 73.1 dBuV is labeled '5G BAND 1---3' and '-6dB'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5731.08</td> <td>61.63</td> <td>68.30</td> <td>-6.67</td> <td>45.26</td> <td>34.85</td> <td>11.31</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>157 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5731.08	61.63	68.30	-6.67	45.26	34.85	11.31	29.79	0.00	100	157 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5731.08	61.63	68.30	-6.67	45.26	34.85	11.31	29.79	0.00	100	157 Peak																															



Mode	64																																																																															
	Harmonic																																																																															
	U-NII-2C_5.25-5.35_802.11ax HE40_CH134_5670MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>45.99</td> <td>74.00</td> <td>-28.01</td> <td>57.16</td> <td>38.30</td> <td>16.07</td> <td>65.54</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	45.99	74.00	-28.01	57.16	38.30	16.07	65.54	0.00	100	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>46.29</td> <td>74.00</td> <td>-27.71</td> <td>57.46</td> <td>38.30</td> <td>16.07</td> <td>65.54</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	46.29	74.00	-27.71	57.46	38.30	16.07	65.54	0.00	100	360 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11340.00	45.99	74.00	-28.01	57.16	38.30	16.07	65.54	0.00	100	0 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11340.00	46.29	74.00	-27.71	57.46	38.30	16.07	65.54	0.00	100	360 Peak																																																																						



Mode	65																																																																																																																																																	
	Band Edge - L																																																																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																																																																																																	
ANT	TxBF 1+2																																																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																																																
Peak	<table border="1" data-bbox="271 1153 782 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5111.20</td> <td>58.84</td> <td>74.00</td> <td>-15.16</td> <td>43.19</td> <td>34.32</td> <td>10.60</td> <td>29.27</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>331</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>197</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5111.20	58.84	74.00	-15.16	43.19	34.32	10.60	29.27							0.00	331								197								Peak	<table border="1" data-bbox="909 1131 1420 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5218.00</td> <td>98.57</td> <td>68.30</td> <td>30.27</td> <td>82.79</td> <td>34.50</td> <td>10.66</td> <td>29.38</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>331</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>197</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> <tr> <td>2 5218.00</td> <td>82.00</td> <td>-----</td> <td>-----</td> <td>66.30</td> <td>34.50</td> <td>10.66</td> <td>29.38</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>331</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>197</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5218.00	98.57	68.30	30.27	82.79	34.50	10.66	29.38							0.00	331								197								Peak	2 5218.00	82.00	-----	-----	66.30	34.50	10.66	29.38							0.00	331								197								Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1 5111.20	58.84	74.00	-15.16	43.19	34.32	10.60	29.27																																																																																																																																											
						0.00	331																																																																																																																																											
							197																																																																																																																																											
							Peak																																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1 5218.00	98.57	68.30	30.27	82.79	34.50	10.66	29.38																																																																																																																																											
						0.00	331																																																																																																																																											
							197																																																																																																																																											
							Peak																																																																																																																																											
2 5218.00	82.00	-----	-----	66.30	34.50	10.66	29.38																																																																																																																																											
						0.00	331																																																																																																																																											
							197																																																																																																																																											
							Average																																																																																																																																											
Avg	<table border="1" data-bbox="271 1825 782 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5113.44</td> <td>52.88</td> <td>54.00</td> <td>-1.12</td> <td>37.21</td> <td>34.33</td> <td>10.61</td> <td>29.27</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>331</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>197</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5113.44	52.88	54.00	-1.12	37.21	34.33	10.61	29.27							0.00	331								197								Average	Blank																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1 5113.44	52.88	54.00	-1.12	37.21	34.33	10.61	29.27																																																																																																																																											
						0.00	331																																																																																																																																											
							197																																																																																																																																											
							Average																																																																																																																																											



Mode	65																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																									
ANT	TxBF 1+2																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1" data-bbox="272 1137 778 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5378.40</td> <td>56.89</td> <td>74.00</td> <td>-17.11</td> <td>41.08</td> <td>34.50</td> <td>10.86</td> <td>29.55</td> <td>0.00</td> <td>331 197 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5378.40	56.89	74.00	-17.11	41.08	34.50	10.86	29.55	0.00	331 197 Peak	Blank		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5378.40	56.89	74.00	-17.11	41.08	34.50	10.86	29.55	0.00	331 197 Peak																																	
Avg	<table border="1" data-bbox="272 1794 778 1906"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5366.16</td> <td>52.86</td> <td>54.00</td> <td>-1.14</td> <td>37.05</td> <td>34.50</td> <td>10.85</td> <td>29.54</td> <td>0.00</td> <td>331 197 Average</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5366.16	52.86	54.00	-1.14	37.05	34.50	10.85	29.54	0.00	331 197 Average	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5366.16	52.86	54.00	-1.14	37.05	34.50	10.85	29.54	0.00	331 197 Average																																	



	65																																																																																								
Mode	Band Edge - L																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																																								
ANT	TxBF 1+2																																																																																								
Pol.	Vertical	Fundamental																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5112.96</td> <td>57.88</td> <td>74.00</td> <td>-16.12</td> <td>42.21</td> <td>34.33</td> <td>10.61</td> <td>29.27</td> <td>0.00</td> <td>100</td> <td>328</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5112.96	57.88	74.00	-16.12	42.21	34.33	10.61	29.27	0.00	100	328	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5194.00</td> <td>93.81</td> <td>68.30</td> <td>25.51</td> <td>78.03</td> <td>34.49</td> <td>10.64</td> <td>29.35</td> <td>0.00</td> <td>100</td> <td>328</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5194.00</td> <td>79.04</td> <td>-----</td> <td>-----</td> <td>63.26</td> <td>34.49</td> <td>10.64</td> <td>29.35</td> <td>0.00</td> <td>100</td> <td>328</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5194.00	93.81	68.30	25.51	78.03	34.49	10.64	29.35	0.00	100	328	Peak	2	5194.00	79.04	-----	-----	63.26	34.49	10.64	29.35	0.00	100	328	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5112.96	57.88	74.00	-16.12	42.21	34.33	10.61	29.27	0.00	100	328	Peak																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5194.00	93.81	68.30	25.51	78.03	34.49	10.64	29.35	0.00	100	328	Peak																																																																													
2	5194.00	79.04	-----	-----	63.26	34.49	10.64	29.35	0.00	100	328	Average																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5108.48</td> <td>52.78</td> <td>54.00</td> <td>-1.22</td> <td>37.13</td> <td>34.32</td> <td>10.60</td> <td>29.27</td> <td>0.00</td> <td>100</td> <td>328</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5108.48	52.78	54.00	-1.22	37.13	34.32	10.60	29.27	0.00	100	328	Average	Blank																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5108.48	52.78	54.00	-1.22	37.13	34.32	10.60	29.27	0.00	100	328	Average																																																																													






Mode	65																																		
	Band Edge - R																																		
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																		
ANT	TxBF 1+2																																		
Pol.	Vertical	Fundamental																																	
Peak	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5365.44</td> <td>56.16</td> <td>74.00</td> <td>-17.84</td> <td>40.35</td> <td>34.50</td> <td>10.85</td> <td>29.54</td> <td>0.00</td> <td>100</td> <td>328</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			cm	deg	1	5365.44	56.16	74.00	-17.84	40.35	34.50	10.85	29.54	0.00	100	328	Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																											
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			cm	deg																										
1	5365.44	56.16	74.00	-17.84	40.35	34.50	10.85	29.54	0.00	100	328	Peak																							
Avg	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.14</td> <td>52.89</td> <td>54.00</td> <td>-1.11</td> <td>37.08</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>100</td> <td>328</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			cm	deg	1	5350.14	52.89	54.00	-1.11	37.08	34.50	10.83	29.52	0.00	100	328	Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																											
Freq Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			cm	deg																										
1	5350.14	52.89	54.00	-1.11	37.08	34.50	10.83	29.52	0.00	100	328	Average																							





Mode	65																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																																																	
ANT	TxBF 1+2																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10428.00</td> <td>45.46</td> <td>68.30</td> <td>-22.84</td> <td>58.82</td> <td>37.46</td> <td>15.59</td> <td>66.41</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10428.00	45.46	68.30	-22.84	58.82	37.46	15.59	66.41							0.00	100								360 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10428.00</td> <td>44.54</td> <td>68.30</td> <td>-23.76</td> <td>57.90</td> <td>37.46</td> <td>15.59</td> <td>66.41</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10428.00	44.54	68.30	-23.76	57.90	37.46	15.59	66.41							0.00	100								0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 10428.00	45.46	68.30	-22.84	58.82	37.46	15.59	66.41																																																																																											
						0.00	100																																																																																											
							360 Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 10428.00	44.54	68.30	-23.76	57.90	37.46	15.59	66.41																																																																																											
						0.00	100																																																																																											
							0 Peak																																																																																											






Mode	66																																																																																										
	Band Edge - L																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																										
ANT	TxBF 1+2																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	 <table border="1" data-bbox="263 1153 794 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5119.84</td> <td>58.11</td> <td>74.00</td> <td>-15.89</td> <td>42.44</td> <td>34.34</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>179</td> <td>40 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5119.84	58.11	74.00	-15.89	42.44	34.34	10.61	29.28	0.00	179	40 Peak	 <table border="1" data-bbox="904 1153 1436 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5284.00</td> <td>98.76</td> <td>68.30</td> <td>30.46</td> <td>82.96</td> <td>34.50</td> <td>10.75</td> <td>29.45</td> <td>0.00</td> <td>179</td> <td>40 Peak</td> </tr> <tr> <td>2 5284.00</td> <td>82.93</td> <td>-----</td> <td>-----</td> <td>67.13</td> <td>34.50</td> <td>10.75</td> <td>29.45</td> <td>0.00</td> <td>179</td> <td>40 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5284.00	98.76	68.30	30.46	82.96	34.50	10.75	29.45	0.00	179	40 Peak	2 5284.00	82.93	-----	-----	67.13	34.50	10.75	29.45	0.00	179	40 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5119.84	58.11	74.00	-15.89	42.44	34.34	10.61	29.28	0.00	179	40 Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5284.00	98.76	68.30	30.46	82.96	34.50	10.75	29.45	0.00	179	40 Peak																																																																																	
2 5284.00	82.93	-----	-----	67.13	34.50	10.75	29.45	0.00	179	40 Average																																																																																	
Avg	 <table border="1" data-bbox="263 1836 794 1960"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5115.36</td> <td>52.41</td> <td>54.00</td> <td>-1.59</td> <td>36.75</td> <td>34.33</td> <td>10.61</td> <td>29.28</td> <td>0.00</td> <td>179</td> <td>40 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5115.36	52.41	54.00	-1.59	36.75	34.33	10.61	29.28	0.00	179	40 Average	Blank																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5115.36	52.41	54.00	-1.59	36.75	34.33	10.61	29.28	0.00	179	40 Average																																																																																	





Mode	66																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																						
ANT	TxBF 1+2																																																						
Pol.	Horizontal	Fundamental																																																					
Peak	 <table border="1" data-bbox="263 1153 774 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.30</td> <td>56.59</td> <td>74.00</td> <td>-17.41</td> <td>40.78</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>179</td> <td>40</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB								cm								deg	1	5353.30	56.59	74.00	-17.41	40.78	34.50	10.83	29.52	0.00	179	40	Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
							cm																																																
							deg																																																
1	5353.30	56.59	74.00	-17.41	40.78	34.50	10.83	29.52	0.00	179	40	Peak																																											
Avg	 <table border="1" data-bbox="263 1825 774 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5375.30</td> <td>52.84</td> <td>54.00</td> <td>-1.16</td> <td>37.03</td> <td>34.50</td> <td>10.86</td> <td>29.55</td> <td>0.00</td> <td>179</td> <td>40</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB								cm								deg	1	5375.30	52.84	54.00	-1.16	37.03	34.50	10.86	29.55	0.00	179	40	Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
							cm																																																
							deg																																																
1	5375.30	52.84	54.00	-1.16	37.03	34.50	10.86	29.55	0.00	179	40	Average																																											



Mode	66																																																																																							
	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																							
ANT	TxBF 1+2																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <table border="1" data-bbox="263 1153 774 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5133.60</td> <td>58.57</td> <td>74.00</td> <td>-15.43</td> <td>42.88</td> <td>34.37</td> <td>10.61</td> <td>29.29</td> <td>0.00</td> <td>146 341 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5133.60	58.57	74.00	-15.43	42.88	34.37	10.61	29.29	0.00	146 341 Peak	 <table border="1" data-bbox="909 1142 1420 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5302.00</td> <td>93.68</td> <td>68.30</td> <td>25.38</td> <td>77.88</td> <td>34.50</td> <td>10.77</td> <td>29.47</td> <td>0.00</td> <td>146 341 Peak</td> </tr> <tr> <td>2 5302.00</td> <td>77.96</td> <td>-----</td> <td>-----</td> <td>62.16</td> <td>34.50</td> <td>10.77</td> <td>29.47</td> <td>0.00</td> <td>146 341 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5302.00	93.68	68.30	25.38	77.88	34.50	10.77	29.47	0.00	146 341 Peak	2 5302.00	77.96	-----	-----	62.16	34.50	10.77	29.47	0.00	146 341 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5133.60	58.57	74.00	-15.43	42.88	34.37	10.61	29.29	0.00	146 341 Peak																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5302.00	93.68	68.30	25.38	77.88	34.50	10.77	29.47	0.00	146 341 Peak																																																																															
2 5302.00	77.96	-----	-----	62.16	34.50	10.77	29.47	0.00	146 341 Average																																																																															
Avg	 <table border="1" data-bbox="263 1836 774 1960"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5113.92</td> <td>52.89</td> <td>54.00</td> <td>-1.11</td> <td>37.22</td> <td>34.33</td> <td>10.61</td> <td>29.27</td> <td>0.00</td> <td>146 341 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5113.92	52.89	54.00	-1.11	37.22	34.33	10.61	29.27	0.00	146 341 Average	Blank																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5113.92	52.89	54.00	-1.11	37.22	34.33	10.61	29.27	0.00	146 341 Average																																																																															






Mode	66																																							
	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																							
ANT	TxBF 1+2																																							
Pol.	Vertical	Fundamental																																						
Peak	 <table border="1" data-bbox="263 1153 774 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5387.80</td> <td>56.01</td> <td>74.00</td> <td>-17.99</td> <td>40.19</td> <td>34.50</td> <td>10.88</td> <td>29.56</td> <td>0.00</td> <td>146 341 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5387.80	56.01	74.00	-17.99	40.19	34.50	10.88	29.56	0.00	146 341 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5387.80	56.01	74.00	-17.99	40.19	34.50	10.88	29.56	0.00	146 341 Peak																															
Avg	 <table border="1" data-bbox="263 1825 774 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.10</td> <td>52.81</td> <td>54.00</td> <td>-1.19</td> <td>37.00</td> <td>34.50</td> <td>10.83</td> <td>29.52</td> <td>0.00</td> <td>146 341 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5351.10	52.81	54.00	-1.19	37.00	34.50	10.83	29.52	0.00	146 341 Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5351.10	52.81	54.00	-1.19	37.00	34.50	10.83	29.52	0.00	146 341 Average																															



Mode	66																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>45.45</td> <td>68.30</td> <td>-22.85</td> <td>58.36</td> <td>37.64</td> <td>15.67</td> <td>66.22</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	45.45	68.30	-22.85	58.36	37.64	15.67	66.22	0.00	100	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>45.54</td> <td>68.30</td> <td>-22.76</td> <td>58.45</td> <td>37.64</td> <td>15.67</td> <td>66.22</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10580.00	45.54	68.30	-22.76	58.45	37.64	15.67	66.22	0.00	100	360 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10580.00	45.45	68.30	-22.85	58.36	37.64	15.67	66.22	0.00	100	0 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10580.00	45.54	68.30	-22.76	58.45	37.64	15.67	66.22	0.00	100	360 Peak																																																																						






	67																																																																																																											
Mode	Band Edge - L																																																																																																											
	U-NII-2C_5.25-5.35_802.11ax HE80_CH106_5530MHz																																																																																																											
ANT	TxBF 1+2																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																										
Peak	 <table border="1" data-bbox="263 1131 774 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.96</td> <td>64.97</td> <td>74.00</td> <td>-9.03</td> <td>49.08</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>356</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5469.20</td> <td>67.17</td> <td>68.30</td> <td>-1.13</td> <td>51.28</td> <td>34.53</td> <td>10.99</td> <td>29.63</td> <td>0.00</td> <td>100</td> <td>356</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	64.97	74.00	-9.03	49.08	34.53	10.98	29.62	0.00	100	356	Peak	2	5469.20	67.17	68.30	-1.13	51.28	34.53	10.99	29.63	0.00	100	356	Peak	 <table border="1" data-bbox="901 1131 1412 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5524.00</td> <td>104.67</td> <td>68.30</td> <td>36.37</td> <td>88.71</td> <td>34.56</td> <td>11.08</td> <td>29.68</td> <td>0.00</td> <td>100</td> <td>356</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5524.00</td> <td>86.46</td> <td>-----</td> <td>-----</td> <td>70.50</td> <td>34.56</td> <td>11.08</td> <td>29.68</td> <td>0.00</td> <td>100</td> <td>356</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5524.00	104.67	68.30	36.37	88.71	34.56	11.08	29.68	0.00	100	356	Peak	2	5524.00	86.46	-----	-----	70.50	34.56	11.08	29.68	0.00	100	356	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5458.96	64.97	74.00	-9.03	49.08	34.53	10.98	29.62	0.00	100	356	Peak																																																																																																
2	5469.20	67.17	68.30	-1.13	51.28	34.53	10.99	29.63	0.00	100	356	Peak																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5524.00	104.67	68.30	36.37	88.71	34.56	11.08	29.68	0.00	100	356	Peak																																																																																																
2	5524.00	86.46	-----	-----	70.50	34.56	11.08	29.68	0.00	100	356	Average																																																																																																
Avg	 <table border="1" data-bbox="263 1825 774 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.56</td> <td>52.13</td> <td>54.00</td> <td>-1.87</td> <td>36.24</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>100</td> <td>356</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.56	52.13	54.00	-1.87	36.24	34.53	10.97	29.61	0.00	100	356	Average	Blank																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5452.56	52.13	54.00	-1.87	36.24	34.53	10.97	29.61	0.00	100	356	Average																																																																																																



Mode	67																																								
	Band Edge - R																																								
	U-NII-2C_5.25-5.35_802.11ax HE80_CH106_5530MHz																																								
ANT	TxBF 1+2																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5739.00</td> <td>59.80</td> <td>68.30</td> <td>-8.50</td> <td>43.40</td> <td>34.87</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>356 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5739.00	59.80	68.30	-8.50	43.40	34.87	11.32	29.79	0.00	100	356 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5739.00	59.80	68.30	-8.50	43.40	34.87	11.32	29.79	0.00	100	356 Peak																															



67																																																					
Mode	Band Edge - L																																																				
U-NII-2C_5.25-5.35_802.11ax HE80_CH106_5530MHz																																																					
ANT	TxBF 1+2																																																				
Pol.	Vertical																																																				
Peak	 <table border="1" data-bbox="263 1131 782 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.24</td> <td>68.88</td> <td>74.00</td> <td>-5.12</td> <td>52.99</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>313</td> <td>124</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5466.48</td> <td>66.33</td> <td>68.30</td> <td>-1.97</td> <td>50.43</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>313</td> <td>124</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.24	68.88	74.00	-5.12	52.99	34.53	10.97	29.61	0.00	313	124	Peak	2	5466.48	66.33	68.30	-1.97	50.43	34.53	10.99	29.62	0.00	313	124	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5452.24	68.88	74.00	-5.12	52.99	34.53	10.97	29.61	0.00	313	124	Peak																																									
2	5466.48	66.33	68.30	-1.97	50.43	34.53	10.99	29.62	0.00	313	124	Peak																																									
Fundamental	 <table border="1" data-bbox="901 1131 1420 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5524.00</td> <td>99.84</td> <td>68.30</td> <td>31.54</td> <td>83.88</td> <td>34.56</td> <td>11.08</td> <td>29.68</td> <td>0.00</td> <td>313</td> <td>124</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5524.00</td> <td>81.18</td> <td>-----</td> <td>-----</td> <td>65.22</td> <td>34.56</td> <td>11.08</td> <td>29.68</td> <td>0.00</td> <td>313</td> <td>124</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5524.00	99.84	68.30	31.54	83.88	34.56	11.08	29.68	0.00	313	124	Peak	2	5524.00	81.18	-----	-----	65.22	34.56	11.08	29.68	0.00	313	124	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5524.00	99.84	68.30	31.54	83.88	34.56	11.08	29.68	0.00	313	124	Peak																																									
2	5524.00	81.18	-----	-----	65.22	34.56	11.08	29.68	0.00	313	124	Average																																									
Avg	 <table border="1" data-bbox="263 1825 782 1960"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.68</td> <td>52.87</td> <td>54.00</td> <td>-1.13</td> <td>36.98</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>313</td> <td>124</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.68	52.87	54.00	-1.13	36.98	34.53	10.97	29.61	0.00	313	124	Average													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5453.68	52.87	54.00	-1.13	36.98	34.53	10.97	29.61	0.00	313	124	Average																																									
Blank																																																					






Mode	67																																								
	Band Edge - R																																								
	U-NII-2C_5.25-5.35_802.11ax HE80_CH106_5530MHz																																								
ANT	TxBF 1+2																																								
Pol.	Vertical	Fundamental																																							
Peak	<p>Level (dBuV)</p> <p>Frequency (MHz)</p> <p>5685 5701 5717 5733 5749 5765</p> <p>117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 0</p> <p>5G BAND 1---3 -6dB</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5732.04</td> <td>58.21</td> <td>68.30</td> <td>-10.09</td> <td>41.83</td> <td>34.85</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>313</td> <td>124 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5732.04	58.21	68.30	-10.09	41.83	34.85	11.32	29.79	0.00	313	124 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5732.04	58.21	68.30	-10.09	41.83	34.85	11.32	29.79	0.00	313	124 Peak																															



Mode	67																																																																													
	Harmonic																																																																													
	U-NII-2C_5.25-5.35_802.11ax HE80_CH106_5530MHz																																																																													
ANT	TxBF 1+2																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>45.45</td> <td>74.00</td> <td>-28.55</td> <td>57.00</td> <td>38.14</td> <td>15.93</td> <td>65.70</td> <td>0.00</td> <td>300 359 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11060.00	45.45	74.00	-28.55	57.00	38.14	15.93	65.70	0.00	300 359 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11060.00</td> <td>45.15</td> <td>74.00</td> <td>-28.85</td> <td>56.78</td> <td>38.14</td> <td>15.93</td> <td>65.70</td> <td>0.00</td> <td>100 0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11060.00	45.15	74.00	-28.85	56.78	38.14	15.93	65.70	0.00	100 0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11060.00	45.45	74.00	-28.55	57.00	38.14	15.93	65.70	0.00	300 359 Peak																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 11060.00	45.15	74.00	-28.85	56.78	38.14	15.93	65.70	0.00	100 0 Peak																																																																					






Mode	68																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-2C_5.25-5.35_802.11ax HE80_CH122_5610MHz																																																																																																									
ANT	TxBF 1+2																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																								
Peak	 <table border="1" data-bbox="263 1131 774 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5442.48</td> <td>59.19</td> <td>74.00</td> <td>-14.81</td> <td>577.84-500.00</td> <td>10.95</td> <td>29.60</td> <td>0.00</td> <td>100</td> <td>357 Peak</td> </tr> <tr> <td>2</td> <td>5461.04</td> <td>57.81</td> <td>68.30</td> <td>-10.49</td> <td>576.45-500.00</td> <td>10.90</td> <td>29.62</td> <td>0.00</td> <td>100</td> <td>357 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5442.48	59.19	74.00	-14.81	577.84-500.00	10.95	29.60	0.00	100	357 Peak	2	5461.04	57.81	68.30	-10.49	576.45-500.00	10.90	29.62	0.00	100	357 Peak	 <table border="1" data-bbox="901 1131 1412 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5608.00</td> <td>103.08</td> <td>68.30</td> <td>34.78</td> <td>621.64-500.00</td> <td>11.20</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>357 Peak</td> </tr> <tr> <td>2</td> <td>5608.00</td> <td>85.14</td> <td>-----</td> <td>-----</td> <td>603.70-500.00</td> <td>11.20</td> <td>29.76</td> <td>0.00</td> <td>100</td> <td>357 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5608.00	103.08	68.30	34.78	621.64-500.00	11.20	29.76	0.00	100	357 Peak	2	5608.00	85.14	-----	-----	603.70-500.00	11.20	29.76	0.00	100	357 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5442.48	59.19	74.00	-14.81	577.84-500.00	10.95	29.60	0.00	100	357 Peak																																																																																																
2	5461.04	57.81	68.30	-10.49	576.45-500.00	10.90	29.62	0.00	100	357 Peak																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5608.00	103.08	68.30	34.78	621.64-500.00	11.20	29.76	0.00	100	357 Peak																																																																																																
2	5608.00	85.14	-----	-----	603.70-500.00	11.20	29.76	0.00	100	357 Average																																																																																																
Avg	 <table border="1" data-bbox="263 1825 774 1948"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5443.44</td> <td>52.47</td> <td>54.00</td> <td>-1.53</td> <td>571.11-500.00</td> <td>10.96</td> <td>29.60</td> <td>0.00</td> <td>100</td> <td>357 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5443.44	52.47	54.00	-1.53	571.11-500.00	10.96	29.60	0.00	100	357 Average	Blank																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																	
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5443.44	52.47	54.00	-1.53	571.11-500.00	10.96	29.60	0.00	100	357 Average																																																																																																



Mode	68																																								
	Band Edge - R																																								
	U-NII-2C_5.25-5.35_802.11ax HE80_CH122_5610MHz																																								
ANT	TxBF 1+2																																								
Pol.	Horizontal	Fundamental																																							
Peak	<p>Level (dBuV)</p> <p>Frequency (MHz)</p> <p>5685 5701 5717 5733 5749 5765</p> <p>117 102.4 87.8 73.1 58.5 43.9 29.3 14.6 0</p> <p>5G BAND 1---3 -6dB</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5734.84</td> <td>59.99</td> <td>68.30</td> <td>-8.31</td> <td>578.46</td> <td>-500.00</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>357 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5734.84	59.99	68.30	-8.31	578.46	-500.00	11.32	29.79	0.00	100	357 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5734.84	59.99	68.30	-8.31	578.46	-500.00	11.32	29.79	0.00	100	357 Peak																															





Mode	68																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.25-5.35_802.11ax HE80_CH122_5610MHz																																																																																																					
ANT	TxBF 1+2																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5431.60</td> <td>59.46</td> <td>74.00</td> <td>-14.54</td> <td>578.12-500.00</td> <td>10.94</td> <td>29.60</td> <td>0.00</td> <td>313</td> <td>122</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5462.00</td> <td>57.15</td> <td>68.30</td> <td>-11.15</td> <td>575.79-500.00</td> <td>10.90</td> <td>29.62</td> <td>0.00</td> <td>313</td> <td>122</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.60	59.46	74.00	-14.54	578.12-500.00	10.94	29.60	0.00	313	122	Peak	2	5462.00	57.15	68.30	-11.15	575.79-500.00	10.90	29.62	0.00	313	122	Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5602.00</td> <td>103.34</td> <td>68.30</td> <td>35.04</td> <td>621.91-500.00</td> <td>11.19</td> <td>29.76</td> <td>0.00</td> <td>313</td> <td>122</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5602.00</td> <td>86.06</td> <td>-----</td> <td>-----</td> <td>604.63-500.00</td> <td>11.19</td> <td>29.76</td> <td>0.00</td> <td>313</td> <td>122</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5602.00	103.34	68.30	35.04	621.91-500.00	11.19	29.76	0.00	313	122	Peak	2	5602.00	86.06	-----	-----	604.63-500.00	11.19	29.76	0.00	313	122	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5431.60	59.46	74.00	-14.54	578.12-500.00	10.94	29.60	0.00	313	122	Peak																																																																																											
2	5462.00	57.15	68.30	-11.15	575.79-500.00	10.90	29.62	0.00	313	122	Peak																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5602.00	103.34	68.30	35.04	621.91-500.00	11.19	29.76	0.00	313	122	Peak																																																																																											
2	5602.00	86.06	-----	-----	604.63-500.00	11.19	29.76	0.00	313	122	Average																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.56</td> <td>52.92</td> <td>54.00</td> <td>-1.08</td> <td>571.56-500.00</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>313</td> <td>122</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.56	52.92	54.00	-1.08	571.56-500.00	10.97	29.61	0.00	313	122	Average	Blank																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5452.56	52.92	54.00	-1.08	571.56-500.00	10.97	29.61	0.00	313	122	Average																																																																																											





Mode	68																																								
	Band Edge - R																																								
	U-NII-2C_5.25-5.35_802.11ax HE80_CH122_5610MHz																																								
ANT	TxBF 1+2																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5754.12</td> <td>62.21</td> <td>68.30</td> <td>-6.09</td> <td>580.65</td> <td>-500.00</td> <td>11.34</td> <td>29.78</td> <td>0.00</td> <td>313</td> <td>122 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5754.12	62.21	68.30	-6.09	580.65	-500.00	11.34	29.78	0.00	313	122 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5754.12	62.21	68.30	-6.09	580.65	-500.00	11.34	29.78	0.00	313	122 Peak																															



Mode	68																																																																															
	Harmonic																																																																															
	U-NII-2C_5.25-5.35_802.11ax HE80_CH122_5610MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>45.71</td> <td>74.00</td> <td>-28.29</td> <td>57.08</td> <td>38.23</td> <td>16.01</td> <td>65.61</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11220.00	45.71	74.00	-28.29	57.08	38.23	16.01	65.61	0.00	100	360 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>45.49</td> <td>74.00</td> <td>-28.51</td> <td>56.86</td> <td>38.23</td> <td>16.01</td> <td>65.61</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11220.00	45.49	74.00	-28.51	56.86	38.23	16.01	65.61	0.00	100	0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11220.00	45.71	74.00	-28.29	57.08	38.23	16.01	65.61	0.00	100	360 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11220.00	45.49	74.00	-28.51	56.86	38.23	16.01	65.61	0.00	100	0 Peak																																																																						





Mode	69																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-2C_5.25-5.35_802.11ax HE20_CH144_5720MHz																																																																																																																	
ANT	TxBF 1+2																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5722.00</td> <td>111.74</td> <td>68.30</td> <td>43.44</td> <td>95.40</td> <td>34.83</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5722.00</td> <td>91.50</td> <td>68.30</td> <td>23.20</td> <td>75.16</td> <td>34.83</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5722.00	111.74	68.30	43.44	95.40	34.83	11.30	29.79	0.00	100	360	Peak	2	5722.00	91.50	68.30	23.20	75.16	34.83	11.30	29.79	0.00	100	360	Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5722.00</td> <td>111.74</td> <td>68.30</td> <td>43.44</td> <td>95.40</td> <td>34.83</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5722.00</td> <td>91.50</td> <td>68.30</td> <td>23.20</td> <td>75.16</td> <td>34.83</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5722.00	111.74	68.30	43.44	95.40	34.83	11.30	29.79	0.00	100	360	Peak	2	5722.00	91.50	68.30	23.20	75.16	34.83	11.30	29.79	0.00	100	360	Peak
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5722.00	111.74	68.30	43.44	95.40	34.83	11.30	29.79	0.00	100	360	Peak																																																																																																						
2	5722.00	91.50	68.30	23.20	75.16	34.83	11.30	29.79	0.00	100	360	Peak																																																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5722.00	111.74	68.30	43.44	95.40	34.83	11.30	29.79	0.00	100	360	Peak																																																																																																						
2	5722.00	91.50	68.30	23.20	75.16	34.83	11.30	29.79	0.00	100	360	Peak																																																																																																						



Mode	69																																																																																
	Harmonic																																																																																
	U-NII-2C_5.25-5.35_802.11ax HE20_CH144_5720MHz																																																																																
ANT	TxBF 1+2																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11444.00</td> <td>45.07</td> <td>74.00</td> <td>-28.93</td> <td>56.06</td> <td>38.37</td> <td>16.12</td> <td>65.48</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11444.00	45.07	74.00	-28.93	56.06	38.37	16.12	65.48	0.00	100	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.67</td> <td>74.00</td> <td>-29.33</td> <td>55.67</td> <td>38.36</td> <td>16.12</td> <td>65.48</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	44.67	74.00	-29.33	55.67	38.36	16.12	65.48	0.00	100	360 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 11444.00	45.07	74.00	-28.93	56.06	38.37	16.12	65.48	0.00	100	0 Peak																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1 11440.00	44.67	74.00	-29.33	55.67	38.36	16.12	65.48	0.00	100	360 Peak																																																																							



Mode	70																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.25-5.35_802.11ax HE40_CH142_5710MHz																																																																																													
ANT	TxBF 1+2																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak	 <table border="1" data-bbox="263 1131 774 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5686.00</td> <td>101.90</td> <td>68.30</td> <td>33.60</td> <td>85.67</td> <td>34.75</td> <td>11.27</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5686.00</td> <td>82.18</td> <td>68.30</td> <td>13.88</td> <td>65.95</td> <td>34.75</td> <td>11.27</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5686.00	101.90	68.30	33.60	85.67	34.75	11.27	29.79	0.00	100	0	Peak	2	5686.00	82.18	68.30	13.88	65.95	34.75	11.27	29.79	0.00	100	0	Peak	 <table border="1" data-bbox="861 1131 1412 1276"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5686.00</td> <td>103.51</td> <td>68.30</td> <td>35.21</td> <td>87.28</td> <td>34.75</td> <td>11.27</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5686.00</td> <td>84.54</td> <td>68.30</td> <td>16.24</td> <td>68.31</td> <td>34.75</td> <td>11.27</td> <td>29.79</td> <td>0.00</td> <td>300</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5686.00	103.51	68.30	35.21	87.28	34.75	11.27	29.79	0.00	300	360	Peak	2	5686.00	84.54	68.30	16.24	68.31	34.75	11.27	29.79	0.00	300	360	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																					
1	5686.00	101.90	68.30	33.60	85.67	34.75	11.27	29.79	0.00	100	0	Peak																																																																																		
2	5686.00	82.18	68.30	13.88	65.95	34.75	11.27	29.79	0.00	100	0	Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																					
1	5686.00	103.51	68.30	35.21	87.28	34.75	11.27	29.79	0.00	300	360	Peak																																																																																		
2	5686.00	84.54	68.30	16.24	68.31	34.75	11.27	29.79	0.00	300	360	Peak																																																																																		



Mode	70																																																																															
	Harmonic																																																																															
	U-NII-2C_5.25-5.35_802.11ax HE40_CH142_5710MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>44.88</td> <td>74.00</td> <td>-29.12</td> <td>55.91</td> <td>38.35</td> <td>16.11</td> <td>65.49</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	44.88	74.00	-29.12	55.91	38.35	16.11	65.49	0.00	100	360 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>45.37</td> <td>74.00</td> <td>-28.63</td> <td>56.40</td> <td>38.35</td> <td>16.11</td> <td>65.49</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	45.37	74.00	-28.63	56.40	38.35	16.11	65.49	0.00	100	0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11420.00	44.88	74.00	-29.12	55.91	38.35	16.11	65.49	0.00	100	360 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11420.00	45.37	74.00	-28.63	56.40	38.35	16.11	65.49	0.00	100	0 Peak																																																																						



Mode	71																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.25-5.35_802.11ax HE80_CH138_5690MHz																																																																																													
ANT	TxBF 1+2																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5698.00</td> <td>104.42</td> <td>68.30</td> <td>36.12</td> <td>88.16</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>300</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5698.00</td> <td>83.80</td> <td>68.30</td> <td>15.50</td> <td>67.54</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>300</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5698.00	104.42	68.30	36.12	88.16	34.78	11.28	29.80	0.00	300	360	Peak	2	5698.00	83.80	68.30	15.50	67.54	34.78	11.28	29.80	0.00	300	360	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5686.00</td> <td>101.63</td> <td>68.30</td> <td>33.33</td> <td>85.40</td> <td>34.75</td> <td>11.27</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5686.00</td> <td>80.58</td> <td>68.30</td> <td>12.28</td> <td>64.35</td> <td>34.75</td> <td>11.27</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5686.00	101.63	68.30	33.33	85.40	34.75	11.27	29.79	0.00	100	360	Peak	2	5686.00	80.58	68.30	12.28	64.35	34.75	11.27	29.79	0.00	100	360	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																					
1	5698.00	104.42	68.30	36.12	88.16	34.78	11.28	29.80	0.00	300	360	Peak																																																																																		
2	5698.00	83.80	68.30	15.50	67.54	34.78	11.28	29.80	0.00	300	360	Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																					
1	5686.00	101.63	68.30	33.33	85.40	34.75	11.27	29.79	0.00	100	360	Peak																																																																																		
2	5686.00	80.58	68.30	12.28	64.35	34.75	11.27	29.79	0.00	100	360	Peak																																																																																		



Mode	71																																																																																
	Harmonic																																																																																
	U-NII-2C_5.25-5.35_802.11ax HE80_CH138_5690MHz																																																																																
ANT	TxBF 1+2																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak																																																																																	
Avg																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>45.76</td> <td>74.00</td> <td>-28.24</td> <td>56.86</td> <td>38.33</td> <td>16.09</td> <td>65.52</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11380.00	45.76	74.00	-28.24	56.86	38.33	16.09	65.52	0.00	100	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>45.74</td> <td>74.00</td> <td>-28.26</td> <td>56.84</td> <td>38.33</td> <td>16.09</td> <td>65.52</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11380.00	45.74	74.00	-28.26	56.84	38.33	16.09	65.52	0.00	100	360 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1 11380.00	45.76	74.00	-28.24	56.86	38.33	16.09	65.52	0.00	100	0 Peak																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1 11380.00	45.74	74.00	-28.26	56.84	38.33	16.09	65.52	0.00	100	360 Peak																																																																							



Mode	72																																																																																																					
	Band Edge																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																					
ANT	TxBF 1+2																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5627.20</td> <td>56.06</td> <td>68.30</td> <td>-12.24</td> <td>39.97</td> <td>34.65</td> <td>11.21</td> <td>29.77</td> <td>0.00</td> <td>341 159 Peak</td> </tr> <tr> <td>2 5680.00</td> <td>56.64</td> <td>90.54</td> <td>-33.90</td> <td>40.43</td> <td>34.74</td> <td>11.26</td> <td>29.79</td> <td>0.00</td> <td>341 159 Peak</td> </tr> <tr> <td>3 5716.80</td> <td>57.44</td> <td>110.01</td> <td>-52.57</td> <td>41.11</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>341 159 Peak</td> </tr> <tr> <td>4 5720.80</td> <td>56.76</td> <td>112.72</td> <td>-55.96</td> <td>40.42</td> <td>34.83</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>341 159 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5627.20	56.06	68.30	-12.24	39.97	34.65	11.21	29.77	0.00	341 159 Peak	2 5680.00	56.64	90.54	-33.90	40.43	34.74	11.26	29.79	0.00	341 159 Peak	3 5716.80	57.44	110.01	-52.57	41.11	34.82	11.30	29.79	0.00	341 159 Peak	4 5720.80	56.76	112.72	-55.96	40.42	34.83	11.30	29.79	0.00	341 159 Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5740.00</td> <td>107.04</td> <td>122.30</td> <td>-15.26</td> <td>90.64</td> <td>34.87</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>341 159 Peak</td> </tr> <tr> <td>2 5740.00</td> <td>88.60</td> <td>-----</td> <td>-----</td> <td>72.20</td> <td>34.87</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>341 159 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5740.00	107.04	122.30	-15.26	90.64	34.87	11.32	29.79	0.00	341 159 Peak	2 5740.00	88.60	-----	-----	72.20	34.87	11.32	29.79	0.00	341 159 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1 5627.20	56.06	68.30	-12.24	39.97	34.65	11.21	29.77	0.00	341 159 Peak																																																																																													
2 5680.00	56.64	90.54	-33.90	40.43	34.74	11.26	29.79	0.00	341 159 Peak																																																																																													
3 5716.80	57.44	110.01	-52.57	41.11	34.82	11.30	29.79	0.00	341 159 Peak																																																																																													
4 5720.80	56.76	112.72	-55.96	40.42	34.83	11.30	29.79	0.00	341 159 Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1 5740.00	107.04	122.30	-15.26	90.64	34.87	11.32	29.79	0.00	341 159 Peak																																																																																													
2 5740.00	88.60	-----	-----	72.20	34.87	11.32	29.79	0.00	341 159 Average																																																																																													



Mode	72																																																																																																											
	Band Edge																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																											
ANT	TxBF 1+2																																																																																																											
Pol.	Vertical	Fundamental																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5634.00</td> <td>56.88</td> <td>68.30</td> <td>-11.42</td> <td>40.77</td> <td>34.66</td> <td>11.22</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>343 Peak</td> </tr> <tr> <td>2 5691.60</td> <td>56.78</td> <td>99.11</td> <td>-42.33</td> <td>40.55</td> <td>34.76</td> <td>11.27</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>343 Peak</td> </tr> <tr> <td>3 5701.60</td> <td>57.54</td> <td>105.75</td> <td>-48.21</td> <td>41.28</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>100</td> <td>343 Peak</td> </tr> <tr> <td>4 5723.60</td> <td>63.16</td> <td>119.11</td> <td>-55.95</td> <td>46.81</td> <td>34.83</td> <td>11.31</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>343 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5634.00	56.88	68.30	-11.42	40.77	34.66	11.22	29.77	0.00	100	343 Peak	2 5691.60	56.78	99.11	-42.33	40.55	34.76	11.27	29.80	0.00	100	343 Peak	3 5701.60	57.54	105.75	-48.21	41.28	34.78	11.28	29.80	0.00	100	343 Peak	4 5723.60	63.16	119.11	-55.95	46.81	34.83	11.31	29.79	0.00	100	343 Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5740.00</td> <td>104.39</td> <td>122.30</td> <td>-17.91</td> <td>87.99</td> <td>34.87</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>343 Peak</td> </tr> <tr> <td>2 5740.00</td> <td>86.69</td> <td>-----</td> <td>-----</td> <td>70.29</td> <td>34.87</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>343 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5740.00	104.39	122.30	-17.91	87.99	34.87	11.32	29.79	0.00	100	343 Peak	2 5740.00	86.69	-----	-----	70.29	34.87	11.32	29.79	0.00	100	343 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																			
1 5634.00	56.88	68.30	-11.42	40.77	34.66	11.22	29.77	0.00	100	343 Peak																																																																																																		
2 5691.60	56.78	99.11	-42.33	40.55	34.76	11.27	29.80	0.00	100	343 Peak																																																																																																		
3 5701.60	57.54	105.75	-48.21	41.28	34.78	11.28	29.80	0.00	100	343 Peak																																																																																																		
4 5723.60	63.16	119.11	-55.95	46.81	34.83	11.31	29.79	0.00	100	343 Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																			
1 5740.00	104.39	122.30	-17.91	87.99	34.87	11.32	29.79	0.00	100	343 Peak																																																																																																		
2 5740.00	86.69	-----	-----	70.29	34.87	11.32	29.79	0.00	100	343 Average																																																																																																		



Mode	72																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>46.15</td> <td>74.00</td> <td>-27.85</td> <td>57.07</td> <td>38.39</td> <td>16.15</td> <td>65.46</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	46.15	74.00	-27.85	57.07	38.39	16.15	65.46	0.00	100	360 Peak	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11488.00</td> <td>45.77</td> <td>74.00</td> <td>-28.23</td> <td>56.70</td> <td>38.39</td> <td>16.14</td> <td>65.46</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11488.00	45.77	74.00	-28.23	56.70	38.39	16.14	65.46	0.00	100	0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11490.00	46.15	74.00	-27.85	57.07	38.39	16.15	65.46	0.00	100	360 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11488.00	45.77	74.00	-28.23	56.70	38.39	16.14	65.46	0.00	100	0 Peak																																																																						



Mode	73																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																					
ANT	TxBF 1+2																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5646.40</td> <td>56.97</td> <td>68.30</td> <td>-11.33</td> <td>40.84</td> <td>34.68</td> <td>11.23</td> <td>29.78</td> <td>0.00</td> <td>291 226 Peak</td> </tr> <tr> <td>2 5698.40</td> <td>57.37</td> <td>104.12</td> <td>-46.75</td> <td>41.11</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>291 226 Peak</td> </tr> <tr> <td>3 5715.20</td> <td>58.40</td> <td>109.56</td> <td>-51.16</td> <td>42.09</td> <td>34.81</td> <td>11.30</td> <td>29.80</td> <td>0.00</td> <td>291 226 Peak</td> </tr> <tr> <td>4 5721.20</td> <td>56.88</td> <td>113.64</td> <td>-56.76</td> <td>40.54</td> <td>34.83</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>291 226 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5646.40	56.97	68.30	-11.33	40.84	34.68	11.23	29.78	0.00	291 226 Peak	2 5698.40	57.37	104.12	-46.75	41.11	34.78	11.28	29.80	0.00	291 226 Peak	3 5715.20	58.40	109.56	-51.16	42.09	34.81	11.30	29.80	0.00	291 226 Peak	4 5721.20	56.88	113.64	-56.76	40.54	34.83	11.30	29.79	0.00	291 226 Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5788.00</td> <td>107.54</td> <td>122.30</td> <td>-14.76</td> <td>90.96</td> <td>34.97</td> <td>11.38</td> <td>29.77</td> <td>0.00</td> <td>291 226 Peak</td> </tr> <tr> <td>2 5788.00</td> <td>91.74</td> <td>-----</td> <td>-----</td> <td>75.16</td> <td>34.97</td> <td>11.38</td> <td>29.77</td> <td>0.00</td> <td>291 226 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5788.00	107.54	122.30	-14.76	90.96	34.97	11.38	29.77	0.00	291 226 Peak	2 5788.00	91.74	-----	-----	75.16	34.97	11.38	29.77	0.00	291 226 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1 5646.40	56.97	68.30	-11.33	40.84	34.68	11.23	29.78	0.00	291 226 Peak																																																																																													
2 5698.40	57.37	104.12	-46.75	41.11	34.78	11.28	29.80	0.00	291 226 Peak																																																																																													
3 5715.20	58.40	109.56	-51.16	42.09	34.81	11.30	29.80	0.00	291 226 Peak																																																																																													
4 5721.20	56.88	113.64	-56.76	40.54	34.83	11.30	29.79	0.00	291 226 Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1 5788.00	107.54	122.30	-14.76	90.96	34.97	11.38	29.77	0.00	291 226 Peak																																																																																													
2 5788.00	91.74	-----	-----	75.16	34.97	11.38	29.77	0.00	291 226 Average																																																																																													



Mode	73																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																													
ANT	TxBF 1+2																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5851.20</td> <td>55.78</td> <td>119.56</td> <td>-63.78</td> <td>39.06</td> <td>35.08</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>291</td> <td>226</td> <td>Peak</td> </tr> <tr> <td>2 5859.20</td> <td>58.97</td> <td>109.72</td> <td>-50.75</td> <td>42.24</td> <td>35.09</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>291</td> <td>226</td> <td>Peak</td> </tr> <tr> <td>3 5898.40</td> <td>58.20</td> <td>87.95</td> <td>-29.75</td> <td>41.39</td> <td>35.15</td> <td>11.46</td> <td>29.80</td> <td>0.00</td> <td>291</td> <td>226</td> <td>Peak</td> </tr> <tr> <td>4 5952.80</td> <td>59.25</td> <td>68.30</td> <td>-9.05</td> <td>42.38</td> <td>35.23</td> <td>11.49</td> <td>29.85</td> <td>0.00</td> <td>291</td> <td>226</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5851.20	55.78	119.56	-63.78	39.06	35.08	11.43	29.79	0.00	291	226	Peak	2 5859.20	58.97	109.72	-50.75	42.24	35.09	11.43	29.79	0.00	291	226	Peak	3 5898.40	58.20	87.95	-29.75	41.39	35.15	11.46	29.80	0.00	291	226	Peak	4 5952.80	59.25	68.30	-9.05	42.38	35.23	11.49	29.85	0.00	291	226	Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5851.20	55.78	119.56	-63.78	39.06	35.08	11.43	29.79	0.00	291	226	Peak																																																																			
2 5859.20	58.97	109.72	-50.75	42.24	35.09	11.43	29.79	0.00	291	226	Peak																																																																			
3 5898.40	58.20	87.95	-29.75	41.39	35.15	11.46	29.80	0.00	291	226	Peak																																																																			
4 5952.80	59.25	68.30	-9.05	42.38	35.23	11.49	29.85	0.00	291	226	Peak																																																																			



Mode	73																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																											
ANT	TxBF 1+2																																																																																																											
Pol.	Vertical	Fundamental																																																																																																										
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5646.80</td> <td>56.39</td> <td>68.30</td> <td>-11.91</td> <td>40.26</td> <td>34.68</td> <td>11.23</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>345 Peak</td> </tr> <tr> <td>2 5656.40</td> <td>56.99</td> <td>73.05</td> <td>-16.06</td> <td>40.83</td> <td>34.70</td> <td>11.24</td> <td>29.78</td> <td>0.00</td> <td>100</td> <td>345 Peak</td> </tr> <tr> <td>3 5718.00</td> <td>59.36</td> <td>110.34</td> <td>-50.98</td> <td>43.03</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>345 Peak</td> </tr> <tr> <td>4 5721.60</td> <td>57.22</td> <td>114.55</td> <td>-57.33</td> <td>40.88</td> <td>34.83</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>345 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5646.80	56.39	68.30	-11.91	40.26	34.68	11.23	29.78	0.00	100	345 Peak	2 5656.40	56.99	73.05	-16.06	40.83	34.70	11.24	29.78	0.00	100	345 Peak	3 5718.00	59.36	110.34	-50.98	43.03	34.82	11.30	29.79	0.00	100	345 Peak	4 5721.60	57.22	114.55	-57.33	40.88	34.83	11.30	29.79	0.00	100	345 Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5788.00</td> <td>106.92</td> <td>122.30</td> <td>-15.38</td> <td>90.34</td> <td>34.97</td> <td>11.38</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>345 Peak</td> </tr> <tr> <td>2 5788.00</td> <td>90.90</td> <td>-----</td> <td>-----</td> <td>74.32</td> <td>34.97</td> <td>11.38</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>345 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5788.00	106.92	122.30	-15.38	90.34	34.97	11.38	29.77	0.00	100	345 Peak	2 5788.00	90.90	-----	-----	74.32	34.97	11.38	29.77	0.00	100	345 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																			
1 5646.80	56.39	68.30	-11.91	40.26	34.68	11.23	29.78	0.00	100	345 Peak																																																																																																		
2 5656.40	56.99	73.05	-16.06	40.83	34.70	11.24	29.78	0.00	100	345 Peak																																																																																																		
3 5718.00	59.36	110.34	-50.98	43.03	34.82	11.30	29.79	0.00	100	345 Peak																																																																																																		
4 5721.60	57.22	114.55	-57.33	40.88	34.83	11.30	29.79	0.00	100	345 Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																			
1 5788.00	106.92	122.30	-15.38	90.34	34.97	11.38	29.77	0.00	100	345 Peak																																																																																																		
2 5788.00	90.90	-----	-----	74.32	34.97	11.38	29.77	0.00	100	345 Average																																																																																																		



Mode	73																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																									
ANT	TxBF 1+2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5851.60</td> <td>57.30</td> <td>118.65</td> <td>-61.35</td> <td>40.58</td> <td>35.00</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>345 Peak</td> </tr> <tr> <td>2 5865.60</td> <td>58.95</td> <td>107.93</td> <td>-48.98</td> <td>42.20</td> <td>35.10</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>345 Peak</td> </tr> <tr> <td>3 5878.80</td> <td>57.82</td> <td>102.48</td> <td>-44.66</td> <td>41.04</td> <td>35.12</td> <td>11.45</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>345 Peak</td> </tr> <tr> <td>4 5930.80</td> <td>57.40</td> <td>68.30</td> <td>-10.90</td> <td>40.55</td> <td>35.20</td> <td>11.48</td> <td>29.83</td> <td>0.00</td> <td>100</td> <td>345 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5851.60	57.30	118.65	-61.35	40.58	35.00	11.43	29.79	0.00	100	345 Peak	2 5865.60	58.95	107.93	-48.98	42.20	35.10	11.44	29.79	0.00	100	345 Peak	3 5878.80	57.82	102.48	-44.66	41.04	35.12	11.45	29.79	0.00	100	345 Peak	4 5930.80	57.40	68.30	-10.90	40.55	35.20	11.48	29.83	0.00	100	345 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 5851.60	57.30	118.65	-61.35	40.58	35.00	11.43	29.79	0.00	100	345 Peak																																																																
2 5865.60	58.95	107.93	-48.98	42.20	35.10	11.44	29.79	0.00	100	345 Peak																																																																
3 5878.80	57.82	102.48	-44.66	41.04	35.12	11.45	29.79	0.00	100	345 Peak																																																																
4 5930.80	57.40	68.30	-10.90	40.55	35.20	11.48	29.83	0.00	100	345 Peak																																																																



Mode	73																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>46.27</td> <td>74.00</td> <td>-27.73</td> <td>57.06</td> <td>38.44</td> <td>16.18</td> <td>65.41</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	46.27	74.00	-27.73	57.06	38.44	16.18	65.41	0.00	100	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>44.64</td> <td>74.00</td> <td>-29.36</td> <td>55.43</td> <td>38.44</td> <td>16.18</td> <td>65.41</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	44.64	74.00	-29.36	55.43	38.44	16.18	65.41	0.00	100	360 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11570.00	46.27	74.00	-27.73	57.06	38.44	16.18	65.41	0.00	100	0 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11570.00	44.64	74.00	-29.36	55.43	38.44	16.18	65.41	0.00	100	360 Peak																																																																						



Mode	74																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																	
ANT	TxBF 1+2																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Peak</th> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.40</td> <td>62.67</td> <td>116.83</td> <td>-54.16</td> <td>45.95</td> <td>35.08</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>305</td> <td>329 Peak</td> </tr> <tr> <td>2</td> <td>5856.00</td> <td>63.38</td> <td>110.62</td> <td>-47.24</td> <td>46.66</td> <td>35.08</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>305</td> <td>329 Peak</td> </tr> <tr> <td>3</td> <td>5910.80</td> <td>58.20</td> <td>78.78</td> <td>-20.58</td> <td>41.37</td> <td>35.17</td> <td>11.47</td> <td>29.81</td> <td>0.00</td> <td>305</td> <td>329 Peak</td> </tr> <tr> <td>4</td> <td>5940.80</td> <td>57.50</td> <td>68.30</td> <td>-10.80</td> <td>40.65</td> <td>35.21</td> <td>11.48</td> <td>29.84</td> <td>0.00</td> <td>305</td> <td>329 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Peak	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg		1	5852.40	62.67	116.83	-54.16	45.95	35.08	11.43	29.79	0.00	305	329 Peak	2	5856.00	63.38	110.62	-47.24	46.66	35.08	11.43	29.79	0.00	305	329 Peak	3	5910.80	58.20	78.78	-20.58	41.37	35.17	11.47	29.81	0.00	305	329 Peak	4	5940.80	57.50	68.30	-10.80	40.65	35.21	11.48	29.84	0.00	305	329 Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Peak</th> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5824.00</td> <td>110.44</td> <td>122.30</td> <td>-11.86</td> <td>93.77</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>305</td> <td>329 Peak</td> </tr> <tr> <td>2</td> <td>5824.00</td> <td>94.77</td> <td>-----</td> <td>-----</td> <td>78.10</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>305</td> <td>329 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Peak	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg		1	5824.00	110.44	122.30	-11.86	93.77	35.04	11.41	29.78	0.00	305	329 Peak	2	5824.00	94.77	-----	-----	78.10	35.04	11.41	29.78	0.00	305	329 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Peak	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																										
1	5852.40	62.67	116.83	-54.16	45.95	35.08	11.43	29.79	0.00	305	329 Peak																																																																																																							
2	5856.00	63.38	110.62	-47.24	46.66	35.08	11.43	29.79	0.00	305	329 Peak																																																																																																							
3	5910.80	58.20	78.78	-20.58	41.37	35.17	11.47	29.81	0.00	305	329 Peak																																																																																																							
4	5940.80	57.50	68.30	-10.80	40.65	35.21	11.48	29.84	0.00	305	329 Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Peak	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																										
1	5824.00	110.44	122.30	-11.86	93.77	35.04	11.41	29.78	0.00	305	329 Peak																																																																																																							
2	5824.00	94.77	-----	-----	78.10	35.04	11.41	29.78	0.00	305	329 Average																																																																																																							



Mode	74																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																					
ANT	TxBF 1+2																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5853.60</td> <td>64.35</td> <td>114.09</td> <td>-49.74</td> <td>47.63</td> <td>35.00</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>100 165 Peak</td> </tr> <tr> <td>2 5856.00</td> <td>61.09</td> <td>110.62</td> <td>-49.53</td> <td>44.37</td> <td>35.00</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>100 165 Peak</td> </tr> <tr> <td>3 5880.80</td> <td>58.93</td> <td>100.99</td> <td>-42.06</td> <td>42.15</td> <td>35.12</td> <td>11.45</td> <td>29.79</td> <td>0.00</td> <td>100 165 Peak</td> </tr> <tr> <td>4 5966.40</td> <td>58.19</td> <td>68.30</td> <td>-10.11</td> <td>41.30</td> <td>35.25</td> <td>11.50</td> <td>29.86</td> <td>0.00</td> <td>100 165 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5853.60	64.35	114.09	-49.74	47.63	35.00	11.43	29.79	0.00	100 165 Peak	2 5856.00	61.09	110.62	-49.53	44.37	35.00	11.43	29.79	0.00	100 165 Peak	3 5880.80	58.93	100.99	-42.06	42.15	35.12	11.45	29.79	0.00	100 165 Peak	4 5966.40	58.19	68.30	-10.11	41.30	35.25	11.50	29.86	0.00	100 165 Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5824.00</td> <td>108.04</td> <td>122.30</td> <td>-14.26</td> <td>91.37</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>100 165 Peak</td> </tr> <tr> <td>2 5824.00</td> <td>91.96</td> <td>-----</td> <td>-----</td> <td>75.29</td> <td>35.04</td> <td>11.41</td> <td>29.78</td> <td>0.00</td> <td>100 165 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5824.00	108.04	122.30	-14.26	91.37	35.04	11.41	29.78	0.00	100 165 Peak	2 5824.00	91.96	-----	-----	75.29	35.04	11.41	29.78	0.00	100 165 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1 5853.60	64.35	114.09	-49.74	47.63	35.00	11.43	29.79	0.00	100 165 Peak																																																																																													
2 5856.00	61.09	110.62	-49.53	44.37	35.00	11.43	29.79	0.00	100 165 Peak																																																																																													
3 5880.80	58.93	100.99	-42.06	42.15	35.12	11.45	29.79	0.00	100 165 Peak																																																																																													
4 5966.40	58.19	68.30	-10.11	41.30	35.25	11.50	29.86	0.00	100 165 Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1 5824.00	108.04	122.30	-14.26	91.37	35.04	11.41	29.78	0.00	100 165 Peak																																																																																													
2 5824.00	91.96	-----	-----	75.29	35.04	11.41	29.78	0.00	100 165 Average																																																																																													



	74																																																																														
ode	Harmonic																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																														
ANT	TxBF 1+2																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>46.02</td> <td>74.00</td> <td>-27.98</td> <td>56.67</td> <td>38.49</td> <td>16.23</td> <td>65.37</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	46.02	74.00	-27.98	56.67	38.49	16.23	65.37	0.00	100	360 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>45.56</td> <td>74.00</td> <td>-28.44</td> <td>56.21</td> <td>38.49</td> <td>16.23</td> <td>65.37</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11650.00	45.56	74.00	-28.44	56.21	38.49	16.23	65.37	0.00	100
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 11650.00	46.02	74.00	-27.98	56.67	38.49	16.23	65.37	0.00	100	360 Peak																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 11650.00	45.56	74.00	-28.44	56.21	38.49	16.23	65.37	0.00	100	0 Peak																																																																					



Mode	75																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																					
ANT	TxBF 1+2																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5632.80</td> <td>57.62</td> <td>68.30</td> <td>-10.68</td> <td>41.51</td> <td>34.66</td> <td>11.22</td> <td>29.77</td> <td>0.00</td> <td>329 353 Peak</td> </tr> <tr> <td>2 5699.20</td> <td>61.91</td> <td>104.71</td> <td>-42.80</td> <td>45.65</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>329 353 Peak</td> </tr> <tr> <td>3 5719.20</td> <td>65.48</td> <td>110.68</td> <td>-45.20</td> <td>49.15</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>329 353 Peak</td> </tr> <tr> <td>4 5722.00</td> <td>66.35</td> <td>115.46</td> <td>-49.11</td> <td>50.01</td> <td>34.83</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>329 353 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5632.80	57.62	68.30	-10.68	41.51	34.66	11.22	29.77	0.00	329 353 Peak	2 5699.20	61.91	104.71	-42.80	45.65	34.78	11.28	29.80	0.00	329 353 Peak	3 5719.20	65.48	110.68	-45.20	49.15	34.82	11.30	29.79	0.00	329 353 Peak	4 5722.00	66.35	115.46	-49.11	50.01	34.83	11.30	29.79	0.00	329 353 Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5758.00</td> <td>108.39</td> <td>122.30</td> <td>-13.91</td> <td>91.92</td> <td>34.91</td> <td>11.34</td> <td>29.78</td> <td>0.00</td> <td>329 353 Peak</td> </tr> <tr> <td>2 5758.00</td> <td>91.24</td> <td>-----</td> <td>-----</td> <td>74.77</td> <td>34.91</td> <td>11.34</td> <td>29.78</td> <td>0.00</td> <td>329 353 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5758.00	108.39	122.30	-13.91	91.92	34.91	11.34	29.78	0.00	329 353 Peak	2 5758.00	91.24	-----	-----	74.77	34.91	11.34	29.78	0.00	329 353 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1 5632.80	57.62	68.30	-10.68	41.51	34.66	11.22	29.77	0.00	329 353 Peak																																																																																													
2 5699.20	61.91	104.71	-42.80	45.65	34.78	11.28	29.80	0.00	329 353 Peak																																																																																													
3 5719.20	65.48	110.68	-45.20	49.15	34.82	11.30	29.79	0.00	329 353 Peak																																																																																													
4 5722.00	66.35	115.46	-49.11	50.01	34.83	11.30	29.79	0.00	329 353 Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1 5758.00	108.39	122.30	-13.91	91.92	34.91	11.34	29.78	0.00	329 353 Peak																																																																																													
2 5758.00	91.24	-----	-----	74.77	34.91	11.34	29.78	0.00	329 353 Average																																																																																													



Mode	75																										
	Band Edge - R																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																										
ANT	TxBF 1+2																										
Pol.	Horizontal	Fundamental																									
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV)</th> <th>Limit (dBuV)</th> <th>Margin (dB)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.20</td> <td>56.52</td> <td>115.00</td> <td>-58.48</td> </tr> <tr> <td>2</td> <td>5866.00</td> <td>57.69</td> <td>107.82</td> <td>-50.13</td> </tr> <tr> <td>3</td> <td>5904.80</td> <td>58.10</td> <td>83.21</td> <td>-25.11</td> </tr> <tr> <td>4</td> <td>5959.60</td> <td>57.06</td> <td>68.30</td> <td>-10.44</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	1	5853.20	56.52	115.00	-58.48	2	5866.00	57.69	107.82	-50.13	3	5904.80	58.10	83.21	-25.11	4	5959.60	57.06	68.30	-10.44	Blank
Peak	Freq (MHz)	Level (dBuV)	Limit (dBuV)	Margin (dB)																							
1	5853.20	56.52	115.00	-58.48																							
2	5866.00	57.69	107.82	-50.13																							
3	5904.80	58.10	83.21	-25.11																							
4	5959.60	57.06	68.30	-10.44																							



Mode	75																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																					
ANT	TxBF 1+2																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5640.00</td> <td>57.36</td> <td>68.30</td> <td>-10.94</td> <td>41.24</td> <td>34.67</td> <td>11.23</td> <td>29.78</td> <td>0.00</td> <td>114 177 Peak</td> </tr> <tr> <td>2 5697.20</td> <td>59.79</td> <td>103.24</td> <td>-43.45</td> <td>43.54</td> <td>34.77</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>114 177 Peak</td> </tr> <tr> <td>3 5716.80</td> <td>72.59</td> <td>110.01</td> <td>-37.42</td> <td>56.26</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>114 177 Peak</td> </tr> <tr> <td>4 5723.60</td> <td>73.34</td> <td>119.11</td> <td>-45.77</td> <td>56.99</td> <td>34.83</td> <td>11.31</td> <td>29.79</td> <td>0.00</td> <td>114 177 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5640.00	57.36	68.30	-10.94	41.24	34.67	11.23	29.78	0.00	114 177 Peak	2 5697.20	59.79	103.24	-43.45	43.54	34.77	11.28	29.80	0.00	114 177 Peak	3 5716.80	72.59	110.01	-37.42	56.26	34.82	11.30	29.79	0.00	114 177 Peak	4 5723.60	73.34	119.11	-45.77	56.99	34.83	11.31	29.79	0.00	114 177 Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5746.00</td> <td>105.32</td> <td>122.30</td> <td>-16.98</td> <td>88.90</td> <td>34.88</td> <td>11.33</td> <td>29.79</td> <td>0.00</td> <td>114 177 Peak</td> </tr> <tr> <td>2 5746.00</td> <td>90.21</td> <td>-----</td> <td>-----</td> <td>73.79</td> <td>34.88</td> <td>11.33</td> <td>29.79</td> <td>0.00</td> <td>114 177 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5746.00	105.32	122.30	-16.98	88.90	34.88	11.33	29.79	0.00	114 177 Peak	2 5746.00	90.21	-----	-----	73.79	34.88	11.33	29.79	0.00	114 177 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1 5640.00	57.36	68.30	-10.94	41.24	34.67	11.23	29.78	0.00	114 177 Peak																																																																																													
2 5697.20	59.79	103.24	-43.45	43.54	34.77	11.28	29.80	0.00	114 177 Peak																																																																																													
3 5716.80	72.59	110.01	-37.42	56.26	34.82	11.30	29.79	0.00	114 177 Peak																																																																																													
4 5723.60	73.34	119.11	-45.77	56.99	34.83	11.31	29.79	0.00	114 177 Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1 5746.00	105.32	122.30	-16.98	88.90	34.88	11.33	29.79	0.00	114 177 Peak																																																																																													
2 5746.00	90.21	-----	-----	73.79	34.88	11.33	29.79	0.00	114 177 Average																																																																																													



Mode	75																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																		
ANT	TxBF 1+2																																																																		
Pol.	Vertical	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV)</th> <th>Limit (dBuV)</th> <th>Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.00</td> <td>56.43</td> <td>117.74</td> <td>-61.31</td> <td>39.71</td> <td>35.00</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>114</td> <td>177</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5858.00</td> <td>58.89</td> <td>109.83</td> <td>-50.94</td> <td>42.16</td> <td>35.09</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>114</td> <td>177</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5889.20</td> <td>58.43</td> <td>94.76</td> <td>-36.33</td> <td>41.65</td> <td>35.13</td> <td>11.45</td> <td>29.80</td> <td>0.00</td> <td>114</td> <td>177</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5950.00</td> <td>58.07</td> <td>68.30</td> <td>-10.23</td> <td>41.20</td> <td>35.22</td> <td>11.49</td> <td>29.84</td> <td>0.00</td> <td>114</td> <td>177</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5852.00	56.43	117.74	-61.31	39.71	35.00	11.43	29.79	0.00	114	177	Peak	2	5858.00	58.89	109.83	-50.94	42.16	35.09	11.43	29.79	0.00	114	177	Peak	3	5889.20	58.43	94.76	-36.33	41.65	35.13	11.45	29.80	0.00	114	177	Peak	4	5950.00	58.07	68.30	-10.23	41.20	35.22	11.49	29.84	0.00	114	177	Peak	Blank
Peak	Freq (MHz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5852.00	56.43	117.74	-61.31	39.71	35.00	11.43	29.79	0.00	114	177	Peak																																																							
2	5858.00	58.89	109.83	-50.94	42.16	35.09	11.43	29.79	0.00	114	177	Peak																																																							
3	5889.20	58.43	94.76	-36.33	41.65	35.13	11.45	29.80	0.00	114	177	Peak																																																							
4	5950.00	58.07	68.30	-10.23	41.20	35.22	11.49	29.84	0.00	114	177	Peak																																																							



Mode	75																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>46.52</td> <td>74.00</td> <td>-27.48</td> <td>57.39</td> <td>38.41</td> <td>16.16</td> <td>65.44</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	46.52	74.00	-27.48	57.39	38.41	16.16	65.44	0.00	100	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>45.56</td> <td>74.00</td> <td>-28.44</td> <td>56.43</td> <td>38.41</td> <td>16.16</td> <td>65.44</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	45.56	74.00	-28.44	56.43	38.41	16.16	65.44	0.00	100	360 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11510.00	46.52	74.00	-27.48	57.39	38.41	16.16	65.44	0.00	100	0 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11510.00	45.56	74.00	-28.44	56.43	38.41	16.16	65.44	0.00	100	360 Peak																																																																						



Mode	76																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																											
ANT	TxBF 1+2																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5636.80</td> <td>57.05</td> <td>68.30</td> <td>-11.25</td> <td>40.93</td> <td>34.67</td> <td>11.22</td> <td>29.77</td> <td>0.00</td> <td>309</td> <td>353 Peak</td> </tr> <tr> <td>2 5692.40</td> <td>56.83</td> <td>99.70</td> <td>-42.87</td> <td>40.59</td> <td>34.77</td> <td>11.27</td> <td>29.80</td> <td>0.00</td> <td>309</td> <td>353 Peak</td> </tr> <tr> <td>3 5718.00</td> <td>56.48</td> <td>110.34</td> <td>-53.86</td> <td>40.15</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>309</td> <td>353 Peak</td> </tr> <tr> <td>4 5722.80</td> <td>56.37</td> <td>117.28</td> <td>-60.91</td> <td>40.02</td> <td>34.83</td> <td>11.31</td> <td>29.79</td> <td>0.00</td> <td>309</td> <td>353 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5636.80	57.05	68.30	-11.25	40.93	34.67	11.22	29.77	0.00	309	353 Peak	2 5692.40	56.83	99.70	-42.87	40.59	34.77	11.27	29.80	0.00	309	353 Peak	3 5718.00	56.48	110.34	-53.86	40.15	34.82	11.30	29.79	0.00	309	353 Peak	4 5722.80	56.37	117.28	-60.91	40.02	34.83	11.31	29.79	0.00	309	353 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5800.00</td> <td>109.20</td> <td>122.30</td> <td>-13.10</td> <td>92.58</td> <td>35.00</td> <td>11.39</td> <td>29.77</td> <td>0.00</td> <td>309</td> <td>353 Peak</td> </tr> <tr> <td>2 5800.00</td> <td>92.12</td> <td>-----</td> <td>-----</td> <td>75.50</td> <td>35.00</td> <td>11.39</td> <td>29.77</td> <td>0.00</td> <td>309</td> <td>353 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5800.00	109.20	122.30	-13.10	92.58	35.00	11.39	29.77	0.00	309	353 Peak	2 5800.00	92.12	-----	-----	75.50	35.00	11.39	29.77	0.00	309	353 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1 5636.80	57.05	68.30	-11.25	40.93	34.67	11.22	29.77	0.00	309	353 Peak																																																																																																																		
2 5692.40	56.83	99.70	-42.87	40.59	34.77	11.27	29.80	0.00	309	353 Peak																																																																																																																		
3 5718.00	56.48	110.34	-53.86	40.15	34.82	11.30	29.79	0.00	309	353 Peak																																																																																																																		
4 5722.80	56.37	117.28	-60.91	40.02	34.83	11.31	29.79	0.00	309	353 Peak																																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1 5800.00	109.20	122.30	-13.10	92.58	35.00	11.39	29.77	0.00	309	353 Peak																																																																																																																		
2 5800.00	92.12	-----	-----	75.50	35.00	11.39	29.77	0.00	309	353 Average																																																																																																																		



Mode	76																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																		
ANT	TxBF 1+2																																																																		
Pol.	Horizontal	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5851.60</td> <td>56.60</td> <td>118.65</td> <td>-62.05</td> <td>39.88</td> <td>35.00</td> <td>11.43</td> <td>29.79</td> <td>0.00</td> <td>309</td> <td>353</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5874.40</td> <td>59.01</td> <td>105.47</td> <td>-46.46</td> <td>42.25</td> <td>35.11</td> <td>11.44</td> <td>29.79</td> <td>0.00</td> <td>309</td> <td>353</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5895.20</td> <td>59.00</td> <td>90.31</td> <td>-31.31</td> <td>42.20</td> <td>35.14</td> <td>11.46</td> <td>29.80</td> <td>0.00</td> <td>309</td> <td>353</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5900.80</td> <td>57.90</td> <td>68.30</td> <td>-10.40</td> <td>40.99</td> <td>35.27</td> <td>11.51</td> <td>29.87</td> <td>0.00</td> <td>309</td> <td>353</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5851.60	56.60	118.65	-62.05	39.88	35.00	11.43	29.79	0.00	309	353	Peak	2	5874.40	59.01	105.47	-46.46	42.25	35.11	11.44	29.79	0.00	309	353	Peak	3	5895.20	59.00	90.31	-31.31	42.20	35.14	11.46	29.80	0.00	309	353	Peak	4	5900.80	57.90	68.30	-10.40	40.99	35.27	11.51	29.87	0.00	309	353	Peak	Blank
Peak	Freq (MHz)	Level (dBuV)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5851.60	56.60	118.65	-62.05	39.88	35.00	11.43	29.79	0.00	309	353	Peak																																																							
2	5874.40	59.01	105.47	-46.46	42.25	35.11	11.44	29.79	0.00	309	353	Peak																																																							
3	5895.20	59.00	90.31	-31.31	42.20	35.14	11.46	29.80	0.00	309	353	Peak																																																							
4	5900.80	57.90	68.30	-10.40	40.99	35.27	11.51	29.87	0.00	309	353	Peak																																																							



Mode	76																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																																							
ANT	TxBF 1+2																																																																																																																																							
Pol.	Vertical	Fundamental																																																																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5627.20</td> <td>57.12</td> <td>68.30</td> <td>-11.18</td> <td>41.03</td> <td>34.65</td> <td>11.21</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>117</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5671.20</td> <td>56.86</td> <td>84.03</td> <td>-27.17</td> <td>40.67</td> <td>34.73</td> <td>11.25</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>117</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5717.60</td> <td>57.85</td> <td>110.23</td> <td>-52.38</td> <td>41.52</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>117</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>57.05</td> <td>111.81</td> <td>-54.76</td> <td>40.72</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>100</td> <td>117</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5627.20	57.12	68.30	-11.18	41.03	34.65	11.21	29.77	0.00	100	117	Peak	2	5671.20	56.86	84.03	-27.17	40.67	34.73	11.25	29.79	0.00	100	117	Peak	3	5717.60	57.85	110.23	-52.38	41.52	34.82	11.30	29.79	0.00	100	117	Peak	4	5720.40	57.05	111.81	-54.76	40.72	34.82	11.30	29.79	0.00	100	117	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5788.00</td> <td>105.06</td> <td>122.30</td> <td>-17.24</td> <td>88.48</td> <td>34.97</td> <td>11.38</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>117</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5788.00</td> <td>90.93</td> <td>-----</td> <td>-----</td> <td>74.35</td> <td>34.97</td> <td>11.38</td> <td>29.77</td> <td>0.00</td> <td>100</td> <td>117</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5788.00	105.06	122.30	-17.24	88.48	34.97	11.38	29.77	0.00	100	117	Peak	2	5788.00	90.93	-----	-----	74.35	34.97	11.38	29.77	0.00	100	117	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5627.20	57.12	68.30	-11.18	41.03	34.65	11.21	29.77	0.00	100	117	Peak																																																																																																																												
2	5671.20	56.86	84.03	-27.17	40.67	34.73	11.25	29.79	0.00	100	117	Peak																																																																																																																												
3	5717.60	57.85	110.23	-52.38	41.52	34.82	11.30	29.79	0.00	100	117	Peak																																																																																																																												
4	5720.40	57.05	111.81	-54.76	40.72	34.82	11.30	29.79	0.00	100	117	Peak																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5788.00	105.06	122.30	-17.24	88.48	34.97	11.38	29.77	0.00	100	117	Peak																																																																																																																												
2	5788.00	90.93	-----	-----	74.35	34.97	11.38	29.77	0.00	100	117	Average																																																																																																																												



Mode	76																										
	Band Edge - R																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																										
ANT	TxBF 1+2																										
Pol.	Vertical	Fundamental																									
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV)</th> <th>Limit (dBuV)</th> <th>Margin (dB)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.80</td> <td>117</td> <td>120.48</td> <td>-62.78</td> </tr> <tr> <td>2</td> <td>5867.60</td> <td>117</td> <td>107.37</td> <td>-48.09</td> </tr> <tr> <td>3</td> <td>5898.00</td> <td>117</td> <td>88.24</td> <td>-29.49</td> </tr> <tr> <td>4</td> <td>5971.20</td> <td>117</td> <td>68.30</td> <td>-10.31</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	1	5850.80	117	120.48	-62.78	2	5867.60	117	107.37	-48.09	3	5898.00	117	88.24	-29.49	4	5971.20	117	68.30	-10.31	Blank
Peak	Freq (MHz)	Level (dBuV)	Limit (dBuV)	Margin (dB)																							
1	5850.80	117	120.48	-62.78																							
2	5867.60	117	107.37	-48.09																							
3	5898.00	117	88.24	-29.49																							
4	5971.20	117	68.30	-10.31																							



Mode	76																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>44.72</td> <td>74.00</td> <td>-29.28</td> <td>55.48</td> <td>38.45</td> <td>16.19</td> <td>65.40</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	44.72	74.00	-29.28	55.48	38.45	16.19	65.40	0.00	100	360 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>45.35</td> <td>74.00</td> <td>-28.65</td> <td>56.11</td> <td>38.45</td> <td>16.19</td> <td>65.40</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	45.35	74.00	-28.65	56.11	38.45	16.19	65.40	0.00	100	0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11590.00	44.72	74.00	-29.28	55.48	38.45	16.19	65.40	0.00	100	360 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11590.00	45.35	74.00	-28.65	56.11	38.45	16.19	65.40	0.00	100	0 Peak																																																																						



Mode	77																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																					
ANT	TxBF 1+2																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5602.00</td> <td>58.72</td> <td>68.30</td> <td>-9.58</td> <td>42.69</td> <td>34.60</td> <td>11.19</td> <td>29.76</td> <td>0.00</td> <td>322 342 Peak</td> </tr> <tr> <td>2 5698.40</td> <td>65.92</td> <td>104.12</td> <td>-38.20</td> <td>49.66</td> <td>34.78</td> <td>11.28</td> <td>29.80</td> <td>0.00</td> <td>322 342 Peak</td> </tr> <tr> <td>3 5718.40</td> <td>66.15</td> <td>110.45</td> <td>-44.30</td> <td>49.82</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>322 342 Peak</td> </tr> <tr> <td>4 5721.60</td> <td>66.30</td> <td>114.55</td> <td>-48.25</td> <td>49.96</td> <td>34.83</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>322 342 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5602.00	58.72	68.30	-9.58	42.69	34.60	11.19	29.76	0.00	322 342 Peak	2 5698.40	65.92	104.12	-38.20	49.66	34.78	11.28	29.80	0.00	322 342 Peak	3 5718.40	66.15	110.45	-44.30	49.82	34.82	11.30	29.79	0.00	322 342 Peak	4 5721.60	66.30	114.55	-48.25	49.96	34.83	11.30	29.79	0.00	322 342 Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5794.00</td> <td>103.32</td> <td>122.30</td> <td>-18.98</td> <td>86.72</td> <td>34.99</td> <td>11.38</td> <td>29.77</td> <td>0.00</td> <td>322 342 Peak</td> </tr> <tr> <td>2 5794.00</td> <td>84.04</td> <td>-----</td> <td>-----</td> <td>67.44</td> <td>34.99</td> <td>11.38</td> <td>29.77</td> <td>0.00</td> <td>322 342 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5794.00	103.32	122.30	-18.98	86.72	34.99	11.38	29.77	0.00	322 342 Peak	2 5794.00	84.04	-----	-----	67.44	34.99	11.38	29.77	0.00	322 342 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1 5602.00	58.72	68.30	-9.58	42.69	34.60	11.19	29.76	0.00	322 342 Peak																																																																																													
2 5698.40	65.92	104.12	-38.20	49.66	34.78	11.28	29.80	0.00	322 342 Peak																																																																																													
3 5718.40	66.15	110.45	-44.30	49.82	34.82	11.30	29.79	0.00	322 342 Peak																																																																																													
4 5721.60	66.30	114.55	-48.25	49.96	34.83	11.30	29.79	0.00	322 342 Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1 5794.00	103.32	122.30	-18.98	86.72	34.99	11.38	29.77	0.00	322 342 Peak																																																																																													
2 5794.00	84.04	-----	-----	67.44	34.99	11.38	29.77	0.00	322 342 Average																																																																																													



Mode	77																										
	Band Edge - R																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																										
ANT	TxBF 1+2																										
Pol.	Horizontal	Fundamental																									
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV)</th> <th>Limit (dBuV)</th> <th>Margin (dB)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5850.80</td> <td>60.97</td> <td>120.48</td> <td>-59.51</td> </tr> <tr> <td>2</td> <td>5859.60</td> <td>61.55</td> <td>109.61</td> <td>-48.06</td> </tr> <tr> <td>3</td> <td>5894.40</td> <td>57.63</td> <td>90.91</td> <td>-33.28</td> </tr> <tr> <td>4</td> <td>5963.60</td> <td>58.55</td> <td>68.30</td> <td>-9.75</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	1	5850.80	60.97	120.48	-59.51	2	5859.60	61.55	109.61	-48.06	3	5894.40	57.63	90.91	-33.28	4	5963.60	58.55	68.30	-9.75	Blank
Peak	Freq (MHz)	Level (dBuV)	Limit (dBuV)	Margin (dB)																							
1	5850.80	60.97	120.48	-59.51																							
2	5859.60	61.55	109.61	-48.06																							
3	5894.40	57.63	90.91	-33.28																							
4	5963.60	58.55	68.30	-9.75																							



Mode	77																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																					
ANT	TxBF 1+2																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5632.00</td> <td>58.62</td> <td>68.30</td> <td>-9.68</td> <td>42.51</td> <td>34.66</td> <td>11.22</td> <td>29.77</td> <td>0.00</td> <td>101 179 Peak</td> </tr> <tr> <td>2 5684.00</td> <td>65.27</td> <td>93.50</td> <td>-28.23</td> <td>49.04</td> <td>34.75</td> <td>11.27</td> <td>29.79</td> <td>0.00</td> <td>101 179 Peak</td> </tr> <tr> <td>3 5716.80</td> <td>72.76</td> <td>110.01</td> <td>-37.25</td> <td>56.43</td> <td>34.82</td> <td>11.30</td> <td>29.79</td> <td>0.00</td> <td>101 179 Peak</td> </tr> <tr> <td>4 5723.60</td> <td>75.58</td> <td>119.11</td> <td>-43.53</td> <td>59.23</td> <td>34.83</td> <td>11.31</td> <td>29.79</td> <td>0.00</td> <td>101 179 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5632.00	58.62	68.30	-9.68	42.51	34.66	11.22	29.77	0.00	101 179 Peak	2 5684.00	65.27	93.50	-28.23	49.04	34.75	11.27	29.79	0.00	101 179 Peak	3 5716.80	72.76	110.01	-37.25	56.43	34.82	11.30	29.79	0.00	101 179 Peak	4 5723.60	75.58	119.11	-43.53	59.23	34.83	11.31	29.79	0.00	101 179 Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5764.00</td> <td>102.98</td> <td>122.30</td> <td>-19.32</td> <td>86.49</td> <td>34.92</td> <td>11.35</td> <td>29.78</td> <td>0.00</td> <td>101 179 Peak</td> </tr> <tr> <td>2 5764.00</td> <td>83.87</td> <td>-----</td> <td>-----</td> <td>67.38</td> <td>34.92</td> <td>11.35</td> <td>29.78</td> <td>0.00</td> <td>101 179 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5764.00	102.98	122.30	-19.32	86.49	34.92	11.35	29.78	0.00	101 179 Peak	2 5764.00	83.87	-----	-----	67.38	34.92	11.35	29.78	0.00	101 179 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1 5632.00	58.62	68.30	-9.68	42.51	34.66	11.22	29.77	0.00	101 179 Peak																																																																																													
2 5684.00	65.27	93.50	-28.23	49.04	34.75	11.27	29.79	0.00	101 179 Peak																																																																																													
3 5716.80	72.76	110.01	-37.25	56.43	34.82	11.30	29.79	0.00	101 179 Peak																																																																																													
4 5723.60	75.58	119.11	-43.53	59.23	34.83	11.31	29.79	0.00	101 179 Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
1 5764.00	102.98	122.30	-19.32	86.49	34.92	11.35	29.78	0.00	101 179 Peak																																																																																													
2 5764.00	83.87	-----	-----	67.38	34.92	11.35	29.78	0.00	101 179 Average																																																																																													



77	
Mode	Band Edge - R
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz
ANT	TxBF 1+2
Pol.	Vertical
Peak	Fundamental
	Blank

Peak	Freq (MHz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (dB)	TPos (cm)	Remark
1	5852.80	64.72	115.92	-51.20	48.00	35.00	11.43	29.79	0.00	101	179	Peak
2	5871.60	64.40	106.25	-41.85	47.64	35.11	11.44	29.79	0.00	101	179	Peak
3	5892.00	59.19	92.68	-33.49	42.40	35.14	11.45	29.80	0.00	101	179	Peak
4	5974.40	58.88	68.30	-9.42	41.99	35.26	11.50	29.87	0.00	101	179	Peak

Blank



Mode	77																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																															
ANT	TxBF 1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>45.66</td> <td>74.00</td> <td>-28.34</td> <td>56.48</td> <td>38.43</td> <td>16.17</td> <td>65.42</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11550.00	45.66	74.00	-28.34	56.48	38.43	16.17	65.42	0.00	100	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>45.23</td> <td>74.00</td> <td>-28.77</td> <td>56.05</td> <td>38.43</td> <td>16.17</td> <td>65.42</td> <td>0.00</td> <td>100</td> <td>360 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11550.00	45.23	74.00	-28.77	56.05	38.43	16.17	65.42	0.00	100	360 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11550.00	45.66	74.00	-28.34	56.48	38.43	16.17	65.42	0.00	100	0 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11550.00	45.23	74.00	-28.77	56.05	38.43	16.17	65.42	0.00	100	360 Peak																																																																						






Mode	78																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																																																	
ANT	Co-location																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq Level</th> <th>Limit Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.24</td> <td>60.40</td> <td>74.00</td> <td>-13.60</td> <td>44.51</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>110</td> <td>208 Peak</td> </tr> <tr> <td>2</td> <td>5468.40</td> <td>62.22</td> <td>68.30</td> <td>-6.08</td> <td>46.32</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>110</td> <td>208 Peak</td> </tr> </tbody> </table>	Peak	Freq Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.24	60.40	74.00	-13.60	44.51	34.53	10.97	29.61	0.00	110	208 Peak	2	5468.40	62.22	68.30	-6.08	46.32	34.53	10.99	29.62	0.00	110	208 Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq Level</th> <th>Limit Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5536.00</td> <td>101.37</td> <td>68.30</td> <td>33.07</td> <td>85.40</td> <td>34.57</td> <td>11.09</td> <td>29.69</td> <td>0.00</td> <td>110</td> <td>208 Peak</td> </tr> <tr> <td>2</td> <td>5536.00</td> <td>92.86</td> <td>-----</td> <td>-----</td> <td>76.89</td> <td>34.57</td> <td>11.09</td> <td>29.69</td> <td>0.00</td> <td>110</td> <td>208 Average</td> </tr> </tbody> </table>	Peak	Freq Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5536.00	101.37	68.30	33.07	85.40	34.57	11.09	29.69	0.00	110	208 Peak	2	5536.00	92.86	-----	-----	76.89	34.57	11.09	29.69	0.00	110	208 Average
Peak	Freq Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5456.24	60.40	74.00	-13.60	44.51	34.53	10.97	29.61	0.00	110	208 Peak																																																																																							
2	5468.40	62.22	68.30	-6.08	46.32	34.53	10.99	29.62	0.00	110	208 Peak																																																																																							
Peak	Freq Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5536.00	101.37	68.30	33.07	85.40	34.57	11.09	29.69	0.00	110	208 Peak																																																																																							
2	5536.00	92.86	-----	-----	76.89	34.57	11.09	29.69	0.00	110	208 Average																																																																																							
Avg	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq Level</th> <th>Limit Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>52.18</td> <td>54.00</td> <td>-1.82</td> <td>36.29</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>110</td> <td>208 Average</td> </tr> </tbody> </table>	Peak	Freq Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5460.00	52.18	54.00	-1.82	36.29	34.53	10.98	29.62	0.00	110	208 Average	Blank																																																												
Peak	Freq Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5460.00	52.18	54.00	-1.82	36.29	34.53	10.98	29.62	0.00	110	208 Average																																																																																							



Mode	78																																							
	Band Edge -R																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																							
ANT	Co-location																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5746.44</td> <td>54.27</td> <td>68.30</td> <td>-14.03</td> <td>37.85</td> <td>34.88</td> <td>11.33</td> <td>29.79</td> <td>0.00</td> <td>110 208 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5746.44	54.27	68.30	-14.03	37.85	34.88	11.33	29.79	0.00	110 208 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5746.44	54.27	68.30	-14.03	37.85	34.88	11.33	29.79	0.00	110 208 Peak																															



78																																																							
Mode	Band Edge - L																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																						
ANT	Co-location																																																						
Pol.	Vertical																																																						
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.44</td> <td>61.28</td> <td>74.00</td> <td>-12.72</td> <td>45.39</td> <td>34.53</td> <td>10.97</td> <td>29.61</td> <td>0.00</td> <td>332</td> <td>143</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5466.64</td> <td>64.08</td> <td>68.30</td> <td>-4.22</td> <td>48.18</td> <td>34.53</td> <td>10.99</td> <td>29.62</td> <td>0.00</td> <td>332</td> <td>143</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Level	Loss	Loss	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.44	61.28	74.00	-12.72	45.39	34.53	10.97	29.61	0.00	332	143	Peak	2	5466.64	64.08	68.30	-4.22	48.18	34.53	10.99	29.62	0.00	332	143	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq Level	Line	Level	Loss	Loss	Factor	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5455.44	61.28	74.00	-12.72	45.39	34.53	10.97	29.61	0.00	332	143	Peak																																											
2	5466.64	64.08	68.30	-4.22	48.18	34.53	10.99	29.62	0.00	332	143	Peak																																											
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5536.00</td> <td>99.56</td> <td>68.30</td> <td>31.26</td> <td>83.59</td> <td>34.57</td> <td>11.09</td> <td>29.69</td> <td>0.00</td> <td>332</td> <td>143</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5536.00</td> <td>91.05</td> <td>-----</td> <td>-----</td> <td>75.08</td> <td>34.57</td> <td>11.09</td> <td>29.69</td> <td>0.00</td> <td>332</td> <td>143</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Level	Loss	Loss	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5536.00	99.56	68.30	31.26	83.59	34.57	11.09	29.69	0.00	332	143	Peak	2	5536.00	91.05	-----	-----	75.08	34.57	11.09	29.69	0.00	332	143	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq Level	Line	Level	Loss	Loss	Factor	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5536.00	99.56	68.30	31.26	83.59	34.57	11.09	29.69	0.00	332	143	Peak																																											
2	5536.00	91.05	-----	-----	75.08	34.57	11.09	29.69	0.00	332	143	Average																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.20</td> <td>50.09</td> <td>54.00</td> <td>-3.11</td> <td>35.00</td> <td>34.53</td> <td>10.98</td> <td>29.62</td> <td>0.00</td> <td>332</td> <td>143</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Level	Loss	Loss	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	50.09	54.00	-3.11	35.00	34.53	10.98	29.62	0.00	332	143	Average	Blank												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq Level	Line	Level	Loss	Loss	Factor	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5457.20	50.09	54.00	-3.11	35.00	34.53	10.98	29.62	0.00	332	143	Average																																											



Mode	78																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																
ANT	Co-location																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5736.92</td> <td>54.78</td> <td>68.38</td> <td>-13.60</td> <td>38.31</td> <td>34.86</td> <td>11.32</td> <td>29.79</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>332</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>143</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBm	dB	dB	dB	dB	dB	dB	cm	1 5736.92	54.78	68.38	-13.60	38.31	34.86	11.32	29.79	0.00									332									143									Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBm	dB	dB	dB	dB	dB	dB	cm																																																									
1 5736.92	54.78	68.38	-13.60	38.31	34.86	11.32	29.79	0.00																																																									
								332																																																									
								143																																																									
								Peak																																																									



Mode	78																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																															
ANT	Co-location																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11059.00</td> <td>44.36</td> <td>74.00</td> <td>-29.64</td> <td>55.99</td> <td>38.14</td> <td>15.93</td> <td>65.70</td> <td>0.00</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11059.00	44.36	74.00	-29.64	55.99	38.14	15.93	65.70	0.00	300	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11059.00</td> <td>44.39</td> <td>74.00</td> <td>-29.61</td> <td>56.02</td> <td>38.14</td> <td>15.93</td> <td>65.70</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11059.00	44.39	74.00	-29.61	56.02	38.14	15.93	65.70	0.00	100	0 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11059.00	44.36	74.00	-29.64	55.99	38.14	15.93	65.70	0.00	300	0 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11059.00	44.39	74.00	-29.61	56.02	38.14	15.93	65.70	0.00	100	0 Peak																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11059.00</td> <td>44.36</td> <td>74.00</td> <td>-29.64</td> <td>55.99</td> <td>38.14</td> <td>15.93</td> <td>65.70</td> <td>0.00</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11059.00	44.36	74.00	-29.64	55.99	38.14	15.93	65.70	0.00	300	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11059.00</td> <td>44.39</td> <td>74.00</td> <td>-29.61</td> <td>56.02</td> <td>38.14</td> <td>15.93</td> <td>65.70</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11059.00	44.39	74.00	-29.61	56.02	38.14	15.93	65.70	0.00	100	0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11059.00	44.36	74.00	-29.64	55.99	38.14	15.93	65.70	0.00	300	0 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11059.00	44.39	74.00	-29.61	56.02	38.14	15.93	65.70	0.00	100	0 Peak																																																																						



Mode	78																																																																																											
	Band Edge																																																																																											
	BLE(2M)_CH39_2480MHZ																																																																																											
ANT	Co-location																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 2497.96</td> <td>49.51</td> <td>74.00</td> <td>-24.49</td> <td>40.65</td> <td>32.15</td> <td>7.32</td> <td>30.61</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>60 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 2497.96	49.51	74.00	-24.49	40.65	32.15	7.32	30.61	0.00									60 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>92.63</td> <td>74.00</td> <td>18.63</td> <td>83.89</td> <td>32.12</td> <td>7.28</td> <td>30.66</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>60 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 2480.00	92.63	74.00	18.63	83.89	32.12	7.28	30.66	0.00									60 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 2497.96	49.51	74.00	-24.49	40.65	32.15	7.32	30.61	0.00																																																																																				
								60 Peak																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 2480.00	92.63	74.00	18.63	83.89	32.12	7.28	30.66	0.00																																																																																				
								60 Peak																																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 2492.14</td> <td>40.28</td> <td>54.00</td> <td>-13.72</td> <td>31.45</td> <td>32.14</td> <td>7.31</td> <td>30.62</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>60 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 2492.14	40.28	54.00	-13.72	31.45	32.14	7.31	30.62	0.00									60 Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>90.10</td> <td>54.00</td> <td>36.10</td> <td>81.36</td> <td>32.12</td> <td>7.28</td> <td>30.66</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>60 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 2480.00	90.10	54.00	36.10	81.36	32.12	7.28	30.66	0.00									60 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 2492.14	40.28	54.00	-13.72	31.45	32.14	7.31	30.62	0.00																																																																																				
								60 Average																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 2480.00	90.10	54.00	36.10	81.36	32.12	7.28	30.66	0.00																																																																																				
								60 Average																																																																																				



		78																																																																														
Mode	Band Edge - L																																																																															
	BLE(2M)_CH39_2480MHZ																																																																															
ANT	Co-location																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2492.56</td> <td>48.14</td> <td>74.00</td> <td>-25.86</td> <td>39.31</td> <td>32.14</td> <td>7.31</td> <td>30.62</td> <td>0.00</td> <td>152</td> <td>86 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2492.56	48.14	74.00	-25.86	39.31	32.14	7.31	30.62	0.00	152	86 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>94.14</td> <td>74.00</td> <td>20.14</td> <td>85.40</td> <td>32.12</td> <td>7.28</td> <td>30.66</td> <td>0.00</td> <td>152</td> <td>86 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	94.14	74.00	20.14	85.40	32.12	7.28	30.66	0.00	152	86 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2492.56	48.14	74.00	-25.86	39.31	32.14	7.31	30.62	0.00	152	86 Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2480.00	94.14	74.00	20.14	85.40	32.12	7.28	30.66	0.00	152	86 Peak																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2486.32</td> <td>40.07</td> <td>54.00</td> <td>-13.93</td> <td>31.29</td> <td>32.13</td> <td>7.29</td> <td>30.64</td> <td>0.00</td> <td>152</td> <td>86 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2486.32	40.07	54.00	-13.93	31.29	32.13	7.29	30.64	0.00	152	86 Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2480.00</td> <td>91.49</td> <td>54.00</td> <td>37.49</td> <td>82.75</td> <td>32.12</td> <td>7.28</td> <td>30.66</td> <td>0.00</td> <td>152</td> <td>86 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2480.00	91.49	54.00	37.49	82.75	32.12	7.28	30.66	0.00	152	86 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2486.32	40.07	54.00	-13.93	31.29	32.13	7.29	30.64	0.00	152	86 Average																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2480.00	91.49	54.00	37.49	82.75	32.12	7.28	30.66	0.00	152	86 Average																																																																						



Mode	78																																																																																																					
	Harmonic																																																																																																					
	BLE(2M)_CH39_2480MHz																																																																																																					
ANT	Co-location																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4965.00</td> <td>41.97</td> <td>74.00</td> <td>-32.03</td> <td>62.81</td> <td>34.10</td> <td>10.51</td> <td>65.45</td> <td>0.00</td> <td>300</td> <td>0 Peak</td> </tr> <tr> <td>2 7440.00</td> <td>42.26</td> <td>74.00</td> <td>-31.74</td> <td>58.92</td> <td>35.80</td> <td>12.87</td> <td>65.33</td> <td>0.00</td> <td>300</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 4965.00	41.97	74.00	-32.03	62.81	34.10	10.51	65.45	0.00	300	0 Peak	2 7440.00	42.26	74.00	-31.74	58.92	35.80	12.87	65.33	0.00	300	0 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4965.00</td> <td>40.10</td> <td>74.00</td> <td>-33.90</td> <td>60.94</td> <td>34.10</td> <td>10.51</td> <td>65.45</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> <tr> <td>2 7440.00</td> <td>42.41</td> <td>74.00</td> <td>-31.59</td> <td>59.07</td> <td>35.80</td> <td>12.87</td> <td>65.33</td> <td>0.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 4965.00	40.10	74.00	-33.90	60.94	34.10	10.51	65.45	0.00	100	0 Peak	2 7440.00	42.41	74.00	-31.59	59.07	35.80	12.87	65.33	0.00	100	0 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 4965.00	41.97	74.00	-32.03	62.81	34.10	10.51	65.45	0.00	300	0 Peak																																																																																												
2 7440.00	42.26	74.00	-31.74	58.92	35.80	12.87	65.33	0.00	300	0 Peak																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 4965.00	40.10	74.00	-33.90	60.94	34.10	10.51	65.45	0.00	100	0 Peak																																																																																												
2 7440.00	42.41	74.00	-31.59	59.07	35.80	12.87	65.33	0.00	100	0 Peak																																																																																												



Mode	LF	
	RE	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz	
ANT	CDD 1+2	


Pol.	Horizontal	Vertical
------	------------	----------

Peak																																																																																																																																																																																																													
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>22.33</td> <td>40.00</td> <td>-17.67</td> <td>29.85</td> <td>24.17</td> <td>0.69</td> <td>32.38</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>149.31</td> <td>24.94</td> <td>43.50</td> <td>-18.56</td> <td>39.07</td> <td>16.87</td> <td>1.28</td> <td>32.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>252.13</td> <td>28.72</td> <td>46.00</td> <td>-17.28</td> <td>40.50</td> <td>15.72</td> <td>1.71</td> <td>32.21</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>417.03</td> <td>27.15</td> <td>46.00</td> <td>-18.85</td> <td>34.64</td> <td>22.39</td> <td>2.28</td> <td>32.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>561.56</td> <td>31.82</td> <td>46.00</td> <td>-14.18</td> <td>35.30</td> <td>26.01</td> <td>2.70</td> <td>32.19</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>830.25</td> <td>32.30</td> <td>46.00</td> <td>-13.70</td> <td>32.48</td> <td>28.16</td> <td>3.30</td> <td>31.72</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq Level	Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	22.33	40.00	-17.67	29.85	24.17	0.69	32.38	0.00	---	---	Peak	2	149.31	24.94	43.50	-18.56	39.07	16.87	1.28	32.28	0.00	---	---	Peak	3	252.13	28.72	46.00	-17.28	40.50	15.72	1.71	32.21	0.00	---	---	Peak	4	417.03	27.15	46.00	-18.85	34.64	22.39	2.28	32.16	0.00	---	---	Peak	5	561.56	31.82	46.00	-14.18	35.30	26.01	2.70	32.19	0.00	---	---	Peak	6	830.25	32.30	46.00	-13.70	32.48	28.16	3.30	31.72	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq Level</th> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>69.77</td> <td>26.27</td> <td>40.00</td> <td>-13.73</td> <td>45.76</td> <td>11.97</td> <td>0.89</td> <td>32.35</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>149.31</td> <td>29.54</td> <td>43.50</td> <td>-13.96</td> <td>43.67</td> <td>16.87</td> <td>1.28</td> <td>32.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>183.26</td> <td>32.52</td> <td>43.50</td> <td>-10.98</td> <td>40.70</td> <td>14.65</td> <td>1.42</td> <td>32.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>256.01</td> <td>32.24</td> <td>46.00</td> <td>-13.76</td> <td>43.48</td> <td>19.25</td> <td>1.72</td> <td>32.21</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>392.78</td> <td>27.63</td> <td>46.00</td> <td>-18.37</td> <td>36.18</td> <td>21.41</td> <td>2.20</td> <td>32.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>558.65</td> <td>31.24</td> <td>46.00</td> <td>-14.76</td> <td>34.77</td> <td>25.37</td> <td>2.69</td> <td>32.19</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq Level	Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	69.77	26.27	40.00	-13.73	45.76	11.97	0.89	32.35	0.00	---	---	Peak	2	149.31	29.54	43.50	-13.96	43.67	16.87	1.28	32.28	0.00	---	---	Peak	3	183.26	32.52	43.50	-10.98	40.70	14.65	1.42	32.25	0.00	---	---	Peak	4	256.01	32.24	46.00	-13.76	43.48	19.25	1.72	32.21	0.00	---	---	Peak	5	392.78	27.63	46.00	-18.37	36.18	21.41	2.20	32.16	0.00	---	---	Peak	6	558.65	31.24	46.00	-14.76	34.77	25.37	2.69	32.19	0.00	---	---
Peak	Freq Level	Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																		
1	30.00	22.33	40.00	-17.67	29.85	24.17	0.69	32.38	0.00	---	---	Peak																																																																																																																																																																																																	
2	149.31	24.94	43.50	-18.56	39.07	16.87	1.28	32.28	0.00	---	---	Peak																																																																																																																																																																																																	
3	252.13	28.72	46.00	-17.28	40.50	15.72	1.71	32.21	0.00	---	---	Peak																																																																																																																																																																																																	
4	417.03	27.15	46.00	-18.85	34.64	22.39	2.28	32.16	0.00	---	---	Peak																																																																																																																																																																																																	
5	561.56	31.82	46.00	-14.18	35.30	26.01	2.70	32.19	0.00	---	---	Peak																																																																																																																																																																																																	
6	830.25	32.30	46.00	-13.70	32.48	28.16	3.30	31.72	0.00	---	---	Peak																																																																																																																																																																																																	
Peak	Freq Level	Limit	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																		
1	69.77	26.27	40.00	-13.73	45.76	11.97	0.89	32.35	0.00	---	---	Peak																																																																																																																																																																																																	
2	149.31	29.54	43.50	-13.96	43.67	16.87	1.28	32.28	0.00	---	---	Peak																																																																																																																																																																																																	
3	183.26	32.52	43.50	-10.98	40.70	14.65	1.42	32.25	0.00	---	---	Peak																																																																																																																																																																																																	
4	256.01	32.24	46.00	-13.76	43.48	19.25	1.72	32.21	0.00	---	---	Peak																																																																																																																																																																																																	
5	392.78	27.63	46.00	-18.37	36.18	21.41	2.20	32.16	0.00	---	---	Peak																																																																																																																																																																																																	
6	558.65	31.24	46.00	-14.76	34.77	25.37	2.69	32.19	0.00	---	---	Peak																																																																																																																																																																																																	




Appendix C. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2	802.11a	93.81	1.428	0.701	0.75kHz
1+2	802.11ax HE20 Full RU	97.54	3.910	0.256	0.27kHz
1+2	802.11ax HE20 RU106	100	-	-	10Hz
1+2	802.11ax HE40 Full RU	94.57	1.968	0.508	0.51kHz
1+2	802.11ax HE80 Full RU	91.50	0.983	1.018	1.1kHz






802.11ax HE20 Full RU




802.11ax HE20 RU106





802.11ax HE40



802.11ax HE80

