





FR1 n12 / 10MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge



Highest Band Edge



FR1 n12 / 10MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







FR1 n12 / 15MHz / DFT-s-OFDM / PI/2 BPSK / Full RB

Lowest Band Edge



Highest Band Edge





FR1 n12 / 15MHz / DFT-s-OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge









FR1 n12 / 15MHz / DFT-s-OFDM / 256QAM / Full RB

Lowest Band Edge



Highest Band Edge



FR1 n12 / 15MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







# Conducted Spurious Emission

FR1 n12 / 5MHz / DFT-S OFDM / QPSK / 1RB1


## Lowest Channel



## Middle Channel



## Highest Channel





### Frequency Stability

Test Conditions		FR1 n12 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 15MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0083	PASS
40	Normal Voltage	0.0175	
30	Normal Voltage	0.0021	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0092	
0	Normal Voltage	0.0136	
-10	Normal Voltage	0.0052	
-20	Normal Voltage	0.0028	
-30	Normal Voltage	0.0011	
20	Maximum Voltage	0.0119	
20	Normal Voltage	0.0028	
20	Battery End Point	0.0086	

**Note:**

- 1. Normal Voltage = 4.05 V. ; Battery End Point (BEP) = 3.85 V. ; Maximum Voltage = 4.35 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



# FR1 n13


## Peak-to-Average Ratio

Mode	FR1 n13 / 10MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.24	5.52	6.38	6.54	PASS
Mode	FR1 n13 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.54				PASS




FR1 n13 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM



256QAM







**26dB Bandwidth**


Mode	FR1 n13 : 26dB BW(MHz) / DFT-S OFDM						
BW	5MHz		10MHz				
Mod.	PI/2 BPSK		PI/2 BPSK				
Middle CH	4.93		9.51				

Mode	FR1 n13 : 26dB BW(MHz) / CP OFDM						
BW	5MHz		10MHz				
Mod.	QPSK	16QAM	QPSK	16QAM			
Middle CH	5.03	4.97	9.83	9.81			
Mod.	64QAM	256QAM	64QAM	256QAM			
Middle CH	4.93	5.00	9.89	9.91			




FR1 n13 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n13 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n13 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n13 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM





## Occupied Bandwidth


Mode	FR1 n13 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz					
Mod.	PI/2 BPSK		PI/2 BPSK					
Middle CH	4.48		8.87					

Mode	FR1 n13 : 99%OBW (MHz) / CP OFDM							
BW	5MHz		10MHz					
Mod.	QPSK	16QAM	QPSK	16QAM				
Middle CH	4.50	4.48	9.25	9.25				
Mod.	64QAM	256QAM	64QAM	256QAM				
Middle CH	4.50	4.49	9.24	9.27				




FR1 n13 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n13 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n13 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n13 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM







# Conducted Band Edge

FR1 n13 / 5MHz / DFT-S OFDM / PI/2 BPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n13 / 5MHz / DFT-S OFDM / QPSK

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





11:12:06 PM 08/18/2023

11:19:50 PM 08/18/2023

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



11:14:53 PM 08/18/2023

11:17:28 PM 08/18/2023







FR1 n13 / 5MHz / DFT-S OFDM / 16QAM



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n13 / 5MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax





11:12:44 PM 08/18/2023

11:19:11 PM 08/18/2023

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



11:13:49 PM 08/18/2023



11:18:05 PM 08/18/2023



FR1 n13 / 5MHz / DFT-S OFDM / 256QAM



Lowest Band Edge / 1RB0


Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB









FR1 n13 / 10MHz / DFT-s-OFDM / PI/2 BPSK

Middle Band Edge / Full RB



FR1 n13 / 10MHz / DFT-s-OFDM / QPSK


Middle Band Edge / Full RB






FR1 n13 / 10MHz / DFT-s-OFDM / 16QAM

Middle Band Edge / Full RB



FR1 n13 / 10MHz / DFT-s-OFDM / 64QAM

Middle Band Edge / Full RB





FR1 n13 / 10MHz / DFT-s-OFDM / 256QAM

Middle Band Edge / Full RB



FR1 n13 / 10MHz / CP OFDM / QPSK / Full RB

Middle Band Edge / Full RB






# Conducted Spurious Emission

FR1 n13 / 5MHz / DFT-S OFDM / QPSK / 1RB1


## Lowest Channel



## Middle Channel



## Highest Channel







### Frequency Stability

Test Conditions		FR1 n13 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0001	PASS
40	Normal Voltage	0.0188	
30	Normal Voltage	0.0119	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0168	
0	Normal Voltage	0.0004	
-10	Normal Voltage	0.0119	
-20	Normal Voltage	0.0102	
-30	Normal Voltage	0.0003	
20	Maximum Voltage	0.0089	
20	Normal Voltage	0.0004	
20	Battery End Point	0.0114	

**Note:**

- 1. Normal Voltage = 4.05 V. ; Battery End Point (BEP) = 3.85 V. ; Maximum Voltage = 4.35 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



# FR1 n25

## Peak-to-Average Ratio



Mode	FR1 n25 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.06	5.40	6.18	6.38	PASS
Mode	FR1 n25 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.70				PASS



FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB



PI/2 BPSK

QPSK




16QAM

64QAM



256QAM





**26dB Bandwidth**

Mode	FR1 n25 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	4.95		9.45		14.36		18.86	
BW	25MHz		30MHz		40MHz			
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK			
Middle CH	23.88		29.61		41.08			

Mode	FR1 n25 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.06	4.96	10.03	9.89	15.11	15.02	19.90	19.94
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	4.93	5.00	9.93	9.91	14.99	15.05	20.14	19.98
BW	25MHz		30MHz		40MHz			
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM		
Middle CH	24.83	24.83	29.67	29.55	41.08	41.24		
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM		
Middle CH	24.83	24.78	29.61	29.67	41.16	41.16		