

Report No.: SEWA2309000114RG01

Rev.: 01 Page: 1 of 49

Appendix B.1

WCDMA Band II&IV&V



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions_pxp and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asp: Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tere tealined for 30 days only.

South of No. 6 Part, No. 1, Runsheng Road, Suzhvu Industrial Park, Suzhou Area, Chira (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上区苏州 工业园区河胜路(号的6号厂房南部 鄉編: 215000 t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWA2309000114RG01

Rev.: 01 Page: 2 of 49

Effective (Isotropic) Radiated Power Output Data

Test Result

| Band | Channel | Power(dBm) | EIRP(dBm) | Limit(dBm) | Verdict |
|---------|---------|------------|-----------|------------|---------|
| Band II | 9262 | 24.32 | 24.57 | 33 | PASS |
| Band II | 9400 | 24.56 | 24.81 | 33 | PASS |
| Band II | 9538 | 23.71 | 23.96 | 33 | PASS |
| Band IV | 1312 | 23.65 | 25.12 | 30 | PASS |
| Band IV | 1413 | 23.34 | 24.81 | 30 | PASS |
| Band IV | 1513 | 23.47 | 24.94 | 30 | PASS |

| Band | Channel | Power(dBm) | ERP(dBm) | Limit(dBm) | Verdict |
|--------|---------|------------|----------|------------|---------|
| Band V | 4132 | 23.65 | 24.18 | 38.45 | PASS |
| Band V | 4182 | 24.33 | 24.86 | 38.45 | PASS |
| Band V | 4233 | 23.56 | 24.09 | 38.45 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co



Report No.: SEWA2309000114RG01

Rev.: 01 Page: 3 of 49

Peak-to-Average Ratio

Test Result

| Band | Channel | Peak-to-Average Ratio(dB) | Limit(dBm) | Verdict |
|---------|---------|---------------------------|------------|---------|
| Band II | 9262 | 4.2 | 13 | PASS |
| Band II | 9400 | 3.92 | 13 | PASS |
| Band II | 9538 | 4.6 | 13 | PASS |
| Band IV | 1312 | 4.72 | 13 | PASS |
| Band IV | 1413 | 4.06 | 13 | PASS |
| Band IV | 1513 | 4.76 | 13 | PASS |
| Band V | 4132 | 2.6 | 13 | PASS |
| Band V | 4182 | 2.7 | 13 | PASS |
| Band V | 4233 | 2.82 | 13 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co


South of No. 6 Plant, No. 1, Runshang Read, Suzhou Industrial Park, Suzhou Area, Chine (Jángsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区湖胜路1号的6号厂房南部 鄉編: 215000



Report No.: SEWA2309000114RG01

Rev.: 01 Page: 4 of 49

Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)



Report No.: SEWA2309000114RG01

Rev.: 01 Page: 5 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)

or email: CN. <u>Doccheck@sgs.com</u> | Sound fulls Filth, to, Fursherg Road, Suchou Indastriel Park, Suchou Area, China (Jángsa) Plot Free Trade Zone 215000 |中国・苏州・中国(江苏)自由原房试验区苏州上区苏州工业园区河胜路1号的6号厂房南部 鄭塢: 215000



Report No.: SEWA2309000114RG01

Rev.: 01 Page: 6 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01 Page: 7 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)

or email: CN. <u>Doccheck@sgs.com</u> | Sound rNo. Flant, No. 1, Runsheng Rost, Jouhou Indestiel Park, Suchou Area, China (Jangsa) Plot Free Trade Zone 215000 |中国・苏州・中国(江苏)自由思見试验区苏州ICS苏州工业园区测胜路1号的5号 房南部 鄭塢: 215000



Report No.: SEWA2309000114RG01

Rev.: 01 Page: 8 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 鄉編: 215000



Report No.: SEWA2309000114RG01

Rev.: 01 Page: 9 of 49

26dB Bandwidth and Occupied Bandwidth

Test Result

| Band | Channel | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) | Limit(MHz) | Verdict |
|---------|---------|--------------------------|-------------------------|------------|---------|
| Band II | 9262 | 4.174 | 4.74 | | PASS |
| Band II | 9400 | 4.17 | 4.74 | | PASS |
| Band II | 9538 | 4.156 | 4.73 | | PASS |
| Band IV | 1312 | 4.205 | 4.72 | | PASS |
| Band IV | 1413 | 4.166 | 4.74 | | PASS |
| Band IV | 1513 | 4.165 | 4.74 | | PASS |
| Band V | 4132 | 4.149 | 4.74 | | PASS |
| Band V | 4182 | 4.14 | 4.76 | | PASS |
| Band V | 4233 | 4.148 | 4.74 | | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co




Report No.: SEWA2309000114RG01

Rev.: 01

Page: 10 of 49

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 11 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 12 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 13 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 茅州 • 中国(江苏)自由贸易试验区茅州片区茅州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 14 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Part, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄭錦: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 15 of 49

Band Edge

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 16 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chira (Jiangsu) Pilot Free Trade Zone 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 鄭錦: 215000



Report No.: SEWA2309000114RG01

Rev.: 01 Page: 17 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate, please contact us at telephone: (86-755)

or email: CN. <u>Doccheck@sgs.com</u> | Sound rNo. Flant, No. 1, Runsheng Rost, Jouhou Indestiel Park, Suchou Area, China (Jangsa) Plot Free Trade Zone 215000 |中国・苏州・中国(江苏)自由思見试验区苏州ICS苏州工业园区测胜路1号的5号 房南部 鄭塢: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 18 of 49

Conducted Spurious Emission

Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 19 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 20 of 49






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01 Page: 21 of 49






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 22 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWA2309000114RG01

Rev.: 01





Band II-9538-1000~20000MHz






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01 Page: 24 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 25 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 26 of 49






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01 Page: 27 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chira (Jiangsu) Pilot Free Trade Zone 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 鄭錦: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 28 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 29 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 茅州 • 中国(江苏)自由贸易试验区茅州片区茅州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 30 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 茅州 • 中国(江苏)自由贸易试验区茅州片区茅州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 31 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 茅州 • 中国(江苏)自由贸易试验区茅州片区茅州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 32 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 33 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 34 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 35 of 49





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Part, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄭錦: 215000



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 36 of 49

Field Strength of Spurious Radiation

Test Band = WCDMA II_ TM1
Test Channel = Low Channel

| Final Data List | | | | | | | | | | |
|-----------------|-----------|---------|--------|----------|--------|--------|--------|--------|-------|------------|
| NO. | Frequency | Reading | Factor | ΛΓ[dD/m] | Level | Limit | Margin | Height | Angle | Dolority |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity |
| 1 | 3704.8000 | 40.91 | -45.52 | 29.99 | -69.88 | -13.00 | 56.88 | 144 | 25 | Horizontal |
| 2 | 4281 | 41.70 | -45.58 | 31.27 | -67.88 | -13.00 | 54.88 | 152 | 30 | Horizontal |
| 3 | 5557.2000 | 41.35 | -45.14 | 32.97 | -66.08 | -13.00 | 53.08 | 142 | 300 | Horizontal |
| 4 | 7409.6000 | 39.12 | -43.38 | 36.49 | -63.04 | -13.00 | 50.04 | 130 | 4 | Horizontal |
| 5 | 9262.0000 | 35.37 | -40.23 | 38.39 | -61.73 | -13.00 | 48.73 | 198 | 269 | Horizontal |
| 6 | 11114.400 | 31.19 | -37.88 | 39.09 | -62.86 | -13.00 | 49.86 | 146 | 359 | Horizontal |

| Fina | Final Data List | | | | | | | | | |
|------|-----------------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|
| NO. | Frequency | Reading | Factor | Λ Γ[dD/m] | Level | Limit | Margin | Height | Angle | Dolority |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity |
| 1 | 3704.8000 | 40.81 | -45.52 | 29.99 | -69.98 | -13.00 | 56.98 | 241 | 148 | Vertical |
| 2 | 4098.75 | 42.47 | -45.76 | 30.95 | -67.61 | -13.00 | 54.61 | 136 | 74 | Vertical |
| 3 | 5557.2000 | 40.53 | -45.14 | 32.97 | -66.90 | -13.00 | 53.90 | 255 | 165 | Vertical |
| 4 | 7409.6000 | 40.11 | -43.38 | 36.49 | -62.05 | -13.00 | 49.05 | 192 | 269 | Vertical |
| 5 | 9262.0000 | 35.37 | -40.23 | 38.39 | -61.73 | -13.00 | 48.73 | 148 | 351 | Vertical |
| 6 | 11114.400 | 30.96 | -37.88 | 39.09 | -63.09 | -13.00 | 50.09 | 173 | 329 | Vertical |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 37 of 49

Test Band = WCDMA II_ TM1
Test Channel = Mid Channel

| Final Data List | | | | | | | | | | | |
|-----------------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|--|
| NO. | Frequency | Reading | Factor | Λ Γ[dD/m] | Level | Limit | Margin | Height | Angle | Dolority | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | |
| 1 | 3760.0000 | 40.83 | -45.75 | 30.19 | -70.00 | -13.00 | 57.00 | 211 | 120 | Horizontal | |
| 2 | 4578.75 | 42.01 | -45.68 | 31.69 | -67.24 | -13.00 | 54.24 | 136 | 239 | Horizontal | |
| 3 | 5640.0000 | 39.50 | -44.98 | 33.17 | -67.58 | -13.00 | 54.58 | 251 | 194 | Horizontal | |
| 4 | 7520.0000 | 38.25 | -43.10 | 36.43 | -63.68 | -13.00 | 50.68 | 148 | 360 | Horizontal | |
| 5 | 9400.0000 | 34.23 | -39.83 | 38.49 | -62.37 | -13.00 | 49.37 | 199 | 28 | Horizontal | |
| 6 | 11280.000 | 32.02 | -37.41 | 39.11 | -61.54 | -13.00 | 48.54 | 256 | 359 | Horizontal | |

| Fina | Final Data List | | | | | | | | | | | |
|------|-----------------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|--|--|
| NO | Frequency | Reading | Factor | Λ Γ[dD/m] | Level | Limit | Margin | Height | Angle | Delerity | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 3760.0000 | 40.56 | -45.75 | 30.19 | -70.27 | -13.00 | 57.27 | 211 | 329 | Vertical | | |
| 2 | 4455 | 42.01 | -45.76 | 31.57 | -67.44 | -13.00 | 54.44 | 142 | 360 | Vertical | | |
| 3 | 5640.0000 | 39.94 | -44.98 | 33.17 | -67.14 | -13.00 | 54.14 | 136 | 176 | Vertical | | |
| 4 | 7520.0000 | 38.90 | -43.10 | 36.43 | -63.03 | -13.00 | 50.03 | 258 | 12 | Vertical | | |
| 5 | 9400.0000 | 34.62 | -39.83 | 38.49 | -61.98 | -13.00 | 48.98 | 196 | 130 | Vertical | | |
| 6 | 11280.000 | 31.68 | -37.41 | 39.11 | -61.88 | -13.00 | 48.88 | 184 | 252 | Vertical | | |





Report No.: SEWA2309000114RG01

Rev.: 01

Page: 38 of 49

Test Band = WCDMA II_ TM1 Test Channel = High Channel

| Final Data List | | | | | | | | | | | |
|-----------------|-----------|---------|--------|------------|--------|--------|--------|--------|-------|------------|--|
| NO | Frequency | Reading | Factor | Λ Γ[dD/ma] | Level | Limit | Margin | Height | Angle | Delevity | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | |
| 1 | 3815.2000 | 40.83 | -45.97 | 30.37 | -70.04 | -13.00 | 57.04 | 256 | 29 | Horizontal | |
| 2 | 4920.75 | 42.52 | -45.55 | 32.66 | -65.63 | -13.00 | 52.63 | 236 | 359 | Horizontal | |
| 3 | 5722.8000 | 39.95 | -44.83 | 33.47 | -66.67 | -13.00 | 53.67 | 145 | 240 | Horizontal | |
| 4 | 7630.0000 | 38.27 | -42.99 | 36.45 | -63.53 | -13.00 | 50.53 | 290 | 29 | Horizontal | |
| 5 | 9538.0000 | 34.43 | -40.01 | 38.46 | -62.39 | -13.00 | 49.39 | 155 | 29 | Horizontal | |
| 6 | 11445.600 | 31.60 | -37.34 | 39.06 | -61.94 | -13.00 | 48.94 | 180 | 59 | Horizontal | |

| Final Data List | | | | | | | | | | | |
|-----------------|-----------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|--|
| NO | Frequency | Reading | Factor | Λ Γ[dD/m] | Level | Limit | Margin | Height | Angle | Delerity | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | |
| 1 | 3815.2000 | 40.74 | -45.97 | 30.37 | -70.13 | -13.00 | 57.13 | 222 | 267 | Vertical | |
| 2 | 4936.5 | 42.36 | -45.57 | 32.70 | -65.77 | -13.00 | 52.77 | 146 | 104 | Vertical | |
| 3 | 5722.8000 | 39.93 | -44.83 | 33.47 | -66.69 | -13.00 | 53.69 | 251 | 14 | Vertical | |
| 4 | 7630.0000 | 38.63 | -42.99 | 36.45 | -63.17 | -13.00 | 50.17 | 185 | 192 | Vertical | |
| 5 | 9538.0000 | 33.64 | -40.01 | 38.46 | -63.18 | -13.00 | 50.18 | 136 | 252 | Vertical | |
| 6 | 11445.600 | 31.25 | -37.34 | 39.06 | -62.29 | -13.00 | 49.29 | 266 | 29 | Vertical | |





Report No.: SEWA2309000114RG01

Rev.: 01

Page: 39 of 49

Test Band = WCDMA IV_ TM1
Test Channel = Low Channel

| Final Data List | | | | | | | | | | | |
|-----------------|-----------|---------|---------|--------|--------|--------|--------|-------|------------|--|--|
| NO. | Frequency | Reading | Factor | Level | Limit | Margin | Height | Angle | Dolority. | | |
| NO. | [MHz] | [dBµV] | [dB] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 3424.8 | 49.97 | -111.70 | -61.73 | -13.00 | 48.73 | 263 | 346 | Horizontal | | |
| 2 | 5137.2 | 48.84 | -106.90 | -58.06 | -13.00 | 45.06 | 241 | 283 | Horizontal | | |
| 3 | 6849.6 | 48.02 | -101.86 | -53.84 | -13.00 | 40.84 | 176 | 249 | Horizontal | | |
| 4 | 8562 | 48.22 | -96.84 | -48.62 | -13.00 | 35.62 | 284 | 346 | Horizontal | | |
| 5 | 10274.4 | 43.76 | -93.22 | -49.46 | -13.00 | 36.46 | 177 | 167 | Horizontal | | |
| 6 | 11986.8 | 42.79 | -91.99 | -49.20 | -13.00 | 36.20 | 268 | 331 | Horizontal | | |

| Final Data List | | | | | | | | | | | |
|-----------------|-----------|---------|---------|--------|--------|--------|--------|-------|----------|--|--|
| NO. | Frequency | Reading | Factor | Level | Limit | Margin | Height | Angle | Dolority | | |
| NO. | [MHz] | [dBµV] | [dB] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 3424.8 | 51.41 | -111.70 | -60.29 | -13.00 | 47.29 | 263 | 68 | Vertical | | |
| 2 | 5137.2 | 49.43 | -106.90 | -57.47 | -13.00 | 44.47 | 241 | 148 | Vertical | | |
| 3 | 6849.6 | 48.40 | -101.86 | -53.46 | -13.00 | 40.46 | 176 | 18 | Vertical | | |
| 4 | 8562 | 46.14 | -96.84 | -50.70 | -13.00 | 37.70 | 284 | 296 | Vertical | | |
| 5 | 10274.4 | 42.40 | -93.22 | -50.82 | -13.00 | 37.82 | 177 | 265 | Vertical | | |
| 6 | 11986.8 | 42.98 | -91.99 | -49.01 | -13.00 | 36.01 | 266 | 279 | Vertical | | |





Report No.: SEWA2309000114RG01

Rev.: 01

Page: 40 of 49

Test Band = WCDMA IV_ TM1
Test Channel = Mid Channel

| Final Data List | | | | | | | | | | | |
|-----------------|-----------|---------|---------|--------|--------|--------|--------|-------|------------|--|--|
| NO | Frequency | Reading | Factor | Level | Limit | Margin | Height | Angle | Dolority | | |
| NO. | [MHz] | [dBµV] | [dB] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 3465.2 | 50.74 | -111.62 | -60.88 | -13.00 | 47.88 | 263 | 329 | Horizontal | | |
| 2 | 5197.8 | 50.46 | -106.81 | -56.35 | -13.00 | 43.35 | 241 | 357 | Horizontal | | |
| 3 | 6930.4 | 47.96 | -101.68 | -53.72 | -13.00 | 40.72 | 176 | 31 | Horizontal | | |
| 4 | 8663 | 46.08 | -96.57 | -50.49 | -13.00 | 37.49 | 264 | 31 | Horizontal | | |
| 5 | 10395.6 | 42.16 | -92.81 | -50.65 | -13.00 | 37.65 | 186 | 1 | Horizontal | | |
| 6 | 12128.2 | 42.83 | -91.73 | -48.90 | -13.00 | 35.90 | 299 | 83 | Horizontal | | |

| Final Data List | | | | | | | | | | | |
|-----------------|-----------|---------|---------|--------|--------|--------|--------|-------|----------|--|--|
| NO | Frequency | Reading | Factor | Level | Limit | Margin | Height | Angle | Dolority | | |
| NO. | [MHz] | [dBµV] | [dB] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 3465.2 | 50.13 | -111.62 | -61.49 | -13.00 | 48.49 | 211 | 130 | Vertical | | |
| 2 | 5197.8 | 49.01 | -106.81 | -57.80 | -13.00 | 44.80 | 142 | 213 | Vertical | | |
| 3 | 6930.4 | 47.81 | -101.68 | -53.87 | -13.00 | 40.87 | 263 | 312 | Vertical | | |
| 4 | 8663 | 46.56 | -96.57 | -50.01 | -13.00 | 37.01 | 244 | 17 | Vertical | | |
| 5 | 10395.6 | 42.62 | -92.81 | -50.19 | -13.00 | 37.19 | 177 | 230 | Vertical | | |
| 6 | 12128.2 | 42.37 | -91.73 | -49.36 | -13.00 | 36.36 | 166 | 357 | Vertical | | |





Report No.: SEWA2309000114RG01

Rev.: 01

Page: 41 of 49

Test Band = WCDMA IV_TM1 Test Channel = High Channel

| Final Data List | | | | | | | | | | | |
|-----------------|-----------|---------|---------|--------|--------|--------|--------|-------|------------|--|--|
| NO. | Frequency | Reading | Factor | Level | Limit | Margin | Height | Angle | Dolority | | |
| NO. | [MHz] | [dBµV] | [dB] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 3505.2 | 50.00 | -111.51 | -61.51 | -13.00 | 48.51 | 263 | 217 | Horizontal | | |
| 2 | 5257.8 | 51.09 | -106.73 | -55.64 | -13.00 | 42.64 | 254 | 184 | Horizontal | | |
| 3 | 7010.4 | 47.71 | -101.63 | -53.92 | -13.00 | 40.92 | 177 | 217 | Horizontal | | |
| 4 | 8763 | 47.64 | -96.13 | -48.49 | -13.00 | 35.49 | 156 | 0 | Horizontal | | |
| 5 | 10515.6 | 42.36 | -92.55 | -50.19 | -13.00 | 37.19 | 264 | 118 | Horizontal | | |
| 6 | 12268.2 | 42.91 | -91.51 | -48.60 | -13.00 | 35.60 | 177 | 357 | Horizontal | | |

| Final Data List | | | | | | | | | | | |
|-----------------|-----------|---------|---------|--------|--------|--------|--------|-------|----------|--|--|
| NO. | Frequency | Reading | Factor | Level | Limit | Margin | Height | Angle | Dolority | | |
| NO. | [MHz] | [dBµV] | [dB] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 3505.2 | 50.60 | -111.51 | -60.91 | -13.00 | 47.91 | 263 | 81 | Vertical | | |
| 2 | 5257.8 | 51.03 | -106.73 | -55.70 | -13.00 | 42.70 | 241 | 7 | Vertical | | |
| 3 | 7010.4 | 47.45 | -101.63 | -54.18 | -13.00 | 41.18 | 176 | 280 | Vertical | | |
| 4 | 8763 | 46.02 | -96.13 | -50.11 | -13.00 | 37.11 | 264 | 312 | Vertical | | |
| 5 | 10515.6 | 42.53 | -92.55 | -50.02 | -13.00 | 37.02 | 188 | 196 | Vertical | | |
| 6 | 12268.2 | 41.55 | -91.51 | -49.96 | -13.00 | 36.96 | 266 | 248 | Vertical | | |





Report No.: SEWA2309000114RG01

Rev.: 01

Page: 42 of 49

Test Band = WCDMA V_ TM1 **Test Channel = Low Channel**

| Final Data List | | | | | | | | | | | |
|-----------------|-----------|---------|---------|--------|--------|--------|--------|-------|------------|--|--|
| NO. | Frequency | Reading | Factor | Level | Limit | Margin | Height | Angle | Dolority | | |
| NO. | [MHz] | [dBµV] | [dB] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 1652.8 | 54.85 | -118.06 | -63.21 | -13.00 | 50.21 | 263 | 135 | Horizontal | | |
| 2 | 2479.2 | 52.06 | -114.31 | -62.25 | -13.00 | 49.25 | 241 | 20 | Horizontal | | |
| 3 | 3305.6 | 51.25 | -111.90 | -60.65 | -13.00 | 47.65 | 176 | 357 | Horizontal | | |
| 4 | 4132 | 49.13 | -109.76 | -60.63 | -13.00 | 47.63 | 244 | 113 | Horizontal | | |
| 5 | 4958.4 | 50.69 | -107.82 | -57.13 | -13.00 | 44.13 | 177 | 259 | Horizontal | | |
| 6 | 5784.8 | 51.19 | -105.26 | -54.07 | -13.00 | 41.07 | 168 | 30 | Horizontal | | |

| Final Data List | | | | | | | | | | | |
|-----------------|-----------|---------|---------|--------|--------|--------|--------|-------|----------|--|--|
| NO. | Frequency | Reading | Factor | Level | Limit | Margin | Height | Angle | Dolority | | |
| NO. | [MHz] | [dBµV] | [dB] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 1652.8 | 53.23 | -118.06 | -64.83 | -13.00 | 51.83 | 263 | 27 | Vertical | | |
| 2 | 2479.2 | 51.62 | -114.31 | -62.69 | -13.00 | 49.69 | 251 | 184 | Vertical | | |
| 3 | 3305.6 | 50.84 | -111.90 | -61.06 | -13.00 | 48.06 | 176 | 27 | Vertical | | |
| 4 | 4132 | 48.32 | -109.76 | -61.44 | -13.00 | 48.44 | 241 | 163 | Vertical | | |
| 5 | 4958.4 | 50.80 | -107.82 | -57.02 | -13.00 | 44.02 | 177 | 340 | Vertical | | |
| 6 | 5784.8 | 51.28 | -105.26 | -53.98 | -13.00 | 40.98 | 166 | 111 | Vertical | | |





Report No.: SEWA2309000114RG01

Rev.: 01

Page: 43 of 49

Test Band = WCDMA V_ TM1
Test Channel = Mid Channel

| Final | Data List | | | | | | | | |
|-------|-----------|---------|---------|--------|--------|--------|--------|-------|------------|
| NO. | Frequency | Reading | Factor | Level | Limit | Margin | Height | Angle | Dolority |
| NO. | [MHz] | [dBµV] | [dB] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity |
| 1 | 1672.8 | 55.31 | -118.01 | -62.70 | -13.00 | 49.70 | 263 | 218 | Horizontal |
| 2 | 2509.2 | 52.27 | -114.12 | -61.85 | -13.00 | 48.85 | 251 | 187 | Horizontal |
| 3 | 3345.6 | 52.29 | -111.99 | -59.70 | -13.00 | 46.70 | 186 | 360 | Horizontal |
| 4 | 4182 | 49.15 | -109.53 | -60.38 | -13.00 | 47.38 | 264 | 156 | Horizontal |
| 5 | 5018.4 | 49.33 | -107.59 | -58.26 | -13.00 | 45.26 | 177 | 167 | Horizontal |
| 6 | 5854.8 | 51.27 | -104.86 | -53.59 | -13.00 | 40.59 | 185 | 322 | Horizontal |

| Final | Final Data List | | | | | | | | | | | | | |
|-------|-----------------|---------|---------|--------|--------|--------|--------|-------|----------|--|--|--|--|--|
| NO. | Frequency | Reading | Factor | Level | Limit | Margin | Height | Angle | Dolority | | | | | |
| NO. | [MHz] | [dBµV] | [dB] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | | | | |
| 1 | 1672.8 | 53.48 | -118.01 | -64.53 | -13.00 | 51.53 | 263 | 196 | Vertical | | | | | |
| 2 | 2509.2 | 52.31 | -114.12 | -61.81 | -13.00 | 48.81 | 241 | 350 | Vertical | | | | | |
| 3 | 3345.6 | 51.96 | -111.99 | -60.03 | -13.00 | 47.03 | 175 | 350 | Vertical | | | | | |
| 4 | 4182 | 48.65 | -109.53 | -60.88 | -13.00 | 47.88 | 264 | 164 | Vertical | | | | | |
| 5 | 5018.4 | 49.83 | -107.59 | -57.76 | -13.00 | 44.76 | 177 | 0 | Vertical | | | | | |
| 6 | 5854.8 | 50.64 | -104.86 | -54.22 | -13.00 | 41.22 | 264 | 12 | Vertical | | | | | |





Page:

Report No.: SEWA2309000114RG01

44 of 49

Rev.: 01

Test Band = WCDMA V_ TM1
Test Channel = High Channel

| Final | Final Data List | | | | | | | | | | | | |
|-------|-----------------|---------|---------|--------|--------|--------|--------|-------|------------|--|--|--|--|
| NO | Frequency | Reading | Factor | Level | Limit | Margin | Height | Angle | Dolority | | | | |
| NO. | [MHz] | [dBµV] | [dB] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | | | |
| 1 | 1693.2 | 54.19 | -117.96 | -63.77 | -13.00 | 50.77 | 263 | 228 | Horizontal | | | | |
| 2 | 2539.8 | 53.99 | -114.16 | -60.17 | -13.00 | 47.17 | 241 | 360 | Horizontal | | | | |
| 3 | 3386.4 | 51.71 | -112.07 | -60.36 | -13.00 | 47.36 | 175 | 333 | Horizontal | | | | |
| 4 | 4233 | 49.77 | -109.40 | -59.63 | -13.00 | 46.63 | 264 | 270 | Horizontal | | | | |
| 5 | 5079.6 | 50.11 | -107.33 | -57.22 | -13.00 | 44.22 | 177 | 21 | Horizontal | | | | |
| 6 | 5926.2 | 51.02 | -104.59 | -53.57 | -13.00 | 40.57 | 288 | 333 | Horizontal | | | | |

| Final | Final Data List | | | | | | | | | | | | |
|-------|-----------------|---------|---------|--------|--------|--------|--------|-------|----------|--|--|--|--|
| NO. | Frequency | Reading | Factor | Level | Limit | Margin | Height | Angle | Dolority | | | | |
| NO. | [MHz] | [dBµV] | [dB] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | | | |
| 1 | 1693.2 | 54.12 | -117.96 | -63.84 | -13.00 | 50.84 | 263 | 351 | Vertical | | | | |
| 2 | 2539.8 | 52.31 | -114.16 | -61.85 | -13.00 | 48.85 | 265 | 31 | Vertical | | | | |
| 3 | 3386.4 | 50.72 | -112.07 | -61.35 | -13.00 | 48.35 | 241 | 8 | Vertical | | | | |
| 4 | 4233 | 50.35 | -109.40 | -59.05 | -13.00 | 46.05 | 178 | 259 | Vertical | | | | |
| 5 | 5079.6 | 49.55 | -107.33 | -57.78 | -13.00 | 44.78 | 264 | 341 | Vertical | | | | |
| 6 | 5926.2 | 51.77 | -104.59 | -52.82 | -13.00 | 39.82 | 177 | 0 | Vertical | | | | |



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 45 of 49

Test on the worst case for SEWM2304000122RG01:

Test Band = WCDMA II_ TM1
Test Channel = Low Channel

| Fina | Final Data List | | | | | | | | | | | | |
|------|-----------------|---------|--------|------------|--------|--------|--------|--------|-------|------------|--|--|--|
| NO | Frequency | Reading | Factor | Λ Γ[dD/ma] | Level | Limit | Margin | Height | Angle | Delevite | | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | | |
| 1 | 3704.8 | 41.74 | -45.69 | 29.89 | -69.31 | -13.00 | 56.31 | 196 | 199 | Horizontal | | | |
| 2 | 5557.2 | 40.46 | -43.87 | 32.78 | -65.89 | -13.00 | 52.89 | 265 | 15 | Horizontal | | | |
| 3 | 7409.6 | 39.77 | -41.94 | 36.45 | -60.99 | -13.00 | 47.99 | 284 | 129 | Horizontal | | | |
| 4 | 9262 | 33.34 | -38.39 | 38.57 | -61.74 | -13.00 | 48.74 | 142 | 230 | Horizontal | | | |
| 5 | 11114.4 | 31.63 | -35.32 | 39.49 | -59.46 | -13.00 | 46.46 | 263 | 47 | Horizontal | | | |
| 6 | 12966.8 | 32.86 | -34.90 | 39.57 | -57.73 | -13.00 | 44.73 | 228 | 316 | Horizontal | | | |

| Final Data List | | | | | | | | | | | | |
|-----------------|-----------|---------|--------|------------|--------|--------|--------|--------|-------|-----------|--|--|
| NO | Frequency | Reading | Factor | Λ Γ[dD/ma] | Level | Limit | Margin | Height | Angle | Delevitor | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 3704.8 | 42.80 | -45.69 | 29.89 | -68.25 | -13.00 | 55.25 | 296 | 65 | Vertical | | |
| 2 | 5557.2 | 43.27 | -43.87 | 32.78 | -63.08 | -13.00 | 50.08 | 265 | 118 | Vertical | | |
| 3 | 7409.6 | 39.59 | -41.94 | 36.45 | -61.17 | -13.00 | 48.17 | 284 | 358 | Vertical | | |
| 4 | 9262 | 33.92 | -38.39 | 38.57 | -61.16 | -13.00 | 48.16 | 142 | 360 | Vertical | | |
| 5 | 11114.4 | 31.51 | -35.32 | 39.49 | -59.58 | -13.00 | 46.58 | 263 | 265 | Vertical | | |
| 6 | 12966.8 | 32.87 | -34.90 | 39.57 | -57.72 | -13.00 | 44.72 | 225 | 33 | Vertical | | |



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 46 of 49

Test Band = WCDMA II_ TM1 Test Channel = Mid Channel

| Fina | Final Data List | | | | | | | | | | | | |
|------|-----------------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|--|--|--|
| NO. | Frequency | Reading | Factor | Λ Γ[dD/m] | Level | Limit | Margin | Height | Angle | Dolority | | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | | |
| 1 | 3760 | 41.25 | -45.54 | 30.03 | -69.52 | -13.00 | 56.52 | 142 | 334 | Horizontal | | | |
| 2 | 5640 | 39.96 | -43.81 | 33.05 | -66.06 | -13.00 | 53.06 | 265 | 265 | Horizontal | | | |
| 3 | 7520 | 37.48 | -41.53 | 36.54 | -62.77 | -13.00 | 49.77 | 284 | 298 | Horizontal | | | |
| 4 | 9400 | 34.74 | -38.16 | 38.56 | -60.12 | -13.00 | 47.12 | 142 | 52 | Horizontal | | | |
| 5 | 11280 | 30.96 | -35.28 | 39.32 | -60.26 | -13.00 | 47.26 | 263 | 248 | Horizontal | | | |
| 6 | 13160 | 30.65 | -34.68 | 39.70 | -59.59 | -13.00 | 46.59 | 228 | 101 | Horizontal | | | |

| Fina | l Data List | | | | | | | | | |
|------|-------------|---------|--------|-----------|--------|--------|--------|--------|-------|----------|
| NO. | Frequency | Reading | Factor | Λ Γ[dD/m] | Level | Limit | Margin | Height | Angle | Polarity |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | lolanty |
| 1 | 3760 | 42.22 | -45.54 | 30.03 | -68.55 | -13.00 | 55.55 | 296 | 268 | Vertical |
| 2 | 5640 | 40.28 | -43.81 | 33.05 | -65.74 | -13.00 | 52.74 | 265 | 52 | Vertical |
| 3 | 7520 | 38.49 | -41.53 | 36.54 | -61.76 | -13.00 | 48.76 | 284 | 304 | Vertical |
| 4 | 9400 | 34.97 | -38.16 | 38.56 | -59.89 | -13.00 | 46.89 | 142 | 150 | Vertical |
| 5 | 11280 | 31.17 | -35.28 | 39.32 | -60.05 | -13.00 | 47.05 | 263 | 3 | Vertical |
| 6 | 13160 | 31.23 | -34.68 | 39.70 | -59.01 | -13.00 | 46.01 | 228 | 360 | Vertical |



Report No.: SEWA2309000114RG01

Rev.:

Page: 47 of 49

01

Test Band = WCDMA II_ TM1 Test Channel = High Channel

| Final Data List | | | | | | | | | | | | |
|-----------------|-----------|---------|--------|------------|--------|--------|--------|--------|-------|------------|--|--|
| NO. | Frequency | Reading | Factor | AF[dB/m] | Level | Limit | Margin | Height | Angle | Polarity | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[ub/III] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | |
| 1 | 3815.2 | 42.05 | -45.44 | 30.16 | -68.49 | -13.00 | 55.49 | 284 | 354 | Horizontal | | |
| 2 | 5722.8 | 39.78 | -43.67 | 33.31 | -65.84 | -13.00 | 52.84 | 174 | 360 | Horizontal | | |
| 3 | 7630 | 38.33 | -41.28 | 36.76 | -61.45 | -13.00 | 48.45 | 142 | 148 | Horizontal | | |
| 4 | 9538 | 35.35 | -38.13 | 38.55 | -59.49 | -13.00 | 46.49 | 263 | 343 | Horizontal | | |
| 5 | 11445.6 | 31.64 | -35.32 | 39.15 | -59.79 | -13.00 | 46.79 | 254 | 360 | Horizontal | | |
| 6 | 13353.2 | 31.70 | -35.15 | 39.81 | -58.90 | -13.00 | 45.90 | 187 | 148 | Horizontal | | |

| Fina | Final Data List | | | | | | | | | | | | | |
|------|-----------------|---------|--------|------------|--------|--------|--------|--------|-------|----------|--|--|--|--|
| NO. | Frequency | Reading | Factor | AF[dB/m] | Level | Limit | Margin | Height | Angle | Polarity | | | | |
| INO. | [MHz] | [dBµV] | [dB] | AF[ub/III] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polatily | | | | |
| 1 | 3815.2 | 43.45 | -45.44 | 30.16 | -67.09 | -13.00 | 54.09 | 285 | 99 | Vertical | | | | |
| 2 | 5722.8 | 40.22 | -43.67 | 33.31 | -65.40 | -13.00 | 52.40 | 241 | 83 | Vertical | | | | |
| 3 | 7630 | 38.13 | -41.28 | 36.76 | -61.65 | -13.00 | 48.65 | 142 | 31 | Vertical | | | | |
| 4 | 9538 | 36.16 | -38.13 | 38.55 | -58.68 | -13.00 | 45.68 | 263 | 247 | Vertical | | | | |
| 5 | 11445.6 | 31.84 | -35.32 | 39.15 | -59.59 | -13.00 | 46.59 | 228 | 199 | Vertical | | | | |
| 6 | 13353.2 | 31.72 | -35.15 | 39.81 | -58.88 | -13.00 | 45.88 | 174 | 132 | Vertical | | | | |

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-en-Document.aspx.and, conden/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jury/siddiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Diess otherwise stated the appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Diess charmles stated the Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CN Doccheck@ess.com



Report No.: SEWA2309000114RG01

Rev.: 01

Page: 48 of 49

Frequency Stability

Test Result

| Band | Channel | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Verdict |
|---------|---------|------------------|---------------------|-------------------|--------------------|---------|
| Band II | 9400 | VL | NT | 7.29 | 0.003878 | PASS |
| Band II | 9400 | VN | NT | 7.48 | 0.003979 | PASS |
| Band II | 9400 | VH | NT | 7.06 | 0.003755 | PASS |
| Band IV | 1413 | VL | NT | 0.72 | 0.000416 | PASS |
| Band IV | 1413 | VN | NT | 0.77 | 0.000444 | PASS |
| Band IV | 1413 | VH | NT | 0.99 | 0.000571 | PASS |

| Band | Channel | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
|--------|---------|------------------|---------------------|-------------------|--------------------|----------------|---------|
| Band V | 4182 | VL | NT | -0.55 | -0.000658 | ±2.5 | PASS |
| Band V | 4182 | VN | NT | 0.04 | 0.000048 | ±2.5 | PASS |
| Band V | 4182 | VH | NT | 0.22 | 0.000263 | ±2.5 | PASS |





Report No.: SEWA2309000114RG01

Rev.: 01 Page: 49 of 49

| | | | | . 490. | | |
|---------|---------|------------------|---------------------|-------------------|--------------------|---------|
| Band | Channel | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Verdict |
| Band II | 9400 | NV | -30 | 6.48 | 0.003447 | PASS |
| Band II | 9400 | NV | -20 | 6.91 | 0.003676 | PASS |
| Band II | 9400 | NV | 0 | 7.12 | 0.003787 | PASS |
| Band II | 9400 | NV | 10 | 6.86 | 0.003649 | PASS |
| Band II | 9400 | NV | 20 | 6.05 | 0.003218 | PASS |
| Band II | 9400 | NV | 30 | 6.81 | 0.003622 | PASS |
| Band II | 9400 | NV | 40 | 6.72 | 0.003574 | PASS |
| Band II | 9400 | NV | 50 | 7.00 | 0.003723 | PASS |
| Band IV | 1413 | NV | -30 | 1.76 | 0.001016 | PASS |
| Band IV | 1413 | NV | -20 | 1.04 | 0.000600 | PASS |
| Band IV | 1413 | NV | 0 | 1.57 | 0.000906 | PASS |
| Band IV | 1413 | NV | 10 | 1.42 | 0.000820 | PASS |
| Band IV | 1413 | NV | 20 | 1.27 | 0.000733 | PASS |
| Band IV | 1413 | NV | 30 | 0.44 | 0.000254 | PASS |
| Band IV | 1413 | NV | 40 | 1.73 | 0.000998 | PASS |
| Band IV | 1413 | NV | 50 | 1.84 | 0.001062 | PASS |

| Band | Channel | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
|--------|---------|------------------|---------------------|-------------------|--------------------|----------------|---------|
| Band V | 4182 | NV | -30 | 0.98 | 0.001172 | ±2.5 | PASS |
| Band V | 4182 | NV | -20 | 1.49 | 0.001781 | ±2.5 | PASS |
| Band V | 4182 | NV | 0 | 1.69 | 0.002021 | ±2.5 | PASS |
| Band V | 4182 | NV | 10 | -0.02 | -0.000024 | ±2.5 | PASS |
| Band V | 4182 | NV | 20 | -1.00 | -0.001196 | ±2.5 | PASS |
| Band V | 4182 | NV | 30 | -0.04 | -0.000048 | ±2.5 | PASS |
| Band V | 4182 | NV | 40 | 0.68 | 0.000813 | ±2.5 | PASS |
| Band V | 4182 | NV | 50 | 0.19 | 0.000227 | ±2.5 | PASS |

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-Co

South of No. 6 Pent, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pikot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 鄉鄉: 215000