



**Emission below 1GHz
2.4GHz WIFI 802.11ax HE40 (LF)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11ax HE40 LF		30	31.04	-8.96	40	35.82	24.11	1.05	29.94	-	-	P	H	
		47.01	26.73	-13.27	40	39.52	15.8	1.34	29.93	-	-	P	H	
		163.38	29.53	-13.97	43.5	40.96	16.1	2.31	29.84	-	-	P	H	
		771.1	30.21	-15.79	46	26.87	27.86	4.88	29.4	-	-	P	H	
		869.1	31.68	-14.32	46	26.52	28.98	5.22	29.04	-	-	P	H	
		948.2	33.31	-12.69	46	26.32	30.17	5.51	28.69	-	-	P	H	
														H
														H
														H
														H
														H
														H
														H
														H
														H
			30	32.78	-7.22	40	37.56	24.11	1.05	29.94	-	-	P	V
			45.39	21.62	-18.38	40	33.57	16.67	1.31	29.93	-	-	P	V
			63.48	19.97	-20.03	40	36.63	11.67	1.57	29.9	-	-	P	V
			812.4	30.92	-15.08	46	27.54	27.61	5.02	29.25	-	-	P	V
			896.4	35.92	-10.08	46	30.66	28.71	5.41	28.86	-	-	P	V
		952.4	34.09	-11.91	46	26.88	30.35	5.52	28.66	-	-	P	V	
													V	
													V	
													V	
													V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against limit line. 3. The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.													



<Sample 2>

2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11b CH 01 2412MHz		2372.58	55.15	-18.85	74	39.05	32.1	18.19	34.19	106	302	P	H	
		2387.07	44.87	-9.13	54	28.73	32.1	18.24	34.2	106	302	A	H	
	*	2412	102.64	-	-	86.47	32.08	18.29	34.2	106	302	P	H	
	*	2412	99.63	-	-	83.46	32.08	18.29	34.2	106	302	A	H	
													H	
													H	
			2388.855	55.35	-18.65	74	39.21	32.1	18.24	34.2	100	3	P	V
			2386.335	44.54	-9.46	54	28.4	32.1	18.24	34.2	100	3	A	V
	*		2412	98.27	-	-	82.1	32.08	18.29	34.2	100	3	P	V
	*		2412	95.28	-	-	79.11	32.08	18.29	34.2	100	3	A	V
														V
														V
802.11b CH 06 2437MHz		2388.4	55.22	-18.78	74	39.08	32.1	18.24	34.2	105	300	P	H	
		2389.52	44.32	-9.68	54	28.18	32.1	18.24	34.2	105	300	A	H	
	*	2437	102.98	-	-	86.82	32.03	18.34	34.21	105	300	P	H	
	*	2437	99.97	-	-	83.81	32.03	18.34	34.21	105	300	A	H	
			2493.98	54.94	-19.06	74	38.74	32	18.42	34.22	105	300	P	H
			2494.19	44.59	-9.41	54	28.39	32	18.42	34.22	105	300	A	H
			2389.52	55.41	-18.59	74	39.27	32.1	18.24	34.2	100	14	P	V
			2389.24	44.28	-9.72	54	28.14	32.1	18.24	34.2	100	14	A	V
	*		2437	100.01	-	-	83.85	32.03	18.34	34.21	100	14	P	V
	*		2437	96.98	-	-	80.82	32.03	18.34	34.21	100	14	A	V
			2487.96	55.1	-18.9	74	38.91	32	18.41	34.22	100	14	P	V
			2491.53	44.46	-9.54	54	28.26	32	18.42	34.22	100	14	A	V



802.11b CH 11 2462MHz	*	2462	102.53	-	-	86.36	32	18.38	34.21	102	305	P	H
	*	2462	99.47	-	-	83.3	32	18.38	34.21	102	305	A	H
		2487.48	55.09	-18.91	74	38.9	32	18.41	34.22	102	305	P	H
		2487.92	45.84	-8.16	54	29.65	32	18.41	34.22	102	305	A	H
													H
													H
	*	2462	99.36	-	-	83.19	32	18.38	34.21	100	21	P	V
	*	2462	96.32	-	-	80.15	32	18.38	34.21	100	21	A	V
		2498.16	54.93	-19.07	74	38.72	32	18.43	34.22	100	21	P	V
		2487.84	44.96	-9.04	54	28.77	32	18.41	34.22	100	21	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	41.58	-32.42	74	53.69	34.1	12.8	59.01	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	41.16	-32.84	74	53.27	34.1	12.8	59.01	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	40.94	-33.06	74	52.86	34.15	12.85	58.92	-	-	P	H
		7311	42.25	-31.75	74	48.92	35.7	15.19	57.56	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4874	41.56	-32.44	74	53.48	34.15	12.85	58.92	-	-	P
		7311	42.28	-31.72	74	48.95	35.7	15.19	57.56	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz		4924	41.27	-32.73	74	53.02	34.2	12.89	58.84	-	-	P	H
		7386	41.37	-32.63	74	48.19	35.63	15.19	57.64	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4924	40.23	-33.77	74	51.98	34.2	12.89	58.84	-	-	P
		7386	41.17	-32.83	74	47.99	35.63	15.19	57.64	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)**

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 01 2412MHz		2388.645	57.62	-16.38	74	41.48	32.1	18.24	34.2	100	134	P	H	
		2390	48.03	-5.97	54	31.89	32.1	18.24	34.2	100	134	A	H	
	*	2412	104.91	-	-	88.74	32.08	18.29	34.2	100	134	P	H	
	*	2412	97.4	-	-	81.23	32.08	18.29	34.2	100	134	A	H	
													H	
													H	
			2389.695	55.47	-18.53	74	39.33	32.1	18.24	34.2	107	160	P	V
			2389.065	46.79	-7.21	54	30.65	32.1	18.24	34.2	107	160	A	V
	*		2412	101.32	-	-	85.15	32.08	18.29	34.2	107	160	P	V
	*		2412	94.45	-	-	78.28	32.08	18.29	34.2	107	160	A	V
													V	
													V	
802.11g CH 06 2437MHz		2357.04	54.8	-19.2	74	38.74	32.1	18.15	34.19	118	136	P	H	
		2385.74	46.24	-7.76	54	30.11	32.1	18.23	34.2	118	136	A	H	
	*	2437	105.42	-	-	89.26	32.03	18.34	34.21	118	136	P	H	
	*	2437	97.88	-	-	81.72	32.03	18.34	34.21	118	136	A	H	
			2498.81	54.54	-19.46	74	38.33	32	18.43	34.22	118	136	P	H
			2490.41	46.09	-7.91	54	29.89	32	18.42	34.22	118	136	A	H
			2357.32	54.62	-19.38	74	38.56	32.1	18.15	34.19	112	157	P	V
			2387.56	45.73	-8.27	54	29.59	32.1	18.24	34.2	112	157	A	V
	*		2437	101.51	-	-	85.35	32.03	18.34	34.21	112	157	P	V
	*		2437	93.92	-	-	77.76	32.03	18.34	34.21	112	157	A	V
			2485.51	54.61	-19.39	74	38.42	32	18.41	34.22	112	157	P	V
			2487.68	45.8	-8.2	54	29.61	32	18.41	34.22	112	157	A	V



802.11g CH 11 2462MHz	*	2462	105.03	-	-	88.86	32	18.38	34.21	100	149	P	H
	*	2462	97.83	-	-	81.66	32	18.38	34.21	100	149	A	H
		2492.6	55.49	-18.51	74	39.29	32	18.42	34.22	100	149	P	H
		2483.84	46.59	-7.41	54	30.41	32	18.4	34.22	100	149	A	H
													H
													H
	*	2462	100.91	-	-	84.74	32	18.38	34.21	100	166	P	V
	*	2462	93.19	-	-	77.02	32	18.38	34.21	100	166	A	V
		2489.44	55.51	-18.49	74	39.32	32	18.41	34.22	100	166	P	V
		2490.52	45.99	-8.01	54	29.79	32	18.42	34.22	100	166	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	40.94	-33.06	74	53.05	34.1	12.8	59.01	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	41.24	-32.76	74	53.35	34.1	12.8	59.01	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 06 2437MHz		4874	40.89	-33.11	74	52.81	34.15	12.85	58.92	-	-	P	H	
		7311	42.35	-31.65	74	49.02	35.7	15.19	57.56	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4874	41.02	-32.98	74	52.94	34.15	12.85	58.92	-	-	P	V
			7311	41.98	-32.02	74	48.65	35.7	15.19	57.56	-	-	P	V
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 11 2462MHz		4924	40.86	-33.14	74	52.61	34.2	12.89	58.84	-	-	P	H
		7386	40.67	-33.33	74	47.49	35.63	15.19	57.64	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4924	40.34	-33.66	74	52.09	34.2	12.89	58.84	-	-	P
		7386	41.42	-32.58	74	48.24	35.63	15.19	57.64	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11g LF		30	30.13	-9.87	40	34.51	24.51	1.05	29.94	-	-	P	H	
		47.55	32.77	-7.23	40	45.87	15.48	1.34	29.92	-	-	P	H	
		200.64	30.71	-12.79	43.5	43.12	14.93	2.49	29.83	-	-	P	H	
		796.3	31.84	-14.16	46	28.3	27.84	4.99	29.29	-	-	P	H	
		883.1	32.16	-13.84	46	27.18	28.62	5.31	28.95	-	-	P	H	
		957.3	33.7	-12.3	46	26.14	30.64	5.53	28.61	-	-	P	H	
														H
														H
														H
														H
														H
														H
			30	33.42	-6.58	40	37.8	24.51	1.05	29.94	-	-	P	V
			47.82	32.33	-7.67	40	45.56	15.35	1.34	29.92	100	53	Q	V
			231.15	32.7	-13.3	46	43.7	16.25	2.57	29.82	-	-	P	V
			802.6	35.08	-10.92	46	31.6	27.74	5.01	29.27	-	-	P	V
			920.2	36.47	-9.53	46	30.89	28.9	5.46	28.78	-	-	P	V
			957.3	36.76	-9.24	46	29.2	30.64	5.53	28.61	-	-	P	V
														V
														V
													V	
													V	
													V	
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against limit line. The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only. 													



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11b CH 01 2412MHz		2360.715	56.67	-17.33	74	40.6	32.1	18.16	34.19	100	302	P	H	
		2386.335	44.48	-9.52	54	28.34	32.1	18.24	34.2	100	302	A	H	
	*	2412	101.29	-	-	85.12	32.08	18.29	34.2	100	302	P	H	
	*	2412	98.24	-	-	82.07	32.08	18.29	34.2	100	302	A	H	
													H	
													H	
			2326.17	55.52	-18.48	74	39.7	31.96	18.05	34.19	118	85	P	V
			2389.485	44.44	-9.56	54	28.3	32.1	18.24	34.2	118	85	A	V
	*		2412	100.06	-	-	83.89	32.08	18.29	34.2	118	85	P	V
	*		2412	96.98	-	-	80.81	32.08	18.29	34.2	118	85	A	V
														V
														V
802.11b CH 06 2437MHz		2374.12	55.15	-18.85	74	39.04	32.1	18.2	34.19	298	57	P	H	
		2388.54	44.43	-9.57	54	28.29	32.1	18.24	34.2	298	57	A	H	
	*	2437	101.8	-	-	85.64	32.03	18.34	34.21	298	57	P	H	
	*	2437	98.81	-	-	82.65	32.03	18.34	34.21	298	57	A	H	
			2492.58	54.91	-19.09	74	38.71	32	18.42	34.22	298	57	P	H
			2494.82	44.62	-9.38	54	28.42	32	18.42	34.22	298	57	A	H
			2370.48	55.44	-18.56	74	39.35	32.1	18.18	34.19	120	86	P	V
			2389.94	44.43	-9.57	54	28.29	32.1	18.24	34.2	120	86	A	V
	*		2437	100.65	-	-	84.49	32.03	18.34	34.21	120	86	P	V
	*		2437	97.69	-	-	81.53	32.03	18.34	34.21	120	86	A	V
			2497.55	56.16	-17.84	74	39.95	32	18.43	34.22	120	86	P	V
			2494.82	44.6	-9.4	54	28.4	32	18.42	34.22	120	86	A	V



802.11b CH 11 2462MHz	*	2462	101.21	-	-	85.04	32	18.38	34.21	110	304	P	H
	*	2462	98.14	-	-	81.97	32	18.38	34.21	110	304	A	H
		2492.04	55	-19	74	38.8	32	18.42	34.22	110	304	P	H
		2484.6	44.92	-9.08	54	28.74	32	18.4	34.22	110	304	A	H
													H
													H
	*	2462	99.79	-	-	83.62	32	18.38	34.21	118	118	P	V
	*	2462	96.78	-	-	80.61	32	18.38	34.21	118	118	A	V
		2490.24	55.05	-18.95	74	38.86	32	18.41	34.22	118	118	P	V
		2485	44.72	-9.28	54	28.54	32	18.4	34.22	118	118	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz
WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	41.61	-32.39	74	53.72	34.1	12.8	59.01	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	41.52	-32.48	74	53.63	34.1	12.8	59.01	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11b CH 06 2437MHz		4874	41.15	-32.85	74	53.07	34.15	12.85	58.92	-	-	P	H	
		7311	41.81	-32.19	74	48.48	35.7	15.19	57.56	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4874	40.67	-33.33	74	52.59	34.15	12.85	58.92	-	-	P	V
			7311	42.7	-31.3	74	49.37	35.7	15.19	57.56	-	-	P	V
														V
														V
														V
														V
														V
														V
														V



WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz		4924	41.9	-32.1	74	53.65	34.2	12.89	58.84	-	-	P	H
		7386	41.3	-32.7	74	48.12	35.63	15.19	57.64	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4924	41.14	-32.86	74	52.89	34.2	12.89	58.84	-	-	P
		7386	41.5	-32.5	74	48.32	35.63	15.19	57.64	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)**

WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 01 2412MHz		2374.26	55.43	-18.57	74	39.32	32.1	18.2	34.19	100	301	P	H	
		2390	47.23	-6.77	54	31.09	32.1	18.24	34.2	100	301	A	H	
	*	2412	103.91	-	-	87.74	32.08	18.29	34.2	100	301	P	H	
	*	2412	96.54	-	-	80.37	32.08	18.29	34.2	100	301	A	H	
													H	
													H	
			2389.8	55.73	-18.27	74	39.59	32.1	18.24	34.2	100	86	P	V
			2390	47.31	-6.69	54	31.17	32.1	18.24	34.2	100	86	A	V
	*		2412	102.73	-	-	86.56	32.08	18.29	34.2	100	86	P	V
	*		2412	95.15	-	-	78.98	32.08	18.29	34.2	100	86	A	V
													V	
													V	
802.11g CH 06 2437MHz		2380.84	55.58	-18.42	74	39.46	32.1	18.22	34.2	113	303	P	H	
		2385.74	46.53	-7.47	54	30.4	32.1	18.23	34.2	113	303	A	H	
	*	2437	104.59	-	-	88.43	32.03	18.34	34.21	113	303	P	H	
	*	2437	97.04	-	-	80.88	32.03	18.34	34.21	113	303	A	H	
			2489.5	55.65	-18.35	74	39.46	32	18.41	34.22	113	303	P	H
			2497.9	46.52	-7.48	54	30.31	32	18.43	34.22	113	303	A	H
			2367.12	55.12	-18.88	74	39.03	32.1	18.18	34.19	120	86	P	V
			2384.62	46.13	-7.87	54	30	32.1	18.23	34.2	120	86	A	V
	*		2437	102.87	-	-	86.71	32.03	18.34	34.21	120	86	P	V
	*		2437	95.87	-	-	79.71	32.03	18.34	34.21	120	86	A	V
			2487.47	55.22	-18.78	74	39.03	32	18.41	34.22	120	86	P	V
			2491.88	46.22	-7.78	54	30.02	32	18.42	34.22	120	86	A	V



802.11g CH 11 2462MHz	*	2462	104.38	-	-	88.21	32	18.38	34.21	109	303	P	H
	*	2462	96.6	-	-	80.43	32	18.38	34.21	109	303	A	H
		2494.6	54.92	-19.08	74	38.72	32	18.42	34.22	109	303	P	H
		2486.04	46.9	-7.1	54	30.71	32	18.41	34.22	109	303	A	H
													H
													H
	*	2462	102.55	-	-	86.38	32	18.38	34.21	115	119	P	V
	*	2462	95.36	-	-	79.19	32	18.38	34.21	115	119	A	V
		2485.16	55.08	-18.92	74	38.9	32	18.4	34.22	115	119	P	V
		2494.84	46.45	-7.55	54	30.25	32	18.42	34.22	115	119	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	41.19	-32.81	74	53.3	34.1	12.8	59.01	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	41.22	-32.78	74	53.33	34.1	12.8	59.01	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		4874	40.71	-33.29	74	52.63	34.15	12.85	58.92	-	-	P	H
		7311	42.48	-31.52	74	49.15	35.7	15.19	57.56	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4874	41.34	-32.66	74	53.26	34.15	12.85	58.92	-	-	P
		7311	41.64	-32.36	74	48.31	35.7	15.19	57.56	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 11 2462MHz		4924	41.14	-32.86	74	52.89	34.2	12.89	58.84	-	-	P	H
		7386	40.91	-33.09	74	47.73	35.63	15.19	57.64	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4924	40.96	-33.04	74	52.71	34.2	12.89	58.84	-	-	P
		7386	41.81	-32.19	74	48.63	35.63	15.19	57.64	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11g LF		30	30.68	-9.32	40	35.06	24.51	1.05	29.94	-	-	P	H	
		48.09	31.63	-8.37	40	44.98	15.23	1.34	29.92	-	-	P	H	
		199.83	31.56	-11.94	43.5	43.99	14.91	2.49	29.83	-	-	P	H	
		812.4	30.29	-15.71	46	26.91	27.61	5.02	29.25	-	-	P	H	
		885.9	32.26	-13.74	46	27.21	28.64	5.34	28.93	-	-	P	H	
		952.4	33.11	-12.89	46	25.81	30.44	5.52	28.66	-	-	P	H	
														H
														H
														H
														H
														H
														H
			30	33.45	-6.55	40	37.83	24.51	1.05	29.94	-	-	P	V
			48.09	30.85	-9.15	40	44.2	15.23	1.34	29.92	-	-	P	V
			225.21	34.28	-11.72	46	45.96	15.58	2.56	29.82	-	-	P	V
			793.5	33.99	-12.01	46	30.47	27.85	4.98	29.31	-	-	P	V
			827.8	35.25	-10.75	46	31.53	27.88	5.06	29.22	-	-	P	V
			954.5	35.45	-10.55	46	28	30.57	5.52	28.64	-	-	P	V
														V
														V
													V	
													V	
													V	

Remark

- No other spurious found.
- All results are PASS against limit line.
- The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11ax HE20 Full CH 01 2412MHz		2388.96	64.08	-9.92	74	47.94	32.1	18.24	34.2	100	294	P	H	
		2389.38	52.47	-1.53	54	36.33	32.1	18.24	34.2	100	294	A	H	
	*	2412	108.55	-	-	92.38	32.08	18.29	34.2	100	294	P	H	
	*	2412	100.2	-	-	84.03	32.08	18.29	34.2	100	294	A	H	
													H	
														H
802.11ax HE20 Full CH 06 2437MHz		2388.12	54.12	-19.88	74	37.98	32.1	18.24	34.2	355	0	P	H	
		2381.54	45.65	-8.35	54	29.53	32.1	18.22	34.2	355	0	A	H	
	*	2437	110.26	-	-	94.1	32.03	18.34	34.21	355	0	P	H	
	*	2437	102.6	-	-	86.44	32.03	18.34	34.21	355	0	A	H	
		2484.39	54.25	-19.75	74	38.07	32	18.4	34.22	355	0	P	H	
		2492.37	46.05	-7.95	54	29.85	32	18.42	34.22	355	0	A	H	
		2385.04	55.04	-18.96	74	38.91	32.1	18.23	34.2	100	20	P	V	
		2388.26	45.76	-8.24	54	29.62	32.1	18.24	34.2	100	20	A	V	
	*	2437	107.26	-	-	91.1	32.03	18.34	34.21	100	20	P	V	
	*	2437	99.8	-	-	83.64	32.03	18.34	34.21	100	20	A	V	
	2498.81	54.12	-19.88	74	37.91	32	18.43	34.22	100	20	P	V		
	2488.03	45.84	-8.16	54	29.65	32	18.41	34.22	100	20	A	V		



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 11 2462MHz	*	2462	108.31	-	-	92.14	32	18.38	34.21	308	29	P	H
	*	2462	100.31	-	-	84.14	32	18.38	34.21	308	29	A	H
		2485.64	62	-12	74	45.81	32	18.41	34.22	308	29	P	H
		2484.6	52.68	-1.32	54	36.5	32	18.4	34.22	308	29	A	H
													H
													H
	*	2462	108.95	-	-	92.78	32	18.38	34.21	100	24	P	V
	*	2462	100.01	-	-	83.84	32	18.38	34.21	100	24	A	V
		2485.72	64.64	-9.36	74	48.45	32	18.41	34.22	100	24	P	V
		2483.56	51.11	-2.89	54	34.93	32	18.4	34.22	100	24	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 2412MHz		4824	41.72	-32.28	74	53.83	34.1	12.8	59.01	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	40.94	-33.06	74	53.05	34.1	12.8	59.01	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WiFi Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE20 Full CH 11 2462MHz		4924	41.79	-32.21	74	53.54	34.2	12.89	58.84	-	-	P	H	
		7386	41.69	-32.31	74	48.51	35.63	15.19	57.64	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
	Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 2422MHz		2387	60.02	-13.98	74	43.88	32.1	18.24	34.2	369	0	P	H
		2386.86	52.45	-1.55	54	36.31	32.1	18.24	34.2	369	0	A	H
	*	2422	103.41	-	-	87.23	32.06	18.32	34.2	369	0	P	H
	*	2422	95.79	-	-	79.61	32.06	18.32	34.2	369	0	A	H
		2495.31	54.95	-19.05	74	38.74	32	18.43	34.22	369	0	P	H
		2486.84	46.49	-7.51	54	30.3	32	18.41	34.22	369	0	A	H
		2387.14	58.96	-15.04	74	42.82	32.1	18.24	34.2	100	17	P	V
		2388.12	51.78	-2.22	54	35.64	32.1	18.24	34.2	100	17	A	V
	*	2422	101.77	-	-	85.59	32.06	18.32	34.2	100	17	P	V
	*	2422	94.31	-	-	78.13	32.06	18.32	34.2	100	17	A	V
		2491.46	55.2	-18.8	74	39	32	18.42	34.22	100	17	P	V
		2493.91	46.32	-7.68	54	30.12	32	18.42	34.22	100	17	A	V
802.11ax HE40 Full CH 06 2437MHz		2389.94	59.44	-14.56	74	43.3	32.1	18.24	34.2	304	0	P	H
		2388.4	49.75	-4.25	54	33.61	32.1	18.24	34.2	304	0	A	H
	*	2437	104.55	-	-	88.39	32.03	18.34	34.21	304	0	P	H
	*	2437	97.92	-	-	81.76	32.03	18.34	34.21	304	0	A	H
		2484.04	60.38	-13.62	74	44.2	32	18.4	34.22	304	0	P	H
		2484.39	51.58	-2.42	54	35.4	32	18.4	34.22	304	0	A	H
		2384.34	59.1	-14.9	74	42.97	32.1	18.23	34.2	100	24	P	V
		2386.3	49.85	-4.15	54	33.71	32.1	18.24	34.2	100	24	A	V
	*	2437	104.12	-	-	87.96	32.03	18.34	34.21	100	24	P	V
	*	2437	95.88	-	-	79.72	32.03	18.34	34.21	100	24	A	V
		2483.83	60.9	-13.1	74	44.72	32	18.4	34.22	100	24	P	V
		2484.53	50.49	-3.51	54	34.31	32	18.4	34.22	100	24	A	V



WiFi Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 09 2452MHz		2376.22	54.44	-19.56	74	38.33	32.1	18.21	34.2	100	303	P	H
		2381.26	46.24	-7.76	54	30.12	32.1	18.22	34.2	100	303	A	H
	*	2452	103.02	-	-	86.87	32	18.36	34.21	100	303	P	H
	*	2452	96.37	-	-	80.22	32	18.36	34.21	100	303	A	H
		2487.26	64.37	-9.63	74	48.18	32	18.41	34.22	100	303	P	H
		2486.84	52.82	-1.18	54	36.63	32	18.41	34.22	100	303	A	H
		2373.14	53.95	-20.05	74	37.84	32.1	18.2	34.19	100	25	P	V
		2364.6	46.2	-7.8	54	30.12	32.1	18.17	34.19	100	25	A	V
	*	2452	103.09	-	-	86.94	32	18.36	34.21	100	25	P	V
	*	2452	94.21	-	-	78.06	32	18.36	34.21	100	25	A	V
		2487.47	61.16	-12.84	74	44.97	32	18.41	34.22	100	25	P	V
		2486.21	51.04	-2.96	54	34.85	32	18.41	34.22	100	25	A	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 												



2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE40 Full CH 03 2422MHz		4844	41.65	-32.35	74	53.63	34.18	12.81	58.97	-	-	P	H	
		7266	42.54	-31.46	74	49.1	35.77	15.19	57.52	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4844	41.8	-32.2	74	53.78	34.18	12.81	58.97	-	-	P	V
			7266	42.78	-31.22	74	49.34	35.77	15.19	57.52	-	-	P	V
														V
														V
														V
														V
														V
													V	
													V	
													V	
													V	
													V	



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE40 Full CH 06 2437MHz		4874	41.24	-32.76	74	53.16	34.15	12.85	58.92	-	-	P	H	
		7311	42.4	-31.6	74	49.07	35.7	15.19	57.56	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4874	41.58	-32.42	74	53.5	34.15	12.85	58.92	-	-	P	V
			7311	42.7	-31.3	74	49.37	35.7	15.19	57.56	-	-	P	V
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	



WiFi Ant. 1+2	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE40 Full CH 09 2452MHz		4904	42.04	-31.96	74	53.92	34.12	12.87	58.87	-	-	P	H	
		7356	42.72	-31.28	74	49.46	35.69	15.18	57.61	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
	802.11ax HE40 Full CH 09 2452MHz		4904	41.41	-32.59	74	53.29	34.12	12.87	58.87	-	-	P	V
			7356	41.74	-32.26	74	48.48	35.69	15.18	57.61	-	-	P	V
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



**Emission below 1GHz
2.4GHz WIFI 802.11ax HE40 (LF)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11ax HE40 LF		30	30.36	-9.64	40	34.74	24.51	1.05	29.94	-	-	P	H	
		47.82	32.63	-7.37	40	45.86	15.35	1.34	29.92	-	-	P	H	
		200.64	31.76	-11.74	43.5	44.17	14.93	2.49	29.83	-	-	P	H	
		799.8	30.89	-15.11	46	27.36	27.81	5	29.28	-	-	P	H	
		869.1	32.56	-13.44	46	27.62	28.76	5.22	29.04	-	-	P	H	
		955.9	33.37	-12.63	46	25.85	30.61	5.53	28.62	-	-	P	H	
														H
														H
														H
														H
														H
														H
														H
														H
			30	33.15	-6.85	40	37.53	24.51	1.05	29.94	-	-	P	V
			47.55	33.83	-6.17	40	46.93	15.48	1.34	29.92	100	41	Q	V
			228.18	34.26	-11.74	46	45.58	15.93	2.57	29.82	-	-	P	V
			806.8	35.04	-10.96	46	31.63	27.66	5.02	29.27	-	-	P	V
			869.1	35.2	-10.8	46	30.26	28.76	5.22	29.04	-	-	P	V
			951	34.82	-11.18	46	27.62	30.36	5.51	28.67	-	-	P	V
													V	
													V	
													V	
													V	
													V	
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against limit line. The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only. 													



<External Antenna>

<Sample 1>

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11g CH 01 2412MHz		2384.34	54.06	-19.94	74	37.93	32.1	18.23	34.2	393	268	P	H	
		2389.485	45.44	-8.56	54	29.3	32.1	18.24	34.2	393	268	A	H	
	*	2412	101.47	-	-	85.3	32.08	18.29	34.2	393	268	P	H	
	*	2412	94.32	-	-	78.15	32.08	18.29	34.2	393	268	A	H	
													H	
													H	
			2372.37	54.19	-19.81	74	38.09	32.1	18.19	34.19	311	336	P	V
			2361.66	45.02	-8.98	54	28.95	32.1	18.16	34.19	311	336	A	V
	*		2412	97.38	-	-	81.21	32.08	18.29	34.2	311	336	P	V
	*		2412	90.12	-	-	73.95	32.08	18.29	34.2	311	336	A	V
													V	
												V		
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	40.92	-33.08	74	53.03	34.1	12.8	59.01	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	40.91	-33.09	74	53.02	34.1	12.8	59.01	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11g LF		30.54	30.65	-9.35	40	35.55	23.98	1.06	29.94	-	-	P	H	
		44.85	25.74	-14.26	40	37.41	16.95	1.31	29.93	-	-	P	H	
		205.77	23.46	-20.04	43.5	35.59	15.19	2.51	29.83	-	-	P	H	
		773.9	30.12	-15.88	46	26.72	27.89	4.89	29.38	-	-	P	H	
		891.5	32.83	-13.17	46	27.6	28.76	5.37	28.9	-	-	P	H	
		958	33.64	-12.36	46	26.14	30.57	5.53	28.6	-	-	P	H	
														H
														H
														H
														H
														H
														H
			30	32.75	-7.25	40	37.53	24.11	1.05	29.94	-	-	P	V
			46.2	21.63	-18.37	40	33.98	16.25	1.33	29.93	-	-	P	V
			205.77	22.4	-21.1	43.5	34.53	15.19	2.51	29.83	-	-	P	V
			780.2	31.2	-14.8	46	27.82	27.83	4.91	29.36	-	-	P	V
			860.7	32.25	-13.75	46	27.22	28.96	5.17	29.1	-	-	P	V
			943.3	33.37	-12.63	46	26.68	29.89	5.5	28.7	-	-	P	V
														V
														V
													V	
													V	
													V	
													V	

Remark

- No other spurious found.
- All results are PASS against limit line.
- The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.



<Sample 2>

2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11b CH 01 2412MHz		2384.235	55.62	-18.38	74	39.49	32.1	18.23	34.2	106	284	P	H	
		2387.175	46.17	-7.83	54	30.03	32.1	18.24	34.2	106	284	A	H	
	*	2412	105.08	-	-	88.91	32.08	18.29	34.2	106	284	P	H	
	*	2412	102.08	-	-	85.91	32.08	18.29	34.2	106	284	A	H	
													H	
														H
			2372.16	55.56	-18.44	74	39.46	32.1	18.19	34.19	400	187	P	V
			2389.17	44.53	-9.47	54	28.39	32.1	18.24	34.2	400	187	A	V
	*		2412	94.11	-	-	77.94	32.08	18.29	34.2	400	187	P	V
	*		2412	91.1	-	-	74.93	32.08	18.29	34.2	400	187	A	V
														V
														V
802.11b CH 06 2437MHz		2377.2	56.4	-17.6	74	40.29	32.1	18.21	34.2	106	288	P	H	
		2389.94	44.79	-9.21	54	28.65	32.1	18.24	34.2	106	288	A	H	
	*	2437	105	-	-	88.84	32.03	18.34	34.21	106	288	P	H	
	*	2437	102	-	-	85.84	32.03	18.34	34.21	106	288	A	H	
			2486.35	55.84	-18.16	74	39.65	32	18.41	34.22	106	288	P	H
			2491.6	44.89	-9.11	54	28.69	32	18.42	34.22	106	288	A	H
			2310.56	55.28	-18.72	74	39.6	31.86	18	34.18	400	2	P	V
			2389.94	44.61	-9.39	54	28.47	32.1	18.24	34.2	400	2	A	V
	*		2437	97.53	-	-	81.37	32.03	18.34	34.21	400	2	P	V
	*		2437	94.51	-	-	78.35	32.03	18.34	34.21	400	2	A	V
			2484.46	54.9	-19.1	74	38.72	32	18.4	34.22	400	2	P	V
			2484.95	44.82	-9.18	54	28.64	32	18.4	34.22	400	2	A	V



802.11b CH 11 2462MHz	*	2462	105.66	-	-	89.49	32	18.38	34.21	104	277	P	H
	*	2462	102.5	-	-	86.33	32	18.38	34.21	104	277	A	H
		2483.72	57.31	-16.69	74	41.13	32	18.4	34.22	104	277	P	H
		2483.52	47.89	-6.11	54	31.71	32	18.4	34.22	104	277	A	H
													H
													H
	*	2462	97.78	-	-	81.61	32	18.38	34.21	392	162	P	V
	*	2462	94.64	-	-	78.47	32	18.38	34.21	392	162	A	V
		2496.32	55.27	-18.73	74	39.06	32	18.43	34.22	392	162	P	V
		2483.52	45.22	-8.78	54	29.04	32	18.4	34.22	392	162	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	40.18	-33.82	74	52.29	34.1	12.8	59.01	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	41.23	-32.77	74	53.34	34.1	12.8	59.01	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	40.78	-33.22	74	52.7	34.15	12.85	58.92	-	-	P	H
		7311	41.82	-32.18	74	48.49	35.7	15.19	57.56	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4874	41.95	-32.05	74	53.87	34.15	12.85	58.92	-	-	P
		7311	41.5	-32.5	74	48.17	35.7	15.19	57.56	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz		4924	41.83	-32.17	74	53.58	34.2	12.89	58.84	-	-	P	H
		7386	40.46	-33.54	74	47.28	35.63	15.19	57.64	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4924	41.3	-32.7	74	53.05	34.2	12.89	58.84	-	-	P
		7386	41.57	-32.43	74	48.39	35.63	15.19	57.64	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)**

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 01 2412MHz		2389.905	65.48	-8.52	74	49.34	32.1	18.24	34.2	105	293	P	H	
		2389.695	52.98	-1.02	54	36.84	32.1	18.24	34.2	105	293	A	H	
	*	2412	107.49	-	-	91.32	32.08	18.29	34.2	105	293	P	H	
	*	2412	100.16	-	-	83.99	32.08	18.29	34.2	105	293	A	H	
													H	
														H
			2390	55.83	-18.17	74	39.69	32.1	18.24	34.2	400	186	P	V
			2390	46.41	-7.59	54	30.27	32.1	18.24	34.2	400	186	A	V
	*		2412	97.92	-	-	81.75	32.08	18.29	34.2	400	186	P	V
	*		2412	90.82	-	-	74.65	32.08	18.29	34.2	400	186	A	V
														V
														V
802.11g CH 06 2437MHz		2377.76	55.76	-18.24	74	39.65	32.1	18.21	34.2	105	284	P	H	
		2389.66	46.33	-7.67	54	30.19	32.1	18.24	34.2	105	284	A	H	
	*	2437	107.05	-	-	90.89	32.03	18.34	34.21	105	284	P	H	
	*	2437	100.07	-	-	83.91	32.03	18.34	34.21	105	284	A	H	
			2490.55	55.29	-18.71	74	39.09	32	18.42	34.22	105	284	P	H
			2486	46.68	-7.32	54	30.49	32	18.41	34.22	105	284	A	H
			2389.52	55.22	-18.78	74	39.08	32.1	18.24	34.2	347	2	P	V
			2375.66	46.25	-7.75	54	30.14	32.1	18.21	34.2	347	2	A	V
	*		2437	99.55	-	-	83.39	32.03	18.34	34.21	347	2	P	V
	*		2437	92.57	-	-	76.41	32.03	18.34	34.21	347	2	A	V
			2494.4	55.54	-18.46	74	39.34	32	18.42	34.22	347	2	P	V
			2493.77	46.24	-7.76	54	30.04	32	18.42	34.22	347	2	A	V



802.11g CH 11 2462MHz	*	2462	106.22	-	-	90.05	32	18.38	34.21	400	66	P	H
	*	2462	97.72	-	-	81.55	32	18.38	34.21	400	66	A	H
		2484.56	56.21	-17.79	74	40.03	32	18.4	34.22	400	66	P	H
		2485.04	46.81	-7.19	54	30.63	32	18.4	34.22	400	66	A	H
													H
													H
	*	2462	99.56	-	-	83.39	32	18.38	34.21	334	20	P	V
	*	2462	92.13	-	-	75.96	32	18.38	34.21	334	20	A	V
		2498.88	54.95	-19.05	74	38.74	32	18.43	34.22	334	20	P	V
		2492.52	46.62	-7.38	54	30.42	32	18.42	34.22	334	20	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	40.74	-33.26	74	52.85	34.1	12.8	59.01	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	41.53	-32.47	74	53.64	34.1	12.8	59.01	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 06 2437MHz		4874	41.73	-32.27	74	53.65	34.15	12.85	58.92	-	-	P	H	
		7311	42.36	-31.64	74	49.03	35.7	15.19	57.56	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4874	40.94	-33.06	74	52.86	34.15	12.85	58.92	-	-	P	V
			7311	42.48	-31.52	74	49.15	35.7	15.19	57.56	-	-	P	V
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	
													V	



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 11 2462MHz		4924	40.42	-33.58	74	52.17	34.2	12.89	58.84	-	-	P	H
		7386	40.93	-33.07	74	47.75	35.63	15.19	57.64	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4924	40.67	-33.33	74	52.42	34.2	12.89	58.84	-	-	P
		7386	40.67	-33.33	74	47.49	35.63	15.19	57.64	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11g LF		49.44	25.8	-14.2	40	39.74	14.61	1.37	29.92	-	-	P	H	
		199.29	34.64	-8.86	43.5	47.09	14.89	2.49	29.83	-	-	P	H	
		256.8	29.42	-16.58	46	37.48	19.09	2.67	29.82	-	-	P	H	
		915.3	33	-13	46	27.57	28.77	5.45	28.79	-	-	P	H	
		953.1	33.28	-12.72	46	25.92	30.49	5.52	28.65	-	-	P	H	
		965.7	33.95	-20.05	54	26.13	30.79	5.56	28.53	-	-	P	H	
														H
														H
														H
														H
														H
														H
			30	33.47	-6.53	40	37.85	24.51	1.05	29.94	-	-	P	V
			49.98	29.46	-10.54	40	43.64	14.37	1.37	29.92	-	-	P	V
			255.72	36.23	-9.77	46	44.46	18.93	2.66	29.82	-	-	P	V
			820.1	37.39	-8.61	46	33.96	27.63	5.04	29.24	-	-	P	V
			951.7	37.03	-8.97	46	29.77	30.4	5.52	28.66	-	-	P	V
			971.3	38.22	-15.78	54	30.3	30.83	5.57	28.48	-	-	P	V
														V
														V
													V	
													V	
													V	
													V	

Remark

- No other spurious found.
- All results are PASS against limit line.
- The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11b CH 01 2412MHz		2345.07	55.51	-18.49	74	39.52	32.07	18.11	34.19	105	289	P	H	
		2378.355	44.92	-9.08	54	28.81	32.1	18.21	34.2	105	289	A	H	
	*	2412	102.49	-	-	86.32	32.08	18.29	34.2	105	289	P	H	
	*	2412	99.42	-	-	83.25	32.08	18.29	34.2	105	289	A	H	
													H	
														H
			2347.485	55.69	-18.31	74	39.68	32.08	18.12	34.19	400	198	P	V
			2390	44.86	-9.14	54	28.72	32.1	18.24	34.2	400	198	A	V
	*		2412	96.75	-	-	80.58	32.08	18.29	34.2	400	198	P	V
	*		2412	93.73	-	-	77.56	32.08	18.29	34.2	400	198	A	V
														V
														V
802.11b CH 06 2437MHz		2357.32	55.64	-18.36	74	39.58	32.1	18.15	34.19	100	290	P	H	
		2389.1	44.88	-9.12	54	28.74	32.1	18.24	34.2	100	290	A	H	
	*	2437	101.72	-	-	85.56	32.03	18.34	34.21	100	290	P	H	
	*	2437	98.62	-	-	82.46	32.03	18.34	34.21	100	290	A	H	
			2491.95	55.34	-18.66	74	39.14	32	18.42	34.22	100	290	P	H
			2493.77	44.95	-9.05	54	28.75	32	18.42	34.22	100	290	A	H
			2378.04	55.63	-18.37	74	39.52	32.1	18.21	34.2	386	2	P	V
			2388.26	44.83	-9.17	54	28.69	32.1	18.24	34.2	386	2	A	V
	*		2437	95.93	-	-	79.77	32.03	18.34	34.21	386	2	P	V
	*		2437	92.86	-	-	76.7	32.03	18.34	34.21	386	2	A	V
			2491.6	55.39	-18.61	74	39.19	32	18.42	34.22	386	2	P	V
			2493.91	44.95	-9.05	54	28.75	32	18.42	34.22	386	2	A	V



802.11b CH 11 2462MHz	*	2462	101.28	-	-	85.11	32	18.38	34.21	102	272	P	H
	*	2462	98.22	-	-	82.05	32	18.38	34.21	102	272	A	H
		2492.32	55.02	-18.98	74	38.82	32	18.42	34.22	102	272	P	H
		2484.76	45.1	-8.9	54	28.92	32	18.4	34.22	102	272	A	H
													H
													H
	*	2462	95.64	-	-	79.47	32	18.38	34.21	300	16	P	V
	*	2462	92.57	-	-	76.4	32	18.38	34.21	300	16	A	V
		2496.24	55.11	-18.89	74	38.9	32	18.43	34.22	300	16	P	V
		2494.4	44.93	-9.07	54	28.73	32	18.42	34.22	300	16	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	41.45	-32.55	74	53.56	34.1	12.8	59.01	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	40.75	-33.25	74	52.86	34.1	12.8	59.01	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	40.69	-33.31	74	52.61	34.15	12.85	58.92	-	-	P	H
		7311	42.82	-31.18	74	49.49	35.7	15.19	57.56	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4874	40.62	-33.38	74	52.54	34.15	12.85	58.92	-	-	P
		7311	42.24	-31.76	74	48.91	35.7	15.19	57.56	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz		4924	40.48	-33.52	74	52.23	34.2	12.89	58.84	-	-	P	H
		7386	40.8	-33.2	74	47.62	35.63	15.19	57.64	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4924	41.09	-32.91	74	52.84	34.2	12.89	58.84	-	-	P
		7386	41.37	-32.63	74	48.19	35.63	15.19	57.64	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)**

WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 01 2412MHz		2329.845	54.88	-19.12	74	39.03	31.98	18.06	34.19	100	289	P	H	
		2389.38	46.78	-7.22	54	30.64	32.1	18.24	34.2	100	289	A	H	
	*	2412	104.76	-	-	88.59	32.08	18.29	34.2	100	289	P	H	
	*	2412	97.41	-	-	81.24	32.08	18.29	34.2	100	289	A	H	
													H	
													H	
			2348.115	55.21	-18.79	74	39.19	32.09	18.12	34.19	400	198	P	V
			2388.96	46.42	-7.58	54	30.28	32.1	18.24	34.2	400	198	A	V
	*		2412	99.34	-	-	83.17	32.08	18.29	34.2	400	198	P	V
	*		2412	91.89	-	-	75.72	32.08	18.29	34.2	400	198	A	V
													V	
													V	
802.11g CH 06 2437MHz		2388.12	55.05	-18.95	74	38.91	32.1	18.24	34.2	352	289	P	H	
		2387.28	46.44	-7.56	54	30.3	32.1	18.24	34.2	352	289	A	H	
	*	2437	106.96	-	-	90.8	32.03	18.34	34.21	352	289	P	H	
	*	2437	99.7	-	-	83.54	32.03	18.34	34.21	352	289	A	H	
			2484.39	54.8	-19.2	74	38.62	32	18.4	34.22	352	289	P	H
			2493.49	46.58	-7.42	54	30.38	32	18.42	34.22	352	289	A	H
			2383.64	54.6	-19.4	74	38.47	32.1	18.23	34.2	355	0	P	V
			2367.54	46.06	-7.94	54	29.97	32.1	18.18	34.19	355	0	A	V
	*		2437	100.19	-	-	84.03	32.03	18.34	34.21	355	0	P	V
	*		2437	92.78	-	-	76.62	32.03	18.34	34.21	355	0	A	V
			2498.6	54.98	-19.02	74	38.77	32	18.43	34.22	355	0	P	V
			2485.58	46.34	-7.66	54	30.15	32	18.41	34.22	355	0	A	V



802.11g CH 11 2462MHz	*	2462	105.38	-	-	89.21	32	18.38	34.21	100	276	P	H
	*	2462	98.24	-	-	82.07	32	18.38	34.21	100	276	A	H
		2483.6	67.08	-6.92	74	50.9	32	18.4	34.22	100	276	P	H
		2483.6	52.35	-1.65	54	36.17	32	18.4	34.22	100	276	A	H
													H
													H
	*	2462	97.74	-	-	81.57	32	18.38	34.21	389	349	P	V
	*	2462	90.5	-	-	74.33	32	18.38	34.21	389	349	A	V
		2483.96	56.13	-17.87	74	39.95	32	18.4	34.22	389	349	P	V
		2483.52	47.12	-6.88	54	30.94	32	18.4	34.22	389	349	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI Ant. 2	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	41	-33	74	53.11	34.1	12.8	59.01	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	41.07	-32.93	74	53.18	34.1	12.8	59.01	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 11 2462MHz		4924	41.66	-32.34	74	53.41	34.2	12.89	58.84	-	-	P	H	
		7386	40.89	-33.11	74	47.71	35.63	15.19	57.64	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4924	41.22	-32.78	74	52.97	34.2	12.89	58.84	-	-	P	V
			7386	40.61	-33.39	74	47.43	35.63	15.19	57.64	-	-	P	V
														V
														V
														V
														V
														V
														V
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 													



Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11g LF		49.44	26.25	-13.75	40	40.19	14.61	1.37	29.92	-	-	P	H	
		200.1	31.77	-11.73	43.5	44.19	14.92	2.49	29.83	-	-	P	H	
		225.75	29.32	-16.68	46	40.94	15.64	2.56	29.82	-	-	P	H	
		893.6	33.03	-12.97	46	27.93	28.59	5.39	28.88	-	-	P	H	
		956.6	34.06	-11.94	46	26.52	30.63	5.53	28.62	-	-	P	H	
		967.1	35.18	-18.82	54	27.33	30.81	5.56	28.52	-	-	P	H	
														H
														H
														H
														H
														H
														H
			30	32.91	-7.09	40	37.29	24.51	1.05	29.94	-	-	P	V
			49.44	31.02	-8.98	40	44.96	14.61	1.37	29.92	-	-	P	V
			200.91	32.25	-11.25	43.5	44.65	14.94	2.49	29.83	-	-	P	V
			871.9	38.55	-7.45	46	33.6	28.74	5.24	29.03	-	-	P	V
			944.7	38.19	-7.81	46	31.43	29.96	5.5	28.7	-	-	P	V
			985.3	38.27	-15.73	54	30.61	30.4	5.61	28.35	-	-	P	V
														V
														V
													V	
													V	
													V	
													V	
													V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against limit line. The emission position marked as "-" means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only. 													



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.	
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11ax HE20 Full CH 01 2412MHz		2388.855	57.19	-16.81	74	41.05	32.1	18.24	34.2	386	302	P	H	
		2389.905	47.75	-6.25	54	31.61	32.1	18.24	34.2	386	302	A	H	
	*	2412	97.72	-	-	81.55	32.08	18.29	34.2	386	302	P	H	
	*	2412	89.97	-	-	73.8	32.08	18.29	34.2	386	302	A	H	
													H	
														H
			2388.645	66.04	-7.96	74	49.9	32.1	18.24	34.2	372	168	P	V
			2389.17	51.87	-2.13	54	35.73	32.1	18.24	34.2	372	168	A	V
		*	2412	106.94	-	-	90.77	32.08	18.29	34.2	372	168	P	V
	*	2412	97.75	-	-	81.58	32.08	18.29	34.2	372	168	A	V	
													V	
													V	
802.11ax HE20 Full CH 06 2437MHz		2361.52	56.02	-17.98	74	39.95	32.1	18.16	34.19	398	200	P	H	
		2364.04	46.57	-7.43	54	30.49	32.1	18.17	34.19	398	200	A	H	
	*	2437	103.64	-	-	87.48	32.03	18.34	34.21	398	200	P	H	
	*	2437	96.95	-	-	80.79	32.03	18.34	34.21	398	200	A	H	
			2483.97	55.68	-18.32	74	39.5	32	18.4	34.22	398	200	P	H
			2495.03	46.64	-7.36	54	30.44	32	18.42	34.22	398	200	A	H
			2387.42	56.8	-17.2	74	40.66	32.1	18.24	34.2	351	188	P	V
			2389.52	47.3	-6.7	54	31.16	32.1	18.24	34.2	351	188	A	V
		*	2437	112.31	-	-	96.15	32.03	18.34	34.21	351	188	P	V
		*	2437	105.27	-	-	89.11	32.03	18.34	34.21	351	188	A	V
		2494.47	55.73	-18.27	74	39.53	32	18.42	34.22	351	188	P	V	
		2494.19	47.2	-6.8	54	31	32	18.42	34.22	351	188	A	V	



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 11 2462MHz	*	2462	99.43	-	-	83.26	32	18.38	34.21	100	298	P	H
	*	2462	90.78	-	-	74.61	32	18.38	34.21	100	298	A	H
		2485.52	57.58	-16.42	74	41.39	32	18.41	34.22	100	298	P	H
		2483.52	47.59	-6.41	54	31.41	32	18.4	34.22	100	298	A	H
													H
													H
	*	2462	105.68	-	-	89.51	32	18.38	34.21	102	328	P	V
	*	2462	97.69	-	-	81.52	32	18.38	34.21	102	328	A	V
		2483.88	66.03	-7.97	74	49.85	32	18.4	34.22	102	328	P	V
		2484.52	51.65	-2.35	54	35.47	32	18.4	34.22	102	328	A	V
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 2412MHz		4824	42.78	-31.22	74	54.89	34.1	12.8	59.01	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4824	41.48	-32.52	74	53.59	34.1	12.8	59.01	-	-	P
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 06 2437MHz		4874	41.2	-32.8	74	53.12	34.15	12.85	58.92	-	-	P	H
		7311	42.83	-31.17	74	49.5	35.7	15.19	57.56	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4874	41.22	-32.78	74	53.14	34.15	12.85	58.92	-	-	P
		7311	42.7	-31.3	74	49.37	35.7	15.19	57.56	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WiFi Ant. 1+2	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 11 2462MHz		4924	41.5	-32.5	74	53.25	34.2	12.89	58.84	-	-	P	H
		7386	42.28	-31.72	74	49.1	35.63	15.19	57.64	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
	Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.											



2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 2422MHz		2386.02	57.53	-16.47	74	41.4	32.1	18.23	34.2	200	194	P	H
		2385.88	49.3	-4.7	54	33.17	32.1	18.23	34.2	200	194	A	H
	*	2422	96.63	-	-	80.45	32.06	18.32	34.2	200	194	P	H
	*	2422	89.4	-	-	73.22	32.06	18.32	34.2	200	194	A	H
		2490.2	54.08	-19.92	74	37.89	32	18.41	34.22	200	194	P	H
		2492.79	46.01	-7.99	54	29.81	32	18.42	34.22	200	194	A	H
		2389.24	60.25	-13.75	74	44.11	32.1	18.24	34.2	291	161	P	V
		2385.74	51.12	-2.88	54	34.99	32.1	18.23	34.2	291	161	A	V
	*	2422	100.4	26.4	74	84.22	32.06	18.32	34.2	291	161	P	V
	*	2422	92.71	38.71	54	76.53	32.06	18.32	34.2	291	161	A	V
		2494.96	54.77	-19.23	74	38.57	32	18.42	34.22	291	161	P	V
		2485.58	46.4	-7.6	54	30.21	32	18.41	34.22	291	161	P	V
802.11ax HE40 Full CH 06 2437MHz		2389.38	54.76	-19.24	74	38.62	32.1	18.24	34.2	359	198	P	H
		2389.66	47.36	-6.64	54	31.22	32.1	18.24	34.2	359	198	A	H
	*	2437	100.85	-	-	84.69	32.03	18.34	34.21	359	198	P	H
	*	2437	93.32	-	-	77.16	32.03	18.34	34.21	359	198	A	H
		2483.83	55.34	-18.66	74	39.16	32	18.4	34.22	359	198	P	H
		2483.69	46.71	-7.29	54	30.53	32	18.4	34.22	359	198	A	H
		2389.94	58.93	-15.07	74	42.79	32.1	18.24	34.2	307	209	P	V
		2389.38	50.63	-3.37	54	34.49	32.1	18.24	34.2	307	209	A	V
	*	2437	107	-	-	90.84	32.03	18.34	34.21	307	209	P	V
	*	2437	99.16	-	-	83	32.03	18.34	34.21	307	209	A	V
	2486.77	59.22	-14.78	74	43.03	32	18.41	34.22	307	209	P	V	
	2483.9	52.55	-1.45	54	36.37	32	18.4	34.22	307	209	P	V	



WiFi Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 09 2452MHz		2383.78	55.08	-18.92	74	38.95	32.1	18.23	34.2	103	327	P	H
		2363.2	46.91	-7.09	54	30.83	32.1	18.17	34.19	103	327	A	H
	*	2452	92.15	-	-	76	32	18.36	34.21	103	327	P	H
	*	2452	83.18	-	-	67.03	32	18.36	34.21	103	327	A	H
		2487.68	57.61	-16.39	74	41.42	32	18.41	34.22	103	327	P	H
		2485.72	47.7	-6.3	54	31.51	32	18.41	34.22	103	327	A	H
		2330.44	55.5	-18.5	74	39.65	31.98	18.06	34.19	100	324	P	V
		2349.06	47.16	-6.84	54	31.14	32.09	18.12	34.19	100	324	A	V
	*	2452	101.8	-	-	85.65	32	18.36	34.21	100	324	P	V
	*	2452	94.52	-	-	78.37	32	18.36	34.21	100	324	A	V
		2488.17	62.85	-11.15	74	46.66	32	18.41	34.22	100	324	P	V
		2485.58	52.29	-1.71	54	36.1	32	18.41	34.22	100	324	A	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 												



2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE40 Full CH 03 2422MHz		4844	42.68	-31.32	74	54.66	34.18	12.81	58.97	-	-	P	H	
		7266	42.21	-31.79	74	48.77	35.77	15.19	57.52	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			4844	42.03	-31.97	74	54.01	34.18	12.81	58.97	-	-	P	V
			7266	41.95	-32.05	74	48.51	35.77	15.19	57.52	-	-	P	V
														V
														V
														V
														V
													V	
													V	
													V	
													V	
													V	
													V	
													V	



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 06 2437MHz		4874	41.59	-32.41	74	53.51	34.15	12.85	58.92	-	-	P	H
		7311	42.41	-31.59	74	49.08	35.7	15.19	57.56	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
			4874	41.74	-32.26	74	53.66	34.15	12.85	58.92	-	-	P
		7311	42.89	-31.11	74	49.56	35.7	15.19	57.56	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WiFi Ant. 1+2	Note	Frequency (MHz)	Level (dBµV/m)	Margin (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE40 Full CH 09 2452MHz		4904	41.78	-32.22	74	53.66	34.12	12.87	58.87	-	-	P	H	
		7356	42.16	-31.84	74	48.9	35.69	15.18	57.61	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
	Remark	1. No other spurious found.												
		2. All results are PASS against Peak and Average limit line.												
3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.														



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
2412MHz		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) =
Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Margin (dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Margin (dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission Plots

Test Engineer :	Jesse Wang, Stan Hsieh and Ken Wu	Temperature :	23.2~27.6°C
		Relative Humidity :	42.5~74%

Remark: For Radiated Spurious Emission Test Data, Internal Ant. 1 means Internal Antenna (Right) and Internal Ant. 2 means Internal Antenna (Left).

Note symbol

-L	Low channel location
-R	High channel location







<Internal Antenna>

<Sample 1>

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - L	
1+2	Horizontal	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : PEAK_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - R	
1+2	Horizontal	Fundamental
<p>Peak</p>	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWF:Auto</p>	<p>Left blank</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - L	
1+2	Vertical	Fundamental
Peak	<p>Date: 2023-10-23</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Date: 2023-10-23</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Date: 2023-10-23</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>	<p>Date: 2023-10-23</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - R	
1+2	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWF:Auto</p>	Left blank



2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE40 Full (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE40 Full CH09 2452MHz	
1+2	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL</p>	<p>Site : 03CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL</p>



Emission above 18GHz
 2.4GHz WIFI 802.11ax HE40 Full (LF)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE40 Full LF	
1+2	Horizontal	Vertical
QP / Peak	<p>Site : 03CH07-HY Condition : QP 3m LF-ANT-35419(6)_H HORIZONTAL</p>	<p>Site : 03CH07-HY Condition : QP 3m LF-ANT-35419(6)_H VERTICAL</p>



<Sample 2>





2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_S4_3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : PEAK_T4_3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Site : 03CH07-HY Condition : AVG_S4_3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : AVG_S4_3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1	Vertical	Fundamental
Peak	<p>Date: 2023-09-29</p> <p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto</p>	<p>Date: 2023-09-29</p> <p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto</p>
Avg.	<p>Date: 2023-09-29</p> <p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWTAuto</p>	<p>Date: 2023-09-29</p> <p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWTAuto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1	Horizontal	Fundamental
Peak	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing a peak at approximately 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line marks the peak.</p> <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing a sharp peak at approximately 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the peak level, labeled 'PEAK_74'.</p> <p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line marks the peak.</p> <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the average level, labeled 'AVG_54'.</p> <p>Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : :PEAK_BE_74 3m HF_ANT_00075962 VERTICAL :RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : :PEAK_74 3m HF_ANT_00075962 VERTICAL :RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Site : 03CH07-HY Condition : :AVG_BE_54 3m HF_ANT_00075962 VERTICAL :RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : :AVG_54 3m HF_ANT_00075962 VERTICAL :RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal Peak. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2460 to 2500 MHz. A red line indicates the peak level at approximately 74 dBuV/m. The plot shows a signal level that drops from about 100 dBuV/m at 2460 MHz to about 50 dBuV/m at 2483.5 MHz, with a sharp peak at 2462 MHz.</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz; VBW:3000.000kHz; SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Peak. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red line indicates the peak level at approximately 74 dBuV/m. The plot shows a sharp peak at 2462 MHz on a relatively flat background of about 50 dBuV/m.</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz; VBW:3000.000kHz; SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal Average. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2460 to 2500 MHz. A red line indicates the average level at approximately 54 dBuV/m. The plot shows a signal level that drops from about 100 dBuV/m at 2460 MHz to about 50 dBuV/m at 2483.5 MHz, with a peak at 2462 MHz.</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz; VBW:0.010kHz; SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Average. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red line indicates the average level at approximately 54 dBuV/m. The plot shows a sharp peak at 2462 MHz on a background of about 50 dBuV/m.</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz; VBW:0.010kHz; SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1	Vertical	Fundamental
Peak	 <p>Date: 2023-09-28</p> <p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz; VBW:3000.000kHz; SWT:Auto</p>	 <p>Date: 2023-09-28</p> <p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz; VBW:3000.000kHz; SWT:Auto</p>
Avg.	 <p>Date: 2023-09-28</p> <p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz; VBW:0.010kHz; SWT:Auto</p>	 <p>Date: 2023-09-28</p> <p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz; VBW:0.010kHz; SWT:Auto</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1	Horizontal	Fundamental
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal orientation. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2310 to 2415 MHz. A sharp peak is visible at approximately 2412 MHz. A red vertical line marks the peak frequency. The plot title is 'Date: 2023-09-28'.</p> <p>Site : 03CH07-HY Condition : PEAK_BE_24.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental orientation. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A sharp peak is visible at approximately 2412 MHz. A red vertical line marks the peak frequency. The plot title is 'Date: 2023-09-28'.</p> <p>Site : 03CH07-HY Condition : PEAK_24.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal orientation. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2310 to 2415 MHz. A broad peak is visible at approximately 2412 MHz. A red vertical line marks the peak frequency. The plot title is 'Date: 2023-09-28'.</p> <p>Site : 03CH07-HY Condition : AVG_BE_24.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	<p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental orientation. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A broad peak is visible at approximately 2412 MHz. A red vertical line marks the peak frequency. The plot title is 'Date: 2023-09-28'.</p> <p>Site : 03CH07-HY Condition : AVG_24.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1	Vertical	Fundamental
Peak	<p>Date: 2023-09-28</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>	<p>Date: 2023-09-28</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>
Avg.	<p>Date: 2023-09-28</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTA:Auto</p>	<p>Date: 2023-09-28</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTA:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
1	Horizontal	Fundamental
Peak	 <p>Date: 2023-09-28</p> <p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Date: 2023-09-28</p> <p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Date: 2023-09-28</p> <p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Date: 2023-09-28</p> <p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWFAuto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWFAuto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
1	Vertical	Fundamental
Peak	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Vertical Peak. The plot shows a signal level around 75 dBm/100kHz with a peak at approximately 2437 MHz. The x-axis ranges from 2310 to 2450 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100kHz.</p> <p>Site : 03CH07-HY Condition : :PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Fundamental Peak. The plot shows a signal level around 75 dBm/100kHz with a peak at approximately 2437 MHz. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100kHz.</p> <p>Site : 03CH07-HY Condition : :PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Vertical Avg. The plot shows a signal level around 75 dBm/100kHz with a peak at approximately 2437 MHz. The x-axis ranges from 2310 to 2450 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100kHz.</p> <p>Site : 03CH07-HY Condition : :AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Fundamental Avg. The plot shows a signal level around 75 dBm/100kHz with a peak at approximately 2437 MHz. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100kHz.</p> <p>Site : 03CH07-HY Condition : :AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075963 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left Blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075963 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWF:Auto</p>	Left Blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
1	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2460 to 2500 MHz. A red line indicates the peak level at approximately 105 dBuV/m.</p> <p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red line indicates the peak level at approximately 105 dBuV/m.</p> <p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average level across the band. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2460 to 2500 MHz. A red line indicates the average level at approximately 50 dBuV/m.</p> <p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average level across the band. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red line indicates the average level at approximately 50 dBuV/m.</p> <p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
1	Vertical	Fundamental
Peak	 <p>Date: 2023-09-28</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_BE_74</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Date: 2023-09-28</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_74</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Date: 2023-09-28</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_BE_54</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Date: 2023-09-28</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_54</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>



2.4GHz 2400~2483.5MHz
WIFI 802.11b (Harmonic @ 3m)

Table with 2 columns: WIFI (2.4GHz 2400~2483.5MHz Harmonic @ 3m), ANT (802.11b CH01 2412MHz). Row 1: 1, Horizontal, Vertical. Includes two graphs showing Level (dBuV/m) vs Frequency (MHz) for Peak and Avg. measurements.



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
1	Horizontal	Vertical
<p>Peak</p> <p>Avg.</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL -- -- --</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL -- -- --</p>





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
1	Horizontal	Vertical
Peak Avg.	<p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL - - - - - - - -</p>	<p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL - - - - - - - -</p>



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-RY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL</p>	<p>Site : 03CH07-RY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
1	Horizontal	Vertical
Peak Avg.	 <p>Site : 09SCH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL - - - - - - - - - -</p>	 <p>Site : 09SCH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL - - - - - - - - - -</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
1	Horizontal	Vertical
Peak Avg.		



Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11g LF	
1	Horizontal	Vertical
QP / Peak	<p>Horizontal plot showing Level (dBuV/m) vs Frequency (MHz). The y-axis ranges from 5.7 to 90 dBuV/m. The x-axis ranges from 50 to 1000 MHz. A red line indicates the peak level at approximately 55 dBuV/m. A blue line shows the emission spectrum with a peak at 2.4 GHz. The plot is dated 2023-10-31.</p> <p>Site : 03CH07-HY Condition : QP 3m LF-ANT-35413(6) HORIZONTAL</p>	<p>Vertical plot showing Level (dBuV/m) vs Frequency (MHz). The y-axis ranges from 5.7 to 90 dBuV/m. The x-axis ranges from 50 to 1000 MHz. A red line indicates the peak level at approximately 55 dBuV/m. A blue line shows the emission spectrum with a peak at 2.4 GHz. The plot is dated 2023-10-31.</p> <p>Site : 03CH07-HY Condition : QP 3m LF-ANT-35413(6) VERTICAL</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

Table with 4 columns: WIFI, ANT, Peak, Avg. and 2 columns for Horizontal and Fundamental plots. Each plot shows Level (dBuV/m) vs Frequency (MHz) with specific site and condition details.



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
2	Vertical	Fundamental
Peak	<p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>	<p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>
Avg.	<p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWTA:Auto</p>	<p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWTA:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
2	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at approximately 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2310 to 2450 MHz. A red line indicates the peak level at approximately 100 dBuV/m.</p> <p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at approximately 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red line indicates the peak level at approximately 75 dBuV/m.</p> <p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average level at approximately 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2310 to 2450 MHz. A red line indicates the average level at approximately 100 dBuV/m.</p> <p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average level at approximately 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red line indicates the average level at approximately 55 dBuV/m.</p> <p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
2	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
2	Vertical	Fundamental
Peak	 <p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	 <p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
2	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
2	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2460 to 2500 MHz. A red line indicates the peak level at approximately 74 dBuV/m.</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz; VBW:3000.000kHz; SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2450 to 2470 MHz. A red line indicates the peak level at approximately 74 dBuV/m.</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz; VBW:3000.000kHz; SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2460 to 2500 MHz. A red line indicates the average level at approximately 54 dBuV/m.</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz; VBW:0.010kHz; SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum with a sharp peak at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2450 to 2470 MHz. A red line indicates the average level at approximately 54 dBuV/m.</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz; VBW:0.010kHz; SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
2	Vertical	Fundamental
Peak	 <p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	 <p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
2	Horizontal	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_78.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : PEAK_78.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : AVG_54.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
2	Vertical	Fundamental
Peak	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Peak Vertical. The plot shows a sharp peak at approximately 2412 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 2310 to 2415 MHz. A red vertical line marks the peak at 2412 MHz.</p> <p>Site : 03CH07-HY Condition : :PEAK_BE_74 3m HF_ANT_00075962 VERTICAL :RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a sharp peak at approximately 2412 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak at 2412 MHz.</p> <p>Site : 03CH07-HY Condition : :PEAK_74 3m HF_ANT_00075962 VERTICAL :RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>
Avg.	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Avg Vertical. The plot shows a sharp peak at approximately 2412 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 2310 to 2415 MHz. A red vertical line marks the peak at 2412 MHz.</p> <p>Site : 03CH07-HY Condition : :AVG_BE_54 3m HF_ANT_00075962 VERTICAL :RBW:1000.000kHz VBW:3.000kHz SWTA:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a sharp peak at approximately 2412 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak at 2412 MHz.</p> <p>Site : 03CH07-HY Condition : :AVG_54 3m HF_ANT_00075962 VERTICAL :RBW:1000.000kHz VBW:3.000kHz SWTA:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
2	Horizontal	Fundamental
Peak	<p>Date: 2023-09-29</p> <p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Date: 2023-09-29</p> <p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Date: 2023-09-29</p> <p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	<p>Date: 2023-09-29</p> <p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
2	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWF:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
2	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Vertical. The plot shows a signal level around 70 dBuV/m from 2310 to 2420 MHz, then a sharp rise to approximately 100 dBuV/m between 2420 and 2440 MHz, followed by a drop. A red vertical line is at 2437 MHz. Date: 2023-09-29.</p> <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a signal level around 50 dBuV/m from 1000 to 2400 MHz, then a sharp rise to approximately 100 dBuV/m at 2437 MHz, followed by a drop. A red vertical line is at 2437 MHz. Date: 2023-09-29.</p> <p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Vertical. The plot shows a signal level around 50 dBuV/m from 2310 to 2420 MHz, then a sharp rise to approximately 90 dBuV/m between 2420 and 2440 MHz, followed by a drop. A red vertical line is at 2437 MHz. Date: 2023-09-29.</p> <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a signal level around 50 dBuV/m from 1000 to 2400 MHz, then a sharp rise to approximately 90 dBuV/m at 2437 MHz, followed by a drop. A red vertical line is at 2437 MHz. Date: 2023-09-29.</p> <p>Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
2	Vertical	Fundamental
Peak		Left Blank
Avg.		Left Blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
2	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2460 to 2500 MHz. A red line indicates the peak level at approximately 105 dBuV/m.</p> <p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red line indicates the peak level at approximately 105 dBuV/m.</p> <p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average level at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2460 to 2500 MHz. A red line indicates the average level at approximately 50 dBuV/m.</p> <p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average level at 2462 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red line indicates the average level at approximately 50 dBuV/m.</p> <p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
2	Vertical	Fundamental
Peak	 <p>Date: 2023-09-29</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_BE_74</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Date: 2023-09-29</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_74</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Date: 2023-09-29</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_BE_54</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Date: 2023-09-29</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_54</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>





2.4GHz 2400~2483.5MHz
WIFI 802.11b (Harmonic @ 3m)

Table with 2 columns: Horizontal and Vertical. Each column contains a spectral plot showing Level (dBu/m) vs Frequency (MHz) with Peak and Avg markers.



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
2	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
2	Horizontal	Vertical
<p>Peak</p> <p>Avg.</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL : : : :</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL : : : :</p>



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)

Table with 2 columns: Horizontal and Vertical. Each column contains a spectral plot showing Level (dBuV/m) vs Frequency (MHz) with Peak and Avg markers. Includes site and condition details for each plot.



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
2	Horizontal	Vertical
<p>Peak</p> <p>Avg.</p>		



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
2	Horizontal	Vertical
<p>Peak</p> <p>Avg.</p>		







Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11g LF	
2	Horizontal	Vertical
QP / Peak	<p>Site : 03CH07-HY Condition : QP-3m(LF-ANT-35412)(6) HORIZONTAL</p>	<p>Site : 03CH07-HY Condition : QP-3m(LF-ANT-35412)(6) VERTICAL</p>







2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
1+2	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at approximately 2412 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2310 to 2415 MHz. A red vertical line marks the peak frequency.</p> <p>Site : 03CH07-HY Condition : PEAK_BE_3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at approximately 2412 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the peak level, labeled 'PEAK_Y4'.</p> <p>Site : 03CH07-HY Condition : PEAK_3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average signal level. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2310 to 2415 MHz. A red vertical line marks the peak frequency.</p> <p>Site : 03CH07-HY Condition : AVG_BE_3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average signal level. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line indicates the average peak level, labeled 'AVG_Y4'.</p> <p>Site : 03CH07-HY Condition : AVG_3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
1+2	Vertical	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>	 <p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>
Avg.	 <p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTA:Auto</p>	 <p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTA:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - L	
1+2	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
1+2	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWF:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - L	
1+2	Vertical	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
1+2	Vertical	Fundamental
<p>Peak</p>	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWF:Auto</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
1+2	Horizontal	Fundamental
Peak	 <p>Date: 2023-10-11</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Date: 2023-10-11</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Date: 2023-10-11</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Date: 2023-10-11</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
1+2	Vertical	Fundamental
Peak	 <p>Date: 2023-10-11</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_BE_74</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Date: 2023-10-11</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_74</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Date: 2023-10-11</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_BE_54</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Date: 2023-10-11</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_54</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - L	
1+2	Horizontal	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_78.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : PEAK_78.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.800kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : AVG_S4 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.800kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - R	
1+2	Horizontal	Fundamental
<p>Peak</p>	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWF:Auto</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - L	
1+2	Vertical	Fundamental
Peak	 <p>Date: 2023-10-11</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Date: 2023-10-11</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Date: 2023-10-11</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>	 <p>Date: 2023-10-11</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - R	
1+2	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWF:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - L	
1+2	Horizontal	Fundamental
Peak	 <p>Date: 2023-10-11</p> <p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Date: 2023-10-11</p> <p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Date: 2023-10-11</p> <p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>	 <p>Date: 2023-10-11</p> <p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - R	
1+2	Horizontal	Fundamental
<p>Peak</p>	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>	<p>Left blank</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - L	
1+2	Vertical	Fundamental
Peak	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Peak Vertical. The plot shows a signal level around 70 dBm/100kHz with a sharp peak at approximately 2437 MHz. The x-axis ranges from 2310 to 2450 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100kHz.</p> <p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a signal level around 70 dBm/100kHz with a sharp peak at approximately 2437 MHz. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100kHz.</p> <p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Avg Vertical. The plot shows a signal level around 70 dBm/100kHz with a sharp peak at approximately 2437 MHz. The x-axis ranges from 2310 to 2450 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100kHz.</p> <p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>	 <p>Level (dBm/100kHz) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a signal level around 70 dBm/100kHz with a sharp peak at approximately 2437 MHz. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/100kHz.</p> <p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - R	
1+2	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWF:Auto</p>	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - L	
1+2	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - R	
1+2	Horizontal	Fundamental
Peak	<p>Level (dBm/100kHz) vs Frequency (MHz)</p> <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWFAuto</p>	Left blank
Avg.	<p>Level (dBm/100kHz) vs Frequency (MHz)</p> <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWFAuto</p>	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - L	
1+2	Vertical	Fundamental
Peak	<p>Date: 2023-10-11</p> <p>Site : 03CH07-HY Condition : :PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Date: 2023-10-11</p> <p>Site : 03CH07-HY Condition : :PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Date: 2023-10-11</p> <p>Site : 03CH07-HY Condition : :AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>	<p>Date: 2023-10-11</p> <p>Site : 03CH07-HY Condition : :AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - R	
1+2	Vertical	Fundamental
Peak	<p>Level (dBm/100kHz) vs Frequency (MHz)</p> <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Level (dBm/100kHz) vs Frequency (MHz)</p> <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWF:Auto</p>	Left blank





2.4GHz 2400~2483.5MHz



WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH01 2412MHz	
1+2	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH06 2437MHz	
1+2	Horizontal	Vertical
<p>Peak</p> <p>Avg.</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL - - - - - - - - - -</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL - - - - - - - - - -</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH11 2462MHz	
1+2	Horizontal	Vertical
<p>Peak</p> <p>Avg.</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL -- --</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL -- --</p>





2.4GHz 2400~2483.5MHz



WIFI 802.11 ax HE40 Full (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE40 Full CH03 2422MHz	
1+2	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE40 Full CH06 2437MHz	
1+2	Horizontal	Vertical
<p>Peak</p> <p>Avg.</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL - - - - -</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL - - - - -</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE40 Full CH09 2452MHz	
1+2	Horizontal	Vertical
<p>Peak</p> <p>Avg.</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL : : : :</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL : : : :</p>



Emission below 1GHz
2.4GHz WIFI 802.11ax HE40 Full (LF)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE40 Full LF	
1+2	Horizontal	Vertical
QP / Peak	<div style="display: flex; justify-content: space-around;"> <div data-bbox="427 600 813 828"> <p>Site : 03CH07-HY Condition : QP-3m(LF-ANT-35412)(6) HORIZONTAL</p> </div> <div data-bbox="869 600 1284 828"> <p>Site : 03CH07-HY Condition : QP-3m(LF-ANT-35412)(5) VERTICAL</p> </div> </div>	







<External Antenna>

<Sample 1>

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1	Horizontal	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_78.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : PEAK_78.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : AVG_54.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>	<p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>
Avg.	<p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTA:Auto</p>	<p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTA:Auto</p>



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL</p>



Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11g LF	
1	Horizontal	Vertical
QP / Peak		



<Sample 2>





2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1	Horizontal	Fundamental
Peak	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_F4 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.010kHz SWT:Auto</p>	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.010kHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1	Vertical	Fundamental
Peak	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>
Avg.	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWTA:Auto</p>	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWTA:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1	Horizontal	Fundamental
Peak	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing a peak at approximately 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line marks the peak frequency.</p> <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing a sharp peak at 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak frequency.</p> <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing the average spectrum with a peak at approximately 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line marks the peak frequency.</p> <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing the average spectrum with a sharp peak at 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak frequency.</p> <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1	Vertical	Fundamental
Peak	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1	Horizontal	Fundamental
Peak	 <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	 <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1	Vertical	Fundamental
Peak	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz; VBW:3000.000kHz; SWT:Auto</p>	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz; VBW:3000.000kHz; SWT:Auto</p>
Avg.	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz; VBW:0.010kHz; SWT:Auto</p>	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz; VBW:0.010kHz; SWT:Auto</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : :PEAK_BE_3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : :PEAK_3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Site : 03CH07-HY Condition : :AVG_BE_3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : :AVG_3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
1	Vertical	Fundamental
Peak	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>
Avg.	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTA:Auto</p>	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTA:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
1	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at approximately 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line marks the peak at 2437 MHz.</p> <p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at approximately 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak at 2437 MHz.</p> <p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line marks the peak at 2437 MHz.</p> <p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak at 2437 MHz.</p> <p>Date: 2023-09-29</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWF:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
1	Vertical	Fundamental
Peak	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Peak Vertical. The plot shows a signal level around 70 dBm/1m with a peak at approximately 2437 MHz. The x-axis ranges from 2310 to 2450 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/1m.</p> <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a signal level around 70 dBm/1m with a peak at approximately 2437 MHz. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/1m.</p> <p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Avg Vertical. The plot shows an average signal level around 50 dBm/1m with a peak at approximately 2437 MHz. The x-axis ranges from 2310 to 2450 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/1m.</p> <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows an average signal level around 50 dBm/1m with a peak at approximately 2437 MHz. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBm/1m.</p> <p>Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
1	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left Blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWF:Auto</p>	Left Blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
1	Horizontal	Fundamental
Peak	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
1	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Peak. The plot shows a signal level starting at approximately 90 dBuV/m at 2400 MHz, dropping to about 50 dBuV/m by 2462 MHz, and then remaining flat. A red line indicates the peak level at 2462 MHz, labeled 'PEAK_BE_74'. The x-axis ranges from 2460 to 2500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Peak. The plot shows a signal level starting at approximately 50 dBuV/m at 1000 MHz, rising to about 75 dBuV/m at 2462 MHz, and then dropping to about 50 dBuV/m. A red line indicates the peak level at 2462 MHz, labeled 'PEAK_74'. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Avg. The plot shows a signal level starting at approximately 90 dBuV/m at 2400 MHz, dropping to about 50 dBuV/m by 2462 MHz, and then remaining flat. A red line indicates the average level at 2462 MHz, labeled 'AVG_BE_54'. The x-axis ranges from 2460 to 2500 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Avg. The plot shows a signal level starting at approximately 40 dBuV/m at 1000 MHz, rising to about 50 dBuV/m at 2462 MHz, and then dropping to about 40 dBuV/m. A red line indicates the average level at 2462 MHz, labeled 'AVG_54'. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 10.0 to 140.0 dBuV/m.</p> <p>Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>





2.4GHz 2400~2483.5MHz
WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-RY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL</p>	<p>Site : 03CH07-RY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
1	Horizontal	Vertical
Peak Avg.	<p>Site : 09SCH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL - - - - - - - -</p>	<p>Site : 09SCH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL - - - - - - - -</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
1	Horizontal	Vertical
<p>Peak</p> <p>Avg.</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL -- -- --</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL -- -- --</p>





2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
1	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
1	Horizontal	Vertical
Peak Avg.	<p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL</p>	<p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
1	Horizontal	Vertical
<p>Peak</p> <p>Avg.</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL : : : :</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL : : : :</p>







Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11g LF	
1	Horizontal	Vertical
QP / Peak	<p>Site : 03CH07-HY Condition : QP 3m LF-ANT-35413(6) HORIZONTAL</p>	<p>Site : 03CH07-HY Condition : QP 3m LF-ANT-35413(6) VERTICAL</p>



2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
2	Horizontal	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_78.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : PEAK_78.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : AVG_54.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
2	Vertical	Fundamental
Peak	<p>Date: 2023-10-03</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Date: 2023-10-03</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Date: 2023-10-03</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	<p>Date: 2023-10-03</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
2	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
2	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
2	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
2	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWF:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
2	Horizontal	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
2	Vertical	Fundamental
Peak	 <p>Date: 2023-10-03</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>	 <p>Date: 2023-10-03</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>
Avg.	 <p>Date: 2023-10-03</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWTA:Auto</p>	 <p>Date: 2023-10-03</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWTA:Auto</p>



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
2	Horizontal	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_78.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : PEAK_78.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : AVG_54.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
2	Vertical	Fundamental
Peak	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
2	Horizontal	Fundamental
Peak	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	<p>Date: 2023-10-02</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
2	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWF:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
2	Vertical	Fundamental
Peak	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing a peak at approximately 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line marks the peak at 2437 MHz.</p> <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing a peak at approximately 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak at 2437 MHz.</p> <p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing an average level at approximately 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line marks the average level at 2437 MHz.</p> <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot showing an average level at approximately 2437 MHz. The y-axis ranges from 10.0 to 140.0 dBm/1m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the average level at 2437 MHz.</p> <p>Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
2	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left Blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWF:Auto</p>	Left Blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
2	Horizontal	Fundamental
Peak	 <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
2	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Peak. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2460 to 2500 MHz. A red line indicates a peak at approximately 2462 MHz, labeled 'PEAK_BE_74'. The plot shows a signal level that drops from about 90 dBuV/m at 2460 MHz to about 60 dBuV/m at 2462 MHz, then continues to decrease.</p> <p>Site : 03CH07-HY Condition : :PEAK_BE_74 3m HF_ANT_00075962 VERTICAL :RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Peak. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red line indicates a peak at approximately 2462 MHz, labeled 'PEAK_74'. The plot shows a sharp peak at 2462 MHz with a level of about 100 dBuV/m, rising from a noise floor of about 50 dBuV/m.</p> <p>Site : 03CH07-HY Condition : :PEAK_74 3m HF_ANT_00075962 VERTICAL :RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Avg. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2460 to 2500 MHz. A red line indicates an average level at approximately 2462 MHz, labeled 'AVG_BE_54'. The plot shows a signal level that drops from about 90 dBuV/m at 2460 MHz to about 50 dBuV/m at 2462 MHz, then continues to decrease.</p> <p>Site : 03CH07-HY Condition : :AVG_BE_54 3m HF_ANT_00075962 VERTICAL :RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Avg. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red line indicates an average level at approximately 2462 MHz, labeled 'AVG_54'. The plot shows a sharp peak at 2462 MHz with a level of about 100 dBuV/m, rising from a noise floor of about 50 dBuV/m.</p> <p>Site : 03CH07-HY Condition : :AVG_54 3m HF_ANT_00075962 VERTICAL :RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>



2.4GHz 2400~2483.5MHz
WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
2	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
2	Horizontal	Vertical
Peak Avg.	<p>Site : 09SCH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL - - - - - - - -</p>	<p>Site : 09SCH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL - - - - - - - -</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
2	Horizontal	Vertical
Peak Avg.	<p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL - - - - - - - - - -</p>	<p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL - - - - - - - - - -</p>





2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
2	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
2	Horizontal	Vertical
<p>Peak</p> <p>Avg.</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL : : : :</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL : : : :</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
2	Horizontal	Vertical
Peak Avg.	<p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL - - - - - - - -</p>	<p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL - - - - - - - -</p>







Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11g LF	
2	Horizontal	Vertical
QP / Peak	<p>Site : 03CH07-HY Condition : QP 3m LF-ANT-35412(6) HORIZONTAL</p>	<p>Site : 03CH07-HY Condition : QP 3m LF-ANT-35412(6) VERTICAL</p>



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
1+2	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at approximately 2412 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2310 to 2415 MHz. A red vertical line marks the peak frequency.</p> <p>Site : 03CH07-HY Condition : PEAK_BE_24.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at approximately 2412 MHz. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak frequency, labeled 'PEAK_F4'.</p> <p>Site : 03CH07-HY Condition : PEAK_24.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average signal level. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 2310 to 2415 MHz. A red vertical line marks the peak frequency.</p> <p>Site : 03CH07-HY Condition : AVG_BE_24.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average signal level. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak frequency, labeled 'AVG_F4'.</p> <p>Site : 03CH07-HY Condition : AVG_24.3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
1+2	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - L	
1+2	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : :PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL :RBW:1000.000kHz;VBW:3000.000kHz;SWT:Auto</p>	<p>Site : 03CH07-HY Condition : :PEAK_74 3m HF_ANT_00075962 HORIZONTAL :RBW:1000.000kHz;VBW:3000.000kHz;SWT:Auto</p>
Avg.	<p>Site : 03CH07-HY Condition : :AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL :RBW:1000.000kHz;VBW:3.000kHz;SWT:Auto</p>	<p>Site : 03CH07-HY Condition : :AVG_54 3m HF_ANT_00075962 HORIZONTAL :RBW:1000.000kHz;VBW:3.000kHz;SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
1+2	Horizontal	Fundamental
<p>Peak</p>	 <p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWF:Auto</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - L	
1+2	Vertical	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
1+2	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWF:Auto</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
1+2	Horizontal	Fundamental
Peak	 <p>Date: 2023-10-11</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>PEAK_BE_74</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>	 <p>Date: 2023-10-11</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>PEAK_74</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>
Avg.	 <p>Date: 2023-10-11</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>AVG_BE_54</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWTA:Auto</p>	 <p>Date: 2023-10-11</p> <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>AVG_54</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWTA:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
1+2	Vertical	Fundamental
Peak	 <p>Date: 2023-10-11</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_BE_74</p> <p>Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Date: 2023-10-11</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_74</p> <p>Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Date: 2023-10-11</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_BE_54</p> <p>Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>	 <p>Date: 2023-10-11</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_54</p> <p>Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto</p>



2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - L	
1+2	Horizontal	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : :PEAK_BE_3m HE_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : :PEAK_3m HE_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH07-HY Condition : :AVG_BE_3m HE_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : :AVG_3m HE_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - R	
1+2	Horizontal	Fundamental
<p>Peak</p>	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWF:Auto</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - L	
1+2	Vertical	Fundamental
Peak	<p>Level (dBm/1m) vs Frequency (MHz) plot for Vertical Peak. The plot shows a signal level around 50 dBm/1m from 2310 to 2380 MHz, which then rises to approximately 90 dBm/1m between 2400 and 2440 MHz. A red vertical line marks the peak at approximately 2390 MHz. The date is 2023-10-12.</p> <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>	<p>Level (dBm/1m) vs Frequency (MHz) plot for Fundamental Peak. The plot shows a signal level around 50 dBm/1m from 1000 to 2300 MHz, with a sharp peak at approximately 2422 MHz reaching about 100 dBm/1m. A red horizontal line indicates the peak level at approximately 75 dBm/1m. The date is 2023-10-12.</p> <p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>
Avg.	<p>Level (dBm/1m) vs Frequency (MHz) plot for Vertical Average. The plot shows a signal level around 50 dBm/1m from 2310 to 2380 MHz, which then rises to approximately 90 dBm/1m between 2400 and 2440 MHz. A red vertical line marks the average level at approximately 2390 MHz. The date is 2023-10-12.</p> <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWTA:Auto</p>	<p>Level (dBm/1m) vs Frequency (MHz) plot for Fundamental Average. The plot shows a signal level around 50 dBm/1m from 1000 to 2300 MHz, with a sharp peak at approximately 2422 MHz reaching about 100 dBm/1m. A red horizontal line indicates the average level at approximately 55 dBm/1m. The date is 2023-10-12.</p> <p>Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWTA:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - R	
1+2	Vertical	Fundamental
<p>Peak</p>	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWF:Auto</p>	<p>Left blank</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - L	
1+2	Horizontal	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	 <p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - R	
1+2	Horizontal	Fundamental
<p>Peak</p>	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWF:Auto</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - L	
1+2	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>	<p>Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - R	
1+2	Vertical	Fundamental
<p>Peak</p>	 <p>Date: 2023-10-12</p> <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Date: 2023-10-12</p> <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWF:Auto</p>	<p>Left blank</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - L	
1+2	Horizontal	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : :PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL :RBW:1000.000kHz;VBW:3000.000kHz;SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : :PEAK_74 3m HF_ANT_00075962 HORIZONTAL :RBW:1000.000kHz;VBW:3000.000kHz;SWT:Auto</p>
Avg.	 <p>Site : 03CH07-HY Condition : :AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL :RBW:1000.000kHz;VBW:5.000kHz;SWT:Auto</p>	 <p>Site : 03CH07-HY Condition : :AVG_54 3m HF_ANT_00075962 HORIZONTAL :RBW:1000.000kHz;VBW:5.000kHz;SWT:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - R	
1+2	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWF:Auto</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:5.000kHz SWF:Auto</p>	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - L	
1+2	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>	<p>Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTA:Auto</p>
Avg.	<p>Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWTA:Auto</p>	<p>Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWTA:Auto</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - R	
1+2	Vertical	Fundamental
Peak	<p>Level (dBm/100kHz)</p> <p>Frequency (MHz)</p> <p>Date: 2023-10-12</p> <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p>	Left blank
Avg.	<p>Level (dBm/100kHz)</p> <p>Frequency (MHz)</p> <p>Date: 2023-10-12</p> <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto</p>	Left blank





2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH01 2412MHz	
1+2	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL</p>	<p>Site : 03CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH06 2437MHz	
1+2	Horizontal	Vertical
<p>Peak</p> <p>Avg.</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL : : : :</p>	 <p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL : : : :</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH11 2462MHz	
1+2	Horizontal	Vertical
<p>Peak</p> <p>Avg.</p>	<p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 HORIZONTAL</p>	<p>Site : 09CH07-HY Condition : PEAK_24 3m HF_ANT_00075962 VERTICAL</p>