


Engrave Mold Text

Date: 2009/08/12

Prepared by: YK Wang

Rotate



Rotate



Rotate

**COMPLIES WITH 21CFR1040.10 AND 1040.11 EXCEPT FOR
DEVIATIONS PURSUANT TO LASER NOTICE NO. 50, DATED
JUNE 24, 2007 AND IEC60825-1 (Ed. 2.0), EN60825-1:2007.
ICES/NMB-003 CLASS B**

Rotate


**VORSICHT -
LASERLICHT
KLASSE 2 WENN
ABDECKUNG
GEÖFFNET. NICHT
IN DEN STRAHL
BLICKEN**

Rotate



Straight

Page 10



Page 8

Page 9

COMPLIES WITH IEC60825-1 AND IEC60825-2 FACE 1 FOR
DEVIATIONS P. 15. PLANT TO LASER NOTICE NO. 10. DATED
JUNE 24 2007 AND TECHNIQUE 1. EA 20 EN 60714-2
CLASS 2

Straight



Straight


**COMPLIES WITH 21CFR1040.10 AND 1040.11 EXCEPT FOR
DEVIATIONS PURSUANT TO LASER NOTICE NO. 50, DATED
JUNE 24, 2007 AND IEC60825-1 (Ed. 2.0), EN60825-1:2007.
ICES/NMB-003 CLASS B**

Straight



Gun

Page 13



Page 12

COMPLIES WITH 21CFR1048.10 AND 1040.11 EXCEPT
FOR DEVIATIONS PURSUANT TO LASER NOTICE
NO. 60, DATED JUNE 24, 2007 AND IEC60825-1 (Ed. 2.0),
EN60825-1:2007, ICS/TMB-093 CLASS B

Gun

COMPLIES WITH 21CFR1040.10 AND 1040.11 EXCEPT FOR DEVIATIONS PURSUANT TO LASER NOTICE NO. 50, DATED JUNE 24, 2007 AND IEC60825-1 (Ed. 2.0), EN60825-1:2007. ICES/NMB-003 CLASS B


Gun



Handle



Handle





Realizing IDEAS Together

Innovation

Delivery

Effectiveness

Speed

Accountability