



RF EXPOSURE REPORT (FOR BLUETOOTH)

REPORT NO.: SA110311C24A-3

MODEL NO.: MC75A6HF

FCC ID: UZ7MC75A6HF

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT: Motorola Solutions Inc.

ADDRESS: One Motorola Plaza, Holtsville, NY-11742-1300,
U.S.A.

ISSUED BY: Bureau Veritas Consumer Products Services (H.K.)
Ltd., Taoyuan Branch

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang,
Taipei Hsien 244, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei Shan
Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



A D T

RELEASE CONTROL RECORD


ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
Original release	NA	Mar. 28, 2011



CERTIFICATION

PRODUCT: Mobile Computer
MODEL: MC75A6HF
BRAND: Motorola
APPLICANT: Motorola Solutions Inc.
TESTED: Mar. 16 ~ Mar. 18, 2011
TEST SAMPLE: ENGINEERING SAMPLE
STANDARDS: **FCC Guidelines for Human Exposure**
IEEE C95.1

The above equipment (model: MC75A6HF) have been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

PREPARED BY :  , DATE : Mar. 29, 2011
Pettie Chen / Specialist

APPROVED BY :  , DATE : Mar. 29, 2011
Gary Chang / Assistant Manager

No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

	Pout (dBm)	Pout (mW)
Conducted Power	3.310	2.143
EIRP Power	1.810	1.517

***Note:** The antenna is Chip antenna with -1.5dBi gain

Threshold for no SAR evaluation is 24.58mW

Transmitter power is 2.143mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold