





FR1 n14 / 5MHz / DFT-S OFDM / 256QAM



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n14 / 5MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge


Highest Band Edge





FR1 n14 / 10MHz / DFT-s-OFDM / PI/2 BPSK


Middle Band Edge / Full RB



07:23:54 PM 12/15/2023

FR1 n14 / 10MHz / DFT-s-OFDM / QPSK

Middle Band Edge / Full RB




07:24:45 PM 12/15/2023




FR1 n14 / 10MHz / DFT-s-OFDM / 16QAM

Middle Band Edge / Full RB



FR1 n14 / 10MHz / DFT-s-OFDM / 64QAM


Middle Band Edge / Full RB






FR1 n14 / 10MHz / DFT-s-OFDM / 256QAM

Middle Band Edge / Full RB



FR1 n14 / 10MHz / CP OFDM / QPSK / Full RB

Middle Band Edge / Full RB







# Unwanted Emission (MASK)

FR1 n14 / 5MHz / DFT-S OFDM / PI/2 BPSK


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / PI/2 BPSK


Middle Channel

1RB0

1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / PI/2 BPSK


Highest Channel

1RB0

1RBmax



Full RB









FR1 n14 / 5MHz / DFT-S OFDM / QPSK


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / QPSK


Middle Channel

1RB0

1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / QPSK


Highest Channel

1RB0

1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / 16QAM


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / 16QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / 16QAM


Highest Channel

1RB0

1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / 64QAM


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / 64QAM


Middle Channel

1RB0

1RBmax



Full RB









FR1 n14 / 5MHz / DFT-S OFDM / 64QAM


Highest Channel

1RB0

1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / 256QAM


Lowest Channel

1RB0

1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / 256QAM


Middle Channel

1RB0

1RBmax



Full RB







FR1 n14 / 5MHz / DFT-S OFDM / 256QAM


Highest Channel

1RB0

1RBmax



Full RB






FR1 n14 / 10MHz / DFT-S OFDM / BPSK

Middle Channel

Full RB






FR1 n14 / 10MHz / DFT-S OFDM / QPSK

Middle Channel


Full RB



FR1 n14 / 10MHz / DFT-S OFDM / 16QAM

Middle Channel

Full RB






FR1 n14 / 10MHz / DFT-S OFDM / 64QAM

Middle Channel


Full RB



FR1 n14 / 10MHz / DFT-S OFDM / 256QAM

Middle Channel


Full RB






**FR1 n14 / 5MHz / CP OFDM / QPSK / Full RB**

**Highest Channel**



**FR1 n14 / 10MHz / CP OFDM / QPSK / Full RB**

**Middle Channel**









# Conducted Spurious Emission


FR1 n14 / 5MHz / DFT-S OFDM / QPSK / 1RB1

## Lowest Channel

## Middle Channel



## Highest Channel





### Frequency Stability

Test Conditions		FR1 n14 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0015	PASS
40	Normal Voltage	0.0120	
30	Normal Voltage	0.0040	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0052	
0	Normal Voltage	0.0029	
-10	Normal Voltage	0.0077	
-20	Normal Voltage	0.0047	
-30	Normal Voltage	0.0121	
20	Maximum Voltage	0.0069	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0092	

**Note:**

- 1. Normal Voltage = 3.8 V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage = 4.2 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



# FR1 n25

## Peak-to-Average Ratio



Mode	FR1 n25 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.00	4.88	5.74	6.10	PASS
Mode	FR1 n25 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.68				PASS



FR1 n25 / 20MHz / DFT-S OFDM / Middle Channel / Full RB



PI/2 BPSK

QPSK




16QAM

64QAM



256QAM





**26dB Bandwidth**

Mode	FR1 n25 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	5.21		9.79		14.78		19.46	
BW	25MHz		30MHz		40MHz			
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK			
Middle CH	24.48		31.11		41.32			

Mode	FR1 n25 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.24	5.36	10.41	10.33	15.55	15.31	20.50	20.58
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	5.33	5.29	10.37	10.35	15.49	15.49	20.46	20.66
BW	25MHz		30MHz		40MHz			
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM		
Middle CH	25.32	25.38	31.83	32.91	41.40	41.40		
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM		
Middle CH	25.57	25.23	31.77	31.17	41.40	41.16		