




9

Part 27Q Mode 2


NR SA n77(HPUE) 90M Ch633666 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-43.98	RMS	36.00	-21.30	1.37	-95.23	35.18	-13.00	-30.98	Horizontal
2	10385.00	-38.49	RMS	39.03	-18.30	0.54	-95.23	35.47	-13.00	-25.49	Horizontal
3	13847.00	-33.08	RMS	40.40	-13.20	0.75	-95.23	34.20	-13.00	-20.08	Horizontal
4	20770.00	-68.78	RMS	37.86	-32.38	-9.54	-95.23	30.51	-13.00	-55.78	Horizontal
5	24232.00	-64.54	RMS	38.60	-28.32	-9.54	-95.23	29.95	-13.00	-51.54	Horizontal
6	27694.00	-61.56	RMS	39.69	-25.57	-9.54	-95.23	29.09	-13.00	-48.56	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-44.12	RMS	36.00	-21.30	1.37	-95.23	35.04	-13.00	-31.12	Vertical
2	10385.00	-38.64	RMS	39.03	-18.30	0.54	-95.23	35.32	-13.00	-25.64	Vertical
3	13847.00	-33.09	RMS	40.40	-13.20	0.75	-95.23	34.19	-13.00	-20.09	Vertical
4	20770.00	-68.91	RMS	37.86	-32.38	-9.54	-95.23	30.38	-13.00	-55.91	Vertical
5	24232.00	-64.33	RMS	38.60	-28.32	-9.54	-95.23	30.16	-13.00	-51.33	Vertical
6	27694.00	-61.18	RMS	39.69	-25.57	-9.54	-95.23	29.47	-13.00	-48.18	Vertical




9

Part 27Q Mode 7


NR SA n77(HPUE) 90M Ch633000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-44.79	RMS	36.00	-21.31	1.37	-95.23	-95.23	34.38	-13.00	-31.79	Horizontal
2	10355.00	-39.08	RMS	39.09	-18.31	0.54	-95.23	-95.23	34.83	-13.00	-26.08	Horizontal
3	13807.00	-33.56	RMS	40.40	-13.14	0.74	-95.23	-95.23	33.67	-13.00	-20.56	Horizontal
4	20710.00	-68.70	RMS	37.98	-32.34	-9.54	-95.23	-95.23	30.43	-13.00	-55.70	Horizontal
5	24162.00	-65.81	RMS	38.68	-28.50	-9.54	-95.23	-95.23	28.78	-13.00	-52.81	Horizontal
6	27614.00	-61.25	RMS	39.74	-25.55	-9.54	-95.23	-95.23	29.33	-13.00	-48.25	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-44.71	RMS	36.00	-21.31	1.37	-95.23	-95.23	34.46	-13.00	-31.71	Vertical
2	10355.00	-38.74	RMS	39.09	-18.31	0.54	-95.23	-95.23	35.17	-13.00	-25.74	Vertical
3	13807.00	-33.91	RMS	40.40	-13.14	0.74	-95.23	-95.23	33.32	-13.00	-20.91	Vertical
4	20710.00	-68.39	RMS	37.98	-32.34	-9.54	-95.23	-95.23	30.74	-13.00	-55.39	Vertical
5	24162.00	-65.40	RMS	38.68	-28.50	-9.54	-95.23	-95.23	29.19	-13.00	-52.40	Vertical
6	27614.00	-61.40	RMS	39.74	-25.55	-9.54	-95.23	-95.23	29.18	-13.00	-48.40	Vertical




9

Part 27Q Mode 7


NR SA n77(HPUE) 90M Ch633334 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-44.59	RMS	36.00	-21.31	1.37	-95.23	34.58	-13.00	-31.59	Horizontal
2	10370.00	-39.17	RMS	39.06	-18.31	0.54	-95.23	34.77	-13.00	-26.17	Horizontal
3	13827.00	-33.62	RMS	40.40	-13.17	0.74	-95.23	33.64	-13.00	-20.62	Horizontal
4	20740.00	-68.70	RMS	37.92	-32.36	-9.54	-95.23	30.51	-13.00	-55.70	Horizontal
5	24197.00	-64.10	RMS	38.61	-28.41	-9.54	-95.23	30.47	-13.00	-51.10	Horizontal
6	27654.00	-61.68	RMS	39.61	-25.56	-9.54	-95.23	29.04	-13.00	-48.68	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-44.86	RMS	36.00	-21.31	1.37	-95.23	34.31	-13.00	-31.86	Vertical
2	10370.00	-39.01	RMS	39.06	-18.31	0.54	-95.23	34.93	-13.00	-26.01	Vertical
3	13827.00	-32.92	RMS	40.40	-13.17	0.74	-95.23	34.34	-13.00	-19.92	Vertical
4	20740.00	-68.50	RMS	37.92	-32.36	-9.54	-95.23	30.71	-13.00	-55.50	Vertical
5	24197.00	-64.26	RMS	38.61	-28.41	-9.54	-95.23	30.31	-13.00	-51.26	Vertical
6	27654.00	-61.44	RMS	39.61	-25.56	-9.54	-95.23	29.28	-13.00	-48.44	Vertical




9

Part 27Q Mode 7


NR SA n77(HPUE) 90M Ch633666 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-44.83	RMS	36.00	-21.30	1.37	-95.23	34.33	-13.00	-31.83	Horizontal
2	10385.00	-38.81	RMS	39.03	-18.30	0.54	-95.23	35.15	-13.00	-25.81	Horizontal
3	13847.00	-33.61	RMS	40.40	-13.20	0.75	-95.23	33.67	-13.00	-20.61	Horizontal
4	20770.00	-68.71	RMS	37.86	-32.38	-9.54	-95.23	30.58	-13.00	-55.71	Horizontal
5	24232.00	-66.03	RMS	38.60	-28.32	-9.54	-95.23	28.46	-13.00	-53.03	Horizontal
6	27694.00	-61.90	RMS	39.69	-25.57	-9.54	-95.23	28.75	-13.00	-48.90	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-44.26	RMS	36.00	-21.30	1.37	-95.23	34.90	-13.00	-31.26	Vertical
2	10385.00	-39.03	RMS	39.03	-18.30	0.54	-95.23	34.93	-13.00	-26.03	Vertical
3	13847.00	-33.57	RMS	40.40	-13.20	0.75	-95.23	33.71	-13.00	-20.57	Vertical
4	20770.00	-68.84	RMS	37.86	-32.38	-9.54	-95.23	30.45	-13.00	-55.84	Vertical
5	24232.00	-65.66	RMS	38.60	-28.32	-9.54	-95.23	28.83	-13.00	-52.66	Vertical
6	27694.00	-61.54	RMS	39.69	-25.57	-9.54	-95.23	29.11	-13.00	-48.54	Vertical




3

Part 27Q Mode 4


NR SA n77(HPUE) 90M Ch633000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-37.55	RMS	36.00	-21.31	1.37	-95.23	-95.23	41.62	-13.00	-24.55	Horizontal
2	10355.00	-38.54	RMS	39.09	-18.31	0.54	-95.23	-95.23	35.37	-13.00	-25.54	Horizontal
3	13807.00	-32.87	RMS	40.40	-13.14	0.74	-95.23	-95.23	34.36	-13.00	-19.87	Horizontal
4	20710.00	-68.65	RMS	37.98	-32.34	-9.54	-95.23	-95.23	30.48	-13.00	-55.65	Horizontal
5	24162.00	-61.20	RMS	38.68	-28.50	-9.54	-95.23	-95.23	33.39	-13.00	-48.20	Horizontal
6	27614.00	-61.13	RMS	39.74	-25.55	-9.54	-95.23	-95.23	29.45	-13.00	-48.13	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-41.06	RMS	36.00	-21.31	1.37	-95.23	-95.23	38.11	-13.00	-28.06	Vertical
2	10355.00	-38.58	RMS	39.09	-18.31	0.54	-95.23	-95.23	35.33	-13.00	-25.58	Vertical
3	13807.00	-32.82	RMS	40.40	-13.14	0.74	-95.23	-95.23	34.41	-13.00	-19.82	Vertical
4	20710.00	-68.82	RMS	37.98	-32.34	-9.54	-95.23	-95.23	30.31	-13.00	-55.82	Vertical
5	24162.00	-65.59	RMS	38.68	-28.50	-9.54	-95.23	-95.23	29.00	-13.00	-52.59	Vertical
6	27614.00	-61.25	RMS	39.74	-25.55	-9.54	-95.23	-95.23	29.33	-13.00	-48.25	Vertical




3

Part 27Q Mode 4


NR SA n77(HPUE) 90M Ch633334 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-37.54	RMS	36.00	-21.31	1.37	-95.23	41.63	-13.00	-24.54	Horizontal
2	10370.00	-38.40	RMS	39.06	-18.31	0.54	-95.23	35.54	-13.00	-25.40	Horizontal
3	13827.00	-32.66	RMS	40.40	-13.17	0.74	-95.23	34.60	-13.00	-19.66	Horizontal
4	20740.00	-68.84	RMS	37.92	-32.36	-9.54	-95.23	30.37	-13.00	-55.84	Horizontal
5	24197.00	-63.20	RMS	38.61	-28.41	-9.54	-95.23	31.37	-13.00	-50.20	Horizontal
6	27654.00	-61.72	RMS	39.61	-25.56	-9.54	-95.23	29.00	-13.00	-48.72	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-39.76	RMS	36.00	-21.31	1.37	-95.23	39.41	-13.00	-26.76	Vertical
2	10370.00	-38.40	RMS	39.06	-18.31	0.54	-95.23	35.54	-13.00	-25.40	Vertical
3	13827.00	-32.84	RMS	40.40	-13.17	0.74	-95.23	34.42	-13.00	-19.84	Vertical
4	20740.00	-68.69	RMS	37.92	-32.36	-9.54	-95.23	30.52	-13.00	-55.69	Vertical
5	24197.00	-65.09	RMS	38.61	-28.41	-9.54	-95.23	29.48	-13.00	-52.09	Vertical
6	27654.00	-61.47	RMS	39.61	-25.56	-9.54	-95.23	29.25	-13.00	-48.47	Vertical




3

Part 27Q Mode 4


NR SA n77(HPUE) 90M Ch633666 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-37.37	RMS	36.00	-21.30	1.37	-95.23	41.79	-13.00	-24.37	Horizontal
2	10385.00	-38.48	RMS	39.03	-18.30	0.54	-95.23	35.48	-13.00	-25.48	Horizontal
3	13847.00	-32.80	RMS	40.40	-13.20	0.75	-95.23	34.48	-13.00	-19.80	Horizontal
4	20770.00	-69.00	RMS	37.86	-32.38	-9.54	-95.23	30.29	-13.00	-56.00	Horizontal
5	24232.00	-64.19	RMS	38.60	-28.32	-9.54	-95.23	30.30	-13.00	-51.19	Horizontal
6	27694.00	-61.46	RMS	39.69	-25.57	-9.54	-95.23	29.19	-13.00	-48.46	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-40.89	RMS	36.00	-21.30	1.37	-95.23	38.27	-13.00	-27.89	Vertical
2	10385.00	-38.14	RMS	39.03	-18.30	0.54	-95.23	35.82	-13.00	-25.14	Vertical
3	13847.00	-32.87	RMS	40.40	-13.20	0.75	-95.23	34.41	-13.00	-19.87	Vertical
4	20770.00	-68.88	RMS	37.86	-32.38	-9.54	-95.23	30.41	-13.00	-55.88	Vertical
5	24232.00	-66.17	RMS	38.60	-28.32	-9.54	-95.23	28.32	-13.00	-53.17	Vertical
6	27694.00	-61.65	RMS	39.69	-25.57	-9.54	-95.23	29.00	-13.00	-48.65	Vertical




4

Part 27Q Mode 5


NR SA n77(HPUE) 90M Ch633000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 6903.00	-38.91	RMS	36.00	-21.31	1.37	-95.23	40.26	-13.00	-25.91	Horizontal
2 10355.00	-38.46	RMS	39.09	-18.31	0.54	-95.23	35.45	-13.00	-25.46	Horizontal
3 13807.00	-32.70	RMS	40.40	-13.14	0.74	-95.23	34.53	-13.00	-19.70	Horizontal
4 20710.00	-68.79	RMS	37.98	-32.34	-9.54	-95.23	30.34	-13.00	-55.79	Horizontal
5 24162.00	-63.63	RMS	38.68	-28.50	-9.54	-95.23	30.96	-13.00	-50.63	Horizontal
6 27614.00	-61.24	RMS	39.74	-25.55	-9.54	-95.23	29.34	-13.00	-48.24	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 90M Ch633000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 6903.00	-37.78	RMS	36.00	-21.31	1.37	-95.23	41.39	-13.00	-24.78	Vertical
2 10355.00	-38.79	RMS	39.09	-18.31	0.54	-95.23	35.12	-13.00	-25.79	Vertical
3 13807.00	-32.94	RMS	40.40	-13.14	0.74	-95.23	34.29	-13.00	-19.94	Vertical
4 20710.00	-69.01	RMS	37.98	-32.34	-9.54	-95.23	30.12	-13.00	-56.01	Vertical
5 24162.00	-64.77	RMS	38.68	-28.50	-9.54	-95.23	29.82	-13.00	-51.77	Vertical
6 27614.00	-61.30	RMS	39.74	-25.55	-9.54	-95.23	29.28	-13.00	-48.30	Vertical




4

Part 27Q Mode 5


NR SA n77(HPUE) 90M Ch633334 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 90M Ch633334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 6913.00	-39.19	RMS	36.00	-21.31	1.37	-95.23	39.98	-13.00	-26.19	Horizontal
2 10370.00	-37.97	RMS	39.06	-18.31	0.54	-95.23	35.97	-13.00	-24.97	Horizontal
3 13827.00	-32.86	RMS	40.40	-13.17	0.74	-95.23	34.40	-13.00	-19.86	Horizontal
4 20740.00	-69.01	RMS	37.92	-32.36	-9.54	-95.23	30.20	-13.00	-56.01	Horizontal
5 24197.00	-64.38	RMS	38.61	-28.41	-9.54	-95.23	30.19	-13.00	-51.38	Horizontal
6 27654.00	-61.44	RMS	39.61	-25.56	-9.54	-95.23	29.28	-13.00	-48.44	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 90M Ch633334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 6913.00	-37.43	RMS	36.00	-21.31	1.37	-95.23	41.74	-13.00	-24.43	Vertical
2 10370.00	-38.59	RMS	39.06	-18.31	0.54	-95.23	35.35	-13.00	-25.59	Vertical
3 13827.00	-32.62	RMS	40.40	-13.17	0.74	-95.23	34.64	-13.00	-19.62	Vertical
4 20740.00	-68.99	RMS	37.92	-32.36	-9.54	-95.23	30.22	-13.00	-55.99	Vertical
5 24197.00	-64.08	RMS	38.61	-28.41	-9.54	-95.23	30.49	-13.00	-51.08	Vertical
6 27654.00	-61.31	RMS	39.61	-25.56	-9.54	-95.23	29.41	-13.00	-48.31	Vertical




4

Part 27Q Mode 5


NR SA n77(HPUE) 90M Ch633666 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 90M Ch633666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 6918.75	-40.08	RMS	36.00	-21.30	1.37	-95.23	39.08	-13.00	-27.08	Horizontal
2 10385.00	-38.48	RMS	39.03	-18.30	0.54	-95.23	35.48	-13.00	-25.48	Horizontal
3 13847.00	-32.71	RMS	40.40	-13.20	0.75	-95.23	34.57	-13.00	-19.71	Horizontal
4 20770.00	-68.90	RMS	37.86	-32.38	-9.54	-95.23	30.39	-13.00	-55.90	Horizontal
5 24232.00	-63.03	RMS	38.60	-28.32	-9.54	-95.23	31.46	-13.00	-50.03	Horizontal
6 27694.00	-61.35	RMS	39.69	-25.57	-9.54	-95.23	29.30	-13.00	-48.35	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 90M Ch633666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 6923.00	-36.76	RMS	36.00	-21.30	1.37	-95.23	42.40	-13.00	-23.76	Vertical
2 10385.00	-38.29	RMS	39.03	-18.30	0.54	-95.23	35.67	-13.00	-25.29	Vertical
3 13847.00	-32.84	RMS	40.40	-13.20	0.75	-95.23	34.44	-13.00	-19.84	Vertical
4 20770.00	-68.54	RMS	37.86	-32.38	-9.54	-95.23	30.75	-13.00	-55.54	Vertical
5 24232.00	-65.15	RMS	38.60	-28.32	-9.54	-95.23	29.34	-13.00	-52.15	Vertical
6 27694.00	-61.58	RMS	39.69	-25.57	-9.54	-95.23	29.07	-13.00	-48.58	Vertical




8

Part 270 Mode 1


NR SA n77(HPUE) 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-42.69	RMS	36.70	-20.78	0.95	-95.23	35.67	-13.00	-29.69	Horizontal
11103.00	-38.30	RMS	39.01	-17.35	0.55	-95.23	34.72	-13.00	-25.30	Horizontal
14805.00	-31.79	RMS	40.57	-13.60	0.79	-95.23	35.68	-13.00	-18.79	Horizontal
18506.00	-67.65	RMS	37.72	-34.15	-9.54	-95.23	33.55	-13.00	-54.65	Horizontal
22208.00	-66.08	RMS	38.20	-30.90	-9.54	-95.23	31.39	-13.00	-53.08	Horizontal
25909.00	-62.52	RMS	38.98	-26.14	-9.54	-95.23	29.41	-13.00	-49.52	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch650000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7402.00	-43.08	RMS	36.70	-20.79	0.95	-95.23	35.29	-13.00	-30.08	Vertical
11103.00	-38.43	RMS	39.01	-17.35	0.55	-95.23	34.59	-13.00	-25.43	Vertical
14805.00	-31.61	RMS	40.57	-13.60	0.79	-95.23	35.86	-13.00	-18.61	Vertical
18506.00	-68.16	RMS	37.72	-34.15	-9.54	-95.23	33.04	-13.00	-55.16	Vertical
22208.00	-66.09	RMS	38.20	-30.90	-9.54	-95.23	31.38	-13.00	-53.09	Vertical
25909.00	-62.97	RMS	38.98	-26.14	-9.54	-95.23	28.96	-13.00	-49.97	Vertical




8

Part 270 Mode 1


NR SA n77(HPUE) 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch656000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7582.00	-43.50	RMS	36.40	-20.91	0.89	-95.23	35.35	-13.00	-30.50	Horizontal
11373.00	-37.54	RMS	39.25	-16.95	0.56	-95.23	34.83	-13.00	-24.54	Horizontal
15165.00	-32.68	RMS	39.47	-13.81	0.80	-95.23	36.09	-13.00	-19.68	Horizontal
18956.00	-64.81	RMS	37.80	-33.49	-9.54	-95.23	35.65	-13.00	-51.81	Horizontal
22748.00	-64.27	RMS	38.50	-30.22	-9.54	-95.23	32.22	-13.00	-51.27	Horizontal
26539.00	-61.84	RMS	39.68	-26.71	-9.54	-95.23	29.96	-13.00	-48.84	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch656000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7582.00	-43.37	RMS	36.40	-20.91	0.89	-95.23	35.48	-13.00	-30.37	Vertical
11373.00	-37.35	RMS	39.25	-16.95	0.56	-95.23	35.02	-13.00	-24.35	Vertical
15165.00	-32.45	RMS	39.47	-13.81	0.80	-95.23	36.32	-13.00	-19.45	Vertical
18956.00	-65.93	RMS	37.80	-33.49	-9.54	-95.23	34.53	-13.00	-52.93	Vertical
22748.00	-63.87	RMS	38.50	-30.22	-9.54	-95.23	32.62	-13.00	-50.87	Vertical
26539.00	-61.78	RMS	39.68	-26.71	-9.54	-95.23	30.02	-13.00	-48.78	Vertical




8

Part 270 Mode 1


NR SA n77(HPUE) 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7762.00	-42.65	RMS	36.85	-20.95	0.79	-95.23	35.89	-13.00	-29.65	Horizontal
2 11643.00	-37.01	RMS	38.73	-16.51	0.56	-95.23	35.44	-13.00	-24.01	Horizontal
3 15525.00	-33.13	RMS	38.50	-13.71	0.81	-95.23	36.50	-13.00	-20.13	Horizontal
4 19406.00	-67.55	RMS	37.90	-33.04	-9.54	-95.23	32.36	-13.00	-54.55	Horizontal
5 23288.00	-63.98	RMS	38.75	-29.56	-9.54	-95.23	31.60	-13.00	-50.98	Horizontal
6 27169.00	-60.93	RMS	39.70	-25.93	-9.54	-95.23	30.07	-13.00	-47.93	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7762.00	-42.82	RMS	36.85	-20.95	0.79	-95.23	35.72	-13.00	-29.82	Vertical
2 11643.00	-36.94	RMS	38.73	-16.51	0.56	-95.23	35.51	-13.00	-23.94	Vertical
3 15525.00	-33.05	RMS	38.50	-13.71	0.81	-95.23	36.58	-13.00	-20.05	Vertical
4 19406.00	-67.19	RMS	37.90	-33.04	-9.54	-95.23	32.72	-13.00	-54.19	Vertical
5 23288.00	-64.29	RMS	38.75	-29.56	-9.54	-95.23	31.29	-13.00	-51.29	Vertical
6 27169.00	-60.76	RMS	39.70	-25.93	-9.54	-95.23	30.24	-13.00	-47.76	Vertical




8

Part 270 Mode 3


NR SA n77(HPUE) 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.50	-41.80	RMS	36.70	-20.78	0.95	-95.23	36.56	-13.00	-28.80	Horizontal
2	11103.00	-39.19	RMS	39.01	-17.36	0.55	-95.23	33.84	-13.00	-26.19	Horizontal
3	14805.00	-32.47	RMS	40.59	-13.59	0.79	-95.23	34.97	-13.00	-19.47	Horizontal
4	18506.00	-67.99	RMS	37.72	-34.15	-9.54	-95.23	33.21	-13.00	-54.99	Horizontal
5	22208.00	-65.72	RMS	38.20	-30.90	-9.54	-95.23	31.75	-13.00	-52.72	Horizontal
6	25909.00	-63.03	RMS	38.98	-26.14	-9.54	-95.23	28.90	-13.00	-50.03	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.50	-43.57	RMS	36.70	-20.78	0.95	-95.23	34.79	-13.00	-30.57	Vertical
2	11103.00	-39.00	RMS	39.01	-17.36	0.55	-95.23	34.03	-13.00	-26.00	Vertical
3	14805.00	-32.21	RMS	40.59	-13.59	0.79	-95.23	35.23	-13.00	-19.21	Vertical
4	18506.00	-67.67	RMS	37.72	-34.15	-9.54	-95.23	33.53	-13.00	-54.67	Vertical
5	22208.00	-65.84	RMS	38.20	-30.90	-9.54	-95.23	31.63	-13.00	-52.84	Vertical
6	25909.00	-62.82	RMS	38.98	-26.14	-9.54	-95.23	29.11	-13.00	-49.82	Vertical




8

Part 270 Mode 3


NR SA n77(HPUE) 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-43.38	RMS	36.40	-20.91	0.89	-95.23	35.47	-13.00	-30.38	Horizontal
2	11373.00	-38.21	RMS	39.25	-16.95	0.56	-95.23	34.16	-13.00	-25.21	Horizontal
3	15165.00	-33.39	RMS	39.47	-13.81	0.80	-95.23	35.38	-13.00	-20.39	Horizontal
4	18956.00	-66.81	RMS	37.80	-33.49	-9.54	-95.23	33.65	-13.00	-53.81	Horizontal
5	22748.00	-65.71	RMS	38.50	-30.22	-9.54	-95.23	30.78	-13.00	-52.71	Horizontal
6	26539.00	-56.87	RMS	39.68	-26.71	-9.54	-95.23	34.93	-13.00	-43.87	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-43.67	RMS	36.40	-20.91	0.89	-95.23	35.18	-13.00	-30.67	Vertical
2	11373.00	-37.87	RMS	39.25	-16.95	0.56	-95.23	34.50	-13.00	-24.87	Vertical
3	15165.00	-33.40	RMS	39.47	-13.81	0.80	-95.23	35.37	-13.00	-20.40	Vertical
4	18956.00	-65.94	RMS	37.80	-33.49	-9.54	-95.23	34.52	-13.00	-52.94	Vertical
5	22748.00	-66.03	RMS	38.50	-30.22	-9.54	-95.23	30.46	-13.00	-53.03	Vertical
6	26539.00	-57.29	RMS	39.68	-26.71	-9.54	-95.23	34.51	-13.00	-44.29	Vertical




8

Part 270 Mode 3


NR SA n77(HPUE) 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7762.50	-42.76	RMS	36.85	-20.95	0.79	-95.23	35.78	-13.00	-29.76	Horizontal
2 11643.00	-37.68	RMS	38.73	-16.51	0.56	-95.23	34.77	-13.00	-24.68	Horizontal
3 15525.00	-33.50	RMS	38.50	-13.71	0.81	-95.23	36.13	-13.00	-20.50	Horizontal
4 19406.00	-67.81	RMS	37.90	-33.04	-9.54	-95.23	32.10	-13.00	-54.81	Horizontal
5 23288.00	-64.55	RMS	38.75	-29.56	-9.54	-95.23	31.03	-13.00	-51.55	Horizontal
6 27169.00	-61.32	RMS	39.70	-25.93	-9.54	-95.23	29.68	-13.00	-48.32	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7762.50	-43.04	RMS	36.85	-20.95	0.79	-95.23	35.50	-13.00	-30.04	Vertical
2 11643.00	-37.22	RMS	38.73	-16.51	0.56	-95.23	35.23	-13.00	-24.22	Vertical
3 15525.00	-33.52	RMS	38.50	-13.71	0.81	-95.23	36.11	-13.00	-20.52	Vertical
4 19406.00	-67.89	RMS	37.90	-33.04	-9.54	-95.23	32.02	-13.00	-54.89	Vertical
5 23288.00	-64.53	RMS	38.75	-29.56	-9.54	-95.23	31.05	-13.00	-51.53	Vertical
6 27169.00	-61.18	RMS	39.70	-25.93	-9.54	-95.23	29.82	-13.00	-48.18	Vertical




8

Part 270 Mode 6


NR SA n77(HPUE) 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch650000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7402.00	-42.05	RMS	36.70	-20.78	0.95	-95.23	36.31	-13.00	-29.05	Horizontal
2 11103.00	-38.08	RMS	39.01	-17.36	0.55	-95.23	34.95	-13.00	-25.08	Horizontal
3 14805.00	-31.71	RMS	40.59	-13.59	0.79	-95.23	35.73	-13.00	-18.71	Horizontal
4 18506.00	-69.22	RMS	37.72	-34.15	-9.54	-95.23	31.98	-13.00	-56.22	Horizontal
5 22208.00	-66.69	RMS	38.20	-30.90	-9.54	-95.23	30.78	-13.00	-53.69	Horizontal
6 25909.00	-63.76	RMS	38.98	-26.14	-9.54	-95.23	28.17	-13.00	-50.76	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch650000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7402.00	-41.17	RMS	36.70	-20.78	0.95	-95.23	37.19	-13.00	-28.17	Vertical
2 11103.00	-38.35	RMS	39.01	-17.36	0.55	-95.23	34.68	-13.00	-25.35	Vertical
3 14805.00	-31.38	RMS	40.59	-13.59	0.79	-95.23	36.06	-13.00	-18.38	Vertical
4 18506.00	-69.23	RMS	37.72	-34.15	-9.54	-95.23	31.97	-13.00	-56.23	Vertical
5 22208.00	-66.51	RMS	38.20	-30.90	-9.54	-95.23	30.96	-13.00	-53.51	Vertical
6 25909.00	-63.86	RMS	38.98	-26.14	-9.54	-95.23	28.07	-13.00	-50.86	Vertical




8

Part 270 Mode 6


NR SA n77(HPUE) 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-44.05	RMS	36.40	-20.91	0.89	-95.23	34.80	-13.00	-31.05	Horizontal
2	11373.00	-38.09	RMS	39.25	-16.95	0.56	-95.23	34.28	-13.00	-25.09	Horizontal
3	15165.00	-32.83	RMS	39.47	-13.81	0.80	-95.23	35.94	-13.00	-19.83	Horizontal
4	18956.00	-69.16	RMS	37.80	-33.49	-9.54	-95.23	31.30	-13.00	-56.16	Horizontal
5	22748.00	-66.86	RMS	38.50	-30.22	-9.54	-95.23	29.63	-13.00	-53.86	Horizontal
6	26539.00	-61.48	RMS	39.68	-26.71	-9.54	-95.23	30.32	-13.00	-48.48	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.50	-43.62	RMS	36.40	-20.91	0.89	-95.23	35.23	-13.00	-30.62	Vertical
2	11373.00	-38.28	RMS	39.25	-16.95	0.56	-95.23	34.09	-13.00	-25.28	Vertical
3	15165.00	-33.33	RMS	39.47	-13.81	0.80	-95.23	35.44	-13.00	-20.33	Vertical
4	18956.00	-69.40	RMS	37.80	-33.49	-9.54	-95.23	31.06	-13.00	-56.40	Vertical
5	22748.00	-66.87	RMS	38.50	-30.22	-9.54	-95.23	29.62	-13.00	-53.87	Vertical
6	26539.00	-61.14	RMS	39.68	-26.71	-9.54	-95.23	30.66	-13.00	-48.14	Vertical




8

Part 270 Mode 6


NR SA n77(HPUE) 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 7762.00	-42.90	RMS	36.85	-20.95	0.79	-95.23	35.64	-13.00	-29.90	Horizontal
2 11643.00	-37.42	RMS	38.73	-16.51	0.56	-95.23	35.03	-13.00	-24.42	Horizontal
3 15525.00	-33.19	RMS	38.50	-13.71	0.81	-95.23	36.44	-13.00	-20.19	Horizontal
4 19406.00	-68.78	RMS	37.90	-33.04	-9.54	-95.23	31.13	-13.00	-55.78	Horizontal
5 23288.00	-65.86	RMS	38.75	-29.56	-9.54	-95.23	29.72	-13.00	-52.86	Horizontal
6 27169.00	-61.68	RMS	39.70	-25.93	-9.54	-95.23	29.32	-13.00	-48.68	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1 7762.00	-41.70	RMS	36.85	-20.95	0.79	-95.23	36.84	-13.00	-28.70	Vertical
2 11643.00	-37.01	RMS	38.73	-16.51	0.56	-95.23	35.44	-13.00	-24.01	Vertical
3 15525.00	-33.37	RMS	38.50	-13.71	0.81	-95.23	36.26	-13.00	-20.37	Vertical
4 19406.00	-68.86	RMS	37.90	-33.04	-9.54	-95.23	31.05	-13.00	-55.86	Vertical
5 23288.00	-65.44	RMS	38.75	-29.56	-9.54	-95.23	30.14	-13.00	-52.44	Vertical
6 27169.00	-61.37	RMS	39.70	-25.93	-9.54	-95.23	29.63	-13.00	-48.37	Vertical




9

Part 270 Mode 2


NR SA n77(HPUE) 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-40.31	RMS	36.70	-20.78	0.95	-95.23	38.05	-13.00	-27.31	Horizontal
2	11103.00	-38.39	RMS	39.01	-17.36	0.55	-95.23	34.64	-13.00	-25.39	Horizontal
3	14805.00	-31.65	RMS	40.59	-13.59	0.79	-95.23	35.79	-13.00	-18.65	Horizontal
4	18506.00	-67.33	RMS	37.72	-34.15	-9.54	-95.23	33.87	-13.00	-54.33	Horizontal
5	22208.00	-67.02	RMS	38.20	-30.90	-9.54	-95.23	30.45	-13.00	-54.02	Horizontal
6	25909.00	-62.98	RMS	38.98	-26.14	-9.54	-95.23	28.95	-13.00	-49.98	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-42.25	RMS	36.70	-20.78	0.95	-95.23	36.11	-13.00	-29.25	Vertical
2	11103.00	-38.43	RMS	39.01	-17.36	0.55	-95.23	34.60	-13.00	-25.43	Vertical
3	14805.00	-31.84	RMS	40.59	-13.59	0.79	-95.23	35.60	-13.00	-18.84	Vertical
4	18506.00	-69.16	RMS	37.72	-34.15	-9.54	-95.23	32.04	-13.00	-56.16	Vertical
5	22208.00	-67.03	RMS	38.20	-30.90	-9.54	-95.23	30.44	-13.00	-54.03	Vertical
6	25909.00	-62.36	RMS	38.98	-26.14	-9.54	-95.23	29.57	-13.00	-49.36	Vertical




9

Part 270 Mode 2


NR SA n77(HPUE) 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7582.00	-40.65	RMS	36.40	-20.91	0.89	-95.23	38.20	-13.00	-27.65	Horizontal
2 11373.00	-37.61	RMS	39.25	-16.95	0.56	-95.23	34.76	-13.00	-24.61	Horizontal
3 15165.00	-32.65	RMS	39.47	-13.81	0.80	-95.23	36.12	-13.00	-19.65	Horizontal
4 18956.00	-70.03	RMS	37.80	-33.49	-9.54	-95.23	30.43	-13.00	-57.03	Horizontal
5 22748.00	-67.43	RMS	38.50	-30.22	-9.54	-95.23	29.06	-13.00	-54.43	Horizontal
6 26539.00	-60.26	RMS	39.68	-26.71	-9.54	-95.23	31.54	-13.00	-47.26	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7582.00	-42.72	RMS	36.40	-20.91	0.89	-95.23	36.13	-13.00	-29.72	Vertical
2 11373.00	-37.45	RMS	39.25	-16.95	0.56	-95.23	34.92	-13.00	-24.45	Vertical
3 15165.00	-32.68	RMS	39.47	-13.81	0.80	-95.23	36.09	-13.00	-19.68	Vertical
4 18956.00	-69.62	RMS	37.80	-33.49	-9.54	-95.23	30.84	-13.00	-56.62	Vertical
5 22748.00	-67.19	RMS	38.50	-30.22	-9.54	-95.23	29.30	-13.00	-54.19	Vertical
6 26539.00	-62.39	RMS	39.68	-26.71	-9.54	-95.23	29.41	-13.00	-49.39	Vertical




9

Part 270 Mode 2


NR SA n77(HPUE) 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7762.00	-43.32	RMS	36.85	-20.95	0.79	-95.23	35.22	-13.00	-30.32	Horizontal
2 11643.00	-37.38	RMS	38.73	-16.51	0.56	-95.23	35.07	-13.00	-24.38	Horizontal
3 15525.00	-33.20	RMS	38.50	-13.71	0.81	-95.23	36.43	-13.00	-20.20	Horizontal
4 19406.00	-68.88	RMS	37.90	-33.04	-9.54	-95.23	31.03	-13.00	-55.88	Horizontal
5 23288.00	-65.60	RMS	38.75	-29.56	-9.54	-95.23	29.98	-13.00	-52.60	Horizontal
6 27169.00	-61.19	RMS	39.70	-25.93	-9.54	-95.23	29.81	-13.00	-48.19	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7762.00	-43.15	RMS	36.85	-20.95	0.79	-95.23	35.39	-13.00	-30.15	Vertical
2 11643.00	-37.15	RMS	38.73	-16.51	0.56	-95.23	35.30	-13.00	-24.15	Vertical
3 15525.00	-33.34	RMS	38.50	-13.71	0.81	-95.23	36.29	-13.00	-20.34	Vertical
4 19406.00	-68.34	RMS	37.90	-33.04	-9.54	-95.23	31.57	-13.00	-55.34	Vertical
5 23288.00	-64.11	RMS	38.75	-29.56	-9.54	-95.23	31.47	-13.00	-51.11	Vertical
6 27169.00	-61.37	RMS	39.70	-25.93	-9.54	-95.23	29.63	-13.00	-48.37	Vertical




9

Part 270 Mode 7


NR SA n77(HPUE) 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch650000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7402.00	-41.36	RMS	36.70	-20.78	0.95	-95.23	37.00	-13.00	-28.36	Horizontal
2 11103.00	-38.60	RMS	39.01	-17.36	0.55	-95.23	34.43	-13.00	-25.60	Horizontal
3 14805.00	-31.70	RMS	40.59	-13.59	0.79	-95.23	35.74	-13.00	-18.70	Horizontal
4 18506.00	-66.05	RMS	37.72	-34.15	-9.54	-95.23	35.15	-13.00	-53.05	Horizontal
5 22208.00	-66.05	RMS	38.20	-30.90	-9.54	-95.23	31.42	-13.00	-53.05	Horizontal
6 25909.00	-59.74	RMS	38.98	-26.14	-9.54	-95.23	32.19	-13.00	-46.74	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch650000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7402.00	-41.03	RMS	36.70	-20.78	0.95	-95.23	37.33	-13.00	-28.03	Vertical
2 11103.00	-38.62	RMS	39.01	-17.36	0.55	-95.23	34.41	-13.00	-25.62	Vertical
3 14805.00	-31.82	RMS	40.59	-13.59	0.79	-95.23	35.62	-13.00	-18.82	Vertical
4 18506.00	-65.14	RMS	37.72	-34.15	-9.54	-95.23	36.06	-13.00	-52.14	Vertical
5 22208.00	-66.71	RMS	38.20	-30.90	-9.54	-95.23	30.76	-13.00	-53.71	Vertical
6 25909.00	-62.81	RMS	38.98	-26.14	-9.54	-95.23	29.12	-13.00	-49.81	Vertical




9

Part 270 Mode 7


NR SA n77(HPUE) 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch656000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7582.00	-42.88	RMS	36.40	-20.91	0.89	-95.23	35.97	-13.00	-29.88	Horizontal
11373.00	-36.57	RMS	39.25	-16.95	0.56	-95.23	35.80	-13.00	-23.57	Horizontal
15165.00	-32.53	RMS	39.47	-13.81	0.80	-95.23	36.24	-13.00	-19.53	Horizontal
18956.00	-69.38	RMS	37.80	-33.49	-9.54	-95.23	31.08	-13.00	-56.38	Horizontal
22748.00	-66.69	RMS	38.50	-30.22	-9.54	-95.23	29.80	-13.00	-53.69	Horizontal
26539.00	-61.99	RMS	39.68	-26.71	-9.54	-95.23	29.81	-13.00	-48.99	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch656000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7582.00	-43.44	RMS	36.40	-20.91	0.89	-95.23	35.41	-13.00	-30.44	Vertical
11373.00	-37.48	RMS	39.25	-16.95	0.56	-95.23	34.89	-13.00	-24.48	Vertical
15165.00	-32.95	RMS	39.47	-13.81	0.80	-95.23	35.82	-13.00	-19.95	Vertical
18956.00	-69.48	RMS	37.80	-33.49	-9.54	-95.23	30.98	-13.00	-56.48	Vertical
22748.00	-66.25	RMS	38.50	-30.22	-9.54	-95.23	30.24	-13.00	-53.25	Vertical
26539.00	-61.88	RMS	39.68	-26.71	-9.54	-95.23	29.92	-13.00	-48.88	Vertical




9

Part 270 Mode 7


NR SA n77(HPUE) 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-43.06	RMS	36.85	-20.95	0.79	-95.23	35.48	-13.00	-30.06	Horizontal
2	11643.00	-37.12	RMS	38.73	-16.51	0.56	-95.23	35.33	-13.00	-24.12	Horizontal
3	15525.00	-33.38	RMS	38.50	-13.71	0.81	-95.23	36.25	-13.00	-20.38	Horizontal
4	19406.00	-68.50	RMS	37.90	-33.04	-9.54	-95.23	31.41	-13.00	-55.50	Horizontal
5	23288.00	-65.36	RMS	38.75	-29.56	-9.54	-95.23	30.22	-13.00	-52.36	Horizontal
6	27169.00	-61.14	RMS	39.70	-25.93	-9.54	-95.23	29.86	-13.00	-48.14	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-43.42	RMS	36.85	-20.95	0.79	-95.23	35.12	-13.00	-30.42	Vertical
2	11643.00	-37.25	RMS	38.73	-16.51	0.56	-95.23	35.20	-13.00	-24.25	Vertical
3	15525.00	-33.30	RMS	38.50	-13.71	0.81	-95.23	36.33	-13.00	-20.30	Vertical
4	19406.00	-68.44	RMS	37.90	-33.04	-9.54	-95.23	31.47	-13.00	-55.44	Vertical
5	23288.00	-64.25	RMS	38.75	-29.56	-9.54	-95.23	31.33	-13.00	-51.25	Vertical
6	27169.00	-61.42	RMS	39.70	-25.93	-9.54	-95.23	29.58	-13.00	-48.42	Vertical




3

Part 270 Mode 4


NR SA n77(HPUE) 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-42.93	RMS	36.70	-20.78	0.95	-95.23	35.43	-13.00	-29.93	Horizontal
2	11103.00	-38.16	RMS	39.01	-17.35	0.55	-95.23	34.86	-13.00	-25.16	Horizontal
3	14805.00	-31.77	RMS	40.57	-13.60	0.79	-95.23	35.70	-13.00	-18.77	Horizontal
4	18506.00	-67.20	RMS	37.72	-34.15	-9.54	-95.23	34.00	-13.00	-54.20	Horizontal
5	22208.00	-66.65	RMS	38.20	-30.90	-9.54	-95.23	30.82	-13.00	-53.65	Horizontal
6	25909.00	-62.52	RMS	38.98	-26.14	-9.54	-95.23	29.41	-13.00	-49.52	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-42.96	RMS	36.70	-20.79	0.95	-95.23	35.41	-13.00	-29.96	Vertical
2	11103.00	-38.36	RMS	39.01	-17.35	0.55	-95.23	34.66	-13.00	-25.36	Vertical
3	14805.00	-31.67	RMS	40.60	-13.57	0.79	-95.23	35.74	-13.00	-18.67	Vertical
4	18506.00	-66.59	RMS	37.72	-34.15	-9.54	-95.23	34.61	-13.00	-53.59	Vertical
5	22208.00	-67.10	RMS	38.20	-30.90	-9.54	-95.23	30.37	-13.00	-54.10	Vertical
6	25909.00	-63.12	RMS	38.98	-26.14	-9.54	-95.23	28.81	-13.00	-50.12	Vertical




3

Part 270 Mode 4


NR SA n77(HPUE) 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7582.00	-43.55	RMS	36.40	-20.91	0.89	-95.23	35.30	-13.00	-30.55	Horizontal
2 11373.00	-37.41	RMS	39.25	-16.95	0.56	-95.23	34.96	-13.00	-24.41	Horizontal
3 15165.00	-32.74	RMS	39.47	-13.81	0.80	-95.23	36.03	-13.00	-19.74	Horizontal
4 18956.00	-69.50	RMS	37.80	-33.49	-9.54	-95.23	30.96	-13.00	-56.50	Horizontal
5 22748.00	-67.16	RMS	38.50	-30.22	-9.54	-95.23	29.33	-13.00	-54.16	Horizontal
6 26539.00	-61.94	RMS	39.68	-26.71	-9.54	-95.23	29.86	-13.00	-48.94	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7582.00	-43.34	RMS	36.40	-20.91	0.89	-95.23	35.51	-13.00	-30.34	Vertical
2 11373.00	-37.60	RMS	39.25	-16.95	0.56	-95.23	34.77	-13.00	-24.60	Vertical
3 15165.00	-32.77	RMS	39.47	-13.81	0.80	-95.23	36.00	-13.00	-19.77	Vertical
4 18956.00	-69.25	RMS	37.80	-33.49	-9.54	-95.23	31.21	-13.00	-56.25	Vertical
5 22748.00	-67.11	RMS	38.50	-30.22	-9.54	-95.23	29.38	-13.00	-54.11	Vertical
6 26539.00	-61.62	RMS	39.68	-26.71	-9.54	-95.23	30.18	-13.00	-48.62	Vertical




3

Part 270 Mode 4


NR SA n77(HPUE) 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-42.55	RMS	36.85	-20.95	0.79	-95.23	35.99	-13.00	-29.55	Horizontal
2	11643.00	-36.55	RMS	38.73	-16.51	0.56	-95.23	35.90	-13.00	-23.55	Horizontal
3	15525.00	-32.73	RMS	38.50	-13.71	0.81	-95.23	36.90	-13.00	-19.73	Horizontal
4	19406.00	-68.91	RMS	37.90	-33.04	-9.54	-95.23	31.00	-13.00	-55.91	Horizontal
5	23288.00	-66.06	RMS	38.75	-29.56	-9.54	-95.23	29.52	-13.00	-53.06	Horizontal
6	27169.00	-60.98	RMS	39.70	-25.93	-9.54	-95.23	30.02	-13.00	-47.98	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-42.99	RMS	36.85	-20.95	0.79	-95.23	35.55	-13.00	-29.99	Vertical
2	11643.00	-36.56	RMS	38.73	-16.51	0.56	-95.23	35.89	-13.00	-23.56	Vertical
3	15525.00	-33.04	RMS	38.50	-13.71	0.81	-95.23	36.59	-13.00	-20.04	Vertical
4	19406.00	-68.84	RMS	37.90	-33.04	-9.54	-95.23	31.07	-13.00	-55.84	Vertical
5	23288.00	-64.44	RMS	38.75	-29.56	-9.54	-95.23	31.14	-13.00	-51.44	Vertical
6	27169.00	-61.17	RMS	39.70	-25.93	-9.54	-95.23	29.83	-13.00	-48.17	Vertical




4

Part 270 Mode 5


NR SA n77(HPUE) 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-43.09	RMS	36.70	-20.78	0.95	-95.23	35.27	-13.00	-30.09	Horizontal
2	11103.00	-39.50	RMS	39.01	-17.36	0.55	-95.23	33.53	-13.00	-26.50	Horizontal
3	14805.00	-32.65	RMS	40.59	-13.59	0.79	-95.23	34.79	-13.00	-19.65	Horizontal
4	18506.00	-66.60	RMS	37.72	-34.15	-9.54	-95.23	34.60	-13.00	-53.60	Horizontal
5	22208.00	-66.99	RMS	38.20	-30.90	-9.54	-95.23	30.48	-13.00	-53.99	Horizontal
6	25909.00	-62.52	RMS	38.98	-26.14	-9.54	-95.23	29.41	-13.00	-49.52	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-41.78	RMS	36.70	-20.78	0.95	-95.23	36.58	-13.00	-28.78	Vertical
2	11103.00	-39.30	RMS	39.01	-17.36	0.55	-95.23	33.73	-13.00	-26.30	Vertical
3	14805.00	-32.12	RMS	40.59	-13.59	0.79	-95.23	35.32	-13.00	-19.12	Vertical
4	18506.00	-68.68	RMS	37.72	-34.15	-9.54	-95.23	32.52	-13.00	-55.68	Vertical
5	22208.00	-67.09	RMS	38.20	-30.90	-9.54	-95.23	30.38	-13.00	-54.09	Vertical
6	25909.00	-62.74	RMS	38.98	-26.14	-9.54	-95.23	29.19	-13.00	-49.74	Vertical




4

Part 270 Mode 5


NR SA n77(HPUE) 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch656000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7582.00	-44.11	RMS	36.40	-20.91	0.89	-95.23	34.74	-13.00	-31.11	Horizontal
11373.00	-38.08	RMS	39.25	-16.95	0.56	-95.23	34.29	-13.00	-25.08	Horizontal
15165.00	-33.83	RMS	39.47	-13.81	0.80	-95.23	34.94	-13.00	-20.83	Horizontal
18956.00	-69.10	RMS	37.80	-33.49	-9.54	-95.23	31.36	-13.00	-56.10	Horizontal
22748.00	-66.87	RMS	38.50	-30.22	-9.54	-95.23	29.62	-13.00	-53.87	Horizontal
26539.00	-61.17	RMS	39.68	-26.71	-9.54	-95.23	30.63	-13.00	-48.17	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch656000 1RB1 BPSK

1	2	3	4	5	6					
Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
7582.00	-43.60	RMS	36.40	-20.91	0.89	-95.23	35.25	-13.00	-30.60	Vertical
11373.00	-38.25	RMS	39.25	-16.95	0.56	-95.23	34.12	-13.00	-25.25	Vertical
15165.00	-33.36	RMS	39.47	-13.81	0.80	-95.23	35.41	-13.00	-20.36	Vertical
18956.00	-69.35	RMS	37.80	-33.49	-9.54	-95.23	31.11	-13.00	-56.35	Vertical
22748.00	-67.11	RMS	38.50	-30.22	-9.54	-95.23	29.38	-13.00	-54.11	Vertical
26539.00	-62.22	RMS	39.68	-26.71	-9.54	-95.23	29.58	-13.00	-49.22	Vertical




4

Part 270 Mode 5


NR SA n77(HPUE) 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR Band 77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-43.41	RMS	36.85	-20.95	0.79	-95.23	35.13	-13.00	-30.41	Horizontal
2	11643.00	-37.77	RMS	38.73	-16.51	0.56	-95.23	34.68	-13.00	-24.77	Horizontal
3	15525.00	-33.63	RMS	38.50	-13.71	0.81	-95.23	36.00	-13.00	-20.63	Horizontal
4	19406.00	-68.91	RMS	37.90	-33.04	-9.54	-95.23	31.00	-13.00	-55.91	Horizontal
5	23288.00	-65.28	RMS	38.75	-29.56	-9.54	-95.23	30.30	-13.00	-52.28	Horizontal
6	27169.00	-61.29	RMS	39.70	-25.93	-9.54	-95.23	29.71	-13.00	-48.29	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR Band 77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-42.19	RMS	36.85	-20.95	0.79	-95.23	36.35	-13.00	-29.19	Vertical
2	11643.00	-37.87	RMS	38.73	-16.51	0.56	-95.23	34.58	-13.00	-24.87	Vertical
3	15525.00	-33.34	RMS	38.50	-13.71	0.81	-95.23	36.29	-13.00	-20.34	Vertical
4	19406.00	-68.96	RMS	37.90	-33.04	-9.54	-95.23	30.95	-13.00	-55.96	Vertical
5	23288.00	-64.79	RMS	38.75	-29.56	-9.54	-95.23	30.79	-13.00	-51.79	Vertical
6	27169.00	-61.93	RMS	39.70	-25.93	-9.54	-95.23	29.07	-13.00	-48.93	Vertical




1

Part 27N Mode 2


NR SA n71 20M Ch134600 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading		Limit	Margin		Pol
				Factor	1		g	g		dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1328.00	-54.91	RMS	25.92	-28.37	1.03	-95.23	41.74	-13.00	-41.91	Horizontal	
2	1992.00	-35.92	RMS	26.74	-26.78	0.71	-95.23	58.64	-13.00	-22.92	Horizontal	
3	2657.00	-55.11	RMS	28.50	-25.93	0.63	-95.23	36.92	-13.00	-42.11	Horizontal	



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading		Limit	Margin		Pol
				Factor	1		g	g		dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1328.00	-56.22	RMS	25.92	-28.37	1.03	-95.23	40.43	-13.00	-43.22	Vertical	
2	1992.00	-36.80	RMS	26.74	-26.78	0.71	-95.23	57.76	-13.00	-23.80	Vertical	
3	2657.00	-55.40	RMS	28.50	-25.93	0.63	-95.23	36.63	-13.00	-42.40	Vertical	




1

Part 27N Mode 2


NR SA n71 20M Ch136100 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
1	1343.00	-56.62	RMS	25.90	-28.32	1.00	-95.23	40.03	-13.00	-43.62	Horizontal
2	2015.00	-35.22	RMS	27.10	-26.75	0.71	-95.23	58.95	-13.00	-22.22	Horizontal
3	2687.00	-55.16	RMS	28.43	-25.83	0.62	-95.23	36.85	-13.00	-42.16	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n71 20M Ch136100 1RB1 BPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
1	1343.00	-56.76	RMS	25.90	-28.32	1.00	-95.23	39.89	-13.00	-43.76	Vertical
2	2015.00	-36.18	RMS	27.10	-26.75	0.71	-95.23	57.99	-13.00	-23.18	Vertical
3	2687.00	-54.93	RMS	28.43	-25.83	0.62	-95.23	37.08	-13.00	-41.93	Vertical



1


Part 27N Mode 2
NR SA n71 20M Ch137600 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-230731 Horizontal
: NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1359.00	-57.36	RMS	25.72	-28.27	0.96	-95.23	39.46	-13.00	-44.36	Horizontal
2	2038.00	-37.26	RMS	27.28	-26.71	0.71	-95.23	56.69	-13.00	-24.26	Horizontal
3	2717.00	-55.26	RMS	28.50	-25.73	0.61	-95.23	36.59	-13.00	-42.26	Horizontal



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-230731 Vertical
: NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1359.00	-56.78	RMS	25.72	-28.27	0.96	-95.23	40.04	-13.00	-43.78	Vertical
2	2038.00	-37.08	RMS	27.28	-26.71	0.71	-95.23	56.87	-13.00	-24.08	Vertical
3	2717.00	-55.37	RMS	28.50	-25.73	0.61	-95.23	36.48	-13.00	-42.37	Vertical




1

Part 27H Mode 2


NR SA n12 15M Ch141300 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n12 15M Ch141300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
1	1400.00	-52.85	RMS	25.90	-28.15	0.86	-95.23	43.77	-13.00	-39.85	Horizontal
2	2100.00	-55.66	RMS	27.50	-26.62	0.71	-95.23	37.97	-13.00	-42.66	Horizontal
3	2800.00	-55.44	RMS	28.50	-25.45	0.58	-95.23	36.16	-13.00	-42.44	Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n12 15M Ch141300 1RB1 BPSK


	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
1	1400.00	-55.37	RMS	25.90	-28.15	0.86	-95.23	41.25	-13.00	-42.37	Vertical
2	2100.00	-54.14	RMS	27.50	-26.62	0.71	-95.23	39.49	-13.00	-41.14	Vertical
3	2800.00	-55.14	RMS	28.50	-25.45	0.58	-95.23	36.46	-13.00	-42.14	Vertical



1


Part 27H Mode 2
NR SA n12 15M Ch141500 1RB1 BPSK

M



Site : 03CH12-HY
Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
: NR SA n12 15M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	1402.00	-53.44	RMS	25.90	-28.14	0.86	-95.23	43.17	-13.00	-40.44	Horizontal
2	2103.00	-37.54	RMS	27.50	-26.62	0.72	-95.23	56.09	-13.00	-24.54	Horizontal
3	2804.00	-55.29	RMS	28.50	-25.45	0.58	-95.23	36.31	-13.00	-42.29	Horizontal



Site : 03CH12-HY
Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
: NR SA n12 15M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	1402.00	-55.51	RMS	25.90	-28.14	0.86	-95.23	41.10	-13.00	-42.51	Vertical
2	2103.00	-52.14	RMS	27.50	-26.62	0.72	-95.23	41.49	-13.00	-39.14	Vertical
3	2804.00	-55.50	RMS	28.50	-25.45	0.58	-95.23	36.10	-13.00	-42.50	Vertical




1

Part 27H Mode 2


NR SA n12 15M Ch141700 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n12 15M Ch141700 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	1404.00	-53.10	RMS	25.90	-28.13	0.86	-95.23	43.50	-13.00	-40.10	Horizontal
2	2106.00	-53.12	RMS	27.50	-26.61	0.72	-95.23	40.50	-13.00	-40.12	Horizontal
3	2808.00	-54.98	RMS	28.50	-25.44	0.58	-95.23	36.61	-13.00	-41.98	Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n12 15M Ch141700 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	1404.00	-54.83	RMS	25.90	-28.13	0.86	-95.23	41.77	-13.00	-41.83	Vertical
2	2106.00	-52.20	RMS	27.50	-26.61	0.72	-95.23	41.42	-13.00	-39.20	Vertical
3	2808.00	-54.99	RMS	28.50	-25.44	0.58	-95.23	36.60	-13.00	-41.99	Vertical




1

Part 27F Mode 3


NR SA n13 5M Ch155900 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n13 10M Ch155900 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1555.00	-56.32	RMS	25.60	-27.51	0.93	-95.23	39.89	-13.00	-43.32	Horizontal
2	2333.00	-48.17	RMS	27.23	-26.44	0.73	-95.23	45.54	-13.00	-35.17	Horizontal
3	3110.00	-53.25	RMS	29.78	-25.05	0.56	-95.23	36.69	-13.00	-40.25	Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n13 10M Ch155900 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1555.00	-56.47	RMS	25.60	-27.51	0.93	-95.23	39.74	-13.00	-43.47	Vertical
2	2333.00	-44.61	RMS	27.23	-26.44	0.73	-95.23	49.10	-13.00	-31.61	Vertical
3	3110.00	-53.44	RMS	29.78	-25.05	0.56	-95.23	36.50	-13.00	-40.44	Vertical




1

Part 27F Mode 3


NR SA n13 5M Ch156400 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n13 5M Ch156400 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				dB	dB		dBm
1	1560.00	-56.57	RMS	25.60	-27.50	0.93	-95.23	39.63	-42.15	-14.42	Horizontal
2	2340.00	-45.41	RMS	27.30	-26.44	0.73	-95.23	48.23	-13.00	-32.41	Horizontal
3	3120.00	-53.07	RMS	29.76	-25.03	0.56	-95.23	36.87	-13.00	-40.07	Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n13 5M Ch156400 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				dB	dB		dBm
1	1560.00	-57.86	RMS	25.60	-27.50	0.93	-95.23	38.34	-42.15	-15.71	Vertical
2	2340.00	-44.00	RMS	27.30	-26.44	0.73	-95.23	49.64	-13.00	-31.00	Vertical
3	3120.00	-53.49	RMS	29.76	-25.03	0.56	-95.23	36.45	-13.00	-40.49	Vertical




1

Part 27F Mode 3


NR SA n13 5M Ch156900 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n13 10M Ch156900 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1565.00	-56.43	RMS	25.60	-27.48	0.93	-95.23	39.75	-42.15	-14.28	Horizontal
2	2348.00	-48.23	RMS	27.30	-26.44	0.73	-95.23	45.41	-13.00	-35.23	Horizontal
3	3130.00	-53.45	RMS	29.74	-25.02	0.56	-95.23	36.50	-13.00	-40.45	Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n13 10M Ch156900 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				dB	dB	
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1565.00	-56.75	RMS	25.60	-27.48	0.93	-95.23	39.43	-42.15	-14.60	Vertical
2	2348.00	-46.40	RMS	27.30	-26.44	0.73	-95.23	47.24	-13.00	-33.40	Vertical
3	3130.00	-53.17	RMS	29.74	-25.02	0.56	-95.23	36.78	-13.00	-40.17	Vertical




1

Part 27F Mode 4


NR SA n13 10M Ch156400 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n13 10M Ch156400 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	1556.00	-55.91	RMS	25.60	-27.51	0.93	-95.23	40.30	-13.00	-42.91	Horizontal
2	2333.00	-40.25	RMS	27.23	-26.44	0.73	-95.23	53.46	-13.00	-27.25	Horizontal
3	3111.00	-53.67	RMS	29.78	-25.05	0.56	-95.23	36.27	-13.00	-40.67	Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n13 10M Ch156400 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	1556.00	-56.87	RMS	25.60	-27.51	0.93	-95.23	39.34	-13.00	-43.87	Vertical
2	2333.00	-36.76	RMS	27.23	-26.44	0.73	-95.23	56.95	-13.00	-23.76	Vertical
3	3111.00	-53.44	RMS	29.78	-25.05	0.56	-95.23	36.50	-13.00	-40.44	Vertical




5

Part 27D Mode 3


NR SA n30 5M Ch461500 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Horizontal
 : SA NR n30 BW5M Ch461500 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Vertical
 : SA NR n30 BW5M Ch461500 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					




5

Part 27D Mode 3


NR SA n30 5M Ch462000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Horizontal
 : SA NR n30 BW5M Ch462000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 4616.00	-53.46	RMS	31.77	-56.26	0.75	-95.23	65.51	-40.00	-13.46	Horizontal
2 6924.00	-54.35	RMS	36.00	-51.85	0.72	-95.23	56.01	-40.00	-14.35	Horizontal
3 9232.00	-56.42	RMS	38.40	-51.41	0.75	-95.23	51.07	-40.00	-16.42	Horizontal



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Vertical
 : SA NR n30 BW5M Ch462000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 4616.00	-55.33	RMS	31.77	-56.26	0.75	-95.23	63.64	-40.00	-15.33	Vertical
2 6924.00	-48.74	RMS	36.00	-51.85	0.72	-95.23	61.62	-40.00	-8.74	Vertical
3 9232.00	-55.20	RMS	38.40	-51.41	0.75	-95.23	52.29	-40.00	-15.20	Vertical




5

Part 27D Mode 3


NR SA n30 5M Ch462500 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Horizontal
 : SA NR n30 BW5M Ch462500 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH12-HY
 Condition: -40 3m 9120D-02114-230731 Vertical
 : SA NR n30 BW5M Ch462500 1RB1 BPSK


1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



5


Part 27D Mode 4
NR SA n30 10M Ch462000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Horizontal
: SA NR n30 BW10M Ch462000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			4612.00	-59.44	RMS	31.78	-56.29	0.75	-95.23	59.55	-40.00	-19.44	Horizontal
			6917.00	-53.52	RMS	36.00	-51.85	0.72	-95.23	56.84	-40.00	-13.52	Horizontal
			9223.00	-56.89	RMS	38.40	-51.44	0.75	-95.23	50.63	-40.00	-16.89	Horizontal



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Vertical
: SA NR n30 BW10M Ch462000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			4612.00	-59.28	RMS	31.78	-56.29	0.75	-95.23	59.71	-40.00	-19.28	Vertical
			6917.00	-54.02	RMS	36.00	-51.85	0.72	-95.23	56.34	-40.00	-14.02	Vertical
			9223.00	-57.08	RMS	38.40	-51.44	0.75	-95.23	50.44	-40.00	-17.08	Vertical




1

Part 27L Mode 5


NR SA n66 40M Ch346000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n66 40M Ch346000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 3424.00	-52.98	RMS	29.75	-24.00	1.20	-95.23	35.30	-13.00	-39.98	Horizontal
2 5136.00	-48.73	RMS	33.28	-23.04	0.68	-95.23	35.58	-13.00	-35.73	Horizontal
3 6849.00	-44.71	RMS	36.20	-21.33	0.73	-95.23	34.92	-13.00	-31.71	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n66 40M Ch346000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 3424.00	-53.10	RMS	29.75	-24.00	1.20	-95.23	35.18	-13.00	-40.10	Vertical
2 5136.00	-48.84	RMS	33.28	-23.04	0.68	-95.23	35.47	-13.00	-35.84	Vertical
3 6849.00	-44.82	RMS	36.20	-21.33	0.73	-95.23	34.81	-13.00	-31.82	Vertical




1

Part 27L Mode 5


NR SA n66 40M Ch349000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n66 40M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	3454.00	-52.20	RMS	29.78	-23.80	1.20 -95.23	35.85	-13.00	-39.20	Horizontal
2	5181.00	-46.82	RMS	33.14	-22.94	0.70 -95.23	37.51	-13.00	-33.82	Horizontal
3	6909.00	-44.19	RMS	36.00	-21.31	0.72 -95.23	35.63	-13.00	-31.19	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n66 40M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	3454.00	-52.42	RMS	29.78	-23.80	1.20 -95.23	35.63	-13.00	-39.42	Vertical
2	5181.00	-46.58	RMS	33.14	-22.94	0.70 -95.23	37.75	-13.00	-33.58	Vertical
3	6909.00	-44.81	RMS	36.00	-21.31	0.72 -95.23	35.01	-13.00	-31.81	Vertical




1

Part 27L Mode 5


NR SA n66 40M Ch352000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n66 40M Ch352000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1				dB	dB
1	3484.00	-52.40	RMS	29.66	-23.60	1.21	-95.23	35.56	-13.00	-39.40 Horizontal
2	5226.00	-48.96	RMS	33.15	-22.74	0.72	-95.23	35.14	-13.00	-35.96 Horizontal
3	6969.00	-44.79	RMS	36.04	-21.28	0.71	-95.23	34.97	-13.00	-31.79 Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n66 40M Ch352000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1				dB	dB
1	3484.00	-52.55	RMS	29.66	-23.60	1.21	-95.23	35.41	-13.00	-39.55 Vertical
2	5226.00	-48.88	RMS	33.15	-22.74	0.72	-95.23	35.22	-13.00	-35.88 Vertical
3	6969.00	-44.64	RMS	36.04	-21.28	0.71	-95.23	35.12	-13.00	-31.64 Vertical




5

Part 27M Mode 7


NR SA n7 40M Ch504000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n7 40M Ch504000 1RB1 BPSK

1	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol	
				Factor	1				dB	dB
	5004.00	-47.77	RMS	33.22	-23.36	0.63	-95.23	36.97	-25.00	-22.77 Horizontal
2	7506.00	-39.67	RMS	36.49	-20.86	0.71	-95.23	39.22	-25.00	-14.67 Horizontal
3	10009.00	-38.02	RMS	38.62	-18.42	0.78	-95.23	36.23	-25.00	-13.02 Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n7 40M Ch504000 1RB1 BPSK

1	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol	
				Factor	1				dB	dB
	5004.00	-46.35	RMS	33.22	-23.36	0.63	-95.23	38.39	-25.00	-21.35 Vertical
2	7506.00	-37.29	RMS	36.49	-20.86	0.71	-95.23	41.60	-25.00	-12.29 Vertical
3	10009.00	-38.11	RMS	38.62	-18.42	0.78	-95.23	36.14	-25.00	-13.11 Vertical




5

Part 27M Mode 7


NR SA n7 40M Ch507000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n7 40M Ch507000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5034.00	-47.90	RMS	33.34	-23.29	0.64	-95.23	36.64	-25.00	-22.90	Horizontal
2	7551.00	-31.63	RMS	36.40	-20.89	0.74	-95.23	47.35	-25.00	-6.63	Horizontal
3	10069.00	-37.91	RMS	38.70	-18.40	0.78	-95.23	36.24	-25.00	-12.91	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n7 40M Ch507000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5034.00	-47.03	RMS	33.34	-23.29	0.64	-95.23	37.51	-25.00	-22.03	Vertical
2	7551.00	-36.57	RMS	36.40	-20.89	0.74	-95.23	42.41	-25.00	-11.57	Vertical
3	10069.00	-37.88	RMS	38.70	-18.40	0.78	-95.23	36.27	-25.00	-12.88	Vertical




5

Part 27M Mode 7


NR SA n7 40M Ch510000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n7 40M Ch510000 1RB1 BPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit	Margin Pol	
			MHz	dBm		dB/m	dB		dB	dB				dBuV	dBm
1	5064.00	-47.22	RMS	33.43	-23.22	0.66	-95.23	37.14	-25.00	-22.22	Horizontal				
2	7596.00	-41.44	RMS	36.40	-20.91	0.78	-95.23	37.52	-25.00	-16.44	Horizontal				
3	10129.00	-38.19	RMS	38.76	-18.38	0.78	-95.23	35.88	-25.00	-13.19	Horizontal				



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n7 40M Ch510000 1RB1 BPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit	Margin Pol	
			MHz	dBm		dB/m	dB		dB	dB				dBuV	dBm
1	5064.00	-45.20	RMS	33.43	-23.22	0.66	-95.23	39.16	-25.00	-20.20	Vertical				
2	7596.00	-42.04	RMS	36.40	-20.91	0.78	-95.23	36.92	-25.00	-17.04	Vertical				
3	10129.00	-38.36	RMS	38.76	-18.38	0.78	-95.23	35.71	-25.00	-13.36	Vertical				




5

Part 27M Mode 8


NR SA n38 40M Ch518000 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n38 40M Ch518000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5145.00	-48.40	RMS	33.23	-23.02	0.69	-95.23	35.93	-25.00	-23.40	Horizontal
2	7717.00	-42.53	RMS	36.73	-20.94	0.82	-95.23	36.09	-25.00	-17.53	Horizontal
3	10289.00	-38.38	RMS	38.82	-18.33	0.78	-95.23	35.58	-25.00	-13.38	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n38 40M Ch518000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5145.00	-47.08	RMS	33.23	-23.02	0.69	-95.23	37.25	-25.00	-22.08	Vertical
2	7717.00	-43.14	RMS	36.73	-20.94	0.82	-95.23	35.48	-25.00	-18.14	Vertical
3	10289.00	-38.43	RMS	38.82	-18.33	0.78	-95.23	35.53	-25.00	-13.43	Vertical




5

Part 27M Mode 8


NR SA n38 40M Ch519000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n38 40M Ch519000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					
			5155.00	-47.76	RMS	33.19	-23.00	0.69 -95.23	36.59	-25.00	-22.76	Horizontal
			7732.00	-42.72	RMS	36.76	-20.94	0.82 -95.23	35.87	-25.00	-17.72	Horizontal
			10309.00	-38.54	RMS	38.85	-18.33	0.78 -95.23	35.39	-25.00	-13.54	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n38 40M Ch519000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					
			5155.00	-46.41	RMS	33.19	-23.00	0.69 -95.23	37.94	-25.00	-21.41	Vertical
			7732.00	-42.84	RMS	36.76	-20.94	0.82 -95.23	35.75	-25.00	-17.84	Vertical
			10309.00	-38.52	RMS	38.85	-18.33	0.78 -95.23	35.41	-25.00	-13.52	Vertical




5

Part 27M Mode 8


NR SA n38 40M Ch520000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n38 40M Ch520000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1 5165.00	-47.31	RMS	33.17	-22.97	0.70	-95.23	37.02	-25.00	-22.31 Horizontal
2 7747.00	-42.49	RMS	36.79	-20.95	0.82	-95.23	36.08	-25.00	-17.49 Horizontal
3 10329.00	-38.14	RMS	38.97	-18.32	0.78	-95.23	35.66	-25.00	-13.14 Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n38 40M Ch520000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1 5165.00	-46.67	RMS	33.17	-22.97	0.70	-95.23	37.66	-25.00	-21.67 Vertical
2 7747.00	-42.23	RMS	36.79	-20.95	0.82	-95.23	36.34	-25.00	-17.23 Vertical
3 10329.00	-38.00	RMS	38.97	-18.32	0.78	-95.23	35.80	-25.00	-13.00 Vertical




5

Part 27M Mode 9


NR SA n41(HPUE) 100M Ch509202 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch509202 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	4995.00	-48.85	RMS	33.17	-23.32	0.63	-95.23	35.90	-25.00	-23.85	Horizontal
2	7492.00	-41.86	RMS	36.53	-20.85	0.70	-95.23	36.99	-25.00	-16.86	Horizontal
3	9989.00	-37.94	RMS	38.56	-18.45	0.78	-95.23	36.40	-25.00	-12.94	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch510000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	5003.00	-48.13	RMS	33.21	-23.36	0.63	-95.23	36.62	-25.00	-23.13	Horizontal
2	7504.00	-42.42	RMS	36.49	-20.86	0.71	-95.23	36.47	-25.00	-17.42	Horizontal
3	10005.00	-37.41	RMS	38.61	-18.42	0.78	-95.23	36.85	-25.00	-12.41	Horizontal




5

Part 27M Mode 9


NR SA n41(HPUE) 100M Ch518598 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5088.00	-48.12	RMS	33.48	-23.16	0.67	-95.23	36.12	-25.00	-23.12	Horizontal
2 7632.00	-43.14	RMS	36.46	-20.92	0.79	-95.23	35.76	-25.00	-18.14	Horizontal
3 10177.00	-38.10	RMS	38.91	-18.37	0.78	-95.23	35.81	-25.00	-13.10	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5088.00	-48.20	RMS	33.48	-23.16	0.67	-95.23	36.04	-25.00	-23.20	Vertical
2 7632.00	-43.20	RMS	36.46	-20.92	0.79	-95.23	35.70	-25.00	-18.20	Vertical
3 10177.00	-38.26	RMS	38.91	-18.37	0.78	-95.23	35.65	-25.00	-13.26	Vertical




5

Part 27M Mode 9


NR SA n41(HPUE) 100M Ch528000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	dB
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5182.00	-44.13	RMS	33.14	-22.93	0.70	-95.23	40.19	-25.00	-19.13	Horizontal
2 7773.00	-42.64	RMS	36.89	-20.95	0.83	-95.23	35.82	-25.00	-17.64	Horizontal
3 10365.00	-37.39	RMS	39.07	-18.31	0.78	-95.23	36.30	-25.00	-12.39	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	dB
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5182.00	-44.60	RMS	33.14	-22.93	0.70	-95.23	39.72	-25.00	-19.60	Vertical
2 7773.00	-42.63	RMS	36.89	-20.95	0.83	-95.23	35.83	-25.00	-17.63	Vertical
3 10365.00	-38.27	RMS	39.07	-18.31	0.78	-95.23	35.42	-25.00	-13.27	Vertical




2

Part 27M Mode 10


NR SA n41(HPUE) 100M Ch509202 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
1	4995.00	-48.68	RMS	33.17	-23.32	0.63	-95.23	36.07	-25.00	-23.68	Horizontal
2	7492.00	-43.43	RMS	36.53	-20.85	0.70	-95.23	35.42	-25.00	-18.43	Horizontal
3	9989.00	-38.27	RMS	38.56	-18.45	0.78	-95.23	36.07	-25.00	-13.27	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch510000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
1	5003.00	-48.42	RMS	33.21	-23.36	0.63	-95.23	36.33	-25.00	-23.42	Horizontal
2	7504.00	-42.87	RMS	36.49	-20.86	0.71	-95.23	36.02	-25.00	-17.87	Horizontal
3	10005.00	-37.59	RMS	38.61	-18.42	0.78	-95.23	36.67	-25.00	-12.59	Horizontal




2

Part 27M Mode 10


NR SA n41(HPUE) 100M Ch518598 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5088.00	-48.31	RMS	33.48	-23.16	0.67	-95.23	35.93	-25.00	-23.31	Horizontal
2 7632.00	-43.37	RMS	36.46	-20.92	0.79	-95.23	35.53	-25.00	-18.37	Horizontal
3 10177.00	-38.31	RMS	38.91	-18.37	0.78	-95.23	35.60	-25.00	-13.31	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5088.00	-47.70	RMS	33.48	-23.16	0.67	-95.23	36.54	-25.00	-22.70	Vertical
2 7632.00	-43.00	RMS	36.46	-20.92	0.79	-95.23	35.90	-25.00	-18.00	Vertical
3 10177.00	-38.13	RMS	38.91	-18.37	0.78	-95.23	35.78	-25.00	-13.13	Vertical




2

Part 27M Mode 10

NR SA n41(HPUE) 100M Ch528000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	5182.00	-48.17	RMS	33.14	-22.93	0.70	-95.23	-95.23	36.15	-25.00	-23.17	Vertical
2	7773.00	-42.74	RMS	36.89	-20.95	0.83	-95.23	-95.23	35.72	-25.00	-17.74	Vertical
3	10365.00	-37.91	RMS	39.07	-18.31	0.78	-95.23	-95.23	35.78	-25.00	-12.91	Vertical




3

Part 27M Mode 11


NR SA n41(HPUE) 100M Ch509202 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch509202 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV		dB		
1	4995.00	-48.76	RMS	33.17	-23.32	0.63	-95.23	35.99	-25.00	-23.76	Horizontal
2	7492.00	-43.47	RMS	36.53	-20.85	0.70	-95.23	35.38	-25.00	-18.47	Horizontal
3	9989.00	-38.54	RMS	38.56	-18.45	0.78	-95.23	35.80	-25.00	-13.54	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch510000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV		dB		
1	5003.00	-48.68	RMS	33.21	-23.36	0.63	-95.23	36.07	-25.00	-23.68	Horizontal
2	7504.00	-43.05	RMS	36.49	-20.86	0.71	-95.23	35.84	-25.00	-18.05	Horizontal
3	10005.00	-38.11	RMS	38.61	-18.42	0.78	-95.23	36.15	-25.00	-13.11	Horizontal




3

Part 27M Mode 11


NR SA n41(HPUE) 100M Ch518598 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5088.00	-48.02	RMS	33.48	-23.16	0.67	-95.23	36.22	-25.00	-23.02	Horizontal
2 7632.00	-43.17	RMS	36.46	-20.92	0.79	-95.23	35.73	-25.00	-18.17	Horizontal
3 10177.00	-38.12	RMS	38.91	-18.37	0.78	-95.23	35.79	-25.00	-13.12	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5088.00	-48.52	RMS	33.48	-23.16	0.67	-95.23	35.72	-25.00	-23.52	Vertical
2 7632.00	-43.29	RMS	36.46	-20.92	0.79	-95.23	35.61	-25.00	-18.29	Vertical
3 10177.00	-37.91	RMS	38.91	-18.37	0.78	-95.23	36.00	-25.00	-12.91	Vertical




3

Part 27M Mode 11


NR SA n41(HPUE) 100M Ch528000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5182.00	-47.92	RMS	33.14	-22.93	0.70	-95.23	36.40	-25.00	-22.92	Horizontal
2 7773.00	-42.71	RMS	36.89	-20.95	0.83	-95.23	35.75	-25.00	-17.71	Horizontal
3 10365.00	-38.38	RMS	39.07	-18.31	0.78	-95.23	35.31	-25.00	-13.38	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5182.00	-47.60	RMS	33.14	-22.93	0.70	-95.23	36.72	-25.00	-22.60	Vertical
2 7773.00	-42.37	RMS	36.89	-20.95	0.83	-95.23	36.09	-25.00	-17.37	Vertical
3 10365.00	-38.49	RMS	39.07	-18.31	0.78	-95.23	35.20	-25.00	-13.49	Vertical




4

Part 27M Mode 12


NR SA n41(HPUE) 100M Ch509202 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch509202 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	4995.00	-48.69	RMS	33.17	-23.32	0.63	-95.23	36.06	-25.00	-23.69	Horizontal
2	7492.00	-43.60	RMS	36.53	-20.85	0.70	-95.23	35.25	-25.00	-18.60	Horizontal
3	9989.00	-38.38	RMS	38.56	-18.45	0.78	-95.23	35.96	-25.00	-13.38	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch510000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	5003.00	-48.88	RMS	33.21	-23.36	0.63	-95.23	35.87	-25.00	-23.88	Horizontal
2	7504.00	-43.28	RMS	36.49	-20.86	0.71	-95.23	35.61	-25.00	-18.28	Horizontal
3	10005.00	-38.20	RMS	38.61	-18.42	0.78	-95.23	36.06	-25.00	-13.20	Horizontal




4

Part 27M Mode 12


NR SA n41(HPUE) 100M Ch518598 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch518598 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5088.00	-48.26	RMS	33.48	-23.16	0.67	-95.23	35.98	-25.00	-23.26	Horizontal
			7632.00	-43.36	RMS	36.46	-20.92	0.79	-95.23	35.54	-25.00	-18.36	Horizontal
			10177.00	-38.30	RMS	38.91	-18.37	0.78	-95.23	35.61	-25.00	-13.30	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n41 100M Ch518598 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5088.00	-48.28	RMS	33.48	-23.16	0.67	-95.23	35.96	-25.00	-23.28	Vertical
			7632.00	-43.51	RMS	36.46	-20.92	0.79	-95.23	35.39	-25.00	-18.51	Vertical
			10177.00	-38.23	RMS	38.91	-18.37	0.78	-95.23	35.68	-25.00	-13.23	Vertical




4

Part 27M Mode 12


NR SA n41(HPUE) 100M Ch528000 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5182.00	-48.27	RMS	33.14	-22.93	0.70	-95.23	36.05	-25.00	-23.27	Horizontal
2 7773.00	-42.53	RMS	36.89	-20.95	0.83	-95.23	35.93	-25.00	-17.53	Horizontal
3 10365.00	-38.37	RMS	39.07	-18.31	0.78	-95.23	35.32	-25.00	-13.37	Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5182.00	-48.51	RMS	33.14	-22.93	0.70	-95.23	35.81	-25.00	-23.51	Vertical
2 7773.00	-42.81	RMS	36.89	-20.95	0.83	-95.23	35.65	-25.00	-17.81	Vertical
3 10365.00	-37.94	RMS	39.07	-18.31	0.78	-95.23	35.75	-25.00	-12.94	Vertical




1

Part 90R Mode 3


NR SA n14 5M Ch158100 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n14 5M Ch158100 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				dB	dB		dB
1	1577.00	-54.08	RMS	25.60	-27.45	0.94	-95.23	42.06	-42.15	-11.93	Horizontal
2	2366.00	-51.81	RMS	27.40	-26.44	0.73	-95.23	41.73	-13.00	-38.81	Horizontal
3	3154.00	-53.51	RMS	29.72	-24.97	0.57	-95.23	36.40	-13.00	-40.51	Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n14 5M Ch158100 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				dB	dB		dB
1	1577.00	-56.07	RMS	25.60	-27.45	0.94	-95.23	40.07	-42.15	-13.92	Vertical
2	2366.00	-48.12	RMS	27.40	-26.44	0.73	-95.23	45.42	-13.00	-35.12	Vertical
3	3154.00	-53.65	RMS	29.72	-24.97	0.57	-95.23	36.26	-13.00	-40.65	Vertical




1

Part 90R Mode 3


NR SA n14 5M Ch158600 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n14 5M Ch158600 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1582.00	-53.76	RMS	25.62	-27.43	0.94	-95.23	42.34	-42.15	-11.61	Horizontal
2	2373.00	-48.46	RMS	27.40	-26.43	0.73	-95.23	45.07	-13.00	-35.46	Horizontal
3	3164.00	-53.21	RMS	29.76	-24.96	0.57	-95.23	36.65	-13.00	-40.21	Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n14 5M Ch158600 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1582.00	-56.26	RMS	25.62	-27.43	0.94	-95.23	39.84	-42.15	-14.11	Vertical
2	2373.00	-44.61	RMS	27.40	-26.43	0.73	-95.23	48.92	-13.00	-31.61	Vertical
3	3164.00	-53.06	RMS	29.76	-24.96	0.57	-95.23	36.80	-13.00	-40.06	Vertical




1

Part 90R Mode 3


NR SA n14 5M Ch159100 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n14 10M Ch159100 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1587.00	-53.57 RMS	25.67	-27.42	0.94	-95.23	42.47	-42.15	-11.42	Horizontal
2	2380.00	-50.89 RMS	27.40	-26.43	0.73	-95.23	42.64	-13.00	-37.89	Horizontal
3	3174.00	-53.09 RMS	29.80	-24.94	0.57	-95.23	36.71	-13.00	-40.09	Horizontal




Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n14 10M Ch159100 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1587.00	-54.66 RMS	25.67	-27.42	0.94	-95.23	41.38	-42.15	-12.51	Vertical
2	2380.00	-47.72 RMS	27.40	-26.43	0.73	-95.23	45.81	-13.00	-34.72	Vertical
3	3174.00	-52.97 RMS	29.80	-24.94	0.57	-95.23	36.83	-13.00	-39.97	Vertical




1

Part 90R Mode 4
NR SA n14 10M Ch158600 1RB1 BPSK
M



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal
 : NR SA n14 10M Ch158600 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1578.00	-50.39	RMS	25.60	-27.44	0.94	-95.23	45.74	-42.15	-8.24	Horizontal
2	2366.00	-45.86	RMS	27.40	-26.44	0.73	-95.23	47.68	-13.00	-32.86	Horizontal
3	3155.00	-52.91	RMS	29.72	-24.97	0.57	-95.23	37.00	-13.00	-39.91	Horizontal



Site : 03CH12-HY
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical
 : NR SA n14 10M Ch158600 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1578.00	-56.45	RMS	25.60	-27.44	0.94	-95.23	39.68	-42.15	-14.30	Vertical
2	2366.00	-42.30	RMS	27.40	-26.44	0.73	-95.23	51.24	-13.00	-29.30	Vertical
3	3155.00	-53.35	RMS	29.72	-24.97	0.57	-95.23	36.56	-13.00	-40.35	Vertical




1

Part 90S Mode 5


NR SA n26 5M Ch163300 1RB1 BPSK

L



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n26 10M Ch163300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1629.00	-59.35	RMS	25.59	-27.31	0.91	-95.23	36.69	-13.00	-46.35	Horizontal
2 2444.00	-54.27	RMS	27.64	-26.31	0.71	-95.23	38.92	-13.00	-41.27	Horizontal
3 3258.00	-53.29	RMS	29.88	-24.68	0.57	-95.23	36.17	-13.00	-40.29	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n26 10M Ch163300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1629.00	-57.79	RMS	25.59	-27.31	0.91	-95.23	38.25	-13.00	-44.79	Vertical
2 2444.00	-53.86	RMS	27.64	-26.31	0.71	-95.23	39.33	-13.00	-40.86	Vertical
3 3258.00	-53.14	RMS	29.88	-24.68	0.57	-95.23	36.32	-13.00	-40.14	Vertical




1

Part 90S Mode 5


NR SA n26 5M Ch163800 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n26 5M Ch163800 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				dB	dB		dBm
1	1634.00	-59.40	RMS	25.56	-27.30	0.91	-95.23	36.66	-13.00	-46.40	Horizontal
2	2451.00	-54.66	RMS	27.71	-26.30	0.71	-95.23	38.45	-13.00	-41.66	Horizontal
3	3268.00	-53.34	RMS	29.86	-24.64	0.57	-95.23	36.10	-13.00	-40.34	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n26 5M Ch163800 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				dB	dB		dBm
1	1634.00	-59.34	RMS	25.56	-27.30	0.91	-95.23	36.72	-13.00	-46.34	Vertical
2	2451.00	-53.68	RMS	27.71	-26.30	0.71	-95.23	39.43	-13.00	-40.68	Vertical
3	3268.00	-53.43	RMS	29.86	-24.64	0.57	-95.23	36.01	-13.00	-40.43	Vertical




1

Part 90S Mode 5


NR SA n26 5M Ch164300 1RB1 BPSK

H



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n26 10M Ch164300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1639.00	-59.66	RMS	25.51	-27.29	0.90	-95.23	36.45	-13.00	-46.66	Horizontal
2 2459.00	-53.32	RMS	27.79	-26.28	0.71	-95.23	39.69	-13.00	-40.32	Horizontal
3 3278.00	-53.20	RMS	29.84	-24.61	0.57	-95.23	36.23	-13.00	-40.20	Horizontal




Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n26 10M Ch164300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1639.00	-56.51	RMS	25.51	-27.29	0.90	-95.23	39.60	-13.00	-43.51	Vertical
2 2459.00	-51.97	RMS	27.79	-26.28	0.71	-95.23	41.04	-13.00	-38.97	Vertical
3 3278.00	-52.91	RMS	29.84	-24.61	0.57	-95.23	36.52	-13.00	-39.91	Vertical




1

Part 90S Mode 6
NR SA n26 10M Ch163800 1RB1 BPSK
M



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-230731 Horizontal
: NR SA n26 10M Ch163800 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				dB	dB		dBm
1	1630.00	-59.64	RMS	25.60	-27.31	0.91	-95.23	36.39	-13.00	-46.64	Horizontal
2	2444.00	-54.73	RMS	27.64	-26.31	0.71	-95.23	38.46	-13.00	-41.73	Horizontal
3	3259.00	-52.99	RMS	29.88	-24.68	0.57	-95.23	36.47	-13.00	-39.99	Horizontal




Site : 03CH12-HY
Condition: -13 3m 9120D-02114-230731 Vertical
: NR SA n26 10M Ch163800 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				dB	dB		dBm
1	1630.00	-58.00	RMS	25.60	-27.31	0.91	-95.23	38.03	-13.00	-45.00	Vertical
2	2444.00	-53.25	RMS	27.64	-26.31	0.71	-95.23	39.94	-13.00	-40.25	Vertical
3	3259.00	-52.84	RMS	29.88	-24.68	0.57	-95.23	36.62	-13.00	-39.84	Vertical




1

Part 90S Mode 8
NR SA n26 20M Ch164800 1RB1 BPSK
M



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Horizontal
 : NR SA n26 20M Ch164800 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1630.00	-55.70 RMS	25.60	-27.31	0.91	-95.23	40.33	-13.00	-42.70	Horizontal
2	2445.00	-35.89 RMS	27.65	-26.31	0.71	-95.23	57.29	-13.00	-22.89	Horizontal
3	3261.00	-52.95 RMS	29.88	-24.67	0.57	-95.23	36.50	-13.00	-39.95	Horizontal



Site : 03CH12-HY
 Condition: -13 3m 9120D-02114-230731 Vertical
 : NR SA n26 20M Ch164800 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1630.00	-58.41 RMS	25.60	-27.31	0.91	-95.23	37.62	-13.00	-45.41	Vertical
2	2445.00	-38.46 RMS	27.65	-26.31	0.71	-95.23	54.72	-13.00	-25.46	Vertical
3	3261.00	-53.15 RMS	29.88	-24.67	0.57	-95.23	36.30	-13.00	-40.15	Vertical




5

Part 27M Mode 7


NR SA n7 40M Ch507000 1RB1 BPSK

M



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Horizontal
 : NR SA n7 40M Ch507000 1RB1 BPSK

1	MHz	Level dBm	Detector RMS	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin Pol
				Factor	l		g	g	
	2517.27	22.58		28.10	7.50	0.00	-95.23	82.21	----- Horizontal



Site : 03CH12-HY
 Condition: -25 3m 9120D-02114-230731 Vertical
 : NR SA n7 40M Ch507000 1RB1 BPSK

1	MHz	Level dBm	Detector RMS	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin Pol
				Factor	l		g	g	
	2517.27	19.39		28.10	7.50	0.00	-95.23	79.02	----- Vertical

Remark: The over limit signal #1 is fundamental signal which can be ignored.