FR1 n41 / 50MHz / DFT-S OFDM / 256QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 50MHz / CP OFDM / QPSK / Full RB	
Lowest Band Edge	**Highest Band Edge**
	

FR1 n41 / 60MHz / DFT-S OFDM / PI/2 BPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 60MHz / DFT-S OFDM / QPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 60MHz / DFT-S OFDM / 16QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 60MHz / DFT-S OFDM / 64QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 60MHz / DFT-S OFDM / 256QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 60MHz / CP OFDM / QPSK / Full RB	
Lowest Band Edge	**Highest Band Edge**
	

FR1 n41 / 70MHz / DFT-S OFDM / PI/2 BPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 70MHz / DFT-S OFDM / QPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 70MHz / DFT-S OFDM / 16QAM	
Lowest Band Edge / Full RB	Highest Band Edge / Full RB
	

FR1 n41 / 70MHz / DFT-S OFDM / 64QAM	
Lowest Band Edge / Full RB	Highest Band Edge / Full RB
	

FR1 n41 / 70MHz / DFT-S OFDM / 256QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 70MHz / CP OFDM / QPSK / Full RB	
Lowest Band Edge	**Highest Band Edge**
	

FR1 n41 / 80MHz / DFT-S OFDM / PI/2 BPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 80MHz / DFT-S OFDM / QPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 80MHz / DFT-S OFDM / 16QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 80MHz / DFT-S OFDM / 64QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 80MHz / DFT-S OFDM / 256QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 80MHz / CP OFDM / QPSK / Full RB	
Lowest Band Edge	**Highest Band Edge**
	

FR1 n41 / 90MHz / DFT-S OFDM / PI/2 BPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 90MHz / DFT-S OFDM / QPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 90MHz / DFT-S OFDM / 16QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 90MHz / DFT-S OFDM / 64QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 90MHz / DFT-S OFDM / 256QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 90MHz / CP OFDM / QPSK / Full RB	
Lowest Band Edge	**Highest Band Edge**
	

FR1 n41 / 100MHz / DFT-S OFDM / PI/2 BPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 100MHz / DFT-S OFDM / QPSK	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 100MHz / DFT-S OFDM / 16QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 100MHz / DFT-S OFDM / 64QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 100MHz / DFT-S OFDM / 256QAM	
Lowest Band Edge / Full RB	**Highest Band Edge / Full RB**
	

FR1 n41 / 100MHz / CP OFDM / QPSK / Full RB	
Lowest Band Edge	**Highest Band Edge**
	

Conducted Spurious Emission

FR1 n41 / 20MHz / DFT-S OFDM / QPSK / 1RB1	
Lowest Channel	**Middle Channel**
	
Highest Channel	
	

Frequency Stability

Test Conditions		FR1 n41 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0024	PASS
40	Normal Voltage	0.0012	
30	Normal Voltage	0.0017	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0017	
0	Normal Voltage	0.0018	
-10	Normal Voltage	0.0025	
-20	Normal Voltage	0.0014	
-30	Normal Voltage	0.0014	
20	Maximum Voltage	0.0026	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0002	

Note:

1. Normal Voltage = 3.8 V.；Battery End Point (BEP) = 3.6 V.；Maximum Voltage = 4.2 V.
2. The frequency fundamental emissions stay within the authorized frequency block.

FR1 n66

Peak-to-Average Ratio

Mode	FR1 n66 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	4.14	5.08	5.94	5.72	PASS
Mode	FR1 n66 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.62				PASS

FR1 n66 / 20MHz / DFT-S OFDM / Middle Channel / Full RB	
PI/2 BPSK	QPSK
	
16QAM	64QAM
	
256QAM	
	

26dB Bandwidth

Mode	FR1 n66 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK		PI/2 BPSK	
Middle CH	5.13		9.87		14.63		19.58	
BW	25MHz		30MHz		40MHz			
Mod.	PI/2 BPSK		PI/2 BPSK		PI/2 BPSK			
Middle CH			31.11		41.72			

Mode	FR1 n66 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.43	5.26	10.59	10.31	15.44	15.38	20.62	20.66
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	5.30	5.30	10.47	10.29	15.55	15.52	20.58	20.62
BW	25MHz		30MHz		40MHz			
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM		
Middle CH	-	-	31.65	32.61	41.72	41.16		
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM		
Middle CH	-	-	31.59	31.35	41.72	41.40		

FR1 n66 / 5MHz / DFT-S OFDM / Middle Channel / Full RB	
PI/2 BPSK	
	

FR1 n66 / 5MHz / CP OFDM / Middle Channel / Full RB	
QPSK	16QAM
	
64QAM	256QAM