




1

Part 27L Mode 3

LTE CA B66B Ch132022 + Ch132121

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: LTE Band 66 10M Ch132022 1RB49 QPSK

: LTE Band 66 10M Ch132121 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3438.00	-51.29	RMS	29.78	-23.90	1.20	-95.23	36.86	-13.00	-38.29	Horizontal
2	5158.00	-48.40	RMS	33.18	-22.99	0.69	-95.23	35.95	-13.00	-35.40	Horizontal
3	6877.00	-44.50	RMS	36.09	-21.32	0.72	-95.23	35.24	-13.00	-31.50	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: LTE Band 66 10M Ch132022 1RB49 QPSK

: LTE Band 66 10M Ch132121 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3438.00	-52.72	RMS	29.78	-23.90	1.20	-95.23	35.43	-13.00	-39.72	Vertical
2	5158.00	-48.65	RMS	33.18	-22.99	0.69	-95.23	35.70	-13.00	-35.65	Vertical
3	6877.00	-44.73	RMS	36.09	-21.32	0.72	-95.23	35.01	-13.00	-31.73	Vertical




1

Part 27L Mode 3

LTE CA B66B Ch132373 + Ch132472

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: LTE Band 66 10M Ch132373 1RB49 QPSK

: LTE Band 66 10M Ch132472 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3509.00	-50.26	RMS	29.60	-23.47	1.22	-95.23	37.62	-13.00	-37.26	Horizontal
2	5263.00	-43.47	RMS	33.20	-22.52	0.73	-95.23	40.35	-13.00	-30.47	Horizontal
3	7018.00	-44.18	RMS	36.17	-21.27	0.70	-95.23	35.45	-13.00	-31.18	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: LTE Band 66 10M Ch132373 1RB49 QPSK

: LTE Band 66 10M Ch132472 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3509.00	-51.96	RMS	29.60	-23.47	1.22	-95.23	35.92	-13.00	-38.96	Vertical
2	5263.00	-42.42	RMS	33.20	-22.52	0.73	-95.23	41.40	-13.00	-29.42	Vertical
3	7018.00	-44.58	RMS	36.17	-21.27	0.70	-95.23	35.05	-13.00	-31.58	Vertical




1

Part 27L Mode 3

LTE CA B66B Ch132523 + Ch132622

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: LTE Band 66 10M Ch132523 1RB49 QPSK

: LTE Band 66 10M Ch132622 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3539.00	-50.26	RMS	29.60	-23.39	1.22	-95.23	37.54	-13.00	-37.26	Horizontal
2	5308.00	-47.56	RMS	33.20	-22.26	0.75	-95.23	35.98	-13.00	-34.56	Horizontal
3	7078.00	-44.01	RMS	36.41	-21.28	0.69	-95.23	35.40	-13.00	-31.01	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: LTE Band 66 10M Ch132523 1RB49 QPSK

: LTE Band 66 10M Ch132622 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3539.00	-51.88	RMS	29.60	-23.39	1.22	-95.23	35.92	-13.00	-38.88	Vertical
2	5308.00	-47.82	RMS	33.20	-22.26	0.75	-95.23	35.72	-13.00	-34.82	Vertical
3	7078.00	-43.99	RMS	36.41	-21.28	0.69	-95.23	35.42	-13.00	-30.99	Vertical




1

Part 27L Mode 4

LTE CA B66C Ch132072 + Ch132270

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: LTE Band 66 20M Ch132072 1RB99 QPSK

: LTE Band 66 20M Ch132270 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3457.00	-52.41	RMS	29.77	-23.78	1.20	-95.23	35.63	-13.00	-39.41	Horizontal
2	5186.00	-44.44	RMS	33.13	-22.92	0.70	-95.23	39.88	-13.00	-31.44	Horizontal
3	6915.00	-44.76	RMS	36.00	-21.31	0.72	-95.23	35.06	-13.00	-31.76	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: LTE Band 66 20M Ch132072 1RB99 QPSK

: LTE Band 66 20M Ch132270 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3457.00	-52.45	RMS	29.77	-23.78	1.20	-95.23	35.59	-13.00	-39.45	Vertical
2	5186.00	-43.17	RMS	33.13	-22.92	0.70	-95.23	41.15	-13.00	-30.17	Vertical
3	6915.00	-44.88	RMS	36.00	-21.31	0.72	-95.23	34.94	-13.00	-31.88	Vertical




1

Part 27L Mode 4

LTE CA B66C Ch132323 + Ch132521

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: LTE Band 66 20M Ch132323 1RB99 QPSK

: LTE Band 66 20M Ch132521 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3508.00	-52.33	RMS	29.60	-23.47	1.22	-95.23	35.55	-13.00	-39.33	Horizontal
2	5262.00	-42.77	RMS	33.20	-22.53	0.73	-95.23	41.06	-13.00	-29.77	Horizontal
3	7016.00	-44.55	RMS	36.16	-21.27	0.70	-95.23	35.09	-13.00	-31.55	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: LTE Band 66 20M Ch132323 1RB99 QPSK

: LTE Band 66 20M Ch132521 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3508.00	-52.15	RMS	29.60	-23.47	1.22	-95.23	35.73	-13.00	-39.15	Vertical
2	5262.00	-43.92	RMS	33.20	-22.53	0.73	-95.23	39.91	-13.00	-30.92	Vertical
3	7016.00	-44.46	RMS	36.16	-21.27	0.70	-95.23	35.18	-13.00	-31.46	Vertical




1

Part 27L Mode 4

LTE CA B66C Ch132374 + Ch132572

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: LTE Band 66 20M Ch132374 1RB99 QPSK

: LTE Band 66 20M Ch132572 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3518.00	-50.58	RMS	29.60	-23.44	1.22	-95.23	37.27	-13.00	-37.58	Horizontal
2	5277.00	-41.67	RMS	33.20	-22.44	0.74	-95.23	42.06	-13.00	-28.67	Horizontal
3	7036.00	-44.07	RMS	36.24	-21.27	0.70	-95.23	35.49	-13.00	-31.07	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: LTE Band 66 20M Ch132374 1RB99 QPSK

: LTE Band 66 20M Ch132572 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3518.00	-48.81	RMS	29.60	-23.44	1.22	-95.23	39.04	-13.00	-35.81	Vertical
2	5277.00	-42.32	RMS	33.20	-22.44	0.74	-95.23	41.41	-13.00	-29.32	Vertical
3	7036.00	-44.39	RMS	36.24	-21.27	0.70	-95.23	35.17	-13.00	-31.39	Vertical




1

Part 90R Mode 1

LTE B14 5M Ch23305 1RB0 QPSK

L




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

: LTE Band 14 5M Ch23305 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol
				Factor	1					
1	1576.00	-58.46	RMS	25.60	-27.45	0.94	-95.23	37.68	-42.15	-16.31 Horizontal
2	2365.00	-43.09	RMS	27.40	-26.44	0.73	-95.23	50.45	-13.00	-30.09 Horizontal
3	3153.00	-54.42	RMS	29.71	-24.98	0.57	-95.23	35.51	-13.00	-41.42 Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

: LTE Band 14 5M Ch23305 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol
				Factor	1					
1	1576.00	-58.17	RMS	25.60	-27.45	0.94	-95.23	37.97	-42.15	-16.02 Vertical
2	2365.00	-41.31	RMS	27.40	-26.44	0.73	-95.23	52.23	-13.00	-28.31 Vertical
3	3153.00	-54.67	RMS	29.71	-24.98	0.57	-95.23	35.26	-13.00	-41.67 Vertical




1

Part 90R Mode 1

LTE B14 5M Ch23330 1RB0 QPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

: LTE Band 14 5M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						g
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1581.00	-58.74	RMS	25.61	-27.43	0.94	-95.23	37.37	-42.15	-16.59	Horizontal
2	2372.00	-44.36	RMS	27.40	-26.43	0.73	-95.23	49.17	-13.00	-31.36	Horizontal
3	3163.00	-53.95	RMS	29.75	-24.96	0.57	-95.23	35.92	-13.00	-40.95	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

: LTE Band 14 5M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1581.00	-58.44	RMS	25.61	-27.43	0.94	-95.23	37.67	-42.15	-16.29	Vertical
2	2372.00	-41.75	RMS	27.40	-26.43	0.73	-95.23	51.78	-13.00	-28.75	Vertical
3	3163.00	-53.98	RMS	29.75	-24.96	0.57	-95.23	35.89	-13.00	-40.98	Vertical




1

Part 90R Mode 1

LTE B14 5M Ch23355 1RB0 QPSK

H




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

: LTE Band 14 5M Ch23355 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	1	dB	dB	dBuV	dBm		
1	1586.00	-58.36	RMS	25.66	-27.42	0.94	-95.23	37.69	-42.15	-16.21	Horizontal
2	2380.00	-41.02	RMS	27.40	-26.43	0.73	-95.23	52.51	-13.00	-28.02	Horizontal
3	3173.00	-53.68	RMS	29.79	-24.94	0.57	-95.23	36.13	-13.00	-40.68	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

: LTE Band 14 5M Ch23355 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	1	dB	dB	dBuV	dBm		
1	1586.00	-58.62	RMS	25.66	-27.42	0.94	-95.23	37.43	-42.15	-16.47	Vertical
2	2380.00	-41.45	RMS	27.40	-26.43	0.73	-95.23	52.08	-13.00	-28.45	Vertical
3	3173.00	-54.04	RMS	29.79	-24.94	0.57	-95.23	35.77	-13.00	-41.04	Vertical




1

Part 90R Mode 2

LTE B14 10M Ch23330 1RB0 QPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

: LTE Band 14 10M Ch23330 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	1		dB	dB				
1	1577.00	-57.76	RMS	25.60	-27.45	0.94	-95.23	38.38	-42.15	-15.61	Horizontal	
2	2365.00	-46.86	RMS	27.40	-26.44	0.73	-95.23	46.68	-13.00	-33.86	Horizontal	
3	3154.00	-54.65	RMS	29.72	-24.97	0.57	-95.23	35.26	-13.00	-41.65	Horizontal	



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

: LTE Band 14 10M Ch23330 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	1		dB	dB				
1	1577.00	-55.65	RMS	25.60	-27.45	0.94	-95.23	40.49	-42.15	-13.50	Vertical	
2	2365.00	-45.02	RMS	27.40	-26.44	0.73	-95.23	48.52	-13.00	-32.02	Vertical	
3	3154.00	-54.40	RMS	29.72	-24.97	0.57	-95.23	35.51	-13.00	-41.40	Vertical	




1

Part 90S Mode 1

LTE B26 5M Ch26715 1RB0 QPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: LTE Band 26 5M Ch26715 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1628.00	-57.94	RMS	25.58	-27.31	0.92	-95.23	38.10	-13.00	-44.94	Horizontal
2	2443.00	-56.64	RMS	27.63	-26.32	0.71	-95.23	36.57	-13.00	-43.64	Horizontal
3	3257.00	-53.18	RMS	29.89	-24.68	0.57	-95.23	36.27	-13.00	-40.18	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: LTE Band 26 5M Ch26715 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1628.00	-59.83	RMS	25.58	-27.31	0.92	-95.23	36.21	-13.00	-46.83	Vertical
2	2443.00	-56.89	RMS	27.63	-26.32	0.71	-95.23	36.32	-13.00	-43.89	Vertical
3	3257.00	-53.10	RMS	29.89	-24.68	0.57	-95.23	36.35	-13.00	-40.10	Vertical




1

Part 90S Mode 1

LTE B26 5M Ch26740 1RB0 QPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	Readin		Limit	Margin	Pol
				Factor	1		EIRPCF	g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1633.00	-59.73	RMS	25.57	-27.30	0.91	-95.23	36.32	-13.00	-46.73	Horizontal
2	2450.00	-56.75	RMS	27.70	-26.30	0.71	-95.23	36.37	-13.00	-43.75	Horizontal
3	3267.00	-53.54	RMS	29.87	-24.65	0.57	-95.23	35.90	-13.00	-40.54	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	Readin		Limit	Margin	Pol
				Factor	1		EIRPCF	g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1633.00	-59.70	RMS	25.57	-27.30	0.91	-95.23	36.35	-13.00	-46.70	Vertical
2	2450.00	-56.90	RMS	27.70	-26.30	0.71	-95.23	36.22	-13.00	-43.90	Vertical
3	3267.00	-53.65	RMS	29.87	-24.65	0.57	-95.23	35.79	-13.00	-40.65	Vertical




1

Part 90S Mode 1

LTE B26 5M Ch26765 1RB0 QPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1638.00	-57.86	RMS		25.52	-27.29	0.90	-95.23	38.24	-13.00	-44.86	Horizontal
2	2458.00	-56.89	RMS		27.78	-26.28	0.71	-95.23	36.13	-13.00	-43.89	Horizontal
3	3277.00	-53.36	RMS		29.85	-24.61	0.57	-95.23	36.06	-13.00	-40.36	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1638.00	-59.30	RMS		25.52	-27.29	0.90	-95.23	36.80	-13.00	-46.30	Vertical
2	2458.00	-56.75	RMS		27.78	-26.28	0.71	-95.23	36.27	-13.00	-43.75	Vertical
3	3277.00	-53.15	RMS		29.85	-24.61	0.57	-95.23	36.27	-13.00	-40.15	Vertical




1

Part 90S Mode 2

LTE B26 10M Ch26740 1RB0 QPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: LTE Band 26 10M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	Readin		Limit	Margin	Pol
				Factor	1		EIRPCF	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-56.48	RMS	25.59	-27.31	0.91	-95.23	39.56	-13.00	-43.48	Horizontal
2	2443.00	-56.25	RMS	27.63	-26.32	0.71	-95.23	36.96	-13.00	-43.25	Horizontal
3	3258.00	-53.03	RMS	29.88	-24.68	0.57	-95.23	36.43	-13.00	-40.03	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: LTE Band 26 10M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	Readin		Limit	Margin	Pol
				Factor	1		EIRPCF	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1629.00	-58.89	RMS	25.59	-27.31	0.91	-95.23	37.15	-13.00	-45.89	Vertical
2	2443.00	-56.47	RMS	27.63	-26.32	0.71	-95.23	36.74	-13.00	-43.47	Vertical
3	3258.00	-53.23	RMS	29.88	-24.68	0.57	-95.23	36.23	-13.00	-40.23	Vertical




1

Part 90S Mode 3

LTE B26 15M Ch26765 1RB0 QPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: LTE Band 26 15M Ch26765 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB				
1	1629.00	-57.88	RMS	25.59	-27.31	0.91	-95.23	38.16	-13.00	-44.88	Horizontal	
2	2444.00	-56.23	RMS	27.64	-26.31	0.71	-95.23	36.96	-13.00	-43.23	Horizontal	
3	3259.00	-53.41	RMS	29.88	-24.68	0.57	-95.23	36.05	-13.00	-40.41	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: LTE Band 26 15M Ch26765 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB				
1	1629.00	-59.70	RMS	25.59	-27.31	0.91	-95.23	36.34	-13.00	-46.70	Vertical	
2	2444.00	-56.24	RMS	27.64	-26.31	0.71	-95.23	36.95	-13.00	-43.24	Vertical	
3	3259.00	-53.30	RMS	29.88	-24.68	0.57	-95.23	36.16	-13.00	-40.30	Vertical	




1

Part 90S Mode 4

LTE B26 15M Ch26790 1RB0 QPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: LTE Band 26 15M Ch26790 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	Readin		Limit	Margin	Pol
				Factor	1		EIRPCF	g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1634.00	-59.81	RMS	25.56	-27.30	0.91	-95.23	36.25	-13.00	-46.81	Horizontal
2	2452.00	-56.66	RMS	27.72	-26.29	0.71	-95.23	36.43	-13.00	-43.66	Horizontal
3	3269.00	-53.38	RMS	29.86	-24.64	0.57	-95.23	36.06	-13.00	-40.38	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: LTE Band 26 15M Ch26790 1RB0 QPSK


	Freq	Level	Detector	Ant Amp\Cb		Filter	Readin		Limit	Margin	Pol
				Factor	1		EIRPCF	g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1634.00	-59.17	RMS	25.56	-27.30	0.91	-95.23	36.89	-13.00	-46.17	Vertical
2	2452.00	-56.65	RMS	27.72	-26.29	0.71	-95.23	36.44	-13.00	-43.65	Vertical
3	3269.00	-53.68	RMS	29.86	-24.64	0.57	-95.23	35.76	-13.00	-40.68	Vertical

1

Part 27F Mode 1


LTE B13 5M Ch23230 1RB0 QPSK

M



Site : 03CH12-HY
Condition: 700 AC BAND 3m Bilog_37059_20231103 Horizontal
: LTE Band 13 5M Ch23230 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Readin Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dBuV	dBm	dB
1	779.84	19.89	RMS	28.38	4.71	0.00	-95.23	82.03	-----	Horizontal



Site : 03CH12-HY
Condition: 700 AC BAND 3m Bilog_37059_20231103 Vertical
: LTE Band 13 5M Ch23230 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Readin Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dBuV	dBm	dB
1	779.84	20.09	RMS	28.38	4.71	0.00	-95.23	82.23	-----	Vertical

Remark: #1 is fundamental signal which can be ignored.