




8






8

Part 270 Mode 3


NR SA n77(HPUE) 100M Ch656000 1RB1 QPSK

M



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : :NR n77 100M Ch656000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : :NR n77 100M Ch656000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					




8

Part 270 Mode 3


NR SA n77(HPUE) 100M Ch662000 1RB1 QPSK

H



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : :NR n77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 7765.80	-46.17	RMS	36.49	-18.03	0.72	-95.23	29.88	-13.00	-33.17	Horizontal
2 11643.00	-42.60	RMS	38.61	-15.87	0.30	-95.23	29.59	-13.00	-29.60	Horizontal
3 15525.00	-40.54	RMS	38.00	-12.43	0.19	-95.23	28.93	-13.00	-27.54	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : :NR n77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 7765.80	-46.92	RMS	36.49	-18.03	0.72	-95.23	29.13	-13.00	-33.92	Vertical
2 11643.00	-43.10	RMS	38.61	-15.87	0.30	-95.23	29.09	-13.00	-30.10	Vertical
3 15525.00	-40.84	RMS	38.00	-12.43	0.19	-95.23	28.63	-13.00	-27.84	Vertical




8

Part 270 Mode 6


NR SA n77(HPUE) 100M Ch650000 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : :NR n77 100M Ch650000 1RB1 BPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol
			MHz	dBm		Factor	1					



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : :NR n77 100M Ch650000 1RB1 BPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol
			MHz	dBm		Factor	1					




8

Part 270 Mode 6


NR SA n77(HPUE) 100M Ch656000 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : :NR n77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	g
1	7582.54	-40.23	RMS	36.07	-18.37	0.78	-95.23	36.52	-13.00	-27.23	Horizontal
2	11373.81	-43.70	RMS	39.10	-16.11	0.30	-95.23	28.24	-13.00	-30.70	Horizontal
3	15165.08	-40.56	RMS	38.90	-12.44	0.13	-95.23	28.08	-13.00	-27.56	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : :NR n77 100M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	g
1	7582.54	-37.33	RMS	36.07	-18.37	0.78	-95.23	39.42	-13.00	-24.33	Vertical
2	11373.81	-43.84	RMS	39.10	-16.11	0.30	-95.23	28.10	-13.00	-30.84	Vertical
3	15165.08	-40.12	RMS	38.90	-12.44	0.13	-95.23	28.52	-13.00	-27.12	Vertical




8

Part 270 Mode 6


NR SA n77(HPUE) 100M Ch662000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : :NR n77 100M Ch662000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : :NR n77 100M Ch662000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					




9

Part 270 Mode 2


NR SA n77(HPUE) 100M Ch650000 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : :NR n77 100M Ch650000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						g
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 7402.54	-39.62	RMS	36.39	-18.59	0.94	-95.23	36.87	-13.00	-26.62	Horizontal
2 11103.81	-43.09	RMS	38.72	-16.36	0.29	-95.23	29.49	-13.00	-30.09	Horizontal
3 14805.08	-38.98	RMS	40.08	-12.64	0.06	-95.23	28.75	-13.00	-25.98	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : :NR n77 100M Ch650000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						g
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 7402.54	-40.90	RMS	36.39	-18.59	0.94	-95.23	35.59	-13.00	-27.90	Vertical
2 11103.81	-43.00	RMS	38.72	-16.36	0.29	-95.23	29.58	-13.00	-30.00	Vertical
3 14805.08	-38.60	RMS	40.08	-12.64	0.06	-95.23	29.13	-13.00	-25.60	Vertical




9

Part 270 Mode 2


NR SA n77(HPUE) 100M Ch656000 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : :NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	7582.54	-38.72	RMS	36.07	-18.37	0.78	-95.23	38.03	-13.00	-25.72	Horizontal
2	11373.81	-42.86	RMS	39.10	-16.11	0.30	-95.23	29.08	-13.00	-29.86	Horizontal
3	15165.08	-39.89	RMS	38.90	-12.44	0.13	-95.23	28.75	-13.00	-26.89	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : :NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	7582.54	-40.86	RMS	36.07	-18.37	0.78	-95.23	35.89	-13.00	-27.86	Vertical
2	11373.81	-42.46	RMS	39.10	-16.11	0.30	-95.23	29.48	-13.00	-29.46	Vertical
3	15165.08	-39.94	RMS	38.90	-12.44	0.13	-95.23	28.70	-13.00	-26.94	Vertical






9

Part 270 Mode 2


NR SA n77(HPUE) 100M Ch662000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : :NR n77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	dB
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 7762.54	-38.68	RMS	36.48	-18.04	0.72	-95.23	37.39	-13.00	-25.68	Horizontal
2 11643.81	-42.73	RMS	38.61	-15.87	0.30	-95.23	29.46	-13.00	-29.73	Horizontal
3 15525.08	-40.04	RMS	38.00	-12.43	0.19	-95.23	29.43	-13.00	-27.04	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : :NR n77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	dB
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 7762.54	-40.72	RMS	36.48	-18.04	0.72	-95.23	35.35	-13.00	-27.72	Vertical
2 11643.81	-42.91	RMS	38.61	-15.87	0.30	-95.23	29.28	-13.00	-29.91	Vertical
3 15525.08	-40.51	RMS	38.00	-12.43	0.19	-95.23	28.96	-13.00	-27.51	Vertical




9

Part 270 Mode 7


NR SA n77(HPUE) 100M Ch650000 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : :NR n77 100M Ch650000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : :NR n77 100M Ch650000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					




9

Part 270 Mode 7


NR SA n77(HPUE) 100M Ch656000 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : :NR n77 100M Ch656000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : :NR n77 100M Ch656000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					




9

Part 270 Mode 7


NR SA n77(HPUE) 100M Ch662000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : :NR n77 100M Ch662000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : :NR n77 100M Ch662000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					




3

Part 270 Mode 4


NR SA n77(HPUE) 100M Ch650000 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n77 100M Ch650000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			7402.54	-39.87	RMS	36.39	-18.59	0.94	-95.23	36.62	-13.00	-26.87	Horizontal
			11103.81	-42.98	RMS	38.72	-16.36	0.29	-95.23	29.60	-13.00	-29.98	Horizontal
			14805.08	-38.58	RMS	40.08	-12.64	0.06	-95.23	29.15	-13.00	-25.58	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n77 100M Ch650000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			7402.54	-40.66	RMS	36.39	-18.59	0.94	-95.23	35.83	-13.00	-27.66	Vertical
			11103.81	-42.60	RMS	38.72	-16.36	0.29	-95.23	29.98	-13.00	-29.60	Vertical
			14805.08	-38.81	RMS	40.08	-12.64	0.06	-95.23	28.92	-13.00	-25.81	Vertical




3

Part 270 Mode 4


NR SA n77(HPUE) 100M Ch656000 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n77 100M Ch656000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
						dB/m	dB	dB	dBuV				
1	2	3	7582.54	-38.85	RMS	36.07	-18.37	0.78	-95.23	37.90	-13.00	-25.85	Horizontal
			11373.81	-42.95	RMS	39.10	-16.11	0.30	-95.23	28.99	-13.00	-29.95	Horizontal
			15165.08	-40.00	RMS	38.90	-12.44	0.13	-95.23	28.64	-13.00	-27.00	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n77 100M Ch656000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
						dB/m	dB	dB	dBuV				
1	2	3	7582.54	-41.09	RMS	36.07	-18.37	0.78	-95.23	35.66	-13.00	-28.09	Vertical
			11373.81	-42.81	RMS	39.10	-16.11	0.30	-95.23	29.13	-13.00	-29.81	Vertical
			15165.08	-40.24	RMS	38.90	-12.44	0.13	-95.23	28.40	-13.00	-27.24	Vertical




3

Part 270 Mode 4


NR SA n77(HPUE) 100M Ch662000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	7762.54	-37.72	RMS	36.48	-18.04	0.72	-95.23	38.35	-13.00	-24.72	Horizontal
2	11643.81	-42.86	RMS	38.61	-15.87	0.30	-95.23	29.33	-13.00	-29.86	Horizontal
3	15525.08	-40.16	RMS	38.00	-12.43	0.19	-95.23	29.31	-13.00	-27.16	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	7762.54	-39.91	RMS	36.48	-18.04	0.72	-95.23	36.16	-13.00	-26.91	Vertical
2	11643.81	-42.64	RMS	38.61	-15.87	0.30	-95.23	29.55	-13.00	-29.64	Vertical
3	15525.08	-40.55	RMS	38.00	-12.43	0.19	-95.23	28.92	-13.00	-27.55	Vertical




4

Part 270 Mode 5


NR SA n77(HPUE) 100M Ch650000 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n77 100M Ch650000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n77 100M Ch650000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					






4

Part 270 Mode 5


NR SA n77(HPUE) 100M Ch656000 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n77 100M Ch656000 1RB1 BPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
			MHz	dBm		Factor	1						
						dB/m	dB	dB	dBuV	dBm	dB		
1	2	3	7582.54	-40.87	RMS	36.07	-18.37	0.78	-95.23	35.88	-13.00	-27.87	Horizontal
2	11373.81	-43.04	RMS	39.10	-16.11	0.30	-95.23	28.90	-13.00	-30.04	Horizontal		
3	15165.08	-40.10	RMS	38.90	-12.44	0.13	-95.23	28.54	-13.00	-27.10	Horizontal		



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n77 100M Ch656000 1RB1 BPSK

1	2	3	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
			MHz	dBm		Factor	1						
						dB/m	dB	dB	dBuV	dBm	dB		
1	2	3	7582.54	-39.74	RMS	36.07	-18.37	0.78	-95.23	37.01	-13.00	-26.74	Vertical
2	11373.81	-42.78	RMS	39.10	-16.11	0.30	-95.23	29.16	-13.00	-29.78	Vertical		
3	15165.08	-39.93	RMS	38.90	-12.44	0.13	-95.23	28.71	-13.00	-26.93	Vertical		




4

Part 270 Mode 5


NR SA n77(HPUE) 100M Ch662000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n77 100M Ch662000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	7762.54	-40.85	RMS	36.48	-18.04	0.72	-95.23	35.22	-13.00	-27.85	Horizontal
2	11643.81	-43.02	RMS	38.61	-15.87	0.30	-95.23	29.17	-13.00	-30.02	Horizontal
3	15525.08	-40.91	RMS	38.00	-12.43	0.19	-95.23	28.56	-13.00	-27.91	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n77 100M Ch662000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	7762.54	-38.03	RMS	36.48	-18.04	0.72	-95.23	38.04	-13.00	-25.03	Vertical
2	11643.81	-42.34	RMS	38.61	-15.87	0.30	-95.23	29.85	-13.00	-29.34	Vertical
3	15525.08	-41.01	RMS	38.00	-12.43	0.19	-95.23	28.46	-13.00	-28.01	Vertical




1

Part 27N Mode 2


NR SA n71 20M Ch134600 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dB	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1328.54	-54.68	RMS	25.71	-28.92	0.68	-95.23	43.08	-13.00	-41.68	Horizontal
2	1992.81	-43.76	RMS	26.67	-25.92	0.06	-95.23	50.66	-13.00	-30.76	Horizontal
3	2657.08	-58.77	RMS	28.27	-24.23	0.21	-95.23	32.21	-13.00	-45.77	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dB	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1328.54	-55.23	RMS	25.71	-28.92	0.68	-95.23	42.53	-13.00	-42.23	Vertical
2	1992.81	-43.18	RMS	26.67	-25.92	0.06	-95.23	51.24	-13.00	-30.18	Vertical
3	2657.08	-58.56	RMS	28.27	-24.23	0.21	-95.23	32.42	-13.00	-45.56	Vertical




1

Part 27N Mode 2


NR SA n71 20M Ch136100 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				g	dB	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1343.54	-51.75	RMS	25.60	-28.82	0.68	-95.23	46.02	-13.00	-38.75	Horizontal
2	2015.31	-40.52	RMS	26.81	-25.85	0.06	-95.23	53.69	-13.00	-27.52	Horizontal
3	2687.08	-58.87	RMS	28.33	-24.17	0.22	-95.23	31.98	-13.00	-45.87	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				g	dB	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1343.54	-50.60	RMS	25.60	-28.82	0.68	-95.23	47.17	-13.00	-37.60	Vertical
2	2015.31	-37.27	RMS	26.81	-25.85	0.06	-95.23	56.94	-13.00	-24.27	Vertical
3	2687.08	-58.40	RMS	28.33	-24.17	0.22	-95.23	32.45	-13.00	-45.40	Vertical




1

Part 27N Mode 2


NR SA n71 20M Ch137600 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dBm	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1358.54	-51.74	RMS	25.51	-28.73	0.68	-95.23	46.03	-13.00	-38.74	Horizontal
2	2037.81	-39.61	RMS	27.16	-25.78	0.08	-95.23	54.16	-13.00	-26.61	Horizontal
3	2717.08	-58.81	RMS	28.40	-24.12	0.23	-95.23	31.91	-13.00	-45.81	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dBm	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1358.54	-49.67	RMS	25.51	-28.73	0.68	-95.23	48.10	-13.00	-36.67	Vertical
2	2037.81	-39.84	RMS	27.16	-25.78	0.08	-95.23	53.93	-13.00	-26.84	Vertical
3	2717.08	-58.88	RMS	28.40	-24.12	0.23	-95.23	31.84	-13.00	-45.88	Vertical




1

Part 27H Mode 2


NR SA n12 15M Ch141300 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n5 15M Ch141300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1400.00	-50.17	RMS	25.90	-28.46	0.68	-95.23	46.94	-13.00	-37.17	Horizontal
2 2100.00	-38.67	RMS	27.20	-25.60	0.14	-95.23	54.82	-13.00	-25.67	Horizontal
3 2800.00	-58.62	RMS	28.20	-23.96	0.25	-95.23	32.12	-13.00	-45.62	Horizontal




Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n5 15M Ch141300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1400.00	-52.94	RMS	25.90	-28.46	0.68	-95.23	44.17	-13.00	-39.94	Vertical
2 2100.00	-35.40	RMS	27.20	-25.60	0.14	-95.23	58.09	-13.00	-22.40	Vertical
3 2800.00	-58.70	RMS	28.20	-23.96	0.25	-95.23	32.04	-13.00	-45.70	Vertical




1

**Part 27H Mode 2**  
**NR SA n12 15M Ch141500 1RB1 BPSK**  
**M**



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n5 15M Ch141500 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1402.00	-50.48	RMS	25.88	-28.44	0.68	-95.23	46.63	-13.00	-37.48	Horizontal
2 2103.00	-39.85	RMS	27.26	-25.59	0.14	-95.23	53.57	-13.00	-26.85	Horizontal
3 2804.00	-58.78	RMS	28.20	-23.95	0.25	-95.23	31.95	-13.00	-45.78	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n5 15M Ch141500 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1402.00	-52.45	RMS	25.88	-28.44	0.68	-95.23	44.66	-13.00	-39.45	Vertical
2 2103.00	-34.68	RMS	27.26	-25.59	0.14	-95.23	58.74	-13.00	-21.68	Vertical
3 2804.00	-58.53	RMS	28.20	-23.95	0.25	-95.23	32.20	-13.00	-45.53	Vertical




1

Part 27H Mode 2


NR SA n12 15M Ch141700 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n5 15M Ch141700 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1404.00	-52.58	RMS	25.86	-28.43	0.67	-95.23	44.55	-13.00	-39.58	Horizontal
2 2106.00	-36.59	RMS	27.32	-25.58	0.14	-95.23	56.76	-13.00	-23.59	Horizontal
3 3510.00	-53.71	RMS	29.62	-22.24	0.22	-95.23	33.92	-13.00	-40.71	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n5 15M Ch141700 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1404.00	-52.85	RMS	25.86	-28.43	0.67	-95.23	44.28	-13.00	-39.85	Vertical
2 2106.00	-31.29	RMS	27.32	-25.58	0.14	-95.23	62.06	-13.00	-18.29	Vertical
3 3510.00	-50.03	RMS	29.62	-22.24	0.22	-95.23	37.60	-13.00	-37.03	Vertical






1

Part 27L Mode 5


NR SA n66 40M Ch346000 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n66 40M Ch346000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3424.54	-54.73	RMS	29.50	-22.50	0.91	-95.23	32.59	-13.00	-41.73	Horizontal
2	5136.81	-44.94	RMS	33.20	-19.37	0.51	-95.23	35.95	-13.00	-31.94	Horizontal
3	6849.08	-49.27	RMS	35.80	-18.26	0.45	-95.23	27.97	-13.00	-36.27	Horizontal




Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n66 40M Ch346000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3424.54	-55.26	RMS	29.50	-22.50	0.91	-95.23	32.06	-13.00	-42.26	Vertical
2	5136.81	-46.66	RMS	33.20	-19.37	0.51	-95.23	34.23	-13.00	-33.66	Vertical
3	6849.08	-49.15	RMS	35.80	-18.26	0.45	-95.23	28.09	-13.00	-36.15	Vertical




1

**Part 27L Mode 5**  
**NR SA n66 40M Ch349000 1RB1 BPSK**  
**M**



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Horizontal  
: NR n66 40M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3454.54	-56.72	RMS	29.51	-22.40	0.90	-95.23	30.50	-13.00	-43.72	Horizontal
2	5181.81	-44.26	RMS	33.14	-19.35	0.51	-95.23	36.67	-13.00	-31.26	Horizontal
3	6909.08	-48.91	RMS	35.80	-18.14	0.46	-95.23	28.20	-13.00	-35.91	Horizontal



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Vertical  
: NR n66 40M Ch349000 1RB1 BPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3454.54	-56.62	RMS	29.51	-22.40	0.90	-95.23	30.60	-13.00	-43.62	Vertical
2	5181.81	-46.79	RMS	33.14	-19.35	0.51	-95.23	34.14	-13.00	-33.79	Vertical
3	6909.08	-49.14	RMS	35.80	-18.14	0.46	-95.23	27.97	-13.00	-36.14	Vertical



1


**Part 27L Mode 5**  
**NR SA n66 40M Ch352000 1RB1 BPSK**

**H**



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Horizontal  
: NR n66 40M Ch352000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1				g	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	3484.54	-55.92	RMS	29.57	-22.31	0.89	-95.23	31.16	-13.00	-42.92 Horizontal
2	5226.81	-42.79	RMS	33.05	-19.27	0.52	-95.23	38.14	-13.00	-29.79 Horizontal
3	6969.08	-48.23	RMS	35.84	-18.01	0.47	-95.23	28.70	-13.00	-35.23 Horizontal



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Vertical  
: NR n66 40M Ch352000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1				g	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	3484.54	-56.24	RMS	29.57	-22.31	0.89	-95.23	30.84	-13.00	-43.24 Vertical
2	5226.81	-43.79	RMS	33.05	-19.27	0.52	-95.23	37.14	-13.00	-30.79 Vertical
3	6969.08	-48.69	RMS	35.84	-18.01	0.47	-95.23	28.24	-13.00	-35.69 Vertical




5

Part 27M Mode 7


NR SA n7 40M Ch504000 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n7 40M Ch504000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5005.00	-44.26	RMS	33.20	-19.44	0.50	-95.23	36.71	-25.00	-19.26	Horizontal
			7507.00	-40.82	RMS	36.17	-18.48	0.59	-95.23	36.13	-25.00	-15.82	Horizontal
			10009.00	-44.42	RMS	38.45	-16.81	0.58	-95.23	28.59	-25.00	-19.42	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n7 40M Ch504000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5005.00	-50.43	RMS	33.20	-19.44	0.50	-95.23	30.54	-25.00	-25.43	Vertical
			7507.00	-40.89	RMS	36.17	-18.48	0.59	-95.23	36.06	-25.00	-15.89	Vertical
			10009.00	-44.72	RMS	38.45	-16.81	0.58	-95.23	28.29	-25.00	-19.72	Vertical




5

Part 27M Mode 7


NR SA n7 40M Ch507000 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n7 40M Ch507000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol		
				Factor	1				dB	dB	dB
1	5035.00	-50.49	RMS	33.20	-19.42	0.50	-95.23	30.46	-25.00	-25.49	Horizontal
2	7552.00	-39.98	RMS	36.00	-18.42	0.57	-95.23	37.10	-25.00	-14.98	Horizontal
3	10069.00	-43.72	RMS	38.66	-16.81	0.58	-95.23	29.08	-25.00	-18.72	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n7 40M Ch507000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol		
				Factor	1				dB	dB	dB
1	5035.00	-50.96	RMS	33.20	-19.42	0.50	-95.23	29.99	-25.00	-25.96	Vertical
2	7552.00	-40.74	RMS	36.00	-18.42	0.57	-95.23	36.34	-25.00	-15.74	Vertical
3	10069.00	-43.84	RMS	38.66	-16.81	0.58	-95.23	28.96	-25.00	-18.84	Vertical




5

Part 27M Mode 7


NR SA n7 40M Ch510000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n7 40M Ch510000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	5065.00	-50.88	RMS	33.20	-19.41	0.50	-95.23	30.06	-25.00	-25.88	Horizontal
2	7597.00	-42.84	RMS	36.09	-18.35	0.54	-95.23	34.11	-25.00	-17.84	Horizontal
3	10129.00	-43.42	RMS	38.60	-16.81	0.58	-95.23	29.44	-25.00	-18.42	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n7 40M Ch510000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	5065.00	-50.42	RMS	33.20	-19.41	0.50	-95.23	30.52	-25.00	-25.42	Vertical
2	7597.00	-43.53	RMS	36.09	-18.35	0.54	-95.23	33.42	-25.00	-18.53	Vertical
3	10129.00	-43.84	RMS	38.60	-16.81	0.58	-95.23	29.02	-25.00	-18.84	Vertical




5

Part 27M Mode 8


NR SA n38 40M Ch518000 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n38 40M Ch518000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5145.00	-51.91	RMS	33.20	-19.36	0.51	-95.23	28.97	-25.00	-26.91	Horizontal
			7717.00	-44.44	RMS	36.40	-18.12	0.56	-95.23	31.95	-25.00	-19.44	Horizontal
			10289.00	-43.24	RMS	38.74	-16.81	0.57	-95.23	29.49	-25.00	-18.24	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n38 40M Ch518000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5145.00	-51.74	RMS	33.20	-19.36	0.51	-95.23	29.14	-25.00	-26.74	Vertical
			7717.00	-46.30	RMS	36.40	-18.12	0.56	-95.23	30.09	-25.00	-21.30	Vertical
			10289.00	-43.14	RMS	38.74	-16.81	0.57	-95.23	29.59	-25.00	-18.14	Vertical




5

Part 27M Mode 8


NR SA n38 40M Ch519000 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n38 40M Ch519000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	5155.00	-51.89	RMS	33.19	-19.36	0.51 -95.23	29.00	-25.00	-26.89	Horizontal
2	7732.00	-44.96	RMS	36.40	-18.09	0.56 -95.23	31.40	-25.00	-19.96	Horizontal
3	10309.00	-43.29	RMS	38.72	-16.81	0.57 -95.23	29.46	-25.00	-18.29	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n38 40M Ch519000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	5155.00	-51.99	RMS	33.19	-19.36	0.51 -95.23	28.90	-25.00	-26.99	Vertical
2	7732.00	-45.81	RMS	36.40	-18.09	0.56 -95.23	30.55	-25.00	-20.81	Vertical
3	10309.00	-43.29	RMS	38.72	-16.81	0.57 -95.23	29.46	-25.00	-18.29	Vertical






5

Part 27M Mode 8


NR SA n38 40M Ch520000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n38 40M Ch520000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	dB
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5165.00	-52.09	RMS	33.17	-19.35	0.51	-95.23	28.81	-25.00	-27.09	Horizontal
2 7747.00	-44.75	RMS	36.40	-18.07	0.56	-95.23	31.59	-25.00	-19.75	Horizontal
3 10329.00	-43.17	RMS	38.76	-16.81	0.57	-95.23	29.54	-25.00	-18.17	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n38 40M Ch520000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g	dB	dB
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5165.00	-52.10	RMS	33.17	-19.35	0.51	-95.23	28.80	-25.00	-27.10	Vertical
2 7747.00	-45.79	RMS	36.40	-18.07	0.56	-95.23	30.55	-25.00	-20.79	Vertical
3 10329.00	-43.01	RMS	38.76	-16.81	0.57	-95.23	29.70	-25.00	-18.01	Vertical




5

Part 27M Mode 9


NR SA n41(HPUE) 100M Ch509202 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n41 100M Ch509202 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			4995.00	-47.22	RMS	33.18	-19.45	0.51	-95.23	33.77	-25.00	-22.22	Horizontal
			7492.00	-38.26	RMS	36.22	-18.50	0.60	-95.23	38.65	-25.00	-13.26	Horizontal
			9989.00	-44.52	RMS	38.36	-16.82	0.58	-95.23	28.59	-25.00	-19.52	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n41 100M Ch509202 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			4995.00	-48.32	RMS	33.18	-19.45	0.51	-95.23	32.67	-25.00	-23.32	Vertical
			7492.00	-39.92	RMS	36.22	-18.50	0.60	-95.23	36.99	-25.00	-14.92	Vertical
			9989.00	-43.81	RMS	38.36	-16.82	0.58	-95.23	29.30	-25.00	-18.81	Vertical




5

Part 27M Mode 9


NR SA n41(HPUE) 100M Ch518598 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n41 100M Ch518598 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
						Factor	1						
			5089.00	-50.45	RMS	33.20	-19.39	0.50	-95.23	30.47	-25.00	-25.45	Horizontal
			7633.00	-42.63	RMS	36.23	-18.28	0.54	-95.23	34.11	-25.00	-17.63	Horizontal
			10177.00	-44.09	RMS	38.65	-16.81	0.57	-95.23	28.73	-25.00	-19.09	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n41 100M Ch518598 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
						Factor	1						
			5089.00	-50.75	RMS	33.20	-19.39	0.50	-95.23	30.17	-25.00	-25.75	Vertical
			7633.00	-40.86	RMS	36.23	-18.28	0.54	-95.23	35.88	-25.00	-15.86	Vertical
			10177.00	-43.90	RMS	38.65	-16.81	0.57	-95.23	28.92	-25.00	-18.90	Vertical




5

Part 27M Mode 9


NR SA n41(HPUE) 100M Ch528000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n41 100M Ch528000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol
						Factor	1					



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n41 100M Ch528000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol
						Factor	1					




2

Part 27M Mode 10


NR SA n41(HPUE) 100M Ch509202 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n41 100M Ch509202 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	4994.00	-51.86	RMS	33.18	-19.45	0.51 -95.23	29.13	-25.00	-26.86	Horizontal
2	7491.00	-49.05	RMS	36.22	-18.50	0.60 -95.23	27.86	-25.00	-24.05	Horizontal
3	9989.00	-45.28	RMS	38.36	-16.82	0.58 -95.23	27.83	-25.00	-20.28	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n41 100M Ch509202 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	4994.00	-51.63	RMS	33.18	-19.45	0.51 -95.23	29.36	-25.00	-26.63	Vertical
2	7491.00	-49.06	RMS	36.22	-18.50	0.60 -95.23	27.85	-25.00	-24.06	Vertical
3	9989.00	-45.61	RMS	38.36	-16.82	0.58 -95.23	27.50	-25.00	-20.61	Vertical




2

Part 27M Mode 10


NR SA n41(HPUE) 100M Ch518598 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n41 100M Ch518598 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5088.00	-51.86	RMS	33.20	-19.39	0.50	-95.23	29.06	-25.00	-26.86	Horizontal
			7632.00	-48.27	RMS	36.23	-18.29	0.54	-95.23	28.48	-25.00	-23.27	Horizontal
			10177.00	-43.90	RMS	38.65	-16.81	0.57	-95.23	28.92	-25.00	-18.90	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n41 100M Ch518598 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5088.00	-52.04	RMS	33.20	-19.39	0.50	-95.23	28.88	-25.00	-27.04	Vertical
			7632.00	-47.91	RMS	36.23	-18.29	0.54	-95.23	28.84	-25.00	-22.91	Vertical
			10177.00	-44.43	RMS	38.65	-16.81	0.57	-95.23	28.39	-25.00	-19.43	Vertical




2

Part 27M Mode 10


NR SA n41(HPUE) 100M Ch528000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n41 100M Ch528000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	5182.00	-52.25	RMS	33.14	-19.35	0.51 -95.23	28.68	-25.00	-27.25	Horizontal
2	7773.00	-47.36	RMS	36.54	-18.02	0.57 -95.23	28.78	-25.00	-22.36	Horizontal
3	10365.00	-43.63	RMS	38.80	-16.81	0.57 -95.23	29.04	-25.00	-18.63	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n41 100M Ch528000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	5182.00	-52.49	RMS	33.14	-19.35	0.51 -95.23	28.44	-25.00	-27.49	Vertical
2	7773.00	-47.57	RMS	36.54	-18.02	0.57 -95.23	28.57	-25.00	-22.57	Vertical
3	10365.00	-43.32	RMS	38.80	-16.81	0.57 -95.23	29.35	-25.00	-18.32	Vertical




3

Part 27M Mode 11


NR SA n41(HPUE) 100M Ch509202 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n41 100M Ch509202 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	4994.00	-51.75	RMS	33.18	-19.45	0.51 -95.23	29.24	-25.00	-26.75	Horizontal
2	7491.00	-48.27	RMS	36.22	-18.50	0.60 -95.23	28.64	-25.00	-23.27	Horizontal
3	9989.00	-44.46	RMS	38.36	-16.82	0.58 -95.23	28.65	-25.00	-19.46	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n41 100M Ch509202 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	4994.00	-51.81	RMS	33.18	-19.45	0.51 -95.23	29.18	-25.00	-26.81	Vertical
2	7491.00	-48.14	RMS	36.22	-18.50	0.60 -95.23	28.77	-25.00	-23.14	Vertical
3	9989.00	-44.68	RMS	38.36	-16.82	0.58 -95.23	28.43	-25.00	-19.68	Vertical






3

Part 27M Mode 11


NR SA n41(HPUE) 100M Ch518598 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n41 100M Ch518598 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5088.00	-51.24	RMS	33.20	-19.39	0.50	-95.23	29.68	-25.00	-26.24	Horizontal
			7632.00	-47.74	RMS	36.23	-18.29	0.54	-95.23	29.01	-25.00	-22.74	Horizontal
			10177.00	-43.84	RMS	38.65	-16.81	0.57	-95.23	28.98	-25.00	-18.84	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n41 100M Ch518598 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5088.00	-51.58	RMS	33.20	-19.39	0.50	-95.23	29.34	-25.00	-26.58	Vertical
			7632.00	-47.60	RMS	36.23	-18.29	0.54	-95.23	29.15	-25.00	-22.60	Vertical
			10177.00	-43.37	RMS	38.65	-16.81	0.57	-95.23	29.45	-25.00	-18.37	Vertical




3

Part 27M Mode 11


NR SA n41(HPUE) 100M Ch528000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5182.00	-50.32	RMS	33.14	-19.35	0.51	-95.23	30.61	-25.00	-25.32	Horizontal
2	7773.00	-46.68	RMS	36.54	-18.02	0.57	-95.23	29.46	-25.00	-21.68	Horizontal
3	10365.00	-43.08	RMS	38.80	-16.81	0.57	-95.23	29.59	-25.00	-18.08	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5182.00	-49.72	RMS	33.14	-19.35	0.51	-95.23	31.21	-25.00	-24.72	Vertical
2	7773.00	-46.76	RMS	36.54	-18.02	0.57	-95.23	29.38	-25.00	-21.76	Vertical
3	10365.00	-42.79	RMS	38.80	-16.81	0.57	-95.23	29.88	-25.00	-17.79	Vertical




4

Part 27M Mode 12


NR SA n41(HPUE) 100M Ch509202 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n41 100M Ch509202 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	4994.56	-51.71	RMS	33.18	-19.45	0.51 -95.23	29.28	-25.00	-26.71	Horizontal
2	7491.84	-48.54	RMS	36.22	-18.50	0.60 -95.23	28.37	-25.00	-23.54	Horizontal
3	9989.12	-44.08	RMS	38.36	-16.82	0.58 -95.23	29.03	-25.00	-19.08	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n41 100M Ch509202 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	4994.56	-51.62	RMS	33.18	-19.45	0.51 -95.23	29.37	-25.00	-26.62	Vertical
2	7491.84	-48.60	RMS	36.22	-18.50	0.60 -95.23	28.31	-25.00	-23.60	Vertical
3	9989.12	-44.60	RMS	38.36	-16.82	0.58 -95.23	28.51	-25.00	-19.60	Vertical




4

Part 27M Mode 12


NR SA n41(HPUE) 100M Ch518598 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5088.52	-50.74 RMS	33.20	-19.39	0.50	-95.23	30.18	-25.00	-25.74	Horizontal
2	7632.78	-48.03 RMS	36.23	-18.29	0.54	-95.23	28.72	-25.00	-23.03	Horizontal
3	10177.04	-43.52 RMS	38.65	-16.81	0.57	-95.23	29.30	-25.00	-18.52	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n41 100M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5088.52	-51.54 RMS	33.20	-19.39	0.50	-95.23	29.38	-25.00	-26.54	Vertical
2	7632.78	-47.66 RMS	36.23	-18.29	0.54	-95.23	29.09	-25.00	-22.66	Vertical
3	10177.04	-43.36 RMS	38.65	-16.81	0.57	-95.23	29.46	-25.00	-18.36	Vertical




4

Part 27M Mode 12


NR SA n41(HPUE) 100M Ch528000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : NR n41 100M Ch528000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
						dB/m	dB	dB	dB	dBuV			
1	2	3	5190.00	-51.93	RMS	33.12	-19.34	0.51	-95.23	29.01	-25.00	-26.93	Horizontal
			7773.81	-46.76	RMS	36.54	-18.01	0.57	-95.23	29.37	-25.00	-21.76	Horizontal
			10365.08	-43.07	RMS	38.80	-16.81	0.57	-95.23	29.60	-25.00	-18.07	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : NR n41 100M Ch528000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
						dB/m	dB	dB	dB	dBuV			
1	2	3	5182.54	-51.78	RMS	33.13	-19.35	0.51	-95.23	29.16	-25.00	-26.78	Vertical
			7773.81	-46.52	RMS	36.54	-18.01	0.57	-95.23	29.61	-25.00	-21.52	Vertical
			10365.08	-42.76	RMS	38.80	-16.81	0.57	-95.23	29.91	-25.00	-17.76	Vertical




1

Part 90S Mode 5


NR SA n26 5M Ch163300 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n26 5M Ch163300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1629.00	-58.29	RMS	25.40	-27.12	0.37	-95.23	38.29	-13.00	-45.29	Horizontal
2 2443.00	-43.92	RMS	27.57	-24.73	0.22	-95.23	48.25	-13.00	-30.92	Horizontal
3 3258.00	-57.09	RMS	29.68	-22.88	0.27	-95.23	31.07	-13.00	-44.09	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n26 5M Ch163300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1629.00	-58.50	RMS	25.40	-27.12	0.37	-95.23	38.08	-13.00	-45.50	Vertical
2 2443.00	-41.12	RMS	27.57	-24.73	0.22	-95.23	51.05	-13.00	-28.12	Vertical
3 3258.00	-56.89	RMS	29.68	-22.88	0.27	-95.23	31.27	-13.00	-43.89	Vertical




1

Part 90S Mode 5


NR SA n26 5M Ch163800 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n26 5M Ch163800 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1634.00	-57.98 RMS	25.36	-27.10	0.37	-95.23	38.62	-13.00	-44.98	Horizontal
2	2451.00	-35.20 RMS	27.50	-24.71	0.22	-95.23	57.02	-13.00	-22.20	Horizontal
3	3268.00	-56.95 RMS	29.66	-22.85	0.26	-95.23	31.21	-13.00	-43.95	Horizontal




Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n26 5M Ch163800 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1634.00	-50.44 RMS	25.36	-27.10	0.37	-95.23	46.16	-13.00	-37.44	Vertical
2	2451.00	-37.55 RMS	27.50	-24.71	0.22	-95.23	54.67	-13.00	-24.55	Vertical
3	3268.00	-56.44 RMS	29.66	-22.85	0.26	-95.23	31.72	-13.00	-43.44	Vertical




1

**Part 90S Mode 5**  
**NR SA n26 5M Ch164300 1RB1 BPSK**  
**H**



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n26 5M Ch164300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1639.00	-58.83 RMS	25.31	-27.09	0.36	-95.23	37.82	-13.00	-45.83	Horizontal
2	2458.00	-45.64 RMS	27.50	-24.69	0.22	-95.23	46.56	-13.00	-32.64	Horizontal
3	3278.00	-57.34 RMS	29.64	-22.83	0.26	-95.23	30.82	-13.00	-44.34	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n26 5M Ch164300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1639.00	-59.42 RMS	25.31	-27.09	0.36	-95.23	37.23	-13.00	-46.42	Vertical
2	2458.00	-43.15 RMS	27.50	-24.69	0.22	-95.23	49.05	-13.00	-30.15	Vertical
3	3278.00	-57.10 RMS	29.64	-22.83	0.26	-95.23	31.06	-13.00	-44.10	Vertical






1

Part 90S Mode 6


NR SA n26 10M Ch163800 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n26 10M Ch163800 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1629.00	-59.38	RMS	25.40	-27.12	0.37	-95.23	37.20	-13.00	-46.38	Horizontal
2 2444.00	-44.05	RMS	27.56	-24.73	0.22	-95.23	48.13	-13.00	-31.05	Horizontal
3 3259.00	-57.31	RMS	29.68	-22.87	0.27	-95.23	30.84	-13.00	-44.31	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n26 10M Ch163800 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
			Factor	1				g	dB	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 1629.00	-58.80	RMS	25.40	-27.12	0.37	-95.23	37.78	-13.00	-45.80	Vertical
2 2444.00	-42.01	RMS	27.56	-24.73	0.22	-95.23	50.17	-13.00	-29.01	Vertical
3 3259.00	-56.91	RMS	29.68	-22.87	0.27	-95.23	31.24	-13.00	-43.91	Vertical




1

Part 90S Mode 7


NR SA n26 15M Ch166300 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n26 15M Ch166300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				g	dB		dB
1	1650.00	-55.70	RMS	25.20	-27.06	0.35	-95.23	41.04	-13.00	-42.70	Horizontal
2	2475.00	-37.92	RMS	27.65	-24.65	0.22	-95.23	54.09	-13.00	-24.92	Horizontal
3	3300.00	-57.28	RMS	29.60	-22.78	0.25	-95.23	30.87	-13.00	-44.28	Horizontal




Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n26 15M Ch166300 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol	
			Factor	1				g	dB		dB
1	1650.00	-53.78	RMS	25.20	-27.06	0.35	-95.23	42.96	-13.00	-40.78	Vertical
2	2475.00	-36.28	RMS	27.65	-24.65	0.22	-95.23	55.73	-13.00	-23.28	Vertical
3	3300.00	-57.34	RMS	29.60	-22.78	0.25	-95.23	30.81	-13.00	-44.34	Vertical




5

**Part 27M Mode 9**  
**NR SA n41(HPUE) 100M Ch528000 1RB1 BPSK**  
**H**



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Horizontal  
 Mode : 5GNR n41 100M Ch518598 1RB1 QPSK

1	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1					
1	2592.00	21.11	RMS	28.20	7.46	0.00	-95.23	80.68	-----	Horizontal



Site : 03CH11-HY  
 Condition: -25 3m 9120D\_01620\_230817 Vertical  
 Mode : 5GNR n41 100M Ch518598 1RB1 QPSK

1	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1					
1	2592.00	20.32	RMS	28.20	7.46	0.00	-95.23	79.89	-----	Vertical

**Remark: #1 is fundamental signal which can be ignored.**