





5

Part 27M Mode 2
LTE B38 20M Ch37850 1RB0 QPSK
L



Site : 03CH11-HY
Condition: -25 3m 9120D_01620_230817 Horizontal
: LTE Band 38 20M Ch37850 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
			Factor	1					
1	5142.00	-51.69 RMS	33.20	-19.37	0.51	-95.23	29.20	-25.00	-26.69 Horizontal
2	7713.00	-43.14 RMS	36.40	-18.13	0.56	-95.23	33.26	-25.00	-18.14 Horizontal
3	10284.00	-42.18 RMS	38.76	-16.81	0.57	-95.23	30.53	-25.00	-17.18 Horizontal




Site : 03CH11-HY
Condition: -25 3m 9120D_01620_230817 Vertical
: LTE Band 38 20M Ch37850 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
			Factor	1					
1	5142.00	-51.79 RMS	33.20	-19.37	0.51	-95.23	29.10	-25.00	-26.79 Vertical
2	7713.00	-43.10 RMS	36.40	-18.13	0.56	-95.23	33.30	-25.00	-18.10 Vertical
3	10284.00	-43.45 RMS	38.76	-16.81	0.57	-95.23	29.26	-25.00	-18.45 Vertical




5

Part 27M Mode 2
LTE B38 20M Ch38000 1RB0 QPSK
M



Site : 03CH11-HY
Condition: -25 3m 9120D_01620_230817 Horizontal
: LTE Band 38 20M Ch38000 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5172.00	-51.78	RMS	33.16	-19.35	0.51	-95.23	29.13	-25.00	-26.78	Horizontal
2	7758.00	-41.48	RMS	36.45	-18.04	0.56	-95.23	34.78	-25.00	-16.48	Horizontal
3	10344.00	-42.18	RMS	38.79	-16.81	0.57	-95.23	30.50	-25.00	-17.18	Horizontal




Site : 03CH11-HY
Condition: -25 3m 9120D_01620_230817 Vertical
: LTE Band 38 20M Ch38000 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	5172.00	-49.83	RMS	33.16	-19.35	0.51	-95.23	31.08	-25.00	-24.83	Vertical
2	7758.00	-42.20	RMS	36.45	-18.04	0.56	-95.23	34.06	-25.00	-17.20	Vertical
3	10344.00	-43.26	RMS	38.79	-16.81	0.57	-95.23	29.42	-25.00	-18.26	Vertical




5

Part 27M Mode 2
LTE B38 20M Ch38150 1RB0 QPSK
H



Site : 03CH11-HY
Condition: -25 3m 9120D_01620_230817 Horizontal
: LTE Band 38 20M Ch38150 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5202.00	-52.49 RMS	33.10	-19.33	0.51	-95.23	28.46	-25.00	-27.49	Horizontal
2	7803.00	-41.84 RMS	36.71	-17.96	0.57	-95.23	34.07	-25.00	-16.84	Horizontal
3	10404.00	-40.84 RMS	38.80	-16.81	0.57	-95.23	31.83	-25.00	-15.84	Horizontal



Site : 03CH11-HY
Condition: -25 3m 9120D_01620_230817 Vertical
: LTE Band 38 20M Ch38150 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5202.00	-50.17 RMS	33.10	-19.33	0.51	-95.23	30.78	-25.00	-25.17	Vertical
2	7803.00	-41.57 RMS	36.71	-17.96	0.57	-95.23	34.34	-25.00	-16.57	Vertical
3	10404.00	-43.48 RMS	38.80	-16.81	0.57	-95.23	29.19	-25.00	-18.48	Vertical




5

Part 27M Mode 3


LTE B41 20M Ch39750 1RB0 QPSK

L



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Horizontal
 : LTE Band 41 20M Ch39750 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	4994.00	-51.75	RMS	33.18	-19.45	0.51	-95.23	29.24	-25.00	-26.75	Horizontal
2	7491.00	-45.59	RMS	36.22	-18.50	0.60	-95.23	31.32	-25.00	-20.59	Horizontal
3	9988.00	-44.13	RMS	38.35	-16.82	0.58	-95.23	28.99	-25.00	-19.13	Horizontal



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Vertical
 : LTE Band 41 20M Ch39750 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	4994.00	-51.81	RMS	33.18	-19.45	0.51	-95.23	29.18	-25.00	-26.81	Vertical
2	7491.00	-43.38	RMS	36.22	-18.50	0.60	-95.23	33.53	-25.00	-18.38	Vertical
3	9988.00	-43.84	RMS	38.35	-16.82	0.58	-95.23	29.28	-25.00	-18.84	Vertical




5

Part 27M Mode 3


LTE B41 20M Ch40620 1RB0 QPSK

M



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Horizontal
 : LTE Band 41 20M Ch40620 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
			Factor	1					
1	5168.00	-51.62 RMS	33.16	-19.35	0.51	-95.23	29.29	-25.00	-26.62 Horizontal
2	7752.00	-43.72 RMS	36.41	-18.06	0.56	-95.23	32.60	-25.00	-18.72 Horizontal
3	10336.00	-43.06 RMS	38.77	-16.81	0.57	-95.23	29.64	-25.00	-18.06 Horizontal



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Vertical
 : LTE Band 41 20M Ch40620 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
			Factor	1					
1	5168.00	-51.21 RMS	33.16	-19.35	0.51	-95.23	29.70	-25.00	-26.21 Vertical
2	7752.00	-41.66 RMS	36.41	-18.06	0.56	-95.23	34.66	-25.00	-16.66 Vertical
3	10336.00	-42.99 RMS	38.77	-16.81	0.57	-95.23	29.71	-25.00	-17.99 Vertical




5

Part 27M Mode 3


LTE B41 20M Ch41490 1RB0 QPSK

H



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Horizontal
 : LTE Band 41 20M Ch41490 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5342.00	-52.76 RMS	32.98	-18.97	0.57	-95.23	27.89	-25.00	-27.76	Horizontal
2	8013.00	-46.09 RMS	36.90	-17.82	0.50	-95.23	29.56	-25.00	-21.09	Horizontal
3	10684.00	-42.90 RMS	39.30	-16.68	0.56	-95.23	29.15	-25.00	-17.90	Horizontal



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Vertical
 : LTE Band 41 20M Ch41490 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	5342.00	-52.54 RMS	32.98	-18.97	0.57	-95.23	28.11	-25.00	-27.54	Vertical
2	8013.00	-44.15 RMS	36.90	-17.82	0.50	-95.23	31.50	-25.00	-19.15	Vertical
3	10684.00	-40.87 RMS	39.30	-16.68	0.56	-95.23	31.18	-25.00	-15.87	Vertical




5

Part 27M Mode 4


LTE CA B7C Ch20850 + Ch21048

L



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Horizontal
 : LTE Band 7 20M Ch20850 1RB99 QPSK
 : LTE Band 7 20M Ch21048 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	l						dB	dB
1	5040.00	-51.43	RMS	33.20	-19.42	0.50	-95.23	29.52	-25.00	-26.43	Horizontal
2	7560.00	-43.89	RMS	36.02	-18.41	0.56	-95.23	33.17	-25.00	-18.89	Horizontal
3	10080.00	-44.58	RMS	38.64	-16.81	0.58	-95.23	28.24	-25.00	-19.58	Horizontal




Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Vertical
 : LTE Band 7 20M Ch20850 1RB99 QPSK
 : LTE Band 7 20M Ch21048 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	l						dB	dB
1	5040.00	-51.72	RMS	33.20	-19.42	0.50	-95.23	29.23	-25.00	-26.72	Vertical
2	7560.00	-45.58	RMS	36.02	-18.41	0.56	-95.23	31.48	-25.00	-20.58	Vertical
3	10080.00	-44.53	RMS	38.64	-16.81	0.58	-95.23	28.29	-25.00	-19.53	Vertical




5

Part 27M Mode 4
LTE CA B7C Ch21001 + Ch21199
M



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Horizontal
 : LTE Band 7 20M Ch21001 1RB99 QPSK
 : LTE Band 7 20M Ch21199 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol
			Factor	l					
1	5068.00	-51.78 RMS	33.20	-19.40	0.50	-95.23	29.15	-25.00	-26.78 Horizontal
2	7602.00	-46.08 RMS	36.11	-18.34	0.54	-95.23	30.84	-25.00	-21.08 Horizontal
3	10136.00	-43.98 RMS	38.60	-16.81	0.58	-95.23	28.88	-25.00	-18.98 Horizontal




Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Vertical
 : LTE Band 7 20M Ch21001 1RB99 QPSK
 : LTE Band 7 20M Ch21199 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol
			Factor	l					
1	5068.00	-50.92 RMS	33.20	-19.40	0.50	-95.23	30.01	-25.00	-25.92 Vertical
2	7602.00	-47.32 RMS	36.11	-18.34	0.54	-95.23	29.60	-25.00	-22.32 Vertical
3	10136.00	-43.58 RMS	38.60	-16.81	0.58	-95.23	29.28	-25.00	-18.58 Vertical




5

Part 27M Mode 4
LTE CA B7C Ch21152 + Ch21350
H



Site : 03CH11-HY
Condition: -25 3m 9120D_01620_230817 Horizontal
: LTE Band 7 20M Ch21152 1RB99 QPSK
: LTE Band 7 20M Ch21350 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
			Factor	l						
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5100.00	-51.25	RMS	33.20	-19.39	0.50	-95.23	29.67	-25.00	-26.25	Horizontal
2 7650.00	-45.21	RMS	36.30	-18.25	0.55	-95.23	31.42	-25.00	-20.21	Horizontal
3 10200.00	-43.90	RMS	38.70	-16.81	0.57	-95.23	28.87	-25.00	-18.90	Horizontal




Site : 03CH11-HY
Condition: -25 3m 9120D_01620_230817 Vertical
: LTE Band 7 20M Ch21152 1RB99 QPSK
: LTE Band 7 20M Ch21350 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
			Factor	l						
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5100.00	-51.80	RMS	33.20	-19.39	0.50	-95.23	29.12	-25.00	-26.80	Vertical
2 7650.00	-45.56	RMS	36.30	-18.25	0.55	-95.23	31.07	-25.00	-20.56	Vertical
3 10200.00	-43.78	RMS	38.70	-16.81	0.57	-95.23	28.99	-25.00	-18.78	Vertical




5

Part 27M Mode 5
LTE CA B38C Ch37850 + Ch38048
L



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Horizontal
 : LTE Band 38 20M Ch37850 1RB99 QPSK
 : LTE Band 38 20M Ch38048 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	l						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5178.00	-51.74	RMS	33.14	-19.35	0.51	-95.23	29.19	-25.00	-26.74	Horizontal
2 7767.00	-43.23	RMS	36.50	-18.03	0.57	-95.23	32.96	-25.00	-18.23	Horizontal
3 10356.00	-40.58	RMS	38.80	-16.81	0.57	-95.23	32.09	-25.00	-15.58	Horizontal



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Vertical
 : LTE Band 38 20M Ch37850 1RB99 QPSK
 : LTE Band 38 20M Ch38048 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	l						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5178.00	-50.50	RMS	33.14	-19.35	0.51	-95.23	30.43	-25.00	-25.50	Vertical
2 7767.00	-42.41	RMS	36.50	-18.03	0.57	-95.23	33.78	-25.00	-17.41	Vertical
3 10356.00	-42.75	RMS	38.80	-16.81	0.57	-95.23	29.92	-25.00	-17.75	Vertical




5

Part 27M Mode 5


LTE CA B38C Ch37901 + Ch38099

M



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Horizontal
 : LTE Band 38 20M Ch37901 1RB99 QPSK
 : LTE Band 38 20M Ch38099 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	l							
1	5188.00	-49.70	RMS	33.12	-19.34	0.51	-95.23	31.24	-25.00	-24.70	Horizontal
2	7782.00	-42.08	RMS	36.59	-18.00	0.57	-95.23	33.99	-25.00	-17.08	Horizontal
3	10376.00	-40.71	RMS	38.80	-16.81	0.57	-95.23	31.96	-25.00	-15.71	Horizontal




Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Vertical
 : LTE Band 38 20M Ch37901 1RB99 QPSK
 : LTE Band 38 20M Ch38099 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	l							
1	5188.00	-48.24	RMS	33.12	-19.34	0.51	-95.23	32.70	-25.00	-23.24	Vertical
2	7782.00	-40.78	RMS	36.59	-18.00	0.57	-95.23	35.29	-25.00	-15.78	Vertical
3	10376.00	-42.48	RMS	38.80	-16.81	0.57	-95.23	30.19	-25.00	-17.48	Vertical




5

Part 27M Mode 5
LTE CA B38C Ch37952 + Ch38150
H



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Horizontal
 : LTE Band 38 20M Ch37952 1RB99 QPSK
 : LTE Band 38 20M Ch38150 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
			Factor	l						
1	5198.00	-49.95 RMS	33.10	-19.34	0.51	-95.23	31.01	-25.00	-24.95	Horizontal
2	7797.00	-41.47 RMS	36.68	-17.97	0.57	-95.23	34.48	-25.00	-16.47	Horizontal
3	10396.00	-41.15 RMS	38.80	-16.81	0.57	-95.23	31.52	-25.00	-16.15	Horizontal



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Vertical
 : LTE Band 38 20M Ch37952 1RB99 QPSK
 : LTE Band 38 20M Ch38150 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
			Factor	l						
1	5198.00	-51.09 RMS	33.10	-19.34	0.51	-95.23	29.87	-25.00	-26.09	Vertical
2	7797.00	-42.83 RMS	36.68	-17.97	0.57	-95.23	33.12	-25.00	-17.83	Vertical
3	10396.00	-42.75 RMS	38.80	-16.81	0.57	-95.23	29.92	-25.00	-17.75	Vertical




5

Part 27M Mode 6


LTE CA B41C Ch39750 + Ch39948

L



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Horizontal
 : LTE Band 41 20M Ch39750 1RB99 QPSK
 : LTE Band 41 20M Ch39948 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	l						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5030.00	-51.61	RMS	33.20	-19.42	0.50	-95.23	29.34	-25.00	-26.61	Horizontal
2 7545.00	-46.19	RMS	36.02	-18.43	0.57	-95.23	30.88	-25.00	-21.19	Horizontal
3 10060.00	-43.97	RMS	38.68	-16.81	0.58	-95.23	28.81	-25.00	-18.97	Horizontal



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Vertical
 : LTE Band 41 20M Ch39750 1RB99 QPSK
 : LTE Band 41 20M Ch39948 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	l						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5030.00	-51.59	RMS	33.20	-19.42	0.50	-95.23	29.36	-25.00	-26.59	Vertical
2 7545.00	-46.72	RMS	36.02	-18.43	0.57	-95.23	30.35	-25.00	-21.72	Vertical
3 10060.00	-44.45	RMS	38.68	-16.81	0.58	-95.23	28.33	-25.00	-19.45	Vertical




5

Part 27M Mode 6


LTE CA B41C Ch40521 + Ch40719

M



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Horizontal
 : LTE Band 41 20M Ch40521 1RB99 QPSK
 : LTE Band 41 20M Ch40719 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	l						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5184.00	-51.34	RMS	33.13	-19.34	0.51	-95.23	29.59	-25.00	-26.34	Horizontal
2 7785.00	-44.91	RMS	36.61	-17.99	0.57	-95.23	31.13	-25.00	-19.91	Horizontal
3 10380.00	-41.92	RMS	38.80	-16.81	0.57	-95.23	30.75	-25.00	-16.92	Horizontal



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Vertical
 : LTE Band 41 20M Ch40521 1RB99 QPSK
 : LTE Band 41 20M Ch40719 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	l						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5184.00	-51.60	RMS	33.13	-19.34	0.51	-95.23	29.33	-25.00	-26.60	Vertical
2 7785.00	-42.93	RMS	36.61	-17.99	0.57	-95.23	33.11	-25.00	-17.93	Vertical
3 10368.00	-43.64	RMS	38.80	-16.81	0.57	-95.23	29.03	-25.00	-18.64	Vertical




5

Part 27M Mode 6


LTE CA B41C Ch41292 + Ch41490

H



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Horizontal
 : LTE Band 41 20M Ch41292 1RB99 QPSK
 : LTE Band 41 20M Ch41490 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	l						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5340.00	-50.53	RMS	32.98	-18.98	0.57	-95.23	30.13	-25.00	-25.53	Horizontal
2 8010.00	-43.67	RMS	36.90	-17.82	0.50	-95.23	31.98	-25.00	-18.67	Horizontal
3 10680.00	-42.30	RMS	39.30	-16.68	0.56	-95.23	29.75	-25.00	-17.30	Horizontal



Site : 03CH11-HY
 Condition: -25 3m 9120D_01620_230817 Vertical
 : LTE Band 41 20M Ch41292 1RB99 QPSK
 : LTE Band 41 20M Ch41490 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
			Factor	l						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5340.00	-50.68	RMS	32.98	-18.98	0.57	-95.23	29.98	-25.00	-25.68	Vertical
2 8010.00	-44.40	RMS	36.90	-17.82	0.50	-95.23	31.25	-25.00	-19.40	Vertical
3 10680.00	-43.75	RMS	39.30	-16.68	0.56	-95.23	28.30	-25.00	-18.75	Vertical




1

Part 27L Mode 2


LTE B66 20M Ch132072 1RB0 QPSK

L



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Horizontal
 : LTE Band 66 20M Ch132072 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	3422.00	-56.64 RMS	29.50	-22.50	0.91	-95.23	30.68	-13.00	-43.64	Horizontal
2	5133.00	-51.53 RMS	33.20	-19.37	0.51	-95.23	29.36	-13.00	-38.53	Horizontal
3	6844.00	-49.02 RMS	35.81	-18.28	0.45	-95.23	28.23	-13.00	-36.02	Horizontal



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Vertical
 : LTE Band 66 20M Ch132072 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	3422.00	-56.57 RMS	29.50	-22.50	0.91	-95.23	30.75	-13.00	-43.57	Vertical
2	5133.00	-49.97 RMS	33.20	-19.37	0.51	-95.23	30.92	-13.00	-36.97	Vertical
3	6844.00	-49.41 RMS	35.81	-18.28	0.45	-95.23	27.84	-13.00	-36.41	Vertical




1

Part 27L Mode 2


LTE B66 20M Ch132322 1RB0 QPSK

M



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Horizontal
 : LTE Band 66 20M Ch132322 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	3472.00	-55.70 RMS	29.54	-22.35	0.90	-95.23	31.44	-13.00	-42.70	Horizontal
2	5208.00	-52.31 RMS	33.08	-19.32	0.51	-95.23	28.65	-13.00	-39.31	Horizontal
3	6944.00	-48.47 RMS	35.80	-18.06	0.46	-95.23	28.56	-13.00	-35.47	Horizontal



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Vertical
 : LTE Band 66 20M Ch132322 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	3472.00	-56.87 RMS	29.54	-22.35	0.90	-95.23	30.27	-13.00	-43.87	Vertical
2	5208.00	-51.63 RMS	33.08	-19.32	0.51	-95.23	29.33	-13.00	-38.63	Vertical
3	6944.00	-48.31 RMS	35.80	-18.06	0.46	-95.23	28.72	-13.00	-35.31	Vertical




1

Part 27L Mode 2


LTE B66 20M Ch132572 1RB0 QPSK

H



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Horizontal
 : LTE Band 66 20M Ch132572 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	3522.00	-56.43 RMS	29.64	-22.21	0.89	-95.23	30.48	-13.00	-43.43	Horizontal
2	5283.00	-52.63 RMS	32.93	-19.12	0.54	-95.23	28.25	-13.00	-39.63	Horizontal
3	7044.00	-47.54 RMS	36.08	-18.01	0.49	-95.23	29.13	-13.00	-34.54	Horizontal



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Vertical
 : LTE Band 66 20M Ch132572 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	1						dB
1	3522.00	-55.34 RMS	29.64	-22.21	0.89	-95.23	31.57	-13.00	-42.34	Vertical
2	5283.00	-52.50 RMS	32.93	-19.12	0.54	-95.23	28.38	-13.00	-39.50	Vertical
3	7044.00	-47.27 RMS	36.08	-18.01	0.49	-95.23	29.40	-13.00	-34.27	Vertical




1

Part 27L Mode 3


LTE CA B66B Ch132022 + Ch132121

L



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Horizontal
 : LTE Band 66 10M Ch132022 1RB49 QPSK
 : LTE Band 66 10M Ch132121 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	l							dB
1	3439.90	-56.73	RMS	29.50	-22.45	0.90	-95.23	30.55	-13.00	-43.73	Horizontal
2	5159.85	-43.22	RMS	33.18	-19.36	0.51	-95.23	37.68	-13.00	-30.22	Horizontal
3	6879.80	-49.05	RMS	35.80	-18.20	0.46	-95.23	28.12	-13.00	-36.05	Horizontal



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Vertical
 : LTE Band 66 10M Ch132022 1RB49 QPSK
 : LTE Band 66 10M Ch132121 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	l							dB
1	3439.90	-55.30	RMS	29.50	-22.45	0.90	-95.23	31.98	-13.00	-42.30	Vertical
2	5159.85	-46.33	RMS	33.18	-19.36	0.51	-95.23	34.57	-13.00	-33.33	Vertical
3	6879.80	-49.14	RMS	35.80	-18.20	0.46	-95.23	28.03	-13.00	-36.14	Vertical




1

Part 27L Mode 3


LTE CA B66B Ch132373 + Ch132472

M



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Horizontal
 : LTE Band 66 10M Ch132373 1RB49 QPSK
 : LTE Band 66 10M Ch132472 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	l							
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3510.01	-56.40	RMS	29.62	-22.24	0.89	-95.23	30.56	-13.00	-43.40	Horizontal
2	5265.15	-46.64	RMS	32.97	-19.17	0.54	-95.23	34.25	-13.00	-33.64	Horizontal
3	7020.20	-47.72	RMS	35.98	-17.97	0.48	-95.23	29.02	-13.00	-34.72	Horizontal




Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Vertical
 : LTE Band 66 10M Ch132373 1RB49 QPSK
 : LTE Band 66 10M Ch132472 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	l							
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3510.10	-55.27	RMS	29.62	-22.24	0.89	-95.23	31.69	-13.00	-42.27	Vertical
2	5265.15	-47.77	RMS	32.97	-19.17	0.54	-95.23	33.12	-13.00	-34.77	Vertical
3	7020.20	-47.76	RMS	35.98	-17.97	0.48	-95.23	28.98	-13.00	-34.76	Vertical




1

Part 27L Mode 3
LTE CA B66B Ch132523 + Ch132622
H



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Horizontal
 : LTE Band 66 10M Ch132523 1RB49 QPSK
 : LTE Band 66 10M Ch132622 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
			Factor	l						
1	3540.10	-54.89 RMS	29.68	-22.16	0.88	-95.23	31.94	-13.00	-41.89	Horizontal
2	5310.15	-44.42 RMS	32.92	-19.05	0.55	-95.23	36.39	-13.00	-31.42	Horizontal
3	7080.20	-47.59 RMS	36.22	-18.06	0.51	-95.23	28.97	-13.00	-34.59	Horizontal



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Vertical
 : LTE Band 66 10M Ch132523 1RB49 QPSK
 : LTE Band 66 10M Ch132622 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
			Factor	l						
1	3540.10	-54.94 RMS	29.68	-22.16	0.88	-95.23	31.89	-13.00	-41.94	Vertical
2	5310.15	-49.68 RMS	32.92	-19.05	0.55	-95.23	31.13	-13.00	-36.68	Vertical
3	7080.20	-47.43 RMS	36.22	-18.06	0.51	-95.23	29.13	-13.00	-34.43	Vertical




1

Part 27L Mode 4


LTE CA B66C Ch132072 + Ch132270

L



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Horizontal
 : LTE Band 66 20M Ch132072 1RB99 QPSK
 : LTE Band 66 20M Ch132270 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	l							dB
1	3459.80	-55.71	RMS	29.52	-22.39	0.90	-95.23	31.49	-13.00	-42.71	Horizontal
2	5189.70	-47.78	RMS	33.12	-19.34	0.51	-95.23	33.16	-13.00	-34.78	Horizontal
3	6919.60	-49.12	RMS	35.80	-18.11	0.46	-95.23	27.96	-13.00	-36.12	Horizontal



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Vertical
 : LTE Band 66 20M Ch132072 1RB99 QPSK
 : LTE Band 66 20M Ch132270 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol	
			Factor	l							dB
1	3459.80	-55.00	RMS	29.52	-22.39	0.90	-95.23	32.20	-13.00	-42.00	Vertical
2	5189.70	-44.97	RMS	33.12	-19.34	0.51	-95.23	35.97	-13.00	-31.97	Vertical
3	6919.60	-49.07	RMS	35.80	-18.11	0.46	-95.23	28.01	-13.00	-36.07	Vertical




1

Part 27L Mode 4


LTE CA B66C Ch132323 + Ch132521

M



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Horizontal
 : LTE Band 66 20M Ch132323 1RB99 QPSK
 : LTE Band 66 20M Ch132521 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
			Factor	l						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 3510.00	-56.66	RMS	29.62	-22.24	0.89	-95.23	30.30	-13.00	-43.66	Horizontal
2 5265.00	-49.09	RMS	32.97	-19.17	0.54	-95.23	31.80	-13.00	-36.09	Horizontal
3 7020.00	-47.70	RMS	35.98	-17.97	0.48	-95.23	29.04	-13.00	-34.70	Horizontal




Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Vertical
 : LTE Band 66 20M Ch132323 1RB99 QPSK
 : LTE Band 66 20M Ch132521 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
			Factor	l						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 3510.00	-55.49	RMS	29.62	-22.24	0.89	-95.23	31.47	-13.00	-42.49	Vertical
2 5265.00	-49.77	RMS	32.97	-19.17	0.54	-95.23	31.12	-13.00	-36.77	Vertical
3 7020.00	-48.10	RMS	35.98	-17.97	0.48	-95.23	28.64	-13.00	-35.10	Vertical




1

Part 27L Mode 4
LTE CA B66C Ch132374 + Ch132572
H



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Horizontal
 : LTE Band 66 20M Ch132374 1RB99 QPSK
 : LTE Band 66 20M Ch132572 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
			Factor	l					g	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3520.20	-54.69 RMS	29.64	-22.21	0.89	-95.23	32.22	-13.00	-41.69	Horizontal	
2	5280.30	-43.74 RMS	32.94	-19.13	0.54	-95.23	37.14	-13.00	-30.74	Horizontal	
3	7040.40	-47.80 RMS	36.06	-18.00	0.49	-95.23	28.88	-13.00	-34.80	Horizontal	



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Vertical
 : LTE Band 66 20M Ch132374 1RB99 QPSK
 : LTE Band 66 20M Ch132572 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin		Pol
			Factor	l					g	dB	
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3520.20	-54.17 RMS	29.64	-22.21	0.89	-95.23	32.74	-13.00	-41.17	Vertical	
2	5280.30	-43.66 RMS	32.94	-19.13	0.54	-95.23	37.22	-13.00	-30.66	Vertical	
3	7040.40	-47.94 RMS	36.06	-18.00	0.49	-95.23	28.74	-13.00	-34.94	Vertical	




8

Part 27Q Mode 8


LTE B42 20M Ch42190 1RB0 QPSK

L



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Horizontal
 : LTE Band 42 20M Ch42190 1RB0 QPSK

No	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	6902.18	-39.18	RMS	35.80	-18.15	1.21	-95.23	37.19	-13.00	-26.18	Horizontal
2	10353.27	-43.52	RMS	38.80	-16.81	0.28	-95.23	29.44	-13.00	-30.52	Horizontal
3	13804.36	-40.38	RMS	40.10	-13.61	-0.04	-95.23	28.40	-13.00	-27.38	Horizontal



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Vertical
 : LTE Band 42 20M Ch42190 1RB0 QPSK

No	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	6902.18	-41.16	RMS	35.80	-18.15	1.21	-95.23	35.21	-13.00	-28.16	Vertical
2	10353.27	-43.48	RMS	38.80	-16.81	0.28	-95.23	29.48	-13.00	-30.48	Vertical
3	13804.36	-40.71	RMS	40.10	-13.61	-0.04	-95.23	28.07	-13.00	-27.71	Vertical




8

Part 27Q Mode 8


LTE B42 20M Ch42590 1RB0 QPSK

M



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Horizontal
 : LTE Band 42 20M Ch42590 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	6982.18	-37.24	RMS	35.86	-17.98	1.08	-95.23	39.03	-13.00	-24.24	Horizontal
2	10473.27	-43.90	RMS	38.75	-16.81	0.28	-95.23	29.11	-13.00	-30.90	Horizontal
3	13964.36	-39.96	RMS	40.46	-13.51	-0.07	-95.23	28.39	-13.00	-26.96	Horizontal



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Vertical
 : LTE Band 42 20M Ch42590 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	6982.18	-38.45	RMS	35.86	-17.98	1.08	-95.23	37.82	-13.00	-25.45	Vertical
2	10473.27	-43.50	RMS	38.75	-16.81	0.28	-95.23	29.51	-13.00	-30.50	Vertical
3	13964.36	-39.96	RMS	40.46	-13.51	-0.07	-95.23	28.39	-13.00	-26.96	Vertical




8

Part 27Q Mode 8


LTE B42 20M Ch42990 1RB0 QPSK

H



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Horizontal
 : LTE Band 42 20M Ch42990 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	l						g
1	7062.18	-36.42 RMS	36.15	-18.04	1.02	-95.23	39.68	-13.00	-23.42	Horizontal
2	10593.27	-44.35 RMS	39.06	-16.74	0.28	-95.23	28.28	-13.00	-31.35	Horizontal
3	14124.36	-39.18 RMS	40.65	-13.36	-0.06	-95.23	28.82	-13.00	-26.18	Horizontal




Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Vertical
 : LTE Band 42 20M Ch42990 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
			Factor	l						g
1	7062.18	-38.89 RMS	36.15	-18.04	1.02	-95.23	37.21	-13.00	-25.89	Vertical
2	10593.27	-44.36 RMS	39.06	-16.74	0.28	-95.23	28.27	-13.00	-31.36	Vertical
3	14124.36	-39.00 RMS	40.65	-13.36	-0.06	-95.23	29.00	-13.00	-26.00	Vertical




1

Part 90S Mode 1
LTE B26 5M Ch26715 1RB0 QPSK
L



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_230817 Horizontal
: LTE Band 26 5M Ch26715 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1628.68	-56.79	RMS	25.40	-27.12	0.37	-95.23	39.79	-13.00	-43.79	Horizontal
2	2443.02	-38.80	RMS	27.57	-24.73	0.22	-95.23	53.37	-13.00	-25.80	Horizontal
3	3257.36	-57.33	RMS	29.69	-22.88	0.27	-95.23	30.82	-13.00	-44.33	Horizontal




Site : 03CH11-HY
Condition: -13 3m 9120D_01620_230817 Vertical
: LTE Band 26 5M Ch26715 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1628.68	-52.76	RMS	25.40	-27.12	0.37	-95.23	43.82	-13.00	-39.76	Vertical
2	2443.02	-38.22	RMS	27.57	-24.73	0.22	-95.23	53.95	-13.00	-25.22	Vertical
3	3257.36	-57.50	RMS	29.69	-22.88	0.27	-95.23	30.65	-13.00	-44.50	Vertical




1

Part 90S Mode 1
LTE B26 5M Ch26740 1RB0 QPSK
M



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_230817 Horizontal
: LTE Band 26 5M Ch26740 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1						dB
1	1633.68	-58.69 RMS	25.36	-27.10	0.37	-95.23	37.91	-13.00	-45.69	Horizontal
2	2450.52	-40.99 RMS	27.50	-24.71	0.22	-95.23	51.23	-13.00	-27.99	Horizontal
3	3267.36	-57.46 RMS	29.67	-22.86	0.26	-95.23	30.70	-13.00	-44.46	Horizontal




Site : 03CH11-HY
Condition: -13 3m 9120D_01620_230817 Vertical
: LTE Band 26 5M Ch26740 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1						dB
1	1633.68	-54.97 RMS	25.36	-27.10	0.37	-95.23	41.63	-13.00	-41.97	Vertical
2	2450.52	-40.51 RMS	27.50	-24.71	0.22	-95.23	51.71	-13.00	-27.51	Vertical
3	3267.36	-57.57 RMS	29.67	-22.86	0.26	-95.23	30.59	-13.00	-44.57	Vertical




1

Part 90S Mode 1
LTE B26 5M Ch26765 1RB0 QPSK
H



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_230817 Horizontal
: LTE Band 26 5M Ch26765 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1638.68	-56.17	RMS	25.31	-27.09	0.36	-95.23	40.48	-13.00	-43.17	Horizontal
2	2458.02	-40.23	RMS	27.50	-24.69	0.22	-95.23	51.97	-13.00	-27.23	Horizontal
3	3277.36	-57.47	RMS	29.65	-22.83	0.26	-95.23	30.68	-13.00	-44.47	Horizontal



Site : 03CH11-HY
Condition: -13 3m 9120D_01620_230817 Vertical
: LTE Band 26 5M Ch26765 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1638.68	-53.41	RMS	25.31	-27.09	0.36	-95.23	43.24	-13.00	-40.41	Vertical
2	2458.02	-38.68	RMS	27.50	-24.69	0.22	-95.23	53.52	-13.00	-25.68	Vertical
3	3277.36	-57.45	RMS	29.65	-22.83	0.26	-95.23	30.70	-13.00	-44.45	Vertical




1

Part 90S Mode 2


LTE B26 10M Ch26740 1RB0 QPSK

M



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Horizontal
 : LTE Band 26 10M Ch26740 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1629.18	-56.37	RMS	25.40	-27.12	0.37	-95.23	40.21	-13.00	-43.37	Horizontal
2	2443.77	-40.24	RMS	27.56	-24.73	0.22	-95.23	51.94	-13.00	-27.24	Horizontal
3	3258.36	-57.41	RMS	29.68	-22.87	0.27	-95.23	30.74	-13.00	-44.41	Horizontal



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Vertical
 : LTE Band 26 10M Ch26740 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol		
			Factor	1						dB	dB
1	1629.18	-52.51	RMS	25.40	-27.12	0.37	-95.23	44.07	-13.00	-39.51	Vertical
2	2443.77	-38.96	RMS	27.56	-24.73	0.22	-95.23	53.22	-13.00	-25.96	Vertical
3	3258.36	-57.33	RMS	29.68	-22.87	0.27	-95.23	30.82	-13.00	-44.33	Vertical




1

Part 90S Mode 3


LTE B26 15M Ch26765 1RB0 QPSK

L



Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Horizontal
 : LTE Band 26 15M Ch26765 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol	
			Factor	1				dB	dB
1	1629.68	-57.01 RMS	25.40	-27.12	0.37	-95.23	39.57	-13.00	-44.01 Horizontal
2	2444.52	-40.94 RMS	27.55	-24.73	0.22	-95.23	51.25	-13.00	-27.94 Horizontal
3	3259.36	-57.33 RMS	29.68	-22.87	0.27	-95.23	30.82	-13.00	-44.33 Horizontal




Site : 03CH11-HY
 Condition: -13 3m 9120D_01620_230817 Vertical
 : LTE Band 26 15M Ch26765 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol	
			Factor	1				dB	dB
1	1629.68	-52.85 RMS	25.40	-27.12	0.37	-95.23	43.73	-13.00	-39.85 Vertical
2	2444.52	-39.24 RMS	27.55	-24.73	0.22	-95.23	52.95	-13.00	-26.24 Vertical
3	3259.36	-57.12 RMS	29.68	-22.87	0.27	-95.23	31.03	-13.00	-44.12 Vertical




1

Part 27H Mode 1
 LTE B12 10M Ch23060 1RB0 QPSK
 L



Site : 03CH11-HY
 Condition: 700 AC BAND 3m BILOG_35414_231007 Horizontal
 : LTE Band 12 10M Ch23060 1RB0 QPSK

1	Freq	Level	Detector	Ant Amp\Cb Filter			EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB		dBuV	dBm		
	699.30	20.28	RMS	26.53	3.86	0.00	-95.23	85.12-500.00	520.28	Horizontal	



Site : 03CH11-HY
 Condition: 700 AC BAND 3m BILOG_35414_231007 Vertical
 : LTE Band 12 10M Ch23060 1RB0 QPSK


1	Freq	Level	Detector	Ant Amp\Cb Filter			EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB		dBuV	dBm		
	700.27	20.36	RMS	26.53	3.86	0.00	-95.23	85.20	-13.00	33.36	Vertical

Remark: The limit signal #1 is fundamental signal which can be ignored.




1

Part 27H Mode 1
LTE B12 10M Ch23095 1RB0 QPSK
M



Site : 03CH11-HY
Condition: 700 AC BAND 3m BILOG_35414_231007 Horizontal
Mode : LTE Band 12 10M Ch23095 1RB0 QPSK

1	Freq	Level	Detector	Ant Amp\Cb Filter			EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB		dBuV	dBm		
	703.18	20.74	RMS	26.54	3.87	0.00	-95.23	85.56-500.00	520.74	Horizontal	



Site : 03CH11-HY
Condition: 700 AC BAND 3m BILOG_35414_231007 Vertical
Mode : LTE Band 12 10M Ch23095 1RB0 QPSK


1	Freq	Level	Detector	Ant Amp\Cb Filter			EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB		dBuV	dBm		
	703.18	20.30	RMS	26.54	3.87	0.00	-95.23	85.12 -13.00	33.30	Vertical	

Remark: The limit signal #1 is fundamental signal which can be ignored.




1

Part 27H Mode 1
LTE B12 10M Ch23130 1RB0 QPSK
H



Site : 03CH11-HY
Condition: 700 AC BAND 3m BILOG_35414_231007 Horizontal
: LTE Band 12 10M Ch23130 1RB0 QPSK

1	Freq	Level	Detector	Ant Amp\Cb Filter			EIRPCF	Readin Limit		Margin Pol
	MHz	dBm		Factor	l	dB		g	dBm	
	707.06	20.41	RMS	26.58	3.88	0.00	-95.23	85.18	-----	----- Horizontal



Site : 03CH11-HY
Condition: 700 AC BAND 3m BILOG_35414_231007 Horizontal
: LTE Band 12 10M Ch23130 1RB0 QPSK

1	Freq	Level	Detector	Ant Amp\Cb Filter			EIRPCF	Readin Limit		Margin Pol
	MHz	dBm		Factor	l	dB		g	dBm	
	707.06	20.41	RMS	26.58	3.88	0.00	-95.23	85.18	-----	----- Horizontal

Remark: The limit signal #1 is fundamental signal which can be ignored.