



## Appendix C. Radiated Spurious Emission

|                 |        |                     |            |
|-----------------|--------|---------------------|------------|
| Test Engineer : | Koi Ji | Relative Humidity : | 41 ~ 42 %  |
|                 |        | Temperature :       | 22 ~ 23 °C |

### Radiated Spurious Emission Test Modes

| Mode    | Band    | Band (GHz)  | Antenna | Modulation     | Channel | Frequency | Data Rate | RU                | Remark |
|---------|---------|-------------|---------|----------------|---------|-----------|-----------|-------------------|--------|
| Mode 1  | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11a        | 1       | 5955      | 6Mbps     | -                 | -      |
| Mode 2  | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11a        | 49      | 6195      | 6Mbps     | -                 | -      |
| Mode 3  | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11a        | 93      | 6415      | 6Mbps     | -                 | -      |
| Mode 4  | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE20  | 1       | 5955      | MCS0      | -                 | -      |
| Mode 5  | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE20  | 1       | 5955      | MCS0      | Partial RU 106/53 | -      |
| Mode 6  | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE20  | 49      | 6195      | MCS0      | -                 | -      |
| Mode 7  | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE20  | 93      | 6415      | MCS0      | -                 | -      |
| Mode 8  | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE40  | 3       | 5965      | MCS0      | -                 | -      |
| Mode 9  | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE40  | 3       | 5965      | MCS0      | Partial RU 242/61 | -      |
| Mode 10 | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE40  | 51      | 6205      | MCS0      | -                 | -      |
| Mode 11 | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE40  | 91      | 6405      | MCS0      | -                 | -      |
| Mode 12 | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE80  | 7       | 5985      | MCS0      | -                 | -      |
| Mode 13 | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE80  | 7       | 5985      | MCS0      | Partial RU 484/65 | -      |
| Mode 14 | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE80  | 55      | 6225      | MCS0      | -                 | -      |
| Mode 15 | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE80  | 87      | 6385      | MCS0      | -                 | -      |
| Mode 16 | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE160 | 15      | 6025      | MCS0      | -                 | -      |
| Mode 17 | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE160 | 15      | 6025      | MCS0      | Partial RU 996/67 | -      |
| Mode 18 | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE160 | 47      | 6185      | MCS0      | -                 | -      |
| Mode 19 | U-NII-5 | 5.925-6.425 | CDD 0+1 | 802.11ax HE160 | 79      | 6345      | MCS0      | -                 | -      |
| Mode 31 | U-NII-7 | 6.525-6.875 | CDD 0+1 | 802.11a        | 117     | 6535      | 6Mbps     | -                 | -      |
| Mode 32 | U-NII-7 | 6.525-6.875 | CDD 0+1 | 802.11a        | 149     | 6695      | 6Mbps     | -                 | -      |
| Mode 33 | U-NII-7 | 6.525-6.875 | CDD 0+1 | 802.11a        | 181     | 6855      | 6Mbps     | -                 | -      |
| Mode 34 | U-NII-7 | 6.525-6.875 | CDD 0+1 | 802.11ax HE20  | 117     | 6535      | MCS0      | -                 | -      |
| Mode 35 | U-NII-7 | 6.525-6.875 | CDD 0+1 | 802.11ax HE20  | 149     | 6695      | MCS0      | -                 | -      |
| Mode 36 | U-NII-7 | 6.525-6.875 | CDD 0+1 | 802.11ax HE20  | 181     | 6855      | MCS0      | -                 | -      |
| Mode 37 | U-NII-7 | 6.525-6.875 | CDD 0+1 | 802.11ax HE40  | 123     | 6565      | MCS0      | -                 | -      |
| Mode 38 | U-NII-7 | 6.525-6.875 | CDD 0+1 | 802.11ax HE40  | 147     | 6685      | MCS0      | -                 | -      |
| Mode 39 | U-NII-7 | 6.525-6.875 | CDD 0+1 | 802.11ax HE40  | 179     | 6845      | MCS0      | -                 | -      |
| Mode 40 | U-NII-7 | 6.525-6.875 | CDD 0+1 | 802.11ax HE80  | 135     | 6625      | MCS0      | -                 | -      |
| Mode 41 | U-NII-7 | 6.525-6.875 | CDD 0+1 | 802.11ax HE80  | 151     | 6705      | MCS0      | -                 | -      |
| Mode 42 | U-NII-7 | 6.525-6.875 | CDD 0+1 | 802.11ax HE80  | 167     | 6785      | MCS0      | -                 | -      |
| Mode 43 | U-NII-7 | 6.525-6.875 | CDD 0+1 | 802.11ax HE160 | 143     | 6665      | MCS0      | -                 | -      |



### Summary of each worse mode

| Mode | Modulation     | Ch. | Freq. (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Pol. | Peak Avg. | Result | Remark    |
|------|----------------|-----|-------------|----------------|----------------|-------------|------|-----------|--------|-----------|
| 1    | 802.11a        | 1   | 5923.41     | 47.85          | 68.20          | -20.35      | H    | AVERAGE   | Pass   | Band Edge |
| 1    | 802.11a        | 1   | 11910.22    | 44.79          | 74.00          | -29.21      | V    | PEAK      | Pass   | Harmonic  |
| 2    | 802.11a        | 49  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 2    | 802.11a        | 49  | 12390.00    | 45.79          | 74.00          | -28.21      | V    | PEAK      | Pass   | Harmonic  |
| 3    | 802.11a        | 93  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 3    | 802.11a        | 93  | 12830.00    | 45.54          | 88.20          | -42.66      | H    | PEAK      | Pass   | Harmonic  |
| 4    | 802.11ax HE20  | 1   | 5923.15     | 47.77          | 68.20          | -20.43      | H    | AVERAGE   | Pass   | Band Edge |
| 4    | 802.11ax HE20  | 1   | 11910.00    | 45.61          | 74.00          | -28.39      | V    | PEAK      | Pass   | Harmonic  |
| 5    | 802.11ax HE20  | 1   | 5923.80     | 49.52          | 68.20          | -18.68      | H    | AVERAGE   | Pass   | Band Edge |
| 5    | 802.11ax HE20  | 1   | -           | -              | -              | -           | -    | -         | -      | Harmonic  |
| 6    | 802.11ax HE20  | 49  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 6    | 802.11ax HE20  | 49  | 12390.00    | 45.82          | 74.00          | -28.18      | H    | PEAK      | Pass   | Harmonic  |
| 7    | 802.11ax HE20  | 93  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 7    | 802.11ax HE20  | 93  | 12830.00    | 46.29          | 88.20          | -41.91      | H    | PEAK      | Pass   | Harmonic  |
| 8    | 802.11ax HE40  | 3   | 5921.60     | 62.30          | 68.20          | -5.90       | H    | AVERAGE   | Pass   | Band Edge |
| 8    | 802.11ax HE40  | 3   | 11930.00    | 44.92          | 74.00          | -29.08      | H    | PEAK      | Pass   | Harmonic  |
| 9    | 802.11ax HE40  | 3   | 5922.86     | 61.08          | 68.20          | -7.12       | H    | AVERAGE   | Pass   | Band Edge |
| 9    | 802.11ax HE40  | 3   | -           | -              | -              | -           | -    | -         | -      | Harmonic  |
| 10   | 802.11ax HE40  | 51  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 10   | 802.11ax HE40  | 51  | 12410.00    | 45.42          | 74.00          | -28.58      | H    | PEAK      | Pass   | Harmonic  |
| 11   | 802.11ax HE40  | 91  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 11   | 802.11ax HE40  | 91  | 12810.00    | 45.15          | 88.20          | -43.05      | H    | PEAK      | Pass   | Harmonic  |
| 12   | 802.11ax HE80  | 7   | 5922.44     | 56.50          | 68.20          | -11.70      | H    | AVERAGE   | Pass   | Band Edge |
| 12   | 802.11ax HE80  | 7   | 11970.00    | 44.99          | 74.00          | -29.01      | H    | PEAK      | Pass   | Harmonic  |
| 13   | 802.11ax HE80  | 7   | 5924.84     | 63.63          | 68.20          | -4.57       | H    | AVERAGE   | Pass   | Band Edge |
| 13   | 802.11ax HE80  | 7   | -           | -              | -              | -           | -    | -         | -      | Harmonic  |
| 14   | 802.11ax HE80  | 55  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 14   | 802.11ax HE80  | 55  | 12450.00    | 44.73          | 74.00          | -29.27      | V    | PEAK      | Pass   | Harmonic  |
| 15   | 802.11ax HE80  | 87  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 15   | 802.11ax HE80  | 87  | 12770.00    | 45.44          | 88.20          | -42.76      | V    | PEAK      | Pass   | Harmonic  |
| 16   | 802.11ax HE160 | 15  | 5901.00     | 62.55          | 68.20          | -5.65       | H    | AVERAGE   | Pass   | Band Edge |
| 16   | 802.11ax HE160 | 15  | 12050.00    | 44.49          | 74.00          | -29.51      | V    | PEAK      | Pass   | Harmonic  |
| 17   | 802.11ax HE160 | 15  | 5892.60     | 83.84          | 88.20          | -4.36       | V    | PEAK      | Pass   | Band Edge |
| 17   | 802.11ax HE160 | 15  | -           | -              | -              | -           | -    | -         | -      | Harmonic  |
| 18   | 802.11ax HE160 | 47  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 18   | 802.11ax HE160 | 47  | 12370.00    | 45.03          | 74.00          | -28.97      | H    | PEAK      | Pass   | Harmonic  |
| 19   | 802.11ax HE160 | 79  | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 19   | 802.11ax HE160 | 79  | 12690.00    | 44.92          | 74.00          | -29.08      | H    | PEAK      | Pass   | Harmonic  |
| 31   | 802.11a        | 117 | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 31   | 802.11a        | 117 | 13070.00    | 46.54          | 88.20          | -41.66      | V    | PEAK      | Pass   | Harmonic  |
| 32   | 802.11a        | 149 | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 32   | 802.11a        | 149 | 13390.00    | 44.64          | 74.00          | -29.36      | V    | PEAK      | Pass   | Harmonic  |
| 33   | 802.11a        | 181 | -           | -              | -              | -           | -    | -         | -      | Band Edge |



| Mode | Modulation     | Ch. | Freq. (MHz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Pol. | Peak Avg. | Result | Remark    |
|------|----------------|-----|-------------|----------------|----------------|-------------|------|-----------|--------|-----------|
| 33   | 802.11a        | 181 | 13710.00    | 46.35          | 88.20          | -41.85      | V    | PEAK      | Pass   | Harmonic  |
| 34   | 802.11ax HE20  | 117 | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 34   | 802.11ax HE20  | 117 | 13070.00    | 45.73          | 88.20          | -42.47      | V    | PEAK      | Pass   | Harmonic  |
| 35   | 802.11ax HE20  | 149 | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 35   | 802.11ax HE20  | 149 | 13390.00    | 45.69          | 74.00          | -28.31      | V    | PEAK      | Pass   | Harmonic  |
| 36   | 802.11ax HE20  | 181 | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 36   | 802.11ax HE20  | 181 | 13710.00    | 46.82          | 88.20          | -41.38      | V    | PEAK      | Pass   | Harmonic  |
| 37   | 802.11ax HE40  | 123 | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 37   | 802.11ax HE40  | 123 | 13130.00    | 45.43          | 88.20          | -42.77      | H    | PEAK      | Pass   | Harmonic  |
| 38   | 802.11ax HE40  | 147 | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 38   | 802.11ax HE40  | 147 | 13370.00    | 44.87          | 74.00          | -29.13      | H    | PEAK      | Pass   | Harmonic  |
| 39   | 802.11ax HE40  | 179 | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 39   | 802.11ax HE40  | 179 | 13690.00    | 46.86          | 88.20          | -41.34      | H    | PEAK      | Pass   | Harmonic  |
| 40   | 802.11ax HE80  | 135 | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 40   | 802.11ax HE80  | 135 | 13250.00    | 44.99          | 74.00          | -29.01      | H    | PEAK      | Pass   | Harmonic  |
| 41   | 802.11ax HE80  | 151 | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 41   | 802.11ax HE80  | 151 | 13410.00    | 44.56          | 88.20          | -43.64      | H    | PEAK      | Pass   | Harmonic  |
| 42   | 802.11ax HE80  | 167 | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 42   | 802.11ax HE80  | 167 | 13570.00    | 47.39          | 88.20          | -40.81      | H    | PEAK      | Pass   | Harmonic  |
| 43   | 802.11ax HE160 | 143 | -           | -              | -              | -           | -    | -         | -      | Band Edge |
| 43   | 802.11ax HE160 | 143 | 13330.00    | 44.93          | 74.00          | -29.07      | H    | PEAK      | Pass   | Harmonic  |



|             | 1   |                    |              |             |        |        |       |        |      |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|-------------|---|--------------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|---------|-------------|--------------|-------------|--------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |              |             |        |        |       |        |      |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-5_5.925-6.425_802.11a_CH1_5955MHz</b>  |                    |              |             |        |        |       |        |      |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 0+1</b>  |                    |              |             |        |        |       |        |      |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Horizontal</b>   | <b>Fundamental</b> |              |             |        |        |       |        |      |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5870.24</td> <td>58.40</td> <td>88.20</td> <td>-29.80</td> <td>39.95</td> <td>34.98</td> <td>13.85</td> <td>30.38</td> <td>0.00</td> <td>100</td> <td>163</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5870.24 | 58.40 | 88.20 | -29.80 | 39.95 | 34.98 | 13.85 | 30.38 | 0.00 | 100 | 163 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>115.92</td> <td>-----</td> <td>-----</td> <td>97.49</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>100</td> <td>163</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 115.92 | ----- | ----- | 97.49 | 35.20 | 13.65 | 30.42 | 0.00 | 100 | 163 | PEAK    |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor | Factor |       |        |      |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5870.24   | 58.40              | 88.20        | -29.80      | 39.95  | 34.98  | 13.85 | 30.38  | 0.00 | 100    | 163  | PEAK    |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor | Factor |       |        |      |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5955.00   | 115.92             | -----        | -----       | 97.49  | 35.20  | 13.65 | 30.42  | 0.00 | 100    | 163  | PEAK    |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.41</td> <td>47.85</td> <td>68.20</td> <td>-20.35</td> <td>29.37</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>100</td> <td>163</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5923.41 | 47.85 | 68.20 | -20.35 | 29.37 | 35.15 | 13.73 | 30.40 | 0.00 | 100 | 163 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>106.64</td> <td>-----</td> <td>-----</td> <td>88.21</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>100</td> <td>163</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 106.64 | ----- | ----- | 88.21 | 35.20 | 13.65 | 30.42 | 0.00 | 100 | 163 | AVERAGE |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor | Factor |       |        |      |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5923.41   | 47.85              | 68.20        | -20.35      | 29.37  | 35.15  | 13.73 | 30.40  | 0.00 | 100    | 163  | AVERAGE |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor | Factor |       |        |      |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5955.00   | 106.64             | -----        | -----       | 88.21  | 35.20  | 13.65 | 30.42  | 0.00 | 100    | 163  | AVERAGE |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |



1

Mode

Band Edge

U-NII-5\_5.925-6.425\_802.11a\_CH1\_5955MHz

ANT



CDD 0+1

Pol.



Vertical

Fundamental

Peak



Avg





| Mode        | 1   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
|-------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|------------|
|             | Harmonic  |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
|             | U-NII-5_5.925-6.425_802.11a_CH1_5955MHz   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| ANT         | CDD 0+1   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Pol.        | Horizontal  | Vertical    |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11918.22</td> <td>43.29</td> <td>74.00</td> <td>-30.71</td> <td>50.21</td> <td>38.81</td> <td>19.21</td> <td>64.94</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos       | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 11918.22 | 43.29 | 74.00 | -30.71 | 50.21 | 38.81 | 19.21 | 64.94 | 0.00 | -- -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11918.22</td> <td>44.79</td> <td>74.00</td> <td>-29.21</td> <td>51.71</td> <td>38.81</td> <td>19.21</td> <td>64.94</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 11918.22 | 44.79 | 74.00 | -29.21 | 51.71 | 38.81 | 19.21 | 64.94 | 0.00 | -- -- PEAK |
|             | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark     |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| 1 11918.22  | 43.29   | 74.00       | -30.71       | 50.21       | 38.81  | 19.21  | 64.94 | 0.00   | -- -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| 1 11918.22  | 44.79   | 74.00       | -29.21       | 51.71       | 38.81  | 19.21  | 64.94 | 0.00   | -- -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |







| Mode       | 2  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|
|            | Harmonic   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |
|            | U-NII-5_5.925-6.425_802.11a_CH49_6195MHz   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |
| ANT        | CDD 0+1  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |
| Pol.       | Horizontal   | Vertical    |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12390.00</td> <td>45.38</td> <td>74.00</td> <td>-28.62</td> <td>51.78</td> <td>39.09</td> <td>19.43</td> <td>64.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12390.00 | 45.38 | 74.00 | -28.62 | 51.78 | 39.09 | 19.43 | 64.92 | 0.00 | -- | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12390.00</td> <td>45.79</td> <td>74.00</td> <td>-28.21</td> <td>52.19</td> <td>39.09</td> <td>19.43</td> <td>64.92</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 12390.00 | 45.79 | 74.00 | -28.21 | 52.19 | 39.09 | 19.43 | 64.92 | 0.00 | -- | -- | PEAK |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |
| 1 12390.00 | 45.38  | 74.00       | -28.62       | 51.78       | 39.09  | 19.43  | 64.92 | 0.00   | --   | --     | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     | cm   | deg    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |
| 1 12390.00 | 45.79  | 74.00       | -28.21       | 52.19       | 39.09  | 19.43  | 64.92 | 0.00   | --   | --     | PEAK |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |    |      |







| Mode       | 3  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
|            | Harmonic   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
|            | U-NII-5_5.925-6.425_802.11a_CH93_6415MHz   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| ANT        | CDD 0+1  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Pol.       | Horizontal   | Vertical    |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>45.54</td> <td>88.20</td> <td>-42.66</td> <td>51.08</td> <td>39.30</td> <td>19.80</td> <td>64.64</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12830.00 | 45.54 | 88.20 | -42.66 | 51.08 | 39.30 | 19.80 | 64.64 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>44.80</td> <td>88.20</td> <td>-43.40</td> <td>50.34</td> <td>39.30</td> <td>19.80</td> <td>64.64</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12830.00 | 44.80 | 88.20 | -43.40 | 50.34 | 39.30 | 19.80 | 64.64 | 0.00 | -- | PEAK |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| 1 12830.00 | 45.54  | 88.20       | -42.66       | 51.08       | 39.30  | 19.80  | 64.64 | 0.00   | --   | PEAK   |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| 1 12830.00 | 44.80  | 88.20       | -43.40       | 50.34       | 39.30  | 19.80  | 64.64 | 0.00   | --   | PEAK   |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |





| Mode  | 4  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|-------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
|       | Band Edge  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 0+1  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Horizontal   | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Peak  |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5825 5851 5877 5903 5929 5955</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.17</td> <td>59.39</td> <td>88.20</td> <td>-28.81</td> <td>40.91</td> <td>35.13</td> <td>13.75</td> <td>30.40</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5917.17 | 59.39 | 88.20 | -28.81 | 40.91 | 35.13 | 13.75 | 30.40 | 0.00 | 100 | 178 | PEAK    |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2000 4000 6400 8200 10000</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>116.95</td> <td>-----</td> <td>-----</td> <td>98.52</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>100</td> <td>178</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 116.95 | ----- | ----- | 98.52 | 35.20 | 13.65 | 30.42 | 0.00 | 100 | 178 | PEAK    |
|       | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5917.17  | 59.39       | 88.20        | -28.81      | 40.91  | 35.13  | 13.75 | 30.40  | 0.00   | 100    | 178  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5955.00  | 116.95      | -----        | -----       | 98.52  | 35.20  | 13.65 | 30.42  | 0.00   | 100    | 178  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Avg   |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5825 5851 5877 5903 5929 5955</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.15</td> <td>47.77</td> <td>68.20</td> <td>-20.43</td> <td>29.29</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>100</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5923.15 | 47.77 | 68.20 | -20.43 | 29.29 | 35.15 | 13.73 | 30.40 | 0.00 | 100 | 178 | AVERAGE |  <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2000 4000 6400 8200 10000</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>105.61</td> <td>-----</td> <td>-----</td> <td>87.18</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>100</td> <td>178</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 105.61 | ----- | ----- | 87.18 | 35.20 | 13.65 | 30.42 | 0.00 | 100 | 178 | AVERAGE |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5923.15  | 47.77       | 68.20        | -20.43      | 29.29  | 35.15  | 13.73 | 30.40  | 0.00   | 100    | 178  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5955.00  | 105.61      | -----        | -----       | 87.18  | 35.20  | 13.65 | 30.42  | 0.00   | 100    | 178  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |







|             |   | <b>4</b>   |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|-------------|---|--|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> |   | <b>Band Edge</b>                                     |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|             |   | <b>U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz</b> |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  |   | <b>CDD 0+1</b>                                       |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b>                                   |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Peak. A red horizontal line indicates the WiFi 6E (Peak) limit at approximately 97.5 dBuV/m. A blue peak is visible at 5924.76 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5844.76</td> <td>57.39</td> <td>88.20</td> <td>-30.81</td> <td>38.92</td> <td>34.89</td> <td>13.90</td> <td>30.32</td> <td>0.00</td> <td>100</td> <td>221</td> <td>PEAK</td> </tr> </tbody> </table>       | Limit  | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5844.76 | 57.39 | 88.20 | -30.81 | 38.92 | 34.89 | 13.90 | 30.32 | 0.00 | 100 | 221 | PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. A red horizontal line indicates the WiFi 6E (Peak) limit at approximately 97.5 dBuV/m. A blue peak is visible at 5955.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>112.94</td> <td>-----</td> <td>-----</td> <td>94.51</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>100</td> <td>221</td> <td>PEAK</td> </tr> </tbody> </table>       | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 112.94 | ----- | ----- | 94.51 | 35.20 | 13.65 | 30.42 | 0.00 | 100 | 221 | PEAK    |
|             | Limit   | Read   | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin  | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5844.76   | 57.39  | 88.20        | -30.81      | 38.92  | 34.89  | 13.90 | 30.32  | 0.00   | 100    | 221  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant  | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin  | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5955.00   | 112.94   | -----        | -----       | 94.51  | 35.20  | 13.65 | 30.42  | 0.00   | 100    | 221  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Average. A red horizontal line indicates the WiFi 6E (AVG) limit at approximately 65.0 dBuV/m. A blue peak is visible at 5924.71 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.71</td> <td>46.36</td> <td>68.20</td> <td>-21.84</td> <td>27.89</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>100</td> <td>221</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.71 | 46.36 | 68.20 | -21.84 | 27.89 | 35.15 | 13.73 | 30.41 | 0.00 | 100 | 221 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Average. A red horizontal line indicates the WiFi 6E (AVG) limit at approximately 65.0 dBuV/m. A blue peak is visible at 5955.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>102.54</td> <td>-----</td> <td>-----</td> <td>84.11</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>100</td> <td>221</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5955.00 | 102.54 | ----- | ----- | 84.11 | 35.20 | 13.65 | 30.42 | 0.00 | 100 | 221 | AVERAGE |
|             | Limit   | Read   | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin  | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5924.71   | 46.36  | 68.20        | -21.84      | 27.89  | 35.15  | 13.73 | 30.41  | 0.00   | 100    | 221  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant  | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin  | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m   | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5955.00   | 102.54   | -----        | -----       | 84.11  | 35.20  | 13.65 | 30.42  | 0.00   | 100    | 221  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |







| Mode        | 4   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
|-------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|------------|
|             | Harmonic  |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
|             | U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| ANT         | CDD 0+1   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Pol.        | Horizontal  | Vertical    |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>45.28</td> <td>74.00</td> <td>-28.72</td> <td>52.20</td> <td>38.81</td> <td>19.21</td> <td>64.94</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos       | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 11910.00 | 45.28 | 74.00 | -28.72 | 52.20 | 38.81 | 19.21 | 64.94 | 0.00 | -- -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>45.61</td> <td>74.00</td> <td>-28.39</td> <td>52.53</td> <td>38.81</td> <td>19.21</td> <td>64.94</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 11910.00 | 45.61 | 74.00 | -28.39 | 52.53 | 38.81 | 19.21 | 64.94 | 0.00 | -- -- PEAK |
|             | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark     |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| 1 11910.00  | 45.28   | 74.00       | -28.72       | 52.20       | 38.81  | 19.21  | 64.94 | 0.00   | -- -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| 1 11910.00  | 45.61   | 74.00       | -28.39       | 52.53       | 38.81  | 19.21  | 64.94 | 0.00   | -- -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
|             |   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |



| Mode  | 5   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
|-------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----|---------|---------|-------|--------|--------|-------|-------|-------|-------|------|-----|------|---|---|-------|------|-------|--------|--------|------|------|--------|--------|-------|-------------|--------------|--------------|-------------|--------|--|--|-----|--------|--------|--------|------|------|------|----|----|----|-----|-----|---------|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|------|---------|
|       | Band Edge   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
|       | U-NII-5_5.925-6.425_802.11ax HE20_CH1_106/53_5955MHz  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| ANT   | CDD 0+1   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| Pol.  | Horizontal  | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| Peak  |  <table border="1" data-bbox="263 1108 774 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5911.97</td> <td>64.16</td> <td>88.20</td> <td>-24.04</td> <td>45.68</td> <td>35.12</td> <td>13.76</td> <td>30.40</td> <td>0.00</td> <td>246</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table>                 | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1   | 5911.97 | 64.16   | 88.20 | -24.04 | 45.68  | 35.12 | 13.76 | 30.40 | 0.00  | 246  | 180 | PEAK |  <table border="1" data-bbox="901 1108 1412 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>114.50</td> <td>-----</td> <td>-----</td> <td>96.07</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>246</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table> | Limit   | Read  | Ant  | Cable | Preamp | Aux    | APos | TPos | Remark | Freq   | Level | Line Margin | Level Factor | Loss Factor  | Factor      |        |  |  | MHz | dBuV/m | dBuV/m | dB     | dBuV | dB/m | dB   | dB | dB | cm | deg | 1   | 5955.00 | 114.50  | -----  | ----- | 96.07 | 35.20 | 13.65 | 30.42 | 0.00  | 246  | 180 | PEAK |         |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| 1     | 5911.97   | 64.16       | 88.20        | -24.04      | 45.68  | 35.12  | 13.76 | 30.40  | 0.00   | 246    | 180  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     | cm     | deg    |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| 1     | 5955.00   | 114.50      | -----        | -----       | 96.07  | 35.20  | 13.65 | 30.42  | 0.00   | 246    | 180  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| Avg   |  <table border="1" data-bbox="263 1792 774 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.00</td> <td>49.52</td> <td>68.20</td> <td>-18.68</td> <td>31.04</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>246</td> <td>180</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm  | deg | 1       | 5923.00 | 49.52 | 68.20  | -18.68 | 31.04 | 35.15 | 13.73 | 30.40 | 0.00 | 246 | 180  | AVERAGE   |  <table border="1" data-bbox="901 1792 1412 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>105.60</td> <td>-----</td> <td>-----</td> <td>87.17</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>246</td> <td>180</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant   | Cable  | Preamp | Aux  | APos | TPos   | Remark | Freq  | Level       | Line Margin  | Level Factor | Loss Factor | Factor |  |  |     | MHz    | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB | dB | dB | cm  | deg | 1       | 5955.00 | 105.60 | ----- | ----- | 87.17 | 35.20 | 13.65 | 30.42 | 0.00 | 246 | 180  | AVERAGE |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     | cm     | deg    |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| 1     | 5923.00   | 49.52       | 68.20        | -18.68      | 31.04  | 35.15  | 13.73 | 30.40  | 0.00   | 246    | 180  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     | cm     | deg    |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |
| 1     | 5955.00   | 105.60      | -----        | -----       | 87.17  | 35.20  | 13.65 | 30.42  | 0.00   | 246    | 180  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |     |         |         |       |        |        |       |       |       |       |      |     |      |   |   |       |      |       |        |        |      |      |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |    |     |     |         |         |        |       |       |       |       |       |       |      |     |      |         |



|             | 5  |                    |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
|-------------|--|--------------------|--------------|-------------|--------|--------|-------|--------|-----------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|--------|-------|-------|-------|-------|------|-----------------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|--------|-------|-------|-------|-------|-------|-------|------|-----------------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE20_CH1_106/53_5955MHz</b>  |                    |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| <b>ANT</b>  | <b>CDD 0+1</b>   |                    |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5825 to 5955 MHz. A red horizontal line indicates the limit at approximately 81.3 dBuV/m. A peak is labeled 'WiFi 6E(Peak)' at approximately 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5922.24</td> <td>58.35</td> <td>88.20</td> <td>-29.85</td> <td>39.88</td> <td>35.14</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>119 176 PEAK</td> </tr> </tbody> </table>    | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos            | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5922.24 | 58.35 | 88.20 | -29.85 | 39.88 | 35.14 | 13.73 | 30.40 | 0.00 | 119 176 PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 10000 MHz. A red horizontal line indicates the limit at approximately 81.3 dBuV/m. A peak is labeled 'WiFi 6E(Peak)' at approximately 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>108.50</td> <td>-----</td> <td>-----</td> <td>90.07</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>119 176 PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5955.00 | 108.50 | ----- | ----- | 90.07 | 35.20 | 13.65 | 30.42 | 0.00 | 119 176 PEAK    |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| 1 5922.24   | 58.35  | 88.20              | -29.85       | 39.88       | 35.14  | 13.73  | 30.40 | 0.00   | 119 176 PEAK    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| 1 5955.00   | 108.50   | -----              | -----        | 90.07       | 35.20  | 13.65  | 30.42 | 0.00   | 119 176 PEAK    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5825 to 5955 MHz. A red horizontal line indicates the limit at approximately 65.0 dBuV/m. A peak is labeled 'WiFi 6E(AVG)' at approximately 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5924.84</td> <td>47.74</td> <td>68.20</td> <td>-20.46</td> <td>29.27</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>119 176 AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos            | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5924.84 | 47.74 | 68.20 | -20.46 | 29.27 | 35.15 | 13.73 | 30.41 | 0.00 | 119 176 AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 10000 MHz. A red horizontal line indicates the limit at approximately 65.0 dBuV/m. A peak is labeled 'WiFi 6E(AVG)' at approximately 5955 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>99.59</td> <td>-----</td> <td>-----</td> <td>81.16</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>119 176 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5955.00 | 99.59  | ----- | ----- | 81.16 | 35.20 | 13.65 | 30.42 | 0.00 | 119 176 AVERAGE |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| 1 5924.84   | 47.74  | 68.20              | -20.46       | 29.27       | 35.15  | 13.73  | 30.41 | 0.00   | 119 176 AVERAGE |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| 1 5955.00   | 99.59  | -----              | -----        | 81.16       | 35.20  | 13.65  | 30.42 | 0.00   | 119 176 AVERAGE |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |        |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |







| Mode       | 6   |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
|------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------|---------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|
|            | Harmonic  |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
|            | U-NII-5_5.925-6.425_802.11ax HE20_CH49_6195MHz  |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| ANT        | CDD 0+1   |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Pol.       | Horizontal  | Vertical    |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12390.00</td> <td>45.82</td> <td>74.00</td> <td>-28.18</td> <td>52.22</td> <td>39.09</td> <td>19.43</td> <td>64.92</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark  | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12390.00 | 45.82 | 74.00 | -28.18 | 52.22 | 39.09 | 19.43 | 64.92 | 0.00 | -- | -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12390.00</td> <td>45.24</td> <td>74.00</td> <td>-28.76</td> <td>51.64</td> <td>39.09</td> <td>19.43</td> <td>64.92</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12390.00 | 45.24 | 74.00 | -28.76 | 51.64 | 39.09 | 19.43 | 64.92 | 0.00 | -- | -- PEAK |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| 1 12390.00 | 45.82   | 74.00       | -28.18       | 52.22       | 39.09  | 19.43  | 64.92 | 0.00   | --   | -- PEAK |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| 1 12390.00 | 45.24   | 74.00       | -28.76       | 51.64       | 39.09  | 19.43  | 64.92 | 0.00   | --   | -- PEAK |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |







| Mode       | 7  |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|------------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|------------|
|            | Harmonic   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |
|            | U-NII-5_5.925-6.425_802.11ax HE20_CH93_6415MHz   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |
| ANT        | CDD 0+1  |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |
| Pol.       | Horizontal   | Vertical    |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>46.29</td> <td>88.20</td> <td>-41.91</td> <td>51.83</td> <td>39.30</td> <td>19.80</td> <td>64.64</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos       | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12830.00 | 46.29 | 88.20 | -41.91 | 51.83 | 39.30 | 19.80 | 64.64 | 0.00 | -- -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>45.24</td> <td>88.20</td> <td>-42.96</td> <td>50.78</td> <td>39.30</td> <td>19.80</td> <td>64.64</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12830.00 | 45.24 | 88.20 | -42.96 | 50.78 | 39.30 | 19.80 | 64.64 | 0.00 | -- -- PEAK |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |
| 1 12830.00 | 46.29  | 88.20       | -41.91       | 51.83       | 39.30  | 19.80  | 64.64 | 0.00   | -- -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |
| 1 12830.00 | 45.24  | 88.20       | -42.96       | 50.78       | 39.30  | 19.80  | 64.64 | 0.00   | -- -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |            |



|             | <b>8</b>   |                    |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
|-------------|--|--------------------|--------------|-------------|--------|--------|-------|--------|-----------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|-----------------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|--------|-------|-------|-------|-------|-------|-------|------|-----------------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz</b>   |                    |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| <b>ANT</b>  | <b>CDD 0+1</b>   |                    |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| <b>Pol.</b> | <b>Horizontal</b>  | <b>Fundamental</b> |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5825 to 5965 MHz. A red horizontal line indicates the limit at approximately 81.3 dBuV/m. A peak is labeled 'Wifi 6E(Peak)' at approximately 5965 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5922.58</td> <td>78.81</td> <td>88.20</td> <td>-9.39</td> <td>60.33</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>109 178 PEAK</td> </tr> </tbody> </table>             | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos            | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5922.58 | 78.81 | 88.20 | -9.39 | 60.33 | 35.15 | 13.73 | 30.40 | 0.00 | 109 178 PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 10000 MHz. A red horizontal line indicates the limit at approximately 81.3 dBuV/m. A peak is labeled 'Wifi 6E(Peak)' at approximately 5965 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5965.00</td> <td>115.84</td> <td>-----</td> <td>-----</td> <td>97.42</td> <td>35.22</td> <td>13.62</td> <td>30.42</td> <td>0.00</td> <td>109 178 PEAK</td> </tr> </tbody> </table>             | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5965.00 | 115.84 | ----- | ----- | 97.42 | 35.22 | 13.62 | 30.42 | 0.00 | 109 178 PEAK    |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| 1 5922.58   | 78.81  | 88.20              | -9.39        | 60.33       | 35.15  | 13.73  | 30.40 | 0.00   | 109 178 PEAK    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| 1 5965.00   | 115.84   | -----              | -----        | 97.42       | 35.22  | 13.62  | 30.42 | 0.00   | 109 178 PEAK    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization, Average. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5825 to 5965 MHz. A red horizontal line indicates the limit at approximately 65.0 dBuV/m. A peak is labeled 'Wifi 6E(AVG)' at approximately 5965 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5921.60</td> <td>62.30</td> <td>68.20</td> <td>-5.90</td> <td>43.82</td> <td>35.14</td> <td>13.74</td> <td>30.40</td> <td>0.00</td> <td>109 178 AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos            | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5921.60 | 62.30 | 68.20 | -5.90 | 43.82 | 35.14 | 13.74 | 30.40 | 0.00 | 109 178 AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization, Average. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 10000 MHz. A red horizontal line indicates the limit at approximately 65.0 dBuV/m. A peak is labeled 'Wifi 6E(AVG)' at approximately 5965 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5965.00</td> <td>105.83</td> <td>-----</td> <td>-----</td> <td>87.41</td> <td>35.22</td> <td>13.62</td> <td>30.42</td> <td>0.00</td> <td>109 178 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5965.00 | 105.83 | ----- | ----- | 87.41 | 35.22 | 13.62 | 30.42 | 0.00 | 109 178 AVERAGE |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| 1 5921.60   | 62.30  | 68.20              | -5.90        | 43.82       | 35.14  | 13.74  | 30.40 | 0.00   | 109 178 AVERAGE |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |
| 1 5965.00   | 105.83   | -----              | -----        | 87.41       | 35.22  | 13.62  | 30.42 | 0.00   | 109 178 AVERAGE |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |                 |





|             |  | <b>8</b>           |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|-------------|--|--------------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 0+1</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>  | <b>Fundamental</b> |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Peak at 5965 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.00</td> <td>72.81</td> <td>88.20</td> <td>-15.39</td> <td>54.33</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> </tbody> </table>          | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5923.00 | 72.81 | 88.20 | -15.39 | 54.33 | 35.15 | 13.73 | 30.40 | 0.00 | 100 | 222 | PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Peak at 5965 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>111.55</td> <td>-----</td> <td>-----</td> <td>93.13</td> <td>35.22</td> <td>13.62</td> <td>30.42</td> <td>0.00</td> <td>100</td> <td>222</td> <td>PEAK</td> </tr> </tbody> </table>           | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5965.00 | 111.55 | ----- | ----- | 93.13 | 35.22 | 13.62 | 30.42 | 0.00 | 100 | 222 | PEAK    |
|             | Limit  | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5923.00  | 72.81              | 88.20        | -15.39      | 54.33  | 35.15  | 13.73 | 30.40  | 0.00   | 100    | 222  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5965.00  | 111.55             | -----        | -----       | 93.13  | 35.22  | 13.62 | 30.42  | 0.00   | 100    | 222  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Average at 5924.96 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.96</td> <td>60.31</td> <td>68.20</td> <td>-7.89</td> <td>41.84</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>100</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.96 | 60.31 | 68.20 | -7.89  | 41.84 | 35.15 | 13.73 | 30.41 | 0.00 | 100 | 222 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Average at 5965.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>102.21</td> <td>-----</td> <td>-----</td> <td>83.80</td> <td>35.24</td> <td>13.60</td> <td>30.43</td> <td>0.00</td> <td>100</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5965.00 | 102.21 | ----- | ----- | 83.80 | 35.24 | 13.60 | 30.43 | 0.00 | 100 | 222 | AVERAGE |
|             | Limit  | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5924.96  | 60.31              | 68.20        | -7.89       | 41.84  | 35.15  | 13.73 | 30.41  | 0.00   | 100    | 222  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read   | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level  | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m   | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5965.00  | 102.21             | -----        | -----       | 83.80  | 35.24  | 13.60 | 30.43  | 0.00   | 100    | 222  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |







| Mode       | 8   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
|------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|------------|
|            | Harmonic  |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
|            | U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| ANT        | CDD 0+1   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Pol.       | Horizontal  | Vertical    |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11930.00</td> <td>44.92</td> <td>74.00</td> <td>-29.08</td> <td>51.95</td> <td>38.83</td> <td>19.13</td> <td>64.99</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos       | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 11930.00 | 44.92 | 74.00 | -29.08 | 51.95 | 38.83 | 19.13 | 64.99 | 0.00 | -- -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11930.00</td> <td>44.81</td> <td>74.00</td> <td>-29.19</td> <td>51.84</td> <td>38.83</td> <td>19.13</td> <td>64.99</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 11930.00 | 44.81 | 74.00 | -29.19 | 51.84 | 38.83 | 19.13 | 64.99 | 0.00 | -- -- PEAK |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| 1 11930.00 | 44.92   | 74.00       | -29.08       | 51.95       | 38.83  | 19.13  | 64.99 | 0.00   | -- -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| 1 11930.00 | 44.81   | 74.00       | -29.19       | 51.84       | 38.83  | 19.13  | 64.99 | 0.00   | -- -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |



| <b>9</b>  |  |             |              |             |        |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
|---|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|-------|-------------|--------------|--------------|-------------|--------|--|--|-----|--------|--------|--------|------|------|------|----|----|-----|-----|---------|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|---------|---------|
| <b>Mode</b>   | <b>Band Edge</b>   |             |              |             |        |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| <b>U-NII-5_5.925-6.425_802.11ax HE40_CH3_242/61_5965MHz</b>   |  |             |              |             |        |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| <b>ANT</b>  | <b>CDD 0+1</b>   |             |              |             |        |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| <b>Pol.</b>   | <b>Horizontal</b>  |             |              |             |        |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| <b>Peak</b>   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5913.20</td> <td>80.04</td> <td>88.20</td> <td>-8.16</td> <td>61.55</td> <td>35.13</td> <td>13.76</td> <td>30.40</td> <td>0.00</td> <td>214</td> <td>174</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq  | Level       | Line Margin  | Level Factor | Loss Factor | Factor |  |  |     | MHz    | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB | dB | cm  | deg | 1       | 5913.20 | 80.04 | 88.20 | -8.16 | 61.55 | 35.13 | 13.76 | 30.40 | 0.00 | 214 | 174     | PEAK    |
|   | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| 1   | 5913.20  | 80.04       | 88.20        | -8.16       | 61.55  | 35.13  | 13.76 | 30.40  | 0.00   | 214    | 174   | PEAK        |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>114.52</td> <td>-----</td> <td>-----</td> <td>96.09</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>214</td> <td>174</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark | Freq   | Level | Line Margin | Level Factor | Loss Factor  | Factor      |        |  |  | MHz | dBuV/m | dBuV/m | dB     | dBuV | dB/m | dB   | dB | cm | deg | 1   | 5965.00 | 114.52  | ----- | ----- | 96.09 | 35.20 | 13.65 | 30.42 | 0.00  | 214  | 174 | PEAK    |         |
| Limit   | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| 1   | 5965.00  | 114.52      | -----        | -----       | 96.09  | 35.20  | 13.65 | 30.42  | 0.00   | 214    | 174   | PEAK        |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| <b>Avg</b>  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.86</td> <td>61.08</td> <td>68.20</td> <td>-7.12</td> <td>42.60</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>214</td> <td>174</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq  | Level       | Line Margin  | Level Factor | Loss Factor | Factor |  |  |     | MHz    | dBuV/m | dBuV/m | dB   | dBuV | dB/m | dB | dB | cm  | deg | 1       | 5922.86 | 61.08 | 68.20 | -7.12 | 42.60 | 35.15 | 13.73 | 30.40 | 0.00 | 214 | 174     | AVERAGE |
|   | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| 1   | 5922.86  | 61.08       | 68.20        | -7.12       | 42.60  | 35.15  | 13.73 | 30.40  | 0.00   | 214    | 174   | AVERAGE     |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>104.44</td> <td>-----</td> <td>-----</td> <td>86.01</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>214</td> <td>174</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark | Freq   | Level | Line Margin | Level Factor | Loss Factor  | Factor      |        |  |  | MHz | dBuV/m | dBuV/m | dB     | dBuV | dB/m | dB   | dB | cm | deg | 1   | 5965.00 | 104.44  | ----- | ----- | 86.01 | 35.20 | 13.65 | 30.42 | 0.00  | 214  | 174 | AVERAGE |         |
| Limit   | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |       |             |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |
| 1   | 5965.00  | 104.44      | -----        | -----       | 86.01  | 35.20  | 13.65 | 30.42  | 0.00   | 214    | 174   | AVERAGE     |              |              |             |        |  |  |     |        |        |        |      |      |      |    |    |     |     |         |         |       |       |       |       |       |       |       |      |     |         |         |



|             |   | <b>9</b>           |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|-------------|---|--------------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE40_CH3_242/61_5965MHz</b>   |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>ANT</b>  | <b>CDD 0+1</b>  |                    |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a blue signal line and a red limit line at approximately 97.5 dBuV/m. A peak is labeled 'WiFi 6E(Peak)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.12</td> <td>73.10</td> <td>88.20</td> <td>-15.10</td> <td>54.62</td> <td>35.15</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>100</td> <td>170</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.12 | 73.10 | 88.20 | -15.10 | 54.62 | 35.15 | 13.73 | 30.40 | 0.00 | 100 | 170 | PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue signal line and a red limit line at approximately 97.5 dBuV/m. A peak is labeled 'WiFi 6E(Peak)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>108.58</td> <td>-----</td> <td>-----</td> <td>90.15</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>100</td> <td>170</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5965.00 | 108.58 | ----- | ----- | 90.15 | 35.20 | 13.65 | 30.42 | 0.00 | 100 | 170 | PEAK    |
|             | Limit   | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5924.12   | 73.10              | 88.20        | -15.10      | 54.62  | 35.15  | 13.73 | 30.40  | 0.00   | 100    | 170  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5965.00   | 108.58             | -----        | -----       | 90.15  | 35.20  | 13.65 | 30.42  | 0.00   | 100    | 170  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a blue signal line and a red limit line at approximately 65.0 dBuV/m. A peak is labeled 'WiFi 6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5916.70</td> <td>55.78</td> <td>68.20</td> <td>-12.42</td> <td>37.30</td> <td>35.13</td> <td>13.75</td> <td>30.40</td> <td>0.00</td> <td>100</td> <td>170</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5916.70 | 55.78 | 68.20 | -12.42 | 37.30 | 35.13 | 13.75 | 30.40 | 0.00 | 100 | 170 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a blue signal line and a red limit line at approximately 65.0 dBuV/m. A peak is labeled 'WiFi 6E(AVG)'.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5965.00</td> <td>98.53</td> <td>-----</td> <td>-----</td> <td>80.10</td> <td>35.22</td> <td>13.63</td> <td>30.42</td> <td>0.00</td> <td>100</td> <td>170</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5965.00 | 98.53  | ----- | ----- | 80.10 | 35.22 | 13.63 | 30.42 | 0.00 | 100 | 170 | AVERAGE |
|             | Limit   | Read               | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5916.70   | 55.78              | 68.20        | -12.42      | 37.30  | 35.13  | 13.75 | 30.40  | 0.00   | 100    | 170  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1           | 5965.00   | 98.53              | -----        | -----       | 80.10  | 35.22  | 13.63 | 30.42  | 0.00   | 100    | 170  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |



| Mode       | 10   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
|            | Harmonic   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
|            | U-NII-5_5.925-6.425_802.11ax HE40_CH51_6205MHz   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| ANT        | CDD 0+1  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Pol.       | Horizontal   | Vertical    |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12410.00</td> <td>45.42</td> <td>74.00</td> <td>-28.58</td> <td>51.84</td> <td>39.01</td> <td>19.48</td> <td>64.91</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12410.00 | 45.42 | 74.00 | -28.58 | 51.84 | 39.01 | 19.48 | 64.91 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12410.00</td> <td>44.50</td> <td>74.00</td> <td>-29.50</td> <td>50.92</td> <td>39.01</td> <td>19.48</td> <td>64.91</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12410.00 | 44.50 | 74.00 | -29.50 | 50.92 | 39.01 | 19.48 | 64.91 | 0.00 | -- | PEAK |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| 1 12410.00 | 45.42  | 74.00       | -28.58       | 51.84       | 39.01  | 19.48  | 64.91 | 0.00   | --   | PEAK   |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| 1 12410.00 | 44.50  | 74.00       | -29.50       | 50.92       | 39.01  | 19.48  | 64.91 | 0.00   | --   | PEAK   |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |







| Mode       | 11   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
|            | Harmonic   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
|            | U-NII-5_5.925-6.425_802.11ax HE40_CH91_6405MHz   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| ANT        | CDD 0+1  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Pol.       | Horizontal   | Vertical    |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>45.15</td> <td>88.20</td> <td>-43.05</td> <td>50.79</td> <td>39.30</td> <td>19.71</td> <td>64.65</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12810.00 | 45.15 | 88.20 | -43.05 | 50.79 | 39.30 | 19.71 | 64.65 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>44.86</td> <td>88.20</td> <td>-43.34</td> <td>50.50</td> <td>39.30</td> <td>19.71</td> <td>64.65</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 12810.00 | 44.86 | 88.20 | -43.34 | 50.50 | 39.30 | 19.71 | 64.65 | 0.00 | -- | PEAK |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| 1 12810.00 | 45.15  | 88.20       | -43.05       | 50.79       | 39.30  | 19.71  | 64.65 | 0.00   | --   | PEAK   |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     | cm   | deg    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| 1 12810.00 | 44.86  | 88.20       | -43.34       | 50.50       | 39.30  | 19.71  | 64.65 | 0.00   | --   | PEAK   |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |



|       | 12  |             |              |             |        |        |        |        |        |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|-------|---|-------------|--------------|-------------|--------|--------|--------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--------|--------|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode  | Band Edge   |             |              |             |        |        |        |        |        |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-5_5.925-6.425_802.11ax HE80_CH7_5985MHz   |             |              |             |        |        |        |        |        |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 0+1   |             |              |             |        |        |        |        |        |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |              |             |        |        |        |        |        |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5911.56</td> <td>73.02</td> <td>88.20</td> <td>-15.18</td> <td>54.53</td> <td>35.12</td> <td>13.77</td> <td>30.40</td> <td>0.00</td> <td>106</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5911.56 | 73.02 | 88.20 | -15.18 | 54.53 | 35.12 | 13.77 | 30.40 | 0.00 | 106 | 179 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>112.49</td> <td>-----</td> <td>-----</td> <td>94.10</td> <td>35.25</td> <td>13.57</td> <td>30.43</td> <td>0.00</td> <td>106</td> <td>179</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5985.00 | 112.49 | ----- | ----- | 94.10 | 35.25 | 13.57 | 30.43 | 0.00 | 106 | 179 | PEAK    |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |        |        |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg    |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5911.56   | 73.02       | 88.20        | -15.18      | 54.53  | 35.12  | 13.77  | 30.40  | 0.00   | 106    | 179  | PEAK    |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   | Remark |        |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |        |        |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg    |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5985.00   | 112.49      | -----        | -----       | 94.10  | 35.25  | 13.57  | 30.43  | 0.00   | 106    | 179  | PEAK    |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.44</td> <td>56.50</td> <td>68.20</td> <td>-11.70</td> <td>38.03</td> <td>35.14</td> <td>13.73</td> <td>30.40</td> <td>0.00</td> <td>106</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux    | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5922.44 | 56.50 | 68.20 | -11.70 | 38.03 | 35.14 | 13.73 | 30.40 | 0.00 | 106 | 179 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>102.83</td> <td>-----</td> <td>-----</td> <td>84.45</td> <td>35.27</td> <td>13.55</td> <td>30.44</td> <td>0.00</td> <td>106</td> <td>179</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5985.00 | 102.83 | ----- | ----- | 84.45 | 35.27 | 13.55 | 30.44 | 0.00 | 106 | 179 | AVERAGE |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos   | TPos   | Remark |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |        |        |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg    |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5922.44   | 56.50       | 68.20        | -11.70      | 38.03  | 35.14  | 13.73  | 30.40  | 0.00   | 106    | 179  | AVERAGE |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos   | Remark |        |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor | Factor |        |        |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB     | cm     | deg    |        |      |         |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5985.00   | 102.83      | -----        | -----       | 84.45  | 35.27  | 13.55  | 30.44  | 0.00   | 106    | 179  | AVERAGE |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |        |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |







|       | 12  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|-------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode  | Band Edge   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-5_5.925-6.425_802.11ax HE80_CH7_5985MHz   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 0+1   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Vertical  | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Peak  |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Peak at 5985.16 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.16</td> <td>65.43</td> <td>88.20</td> <td>-22.77</td> <td>46.95</td> <td>35.04</td> <td>13.83</td> <td>30.39</td> <td>0.00</td> <td>119</td> <td>221</td> <td>PEAK</td> </tr> </tbody> </table>        | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5985.16 | 65.43 | 88.20 | -22.77 | 46.95 | 35.04 | 13.83 | 30.39 | 0.00 | 119 | 221 | PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Peak at 5985.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>110.01</td> <td>-----</td> <td>-----</td> <td>91.63</td> <td>35.27</td> <td>13.55</td> <td>30.44</td> <td>0.00</td> <td>119</td> <td>221</td> <td>PEAK</td> </tr> </tbody> </table>       | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5985.00 | 110.01 | ----- | ----- | 91.63 | 35.27 | 13.55 | 30.44 | 0.00 | 119 | 221 | PEAK    |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5985.16   | 65.43       | 88.20        | -22.77      | 46.95  | 35.04  | 13.83 | 30.39  | 0.00   | 119    | 221  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5985.00   | 110.01      | -----        | -----       | 91.63  | 35.27  | 13.55 | 30.44  | 0.00   | 119    | 221  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Avg   |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Average at 5924.84 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.84</td> <td>54.55</td> <td>68.20</td> <td>-13.65</td> <td>36.08</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>119</td> <td>221</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.84 | 54.55 | 68.20 | -13.65 | 36.08 | 35.15 | 13.73 | 30.41 | 0.00 | 119 | 221 | AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Average at 5985.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>99.40</td> <td>-----</td> <td>-----</td> <td>81.02</td> <td>35.27</td> <td>13.55</td> <td>30.44</td> <td>0.00</td> <td>119</td> <td>221</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5985.00 | 99.40  | ----- | ----- | 81.02 | 35.27 | 13.55 | 30.44 | 0.00 | 119 | 221 | AVERAGE |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5924.84   | 54.55       | 68.20        | -13.65      | 36.08  | 35.15  | 13.73 | 30.41  | 0.00   | 119    | 221  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5985.00   | 99.40       | -----        | -----       | 81.02  | 35.27  | 13.55 | 30.44  | 0.00   | 119    | 221  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |









| Mode       | 12   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
|            | Harmonic   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
|            | U-NII-5_5.925-6.425_802.11ax HE80_CH7_5985MHz  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| ANT        | CDD 0+1  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Pol.       | Horizontal   | Vertical    |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11970.00</td> <td>44.99</td> <td>74.00</td> <td>-29.01</td> <td>52.24</td> <td>38.87</td> <td>18.97</td> <td>65.09</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11970.00 | 44.99 | 74.00 | -29.01 | 52.24 | 38.87 | 18.97 | 65.09 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11970.00</td> <td>44.05</td> <td>74.00</td> <td>-29.95</td> <td>51.30</td> <td>38.87</td> <td>18.97</td> <td>65.09</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 11970.00 | 44.05 | 74.00 | -29.95 | 51.30 | 38.87 | 18.97 | 65.09 | 0.00 | -- | PEAK |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| 1 11970.00 | 44.99  | 74.00       | -29.01       | 52.24       | 38.87  | 18.97  | 65.09 | 0.00   | --   | PEAK   |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| 1 11970.00 | 44.05  | 74.00       | -29.95       | 51.30       | 38.87  | 18.97  | 65.09 | 0.00   | --   | PEAK   |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |



|       | 13  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|-------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode  | Band Edge   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-5_5.925-6.425_802.11ax HE80_CH7_484/65_5985MHz  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 0+1   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Horizontal  | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Peak  |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5919.88</td> <td>78.75</td> <td>88.20</td> <td>-9.45</td> <td>60.27</td> <td>35.14</td> <td>13.74</td> <td>30.40</td> <td>0.00</td> <td>100</td> <td>190</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5919.88 | 78.75 | 88.20 | -9.45 | 60.27 | 35.14 | 13.74 | 30.40 | 0.00 | 100 | 190 | PEAK    |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(Peak)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>111.42</td> <td>-----</td> <td>-----</td> <td>92.99</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>100</td> <td>190</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5985.00 | 111.42 | ----- | ----- | 92.99 | 35.20 | 13.65 | 30.42 | 0.00 | 100 | 190 | PEAK    |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5919.88   | 78.75       | 88.20        | -9.45       | 60.27  | 35.14  | 13.74 | 30.40  | 0.00   | 100    | 190  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5985.00   | 111.42      | -----        | -----       | 92.99  | 35.20  | 13.65 | 30.42  | 0.00   | 100    | 190  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Avg   |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.84</td> <td>63.63</td> <td>68.20</td> <td>-4.57</td> <td>45.16</td> <td>35.15</td> <td>13.73</td> <td>30.41</td> <td>0.00</td> <td>100</td> <td>190</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5924.84 | 63.63 | 68.20 | -4.57 | 45.16 | 35.15 | 13.73 | 30.41 | 0.00 | 100 | 190 | AVERAGE |  <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>WiFi 6E(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>100.54</td> <td>-----</td> <td>-----</td> <td>82.12</td> <td>35.25</td> <td>13.60</td> <td>30.43</td> <td>0.00</td> <td>100</td> <td>190</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5985.00 | 100.54 | ----- | ----- | 82.12 | 35.25 | 13.60 | 30.43 | 0.00 | 100 | 190 | AVERAGE |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5924.84   | 63.63       | 68.20        | -4.57       | 45.16  | 35.15  | 13.73 | 30.41  | 0.00   | 100    | 190  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5985.00   | 100.54      | -----        | -----       | 82.12  | 35.25  | 13.60 | 30.43  | 0.00   | 100    | 190  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |       |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |



| Mode  | 13   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|-------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
|       | Band Edge  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-5_5.925-6.425_802.11ax HE80_CH7_484/65_5985MHz   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 0+1  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Vertical   | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Peak  |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5915.56</td> <td>73.07</td> <td>88.20</td> <td>-15.13</td> <td>54.59</td> <td>35.13</td> <td>13.75</td> <td>30.40</td> <td>0.00</td> <td>100</td> <td>169</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5915.56 | 73.07 | 88.20 | -15.13 | 54.59 | 35.13 | 13.75 | 30.40 | 0.00 | 100 | 169 | PEAK    |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>106.52</td> <td>-----</td> <td>-----</td> <td>88.09</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>100</td> <td>169</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5985.00 | 106.52 | ----- | ----- | 88.09 | 35.20 | 13.65 | 30.42 | 0.00 | 100 | 169 | PEAK    |
|       | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor | Factor |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5915.56  | 73.07       | 88.20        | -15.13      | 54.59  | 35.13  | 13.75 | 30.40  | 0.00   | 100    | 169  | PEAK    |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor | Factor |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5985.00  | 106.52      | -----        | -----       | 88.09  | 35.20  | 13.65 | 30.42  | 0.00   | 100    | 169  | PEAK    |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Avg   |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5921.00</td> <td>59.06</td> <td>68.20</td> <td>-9.14</td> <td>40.58</td> <td>35.14</td> <td>13.74</td> <td>30.40</td> <td>0.00</td> <td>100</td> <td>169</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5921.00 | 59.06 | 68.20 | -9.14  | 40.58 | 35.14 | 13.74 | 30.40 | 0.00 | 100 | 169 | AVERAGE |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>96.93</td> <td>-----</td> <td>-----</td> <td>78.50</td> <td>35.22</td> <td>13.63</td> <td>30.42</td> <td>0.00</td> <td>100</td> <td>169</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5985.00 | 96.93  | ----- | ----- | 78.50 | 35.22 | 13.63 | 30.42 | 0.00 | 100 | 169 | AVERAGE |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor | Factor |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5921.00  | 59.06       | 68.20        | -9.14       | 40.58  | 35.14  | 13.74 | 30.40  | 0.00   | 100    | 169  | AVERAGE |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor | Factor |       |        |        |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5985.00  | 96.93       | -----        | -----       | 78.50  | 35.22  | 13.63 | 30.42  | 0.00   | 100    | 169  | AVERAGE |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |        |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |



| Mode       | 14  |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
|------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------|---------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|
|            | Harmonic  |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
|            | U-NII-5_5.925-6.425_802.11ax HE80_CH55_6225MHz  |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| ANT        | CDD 0+1   |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Pol.       | Horizontal  | Vertical    |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12450.00</td> <td>43.74</td> <td>74.00</td> <td>-30.26</td> <td>50.38</td> <td>38.65</td> <td>19.59</td> <td>64.88</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark  | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12450.00 | 43.74 | 74.00 | -30.26 | 50.38 | 38.65 | 19.59 | 64.88 | 0.00 | -- | -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12450.00</td> <td>44.73</td> <td>74.00</td> <td>-29.27</td> <td>51.37</td> <td>38.65</td> <td>19.59</td> <td>64.88</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12450.00 | 44.73 | 74.00 | -29.27 | 51.37 | 38.65 | 19.59 | 64.88 | 0.00 | -- | -- PEAK |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| 1 12450.00 | 43.74   | 74.00       | -30.26       | 50.38       | 38.65  | 19.59  | 64.88 | 0.00   | --   | -- PEAK |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| 1 12450.00 | 44.73   | 74.00       | -29.27       | 51.37       | 38.65  | 19.59  | 64.88 | 0.00   | --   | -- PEAK |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |







| Mode       | 15  |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
|------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------|---------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|
|            | Harmonic  |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
|            | U-NII-5_5.925-6.425_802.11ax HE80_CH87_6385MHz  |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| ANT        | CDD 0+1   |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Pol.       | Horizontal  | Vertical    |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12770.00</td> <td>45.37</td> <td>88.20</td> <td>-42.83</td> <td>51.09</td> <td>39.30</td> <td>19.66</td> <td>64.68</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark  | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12770.00 | 45.37 | 88.20 | -42.83 | 51.09 | 39.30 | 19.66 | 64.68 | 0.00 | -- | -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12770.00</td> <td>45.44</td> <td>88.20</td> <td>-42.76</td> <td>51.16</td> <td>39.30</td> <td>19.66</td> <td>64.68</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 12770.00 | 45.44 | 88.20 | -42.76 | 51.16 | 39.30 | 19.66 | 64.68 | 0.00 | -- | -- PEAK |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| 1 12770.00 | 45.37   | 88.20       | -42.83       | 51.09       | 39.30  | 19.66  | 64.68 | 0.00   | --   | -- PEAK |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     | cm   | deg     |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| 1 12770.00 | 45.44   | 88.20       | -42.76       | 51.16       | 39.30  | 19.66  | 64.68 | 0.00   | --   | -- PEAK |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |



|       | 16   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|-------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
| Mode  | Band Edge  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-5_5.925-6.425_802.11ax HE160_CH15_6025MHz  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 0+1  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Horizontal   | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Peak  | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5899.80</td> <td>72.77</td> <td>88.20</td> <td>-15.43</td> <td>54.26</td> <td>35.10</td> <td>13.80</td> <td>30.39</td> <td>0.00</td> <td>106</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table>   | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5899.80 | 72.77 | 88.20 | -15.43 | 54.26 | 35.10 | 13.80 | 30.39 | 0.00 | 106 | 180 | PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>111.76</td> <td>-----</td> <td>-----</td> <td>93.22</td> <td>35.34</td> <td>13.65</td> <td>30.45</td> <td>0.00</td> <td>106</td> <td>180</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6025.00 | 111.76 | ----- | ----- | 93.22 | 35.34 | 13.65 | 30.45 | 0.00 | 106 | 180 | PEAK    |
|       | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5899.80  | 72.77       | 88.20        | -15.43      | 54.26  | 35.10  | 13.80 | 30.39  | 0.00   | 106    | 180  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 6025.00  | 111.76      | -----        | -----       | 93.22  | 35.34  | 13.65 | 30.45  | 0.00   | 106    | 180  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5901.00</td> <td>62.55</td> <td>68.20</td> <td>-5.65</td> <td>44.04</td> <td>35.10</td> <td>13.80</td> <td>30.39</td> <td>0.00</td> <td>106</td> <td>180</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5901.00 | 62.55 | 68.20 | -5.65  | 44.04 | 35.10 | 13.80 | 30.39 | 0.00 | 106 | 180 | AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>100.30</td> <td>-----</td> <td>-----</td> <td>81.76</td> <td>35.34</td> <td>13.65</td> <td>30.45</td> <td>0.00</td> <td>106</td> <td>180</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6025.00 | 100.30 | ----- | ----- | 81.76 | 35.34 | 13.65 | 30.45 | 0.00 | 106 | 180 | AVERAGE |
|       | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5901.00  | 62.55       | 68.20        | -5.65       | 44.04  | 35.10  | 13.80 | 30.39  | 0.00   | 106    | 180  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 6025.00  | 100.30      | -----        | -----       | 81.76  | 35.34  | 13.65 | 30.45  | 0.00   | 106    | 180  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |



| Mode  | 16  |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|-------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|---------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|-------|-------|--------|-------|-------|-------|-------|------|-----|-----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|---|---------|--------|-------|-------|-------|-------|-------|-------|------|-----|-----|---------|
|       | Band Edge   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
|       | U-NII-5_5.925-6.425_802.11ax HE160_CH15_6025MHz   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| ANT   | CDD 0+1   |             |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Pol.  | Vertical  | Fundamental |              |             |        |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Peak  |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5912.80</td> <td>67.94</td> <td>88.20</td> <td>-20.26</td> <td>49.45</td> <td>35.13</td> <td>13.76</td> <td>30.40</td> <td>0.00</td> <td>131</td> <td>222</td> <td>PEAK</td> </tr> </tbody> </table>     | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5912.80 | 67.94 | 88.20 | -20.26 | 49.45 | 35.13 | 13.76 | 30.40 | 0.00 | 131 | 222 | PEAK    |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>107.18</td> <td>-----</td> <td>-----</td> <td>88.64</td> <td>35.34</td> <td>13.65</td> <td>30.45</td> <td>0.00</td> <td>131</td> <td>222</td> <td>PEAK</td> </tr> </tbody> </table>    | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6025.00 | 107.18 | ----- | ----- | 88.64 | 35.34 | 13.65 | 30.45 | 0.00 | 131 | 222 | PEAK    |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5912.80   | 67.94       | 88.20        | -20.26      | 49.45  | 35.13  | 13.76 | 30.40  | 0.00   | 131    | 222  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 6025.00   | 107.18      | -----        | -----       | 88.64  | 35.34  | 13.65 | 30.45  | 0.00   | 131    | 222  | PEAK    |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Avg   |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5903.60</td> <td>56.52</td> <td>68.20</td> <td>-11.68</td> <td>38.01</td> <td>35.11</td> <td>13.79</td> <td>30.39</td> <td>0.00</td> <td>131</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level   | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 5903.60 | 56.52 | 68.20 | -11.68 | 38.01 | 35.11 | 13.79 | 30.39 | 0.00 | 131 | 222 | AVERAGE |  <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>96.69</td> <td>-----</td> <td>-----</td> <td>78.15</td> <td>35.34</td> <td>13.65</td> <td>30.45</td> <td>0.00</td> <td>131</td> <td>222</td> <td>AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 | 6025.00 | 96.69  | ----- | ----- | 78.15 | 35.34 | 13.65 | 30.45 | 0.00 | 131 | 222 | AVERAGE |
|       | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 5903.60   | 56.52       | 68.20        | -11.68      | 38.01  | 35.11  | 13.79 | 30.39  | 0.00   | 131    | 222  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Limit | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| Freq  | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| MHz   | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |         |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |
| 1     | 6025.00   | 96.69       | -----        | -----       | 78.15  | 35.34  | 13.65 | 30.45  | 0.00   | 131    | 222  | AVERAGE |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |       |       |        |       |       |       |       |      |     |     |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |   |         |        |       |       |       |       |       |       |      |     |     |         |







| Mode       | 16   |             |              |             |        |        |       |        |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|---------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|---------|
|            | Harmonic   |             |              |             |        |        |       |        |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
|            | U-NII-5_5.925-6.425_802.11ax HE160_CH15_6025MHz  |             |              |             |        |        |       |        |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| ANT        | CDD 0+1  |             |              |             |        |        |       |        |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| Pol.       | Horizontal   | Vertical    |              |             |        |        |       |        |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>43.99</td> <td>74.00</td> <td>-30.01</td> <td>51.23</td> <td>38.95</td> <td>18.95</td> <td>65.14</td> <td>0.00</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos    | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 12050.00 | 43.99 | 74.00 | -30.01 | 51.23 | 38.95 | 18.95 | 65.14 | 0.00 | -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>44.49</td> <td>74.00</td> <td>-29.51</td> <td>51.73</td> <td>38.95</td> <td>18.95</td> <td>65.14</td> <td>0.00</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 12050.00 | 44.49 | 74.00 | -29.51 | 51.73 | 38.95 | 18.95 | 65.14 | 0.00 | -- PEAK |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| 1 12050.00 | 43.99  | 74.00       | -30.01       | 51.23       | 38.95  | 18.95  | 65.14 | 0.00   | -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| 1 12050.00 | 44.49  | 74.00       | -29.51       | 51.73       | 38.95  | 18.95  | 65.14 | 0.00   | -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |





|           |   | 17          |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
|-----------|---|-------------|--------------|-------------|--------|--------|-------|--------|-----------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|-----------------|---|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|--------|-------|-------|-------|-------|-------|-------|------|
| Mode      | Band Edge   |             |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
|           | U-NII-5_5.925-6.425_802.11ax HE160_CH15_996/67_6025MHz  |             |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| ANT       | CDD 0+1   |             |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Pol.      | Horizontal  | Fundamental |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Peak      |   |             |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
|           | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5905.80</td> <td>81.52</td> <td>88.20</td> <td>-6.68</td> <td>63.03</td> <td>35.11</td> <td>13.78</td> <td>30.40</td> <td>0.00</td> <td>290 360 PEAK</td> </tr> </tbody> </table>    | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos            | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5905.80 | 81.52 | 88.20 | -6.68 | 63.03 | 35.11 | 13.78 | 30.40 | 0.00 | 290 360 PEAK    | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6025.00</td> <td>106.80</td> <td>-----</td> <td>-----</td> <td>88.38</td> <td>35.25</td> <td>13.60</td> <td>30.43</td> <td>0.00</td> <td>290 360 PEAK</td> </tr> </tbody> </table>   |  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 6025.00 | 106.80 | ----- | ----- | 88.38 | 35.25 | 13.60 | 30.43 | 0.00 |
| Limit     | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Freq      | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| MHz       | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| 1 5905.80 | 81.52   | 88.20       | -6.68        | 63.03       | 35.11  | 13.78  | 30.40 | 0.00   | 290 360 PEAK    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Limit     | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Freq      | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| MHz       | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| 1 6025.00 | 106.80  | -----       | -----        | 88.38       | 35.25  | 13.60  | 30.43 | 0.00   | 290 360 PEAK    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Avg       |   |             |              |             |        |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
|           | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5900.20</td> <td>59.81</td> <td>68.20</td> <td>-8.39</td> <td>41.30</td> <td>35.10</td> <td>13.80</td> <td>30.39</td> <td>0.00</td> <td>290 360 AVERAGE</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos            | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5900.20 | 59.81 | 68.20 | -8.39 | 41.30 | 35.10 | 13.80 | 30.39 | 0.00 | 290 360 AVERAGE | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6025.00</td> <td>96.49</td> <td>-----</td> <td>-----</td> <td>78.07</td> <td>35.25</td> <td>13.60</td> <td>30.43</td> <td>0.00</td> <td>290 360 AVERAGE</td> </tr> </tbody> </table> |  | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 6025.00 | 96.49  | ----- | ----- | 78.07 | 35.25 | 13.60 | 30.43 | 0.00 |
| Limit     | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Freq      | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| MHz       | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| 1 5900.20 | 59.81   | 68.20       | -8.39        | 41.30       | 35.10  | 13.80  | 30.39 | 0.00   | 290 360 AVERAGE |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Limit     | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| Freq      | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |                 |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| MHz       | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg             |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |
| 1 6025.00 | 96.49   | -----       | -----        | 78.07       | 35.25  | 13.60  | 30.43 | 0.00   | 290 360 AVERAGE |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |                 |   |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |



|             | 17  |                    |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
|-------------|---|--------------------|--------------|-------------|--------|--------|-------|--------|------|------------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|-------|-------|-------|-------|-------|-------|-------|------|-----|------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|-----------|--------|-------|-------|-------|-------|-------|-------|------|-----|------------|
| <b>Mode</b> | <b>Band Edge</b>  |                    |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
|             | <b>U-NII-5_5.925-6.425_802.11ax HE160_CH15_996/67_6025MHz</b>   |                    |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| <b>ANT</b>  | <b>CDD 0+1</b>  |                    |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| <b>Pol.</b> | <b>Vertical</b>   | <b>Fundamental</b> |              |             |        |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| <b>Peak</b> |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Peak. The plot shows a signal level rising from approximately 65 dBuV/m at 5825 MHz to about 100 dBuV/m at 6025 MHz. A red horizontal line indicates the 'WiFi 6E(Peak)' limit at approximately 97.5 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5892.60</td> <td>83.84</td> <td>88.20</td> <td>-4.36</td> <td>65.35</td> <td>35.07</td> <td>13.81</td> <td>30.39</td> <td>0.00</td> <td>267</td> <td>64 PEAK</td> </tr> </tbody> </table>          | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark     | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5892.60 | 83.84 | 88.20 | -4.36 | 65.35 | 35.07 | 13.81 | 30.39 | 0.00 | 267 | 64 PEAK    |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. The plot shows a signal level rising from approximately 32.5 dBuV/m at 1000 MHz to about 100 dBuV/m at 6025 MHz. A red horizontal line indicates the 'WiFi 6E(Peak)' limit at approximately 97.5 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6025.00</td> <td>109.05</td> <td>-----</td> <td>-----</td> <td>90.49</td> <td>35.34</td> <td>13.67</td> <td>30.45</td> <td>0.00</td> <td>267</td> <td>64 PEAK</td> </tr> </tbody> </table>       | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 6025.00 | 109.05 | ----- | ----- | 90.49 | 35.34 | 13.67 | 30.45 | 0.00 | 267 | 64 PEAK    |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| 1 5892.60   | 83.84   | 88.20              | -4.36        | 65.35       | 35.07  | 13.81  | 30.39 | 0.00   | 267  | 64 PEAK    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| 1 6025.00   | 109.05  | -----              | -----        | 90.49       | 35.34  | 13.67  | 30.45 | 0.00   | 267  | 64 PEAK    |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| <b>Avg</b>  |  <p>Level (dBuV/m) vs Frequency (MHz) for Vertical Average. The plot shows a signal level rising from approximately 48.8 dBuV/m at 5825 MHz to about 97.5 dBuV/m at 6025 MHz. A red horizontal line indicates the 'WiFi 6E(AVG)' limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5919.00</td> <td>62.94</td> <td>68.20</td> <td>-5.26</td> <td>44.46</td> <td>35.14</td> <td>13.74</td> <td>30.40</td> <td>0.00</td> <td>267</td> <td>64 AVERAGE</td> </tr> </tbody> </table> | Limit              | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark     | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 5919.00 | 62.94 | 68.20 | -5.26 | 44.46 | 35.14 | 13.74 | 30.40 | 0.00 | 267 | 64 AVERAGE |  <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental Average. The plot shows a signal level rising from approximately 32.5 dBuV/m at 1000 MHz to about 97.5 dBuV/m at 6025 MHz. A red horizontal line indicates the 'WiFi 6E(AVG)' limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6025.00</td> <td>90.98</td> <td>-----</td> <td>-----</td> <td>80.55</td> <td>35.20</td> <td>13.65</td> <td>30.42</td> <td>0.00</td> <td>267</td> <td>64 AVERAGE</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 6025.00 | 90.98  | ----- | ----- | 80.55 | 35.20 | 13.65 | 30.42 | 0.00 | 267 | 64 AVERAGE |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| 1 5919.00   | 62.94   | 68.20              | -5.26        | 44.46       | 35.14  | 13.74  | 30.40 | 0.00   | 267  | 64 AVERAGE |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| Limit       | Read  | Ant                | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| Freq        | Level   | Line Margin        | Level Factor | Loss Factor | Factor |        |       |        |      |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| MHz         | dBuV/m  | dBuV/m             | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |            |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |
| 1 6025.00   | 90.98   | -----              | -----        | 80.55       | 35.20  | 13.65  | 30.42 | 0.00   | 267  | 64 AVERAGE |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |       |       |       |       |       |       |       |      |     |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |           |        |       |       |       |       |       |       |      |     |            |



| Mode       | 18  |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
|------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------|---------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|
|            | Harmonic  |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
|            | U-NII-5_5.925-6.425_802.11ax HE160_CH47_6185MHz   |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| ANT        | CDD 0+1   |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Pol.       | Horizontal  | Vertical    |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12378.00</td> <td>45.03</td> <td>74.00</td> <td>-28.97</td> <td>51.49</td> <td>39.07</td> <td>19.40</td> <td>64.93</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark  | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12378.00 | 45.03 | 74.00 | -28.97 | 51.49 | 39.07 | 19.40 | 64.93 | 0.00 | -- | -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12378.00</td> <td>44.08</td> <td>74.00</td> <td>-29.92</td> <td>50.54</td> <td>39.07</td> <td>19.40</td> <td>64.93</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 12378.00 | 44.08 | 74.00 | -29.92 | 50.54 | 39.07 | 19.40 | 64.93 | 0.00 | -- | -- PEAK |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| 1 12378.00 | 45.03   | 74.00       | -28.97       | 51.49       | 39.07  | 19.40  | 64.93 | 0.00   | --   | -- PEAK |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| 1 12378.00 | 44.08   | 74.00       | -29.92       | 50.54       | 39.07  | 19.40  | 64.93 | 0.00   | --   | -- PEAK |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |



| Mode       | 19   |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |
|------------|--|-------------|--------|--------|-------------|--------|-------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|----|------|
|            | Harmonic   |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |
|            | U-NII-5_5.925-6.425_802.11ax HE160_CH79_6345MHz  |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |
| ANT        | CDD 0+1  |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |
| Pol.       | Horizontal   | Vertical    |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12690.00</td> <td>44.92</td> <td>74.00</td> <td>-29.08</td> <td>50.83</td> <td>39.19</td> <td>19.63</td> <td>64.73</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 12690.00 | 44.92 | 74.00 | -29.08 | 50.83 | 39.19 | 19.63 | 64.73 | 0.00 | -- | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12690.00</td> <td>44.56</td> <td>74.00</td> <td>-29.44</td> <td>50.47</td> <td>39.19</td> <td>19.63</td> <td>64.73</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 12690.00 | 44.56 | 74.00 | -29.44 | 50.47 | 39.19 | 19.63 | 64.73 | 0.00 | -- | -- | PEAK |
| Limit      | Read   | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |
| Freq       | Level  | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |
| MHz        | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | dB     |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |
| 1 12690.00 | 44.92  | 74.00       | -29.08 | 50.83  | 39.19       | 19.63  | 64.73 | 0.00   | --   | --     | PEAK |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |
| Limit      | Read   | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |
| Freq       | Level  | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |
| MHz        | dBuV/m   | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | dB     |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |
| 1 12690.00 | 44.56  | 74.00       | -29.44 | 50.47  | 39.19       | 19.63  | 64.73 | 0.00   | --   | --     | PEAK |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |    |      |



| Mode       | 31  |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
|------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|------------|
|            | Harmonic  |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
|            | U-NII-7_6.525-6.875_802.11a_CH117_6535MHz   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| ANT        | CDD 0+1   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Pol.       | Horizontal  | Vertical    |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>44.79</td> <td>88.20</td> <td>-43.41</td> <td>50.83</td> <td>39.13</td> <td>20.12</td> <td>64.49</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos       | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 13070.00 | 44.79 | 88.20 | -43.41 | 50.83 | 39.13 | 20.12 | 64.49 | 0.00 | -- -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.54</td> <td>88.20</td> <td>-41.66</td> <td>51.78</td> <td>39.13</td> <td>20.12</td> <td>64.49</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 13070.00 | 46.54 | 88.20 | -41.66 | 51.78 | 39.13 | 20.12 | 64.49 | 0.00 | -- -- PEAK |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| 1 13070.00 | 44.79   | 88.20       | -43.41       | 50.83       | 39.13  | 20.12  | 64.49 | 0.00   | -- -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| 1 13070.00 | 46.54   | 88.20       | -41.66       | 51.78       | 39.13  | 20.12  | 64.49 | 0.00   | -- -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |



| Mode       | 32  |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
|------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|------------|
|            | Harmonic  |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
|            | U-NII-7_6.525-6.875_802.11a_CH149_6695MHz   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| ANT        | CDD 0+1   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Pol.       | Horizontal  | Vertical    |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>44.41</td> <td>74.00</td> <td>-29.59</td> <td>49.33</td> <td>39.20</td> <td>20.16</td> <td>64.28</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos       | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 13390.00 | 44.41 | 74.00 | -29.59 | 49.33 | 39.20 | 20.16 | 64.28 | 0.00 | -- -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>44.64</td> <td>74.00</td> <td>-29.36</td> <td>49.56</td> <td>39.20</td> <td>20.16</td> <td>64.28</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 13390.00 | 44.64 | 74.00 | -29.36 | 49.56 | 39.20 | 20.16 | 64.28 | 0.00 | -- -- PEAK |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| 1 13390.00 | 44.41   | 74.00       | -29.59       | 49.33       | 39.20  | 20.16  | 64.28 | 0.00   | -- -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| 1 13390.00 | 44.64   | 74.00       | -29.36       | 49.56       | 39.20  | 20.16  | 64.28 | 0.00   | -- -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |



| Mode     | 33  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
|----------|---|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|----------|-------|-------|--------|-------|-------|-------|-------|------|----|--|--|--|--|--|--|--|--|--|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|----------|-------|-------|--------|-------|-------|-------|-------|------|----|--|--|--|--|--|--|--|--|--|------|
|          | Harmonic  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
|          | U-NII-7_6.525-6.875_802.11a_CH181_6855MHz   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
| ANT      | CDD 0+1   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
| Pol.     | Horizontal  | Vertical    |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
| Peak     |   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
| Avg      | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>13710.00</td> <td>45.47</td> <td>88.20</td> <td>-42.73</td> <td>50.07</td> <td>38.80</td> <td>20.56</td> <td>63.96</td> <td>0.00</td> <td>--</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 13710.00 | 45.47 | 88.20 | -42.73 | 50.07 | 38.80 | 20.56 | 63.96 | 0.00 | -- |  |  |  |  |  |  |  |  |  | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>13710.00</td> <td>46.35</td> <td>88.20</td> <td>-41.85</td> <td>50.95</td> <td>38.80</td> <td>20.56</td> <td>63.96</td> <td>0.00</td> <td>--</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 13710.00 | 46.35 | 88.20 | -41.85 | 50.95 | 38.80 | 20.56 | 63.96 | 0.00 | -- |  |  |  |  |  |  |  |  |  | PEAK |
| Limit    | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
| Freq     | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
| MHz      | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
| 13710.00 | 45.47   | 88.20       | -42.73       | 50.07       | 38.80  | 20.56  | 63.96 | 0.00   | --   |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
|          |   |             |              |             |        |        |       |        | PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
| Limit    | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
| Freq     | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
| MHz      | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
| 13710.00 | 46.35   | 88.20       | -41.85       | 50.95       | 38.80  | 20.56  | 63.96 | 0.00   | --   |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |
|          |   |             |              |             |        |        |       |        | PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |          |       |       |        |       |       |       |       |      |    |  |  |  |  |  |  |  |  |  |      |



| Mode       | 34  |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
|------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------|---------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|
|            | Harmonic  |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
|            | U-NII-7_6.525-6.875_802.11ax HE20_CH117_6535MHz   |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| ANT        | CDD 0+1   |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Pol.       | Horizontal  | Vertical    |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>45.06</td> <td>88.20</td> <td>-43.14</td> <td>50.30</td> <td>39.13</td> <td>20.12</td> <td>64.49</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark  | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13070.00 | 45.06 | 88.20 | -43.14 | 50.30 | 39.13 | 20.12 | 64.49 | 0.00 | -- | -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>45.73</td> <td>88.20</td> <td>-42.47</td> <td>50.97</td> <td>39.13</td> <td>20.12</td> <td>64.49</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | cm | deg | 1 13070.00 | 45.73 | 88.20 | -42.47 | 50.97 | 39.13 | 20.12 | 64.49 | 0.00 | -- | -- PEAK |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| 1 13070.00 | 45.06   | 88.20       | -43.14       | 50.30       | 39.13  | 20.12  | 64.49 | 0.00   | --   | -- PEAK |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     | cm   | deg     |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| 1 13070.00 | 45.73   | 88.20       | -42.47       | 50.97       | 39.13  | 20.12  | 64.49 | 0.00   | --   | -- PEAK |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |





| Mode       | 35   |             |              |             |        |        |       |        |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
|------------|--|-------------|--------------|-------------|--------|--------|-------|--------|---------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|---------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|---------|
|            | Harmonic   |             |              |             |        |        |       |        |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
|            | U-NII-7_6.525-6.875_802.11ax HE20_CH149_6695MHz  |             |              |             |        |        |       |        |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| ANT        | CDD 0+1  |             |              |             |        |        |       |        |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| Pol.       | Horizontal   | Vertical    |              |             |        |        |       |        |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>45.46</td> <td>74.00</td> <td>-28.54</td> <td>50.38</td> <td>39.20</td> <td>20.16</td> <td>64.28</td> <td>0.00</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos    | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 13390.00 | 45.46 | 74.00 | -28.54 | 50.38 | 39.20 | 20.16 | 64.28 | 0.00 | -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>45.69</td> <td>74.00</td> <td>-28.31</td> <td>50.61</td> <td>39.20</td> <td>20.16</td> <td>64.28</td> <td>0.00</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 13390.00 | 45.69 | 74.00 | -28.31 | 50.61 | 39.20 | 20.16 | 64.28 | 0.00 | -- PEAK |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| 1 13390.00 | 45.46  | 74.00       | -28.54       | 50.38       | 39.20  | 20.16  | 64.28 | 0.00   | -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| Limit      | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| Freq       | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| MHz        | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |         |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |
| 1 13390.00 | 45.69  | 74.00       | -28.31       | 50.61       | 39.20  | 20.16  | 64.28 | 0.00   | -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |         |



| Mode       | 36  |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |
|------------|---|-------------|--------|--------|-------------|--------|-------|--------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|
|            | Harmonic  |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |
|            | U-NII-7_6.525-6.875_802.11ax HE20_CH181_6855MHz   |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |
| ANT        | CDD 0+1   |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |
| Pol.       | Horizontal  | Vertical    |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |
| Peak       |   |             |        |        |             |        |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |
| Avg        | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>46.82</td> <td>88.20</td> <td>-41.38</td> <td>51.42</td> <td>38.80</td> <td>20.56</td> <td>63.96</td> <td>0.00</td> <td>--</td> </tr> </tbody> </table> | Limit       | Read   | Ant    | Cable       | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13710.00 | 46.82 | 88.20 | -41.38 | 51.42 | 38.80 | 20.56 | 63.96 | 0.00 | -- | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>46.13</td> <td>88.20</td> <td>-42.07</td> <td>50.73</td> <td>38.00</td> <td>20.56</td> <td>63.96</td> <td>0.00</td> <td>--</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13710.00 | 46.13 | 88.20 | -42.07 | 50.73 | 38.00 | 20.56 | 63.96 | 0.00 | -- |
| Limit      | Read  | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |
| Freq       | Level   | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |
| MHz        | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |
| 1 13710.00 | 46.82   | 88.20       | -41.38 | 51.42  | 38.80       | 20.56  | 63.96 | 0.00   | --   |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |
| Limit      | Read  | Ant         | Cable  | Preamp | Aux         | APos   | TPos  | Remark |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |
| Freq       | Level   | Line Margin | Level  | Factor | Loss Factor | Factor |       |        |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |
| MHz        | dBuV/m  | dBuV/m      | dB     | dBuV   | dB/m        | dB     | dB    | cm     | deg  |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |
| 1 13710.00 | 46.13   | 88.20       | -42.07 | 50.73  | 38.00       | 20.56  | 63.96 | 0.00   | --   |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |   |       |      |     |       |        |     |      |      |        |      |       |             |       |        |             |        |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |



| Mode        | 37  |             |              |             |        |        |       |        |        |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
|-------------|---|-------------|--------------|-------------|--------|--------|-------|--------|--------|---------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|
|             | Harmonic  |             |              |             |        |        |       |        |        |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
|             | U-NII-7_6.525-6.875_802.11ax HE40_CH123_6565MHz   |             |              |             |        |        |       |        |        |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| ANT         | CDD 0+1   |             |              |             |        |        |       |        |        |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Pol.        | Horizontal  | Vertical    |              |             |        |        |       |        |        |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>45.43</td> <td>88.20</td> <td>-42.77</td> <td>50.54</td> <td>39.07</td> <td>20.27</td> <td>64.45</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark  | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13130.00 | 45.43 | 88.20 | -42.77 | 50.54 | 39.07 | 20.27 | 64.45 | 0.00 | -- | -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>45.34</td> <td>88.20</td> <td>-42.86</td> <td>50.45</td> <td>39.07</td> <td>20.27</td> <td>64.45</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13130.00 | 45.34 | 88.20 | -42.86 | 50.45 | 39.07 | 20.27 | 64.45 | 0.00 | -- | -- PEAK |
|             | Limit   | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| 1 13130.00  | 45.43   | 88.20       | -42.77       | 50.54       | 39.07  | 20.27  | 64.45 | 0.00   | --     | -- PEAK |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Limit       | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Freq        | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| MHz         | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| 1 13130.00  | 45.34   | 88.20       | -42.86       | 50.45       | 39.07  | 20.27  | 64.45 | 0.00   | --     | -- PEAK |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |



| Mode       | 38  |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
|------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------|---------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|---------|
|            | Harmonic  |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
|            | U-NII-7_6.525-6.875_802.11ax HE40_CH147_6685MHz   |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| ANT        | CDD 0+1   |             |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Pol.       | Horizontal  | Vertical    |              |             |        |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13378.00</td> <td>44.87</td> <td>74.00</td> <td>-29.13</td> <td>49.82</td> <td>39.20</td> <td>20.14</td> <td>64.29</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark  | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13378.00 | 44.87 | 74.00 | -29.13 | 49.82 | 39.20 | 20.14 | 64.29 | 0.00 | -- | -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13378.00</td> <td>44.81</td> <td>74.00</td> <td>-29.19</td> <td>49.76</td> <td>39.20</td> <td>20.14</td> <td>64.29</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13378.00 | 44.81 | 74.00 | -29.19 | 49.76 | 39.20 | 20.14 | 64.29 | 0.00 | -- | -- PEAK |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| 1 13378.00 | 44.87   | 74.00       | -29.13       | 49.82       | 39.20  | 20.14  | 64.29 | 0.00   | --   | -- PEAK |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |         |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |
| 1 13378.00 | 44.81   | 74.00       | -29.19       | 49.76       | 39.20  | 20.14  | 64.29 | 0.00   | --   | -- PEAK |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |         |



| Mode        | 39   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
|-------------|--|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
|             | Harmonic   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
|             | U-NII-7_6.525-6.875_802.11ax HE40_CH179_6845MHz  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| ANT         | CDD 0+1  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Pol.        | Horizontal   | Vertical    |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13690.00</td> <td>46.86</td> <td>88.20</td> <td>-41.34</td> <td>51.50</td> <td>38.81</td> <td>20.54</td> <td>63.99</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13690.00 | 46.86 | 88.20 | -41.34 | 51.50 | 38.81 | 20.54 | 63.99 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13690.00</td> <td>46.44</td> <td>88.20</td> <td>-41.76</td> <td>51.08</td> <td>38.81</td> <td>20.54</td> <td>63.99</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13690.00 | 46.44 | 88.20 | -41.76 | 51.08 | 38.81 | 20.54 | 63.99 | 0.00 | -- | PEAK |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| 1 13690.00  | 46.86  | 88.20       | -41.34       | 51.50       | 38.81  | 20.54  | 63.99 | 0.00   | --   | PEAK   |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg  |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| 1 13690.00  | 46.44  | 88.20       | -41.76       | 51.08       | 38.81  | 20.54  | 63.99 | 0.00   | --   | PEAK   |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |



| Mode        | 40   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
|-------------|--|-------------|--------------|-------------|--------|--------|-------|--------|--------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|--|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|-----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
|             | Harmonic   |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
|             | U-NII-7_6.525-6.875_802.11ax HE80_CH135_6625MHz  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| ANT         | CDD 0+1  |             |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Pol.        | Horizontal   | Vertical    |              |             |        |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13250.00</td> <td>44.99</td> <td>74.00</td> <td>-29.01</td> <td>49.97</td> <td>39.10</td> <td>20.29</td> <td>64.37</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos   | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13250.00 | 44.99 | 74.00 | -29.01 | 49.97 | 39.10 | 20.29 | 64.37 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13250.00</td> <td>44.65</td> <td>74.00</td> <td>-29.35</td> <td>49.63</td> <td>39.10</td> <td>20.29</td> <td>64.37</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | cm | deg | 1 13250.00 | 44.65 | 74.00 | -29.35 | 49.63 | 39.10 | 20.29 | 64.37 | 0.00 | -- | PEAK |
|             | Limit  | Read        | Ant          | Cable       | Preamp | Aux    | APos  | TPos   | Remark |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| 1 13250.00  | 44.99  | 74.00       | -29.01       | 49.97       | 39.10  | 20.29  | 64.37 | 0.00   | --     | PEAK   |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Limit       | Read   | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| Freq        | Level  | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |        |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| MHz         | dBuV/m   | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | cm     | deg    |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |
| 1 13250.00  | 44.65  | 74.00       | -29.35       | 49.63       | 39.10  | 20.29  | 64.37 | 0.00   | --     | PEAK   |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |  |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |     |            |       |       |        |       |       |       |       |      |    |      |



| Mode       | 41  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |
|------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|----|------|
|            | Harmonic  |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |
|            | U-NII-7_6.525-6.875_802.11ax HE80_CH151_6705MHz   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |
| ANT        | CDD 0+1   |             |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |
| Pol.       | Horizontal  | Vertical    |              |             |        |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13410.00</td> <td>44.56</td> <td>88.20</td> <td>-43.64</td> <td>49.47</td> <td>39.19</td> <td>20.17</td> <td>64.27</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 13410.00 | 44.56 | 88.20 | -43.64 | 49.47 | 39.19 | 20.17 | 64.27 | 0.00 | -- | PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13410.00</td> <td>44.24</td> <td>88.20</td> <td>-43.96</td> <td>49.15</td> <td>39.19</td> <td>20.17</td> <td>64.27</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 13410.00 | 44.24 | 88.20 | -43.96 | 49.15 | 39.19 | 20.17 | 64.27 | 0.00 | -- | PEAK |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |
| 1 13410.00 | 44.56   | 88.20       | -43.64       | 49.47       | 39.19  | 20.17  | 64.27 | 0.00   | --   | PEAK   |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |
| 1 13410.00 | 44.24   | 88.20       | -43.96       | 49.15       | 39.19  | 20.17  | 64.27 | 0.00   | --   | PEAK   |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |    |      |



| Mode        | 42   |              |       |        |             |        |                 |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |  |       |      |     |       |     |      |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |
|-------------|--|--------------|-------|--------|-------------|--------|-----------------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|-----|--------|----|------|------|----|----|--------|------------|-------|--------------|-------|-------|-------|-------|-----------------|--|-------|------|-----|-------|-----|------|------|--------|------|-------|-------------|-------|--------|-------------|--------|--|-----|--------|----|------|------|----|----|--------|------------|-------|--------------|-------|-------|-------|-------|-----------------|
|             | Harmonic   |              |       |        |             |        |                 |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |  |       |      |     |       |     |      |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |
|             | U-NII-7_6.525-6.875_802.11ax HE80_CH167_6785MHz  |              |       |        |             |        |                 |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |  |       |      |     |       |     |      |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |
| ANT         | CDD 0+1  |              |       |        |             |        |                 |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |  |       |      |     |       |     |      |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |
| Pol.        | Horizontal   | Vertical     |       |        |             |        |                 |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |  |       |      |     |       |     |      |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |
| Peak<br>Avg | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 13570.00</td> <td>47.39</td> <td>88.20 -40.81</td> <td>52.23</td> <td>38.96</td> <td>20.33</td> <td>64.13</td> <td>0.00 -- -- PEAK</td> </tr> </tbody> </table> | Limit        | Read  | Ant    | Cable       | Aux    | APos            | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  | MHz | dBuV/m | dB | dBuV | dB/m | dB | dB | cm deg | 1 13570.00 | 47.39 | 88.20 -40.81 | 52.23 | 38.96 | 20.33 | 64.13 | 0.00 -- -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 13570.00</td> <td>47.22</td> <td>88.20 -40.98</td> <td>52.06</td> <td>38.96</td> <td>20.33</td> <td>64.13</td> <td>0.00 -- -- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level | Factor | Loss Factor | Factor |  | MHz | dBuV/m | dB | dBuV | dB/m | dB | dB | cm deg | 1 13570.00 | 47.22 | 88.20 -40.98 | 52.06 | 38.96 | 20.33 | 64.13 | 0.00 -- -- PEAK |
| Limit       | Read   | Ant          | Cable | Aux    | APos        | TPos   | Remark          |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |  |       |      |     |       |     |      |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |
| Freq        | Level  | Line Margin  | Level | Factor | Loss Factor | Factor |                 |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |  |       |      |     |       |     |      |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |
| MHz         | dBuV/m   | dB           | dBuV  | dB/m   | dB          | dB     | cm deg          |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |  |       |      |     |       |     |      |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |
| 1 13570.00  | 47.39  | 88.20 -40.81 | 52.23 | 38.96  | 20.33       | 64.13  | 0.00 -- -- PEAK |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |  |       |      |     |       |     |      |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |
| Limit       | Read   | Ant          | Cable | Aux    | APos        | TPos   | Remark          |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |  |       |      |     |       |     |      |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |
| Freq        | Level  | Line Margin  | Level | Factor | Loss Factor | Factor |                 |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |  |       |      |     |       |     |      |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |
| MHz         | dBuV/m   | dB           | dBuV  | dB/m   | dB          | dB     | cm deg          |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |  |       |      |     |       |     |      |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |
| 1 13570.00  | 47.22  | 88.20 -40.98 | 52.06 | 38.96  | 20.33       | 64.13  | 0.00 -- -- PEAK |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |  |       |      |     |       |     |      |      |        |      |       |             |       |        |             |        |  |     |        |    |      |      |    |    |        |            |       |              |       |       |       |       |                 |






| Mode       | 43  |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
|------------|---|-------------|--------------|-------------|--------|--------|-------|--------|------------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|------------|---|-------|------|-----|-------|--------|-----|------|------|--------|------|-------|-------------|--------------|-------------|--------|--|--|--|-----|--------|--------|----|------|------|----|----|----|------------|-------|-------|--------|-------|-------|-------|-------|------|------------|
|            | Harmonic  |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
|            | U-NII-7_6.525-6.875_802.11ax HE160_CH143_6665MHz  |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| ANT        | CDD 0+1   |             |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Pol.       | Horizontal  | Vertical    |              |             |        |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Peak Avg   | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13330.00</td> <td>44.93</td> <td>74.00</td> <td>-29.07</td> <td>49.97</td> <td>39.20</td> <td>20.08</td> <td>64.32</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table> | Limit       | Read         | Ant         | Cable  | Preamp | Aux   | APos   | TPos       | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 13330.00 | 44.93 | 74.00 | -29.07 | 49.97 | 39.20 | 20.08 | 64.32 | 0.00 | -- -- PEAK | <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13330.00</td> <td>44.14</td> <td>74.00</td> <td>-29.86</td> <td>49.18</td> <td>39.20</td> <td>20.08</td> <td>64.32</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table> | Limit | Read | Ant | Cable | Preamp | Aux | APos | TPos | Remark | Freq | Level | Line Margin | Level Factor | Loss Factor | Factor |  |  |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m | dB | dB | dB | 1 13330.00 | 44.14 | 74.00 | -29.86 | 49.18 | 39.20 | 20.08 | 64.32 | 0.00 | -- -- PEAK |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| 1 13330.00 | 44.93   | 74.00       | -29.07       | 49.97       | 39.20  | 20.08  | 64.32 | 0.00   | -- -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Limit      | Read  | Ant         | Cable        | Preamp      | Aux    | APos   | TPos  | Remark |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| Freq       | Level   | Line Margin | Level Factor | Loss Factor | Factor |        |       |        |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| MHz        | dBuV/m  | dBuV/m      | dB           | dBuV        | dB/m   | dB     | dB    | dB     |            |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |
| 1 13330.00 | 44.14   | 74.00       | -29.86       | 49.18       | 39.20  | 20.08  | 64.32 | 0.00   | -- -- PEAK |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |   |       |      |     |       |        |     |      |      |        |      |       |             |              |             |        |  |  |  |     |        |        |    |      |      |    |    |    |            |       |       |        |       |       |       |       |      |            |



## Appendix D. Duty Cycle Plots


| Antenna | Band                 | Duty Cycle(%) | T(ms) | 1/T(kHz) | VBW Setting |
|---------|----------------------|---------------|-------|----------|-------------|
| 0+1     | 802.11a              | 98.97         | -     | -        | 10Hz        |
| 0+1     | 802.11ax HE20        | 100           | -     | -        | 10Hz        |
| 0+1     | 802.11ax HE20 RU106  | 100           | -     | -        | 10Hz        |
| 0+1     | 802.11ax HE40        | 100           | -     | -        | 10Hz        |
| 0+1     | 802.11ax HE40 RU242  | 100           | -     | -        | 10Hz        |
| 0+1     | 802.11ax HE80        | 100           | -     | -        | 10Hz        |
| 0+1     | 802.11ax HE80 RU484  | 98.47         | -     | -        | 10Hz        |
| 0+1     | 802.11ax HE160       | 100           | -     | -        | 10Hz        |
| 0+1     | 802.11ax HE160 RU996 | 98.42         | -     | -        | 10Hz        |

### 802.11a






802.11ax HE20




802.11ax HE20 RU106






802.11ax HE40




802.11ax HE40 RU242






802.11ax HE80




802.11ax HE80 RU484





802.11ax HE160



802.11ax HE160 RU996

