

RFD8500 **REGULATORY GUIDE**

Zubar reserves the right to make changes to any product to improve reliability, function, or design. Zelan does not assume any product leability critical for product leability control of the control of the control of product leability critical or application described hereins. Not leaves a granted, either expressly or by prejication, estipopil, or differential under any patient right or expressly or by prejication, estipopil, or differential under any patient right or under leave. As implied became control or products in which zelar products right for under land to the control of the control

Warranty For the complete Zebra hardware product warranty statement, go to:



zeora Technologies Co Lincolnshire, IL U.S.A. http://www.zebra.com





Regulatory Information

This guide applies to the following Model Numbers: RFD8500. All Zichal devices are designed to be compliant with rises and required. Local language translations are available at the following website:

Miraless Devices Country Approvals


Regulatory markings, subject to entification, are spired to the

Regulatory markings, subject to entification, are spired to the

Regulatory markings, subject to entification, are spired to the

Regulatory markings, subject to the regulatory of t

Health and Safety Recommendations



Health and Safety Recommendations
Ergonomic Recommendations

According to the Commendations

According to the Commendations

According to the Commendation of the Commendations before Consult with your local Health & Safety below. Consult with your local Health & Safety Manager to ensure that you are adhering local commendations. A safety programs to prevent employee

Reduce or eliminate repetitive motions. A safety programs to prevent employee.

Reduce or eliminate excessive force
Keep objects that are used frequently within easy reach Perform tasks at correct heights.

Reduce or eliminate volcation.

Reduce or eliminate volcation.

Provide adaquate clearance
Provide adaquate clearance
Provide adaquate clearance
Improve work procedures.



Willesses devices transmit radio frequency energy and may affect medical electrical equipment.
Willesses devices transmit radio frequency energy and may affect medical electrical equipment.
Willesses devices should be switched off wherever you are requested to do so in hospitals, official continued to the expectation of the expectatio

And States Information
Reducing RF Exposure - Use Property
Only operate the device in accordance with the instructions supplied.
The device complete with internationally recognized standards covering human exposure to electromagnetic fields from ando devices. For information on informational Priman exposure to electromagnetic fields evice for the 20-bit States Declaration of Coolfornity Communications and Health States Declaration of Coolfornity Communications and Health States.

(DoC) at http://www.zebra.com/doc/located under Wireless Communications and Health. For further information on the safety of RF energy from wireless devices see https://www.zebra.com/us/en/about-zebra/company-information/ corporate-responsibility.html.

coporate-responsibility hints.

Europe

Hand-held DEFF exposure requirements, this device must be

roundly sell EUFF exposure requirements, this device must be

roundly sell EUFF exposure requirements, this device must be

roundly sell EUFF exposure requirements, this

should be avoided.

US and Canada

Co-located statement

To comply with FCD RFF exposure compliance requirement, the

anternan used of this transmitter must not be co-located or

anternan used for this transmitter must not be co-located or

proposed to the control of the cont

NOTE BATO CODY.

MOTE BATO CODY.

Deformation of exposition as radiations. Let Code a control as a control as

62471:2008 and EN 62471:2008
Public duration: "Delive duration: "Delive duration: "Delive duration: "Delive duration: "Delive duration: "Delive Delive Deli

incorned type.

When you shall be provided the provided p

Replace the battery when a significant loss of run time is detected.

Sandard wormardy previot for all Symbol batteries is 30 days.

The proper of the mobile computer or bat code scienter. For more information on Symbol batteries, please valt:

The consult the dealer or an experienced radioTV technician for helps.

- International Conference of the Conference of th

- temperatures must be between 122 °F and 1167 °F (°C and 440 °C).

 Do not use incompatible batteries and chargers. Use of an incompatible battery or charger may present a risk of risk, one about the compatibility of a battery or a charger, contact Symbol support.

 For devices that utilize a USB port as a charging source, the device shall only be connected to products that bear the USB-IF tops or have completed the USB-IF compatible program.

- Do not disassemble or open, crush, bend or deform, puncture, or shred.
 Severe impact from diopping any battery-operated device on a hard surface could cause the statety to overheat.
 Interest the conduction of the country of the conductive objects to contact the hattery terminate.
 Do not modify or remanufacture, alternate to insent foreign objects into the battery, immerse or expose to water or other liquids, or expose to three exposes to the conductive of the conductive or other hazard.
 Do not leave or store the equipment in or near areas that might get very hot, such as in a parked verble or near a radiator or other heat source. Do not glace battery vinto a microwave oven the state of the conductive or other heat source. Do not glace battery vinto a microwave oven the state or water to without the conductive or other heat source.
- or dryer.

 Battery usage by children should be supervised.

 Please follow local regulations to promptly dispose of used re-

- Seek medical sorce immensions of the seek of the seek



Radio Frequency Interference Requirements-FEC

Note: This equipment has been leaded and of control with the leaded and the leaded and an adult to part 15 of the FCC.

against harmful interference in a residential installation. This equipment generales, uses and can radiate radio frequency instructions, may cause harmful interference to radio communications. However there is no guarantee that interference in the control of the production of the control with th

Canada

CAN ICES-3 (B)9MB-3(B)
This device is in compliance with the NRC for industry Canada applicable to income exempt radios. Use is allowed with the applicable to income exempt radios. Use is allowed with the residence of the interference and the properties of the interference to the radio, even if the interference is they to compromise operation.

The radio, even if the interference is likely to compromise applicables are appeared and to event of the interference to the properties of the interference to the radio to the interference to the interference to the radio to the interference to the interference to the radio to t

Label Marking: The Term "IC:" before the radio certification only signifies that Industry Canada technical specifications were met.

(Marking and European Economic Area (EEA)

restrictions.

Maximum radiated transmit power of 2W ERPI in the frequency range 65.5.687 &MHz.

The use of FRID ovices has varying restrictions for use within the EEA, please refer to the Zebra Declaration of Conformity (DoC) for details at: Thigh-rows-zebra comfoot.

Statement of Compliance
Which breatly declares that this device is in compliance with the

essential requirements and other relevant provisions of Directive 1999/5/EC and 2011/65/EU. A Declaration of Conformity may be

Waste Electrical and Electronic Equipment (WEEE)

English: For EU Customers: All products at the ear of their life to the product of their life to the product of their life to the product of their life to the product, please go to wave zebra comiveres. Transpia is: Clients of furtine Europeners: Tous less products en fin de cycle de vie divined later perior de plus aniques informations set le return de products. Pour de plus aniques informations set le return de products. Españols: Para clientes en la birón: Europea; todos los products deberán entergians a zebra al final de su do de viet para que sean recladado. Si desse más información sette com devolver como devolver de la comitación de la co

einde van hun lievensduur naar Zebra te worden heungezonden voor respring. Radigheige voor zelepring, Radigheige voor zelepring, Radigheige voor zelepring, Radigheige voor zelepring, Radigheige voor zelepring zelepring zelepring zelepring zelepring. Polaktik Kliend z. de Sezearu Unit Europealije Produktik vrygodine ze eleppiolatelija zelepring zelepring

Matte: Chal kijenti 6-UE: 8-prodotil kollha 8 juunu wasiu 8-ahar sai-haja iai 1-užu saphonu, vidu jõju milomali ghand Zabra ghan-tusi-haja iai 1-užu saphonu, vidu jõju milomali ghand Zabra ghan-tusi-poolau, jakk jopijdook Jur. vivau zebra comiveese.

Slovenelina: 1-Pa sääzantious z krajin lõu Viseto yirobolov nädebe na vivau zebra comiveese.

Slovenelina: 1-Pa sääzantious z krajin läutoja kinopanja juli saida vali saida vali

oonuşturme için zebra ya isade edilmesidir. Urulnerin na edileceği hakkında bilgi için lütfen şu adresi ziyaret edi www.zebra.com/weee. Turkish WEEE Statement of Compliance

EEE Yönetmeliğine Uygu China RoHS

This table was created to comply with China RoHS requirements.???Space holder for chart

	有害物质					
部件名称 (Parts)	\$6 (Pb)	R (Ho)	18 (Cd)	六价链 (Cr (VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
全属部件 (Metal Parta)	0	0	0	0	0	0
电路模块 (Circuit Modules)	0	0	0	0	0	0
电模及电模矩件 (Cables and Cable Assembles)	0	0	0	0	0	0
塑料和聚合物部件 (Plastic and Polymeric Parts)	0	0	0	0	0	0
光学和光学组件 (Optical and Optical Components)	0	0	0	0	0	0
电池 (Batteries)	0	0	0	0	0	0

- 本表格依据54/7 11364 的规定编制。

 9. 毫元族有實施產在旅馆件所得均原材料中的合量均在 68/7 26/972 原定的限量 要求以下。
 表示以有事物原至少在该部件的某一地原材料中的含量超出他 7.26/97 规定的股重要求。(企业可在此处,模据实际情况对上电中扩"×"的技术原设还行进一步规则。

Service Information

If you have a problem using the equipment, contact your facility's Technical or Systems Support. If there is a problem with the equipment, they will contact the Global Support Center at: http://www.zebra.com/support. For the latest version of this guide go to: http://www.zebra.com/suppor