





LTE Band 2 / 15MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 30.OCT.2016 14:32:34

Date: 30.OCT.2016 14:33:27

Middle Channel / QPSK

Middle Channel / 16QAM



Date: 30.OCT.2016 14:35:02



Date: 30.OCT.2016 14:35:56



LTE Band 2 / 15MHz

Highest Channel / QPSK

Highest Channel / 16QAM





Date: 30.OCT.2016 14:42:03

Date: 30.OCT.2016 14:42:57

LTE Band 2 / 20MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM



Date: 30.OCT.2016 14:49:05



Date: 30.OCT.2016 14:49:58



LTE Band 2 / 20MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 30.OCT.2016 14:51:34

Date: 30.OCT.2016 14:52:28

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 30.OCT.2016 14:58:36

Date: 30.OCT.2016 15:07:55



Frequency Stability

Test Conditions		LTE Band 2 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0105	PASS
40	Normal Voltage	0.0096	
30	Normal Voltage	0.0102	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0098	
0	Normal Voltage	0.0010	
-10	Normal Voltage	0.0102	
-20	Normal Voltage	0.0109	
-30	Normal Voltage	0.0108	
20	Maximum Voltage	0.0004	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0010	

Note:

1. Normal Voltage =3.6 V. ; Battery End Point (BEP) =3.45 V. ; Maximum Voltage =4.2 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.