




Ant. 8+9

Part 270 Mode 4


EN-DC B66+n78 10M + 90M Ch132322 1RB0 QPSK + Ch650332 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 66 10M Ch132322 1RB0 QPSK  
 : NR Band 78 90M Ch650332 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	7423.00	-43.93	RMS	36.70	-20.80	0.94	-95.23	34.46	-13.00	-30.93	Horizontal
2	11135.00	-38.78	RMS	39.07	-17.31	0.55	-95.23	34.14	-13.00	-25.78	Horizontal
3	14847.00	-32.55	RMS	40.51	-13.65	0.79	-95.23	35.03	-13.00	-19.55	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 66 10M Ch132322 1RB0 QPSK  
 : NR Band 78 90M Ch650332 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	7423.00	-43.30	RMS	36.70	-20.80	0.94	-95.23	35.09	-13.00	-30.30	Vertical
2	11135.00	-38.34	RMS	39.07	-17.31	0.55	-95.23	34.58	-13.00	-25.34	Vertical
3	14847.00	-32.26	RMS	40.51	-13.65	0.79	-95.23	35.32	-13.00	-19.26	Vertical




MIMO Ant.

Part 270 Mode 5


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch650000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
1	7402.00	-43.27	RMS	36.70	-20.78	0.95	-95.23	35.09	-13.00	-30.27	Horizontal
2	11103.00	-38.75	RMS	39.01	-17.36	0.55	-95.23	34.28	-13.00	-25.75	Horizontal
3	14805.00	-31.93	RMS	40.59	-13.59	0.79	-95.23	35.51	-13.00	-18.93	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch650000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
1	7402.00	-43.22	RMS	36.70	-20.78	0.95	-95.23	35.14	-13.00	-30.22	Vertical
2	11103.00	-38.54	RMS	39.01	-17.36	0.55	-95.23	34.49	-13.00	-25.54	Vertical
3	14805.00	-31.93	RMS	40.59	-13.59	0.79	-95.23	35.51	-13.00	-18.93	Vertical




MIMO Ant.

Part 270 Mode 5


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch656000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
1	7582.00	-44.02	RMS	36.40	-20.91	0.89	-95.23	34.83	-13.00	-31.02	Horizontal
2	11373.00	-37.69	RMS	39.25	-16.95	0.56	-95.23	34.68	-13.00	-24.69	Horizontal
3	15165.00	-33.10	RMS	39.47	-13.81	0.80	-95.23	35.67	-13.00	-20.10	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch656000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
1	7582.00	-43.21	RMS	36.40	-20.91	0.89	-95.23	35.64	-13.00	-30.21	Vertical
2	11373.00	-37.69	RMS	39.25	-16.95	0.56	-95.23	34.68	-13.00	-24.69	Vertical
3	15165.00	-33.03	RMS	39.47	-13.81	0.80	-95.23	35.74	-13.00	-20.03	Vertical




MIMO Ant.

Part 270 Mode 5


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 77 100M Ch662000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
1	7762.00	-43.40	RMS	36.85	-20.95	0.79	-95.23	35.14	-13.00	-30.40	Horizontal
2	11643.00	-37.19	RMS	38.73	-16.51	0.56	-95.23	35.26	-13.00	-24.19	Horizontal
3	15525.00	-33.34	RMS	38.50	-13.71	0.81	-95.23	36.29	-13.00	-20.34	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 77 100M Ch662000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
1	7762.00	-43.35	RMS	36.85	-20.95	0.79	-95.23	35.19	-13.00	-30.35	Vertical
2	11643.00	-37.37	RMS	38.73	-16.51	0.56	-95.23	35.08	-13.00	-24.37	Vertical
3	15525.00	-33.53	RMS	38.50	-13.71	0.81	-95.23	36.10	-13.00	-20.53	Vertical




MIMO Ant.

Part 270 Mode 6


NR SA n78 90M Ch649668 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 78 90M Ch649668 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol
				Factor	1					
1	7404.00	-43.26	RMS	36.70	-20.78	0.95 -95.23	35.10	-13.00	-30.26	Horizontal
2	11105.00	-38.68	RMS	39.01	-17.35	0.55 -95.23	34.34	-13.00	-25.68	Horizontal
3	14807.00	-32.07	RMS	40.59	-13.59	0.79 -95.23	35.37	-13.00	-19.07	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 78 90M Ch649668 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol
				Factor	1					
1	7404.00	-43.18	RMS	36.70	-20.78	0.95 -95.23	35.18	-13.00	-30.18	Vertical
2	11105.00	-38.73	RMS	39.01	-17.35	0.55 -95.23	34.29	-13.00	-25.73	Vertical
3	14807.00	-32.17	RMS	40.59	-13.59	0.79 -95.23	35.27	-13.00	-19.17	Vertical




MIMO Ant.

Part 270 Mode 6


NR SA n78 90M Ch650000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 78 90M Ch650000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1						
1	7414.00	-43.00	RMS	36.70	-20.79	0.95	-95.23	35.37	-13.00	-30.00	Horizontal
2	11120.00	-38.52	RMS	39.04	-17.33	0.55	-95.23	34.45	-13.00	-25.52	Horizontal
3	14827.00	-32.30	RMS	40.55	-13.62	0.79	-95.23	35.21	-13.00	-19.30	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 78 90M Ch650000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1						
1	7414.00	-43.37	RMS	36.70	-20.79	0.95	-95.23	35.00	-13.00	-30.37	Vertical
2	11120.00	-38.46	RMS	39.04	-17.33	0.55	-95.23	34.51	-13.00	-25.46	Vertical
3	14827.00	-32.31	RMS	40.55	-13.62	0.79	-95.23	35.20	-13.00	-19.31	Vertical




MIMO Ant.

Part 270 Mode 6


NR SA n78 90M Ch650332 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR Band 78 90M Ch650332 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7424.00	-43.33	RMS	36.70	-20.80	0.94	-95.23	35.06	-13.00	-30.33	Horizontal
2 11135.00	-38.01	RMS	39.07	-17.31	0.55	-95.23	34.91	-13.00	-25.01	Horizontal
3 14847.00	-32.14	RMS	40.51	-13.65	0.79	-95.23	35.44	-13.00	-19.14	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR Band 78 90M Ch650332 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
			Factor	1						
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 7424.00	-43.30	RMS	36.70	-20.80	0.94	-95.23	35.09	-13.00	-30.30	Vertical
2 11135.00	-38.50	RMS	39.07	-17.31	0.55	-95.23	34.42	-13.00	-25.50	Vertical
3 14847.00	-32.30	RMS	40.51	-13.65	0.79	-95.23	35.28	-13.00	-19.30	Vertical






Ant. 1

Part 27N Mode 2


NR SA n71 20M Ch134600 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR SA n71 20M Ch134600 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	l						
1	1328.00	-59.20	RMS	25.92	-28.37	1.12	-95.23	37.36	-13.00	-46.20	Horizontal
2	1992.00	-57.43	RMS	26.74	-26.78	0.63	-95.23	37.21	-13.00	-44.43	Horizontal
3	2657.00	-55.78	RMS	28.50	-25.93	0.45	-95.23	36.43	-13.00	-42.78	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR SA n71 20M Ch134600 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	l						
1	1328.00	-59.23	RMS	25.92	-28.37	1.12	-95.23	37.33	-13.00	-46.23	Vertical
2	1992.00	-57.74	RMS	26.74	-26.78	0.63	-95.23	36.90	-13.00	-44.74	Vertical
3	2657.00	-55.66	RMS	28.50	-25.93	0.45	-95.23	36.55	-13.00	-42.66	Vertical






Ant. 1

Part 27N Mode 2


NR SA n71 20M Ch136100 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR SA n71 20M Ch136100 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit g	Margin	Pol
				Factor	l						
1	1343.00	-59.85	RMS	25.90	-28.32	1.12	-95.23	36.68	-13.00	-46.85	Horizontal
2	2015.00	-57.20	RMS	27.10	-26.75	0.63	-95.23	37.05	-13.00	-44.20	Horizontal
3	2687.00	-55.68	RMS	28.43	-25.83	0.44	-95.23	36.51	-13.00	-42.68	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR SA n71 20M Ch136100 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit g	Margin	Pol
				Factor	l						
1	1343.00	-59.77	RMS	25.90	-28.32	1.12	-95.23	36.76	-13.00	-46.77	Vertical
2	2015.00	-57.57	RMS	27.10	-26.75	0.63	-95.23	36.68	-13.00	-44.57	Vertical
3	2687.00	-55.33	RMS	28.43	-25.83	0.44	-95.23	36.86	-13.00	-42.33	Vertical




Ant. 1

Part 27N Mode 2


NR SA n71 20M Ch137600 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1359.00	-59.62	RMS	25.72	-28.27		1.12	-95.23	37.04	-13.00	-46.62	Horizontal
2	2038.00	-57.09	RMS	27.28	-26.71		0.64	-95.23	36.93	-13.00	-44.09	Horizontal
3	2717.00	-55.31	RMS	28.50	-25.73		0.43	-95.23	36.72	-13.00	-42.31	Horizontal




Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1359.00	-59.41	RMS	25.72	-28.27		1.12	-95.23	37.25	-13.00	-46.41	Vertical
2	2038.00	-57.39	RMS	27.28	-26.71		0.64	-95.23	36.63	-13.00	-44.39	Vertical
3	2717.00	-55.75	RMS	28.50	-25.73		0.43	-95.23	36.28	-13.00	-42.75	Vertical




Ant. 1

Part 27H Mode 2  
NR SA n12 15M Ch141300 1RB1 BPSK  
L



Site : 03CH12-HY  
Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal  
NR SA n12 15M Ch141300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit g	Margin dB	Pol
				Factor	l						
1	1400.00	-57.02	RMS	25.90	-28.15	0.86	-95.23	39.60	-13.00	-44.02	Horizontal
2	2100.00	-57.40	RMS	27.50	-26.62	0.71	-95.23	36.23	-13.00	-44.40	Horizontal
3	2800.00	-56.09	RMS	28.50	-25.45	0.58	-95.23	35.51	-13.00	-43.09	Horizontal



Site : 03CH12-HY  
Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical  
NR SA n12 15M Ch141300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit g	Margin dB	Pol
				Factor	l						
1	1400.00	-57.83	RMS	25.90	-28.15	0.86	-95.23	38.79	-13.00	-44.83	Vertical
2	2100.00	-57.60	RMS	27.50	-26.62	0.71	-95.23	36.03	-13.00	-44.60	Vertical
3	2800.00	-55.51	RMS	28.50	-25.45	0.58	-95.23	36.09	-13.00	-42.51	Vertical




Ant. 1

Part 27H Mode 2


NR SA n12 15M Ch141500 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal  
 : NR SA n12 15M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1						
1	1402.00	-56.89	RMS	25.90	-28.14	0.86	-95.23	39.72	-13.00	-43.89	Horizontal
2	2103.00	-53.07	RMS	27.50	-26.62	0.72	-95.23	40.56	-13.00	-40.07	Horizontal
3	2804.00	-55.67	RMS	28.50	-25.45	0.58	-95.23	35.93	-13.00	-42.67	Horizontal



Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical  
 : NR SA n12 15M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1						
1	1402.00	-56.46	RMS	25.90	-28.14	0.86	-95.23	40.15	-13.00	-43.46	Vertical
2	2103.00	-56.72	RMS	27.50	-26.62	0.72	-95.23	36.91	-13.00	-43.72	Vertical
3	2804.00	-55.32	RMS	28.50	-25.45	0.58	-95.23	36.28	-13.00	-42.32	Vertical




Ant. 1

Part 27H Mode 2


NR SA n12 15M Ch141700 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal  
 : NR SA n12 15M Ch141700 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
				Factor	l			g	dBm		
1	1404.00	-55.88	RMS	25.90	-28.13	0.86	-95.23	40.72	-13.00	-42.88	Horizontal
2	2106.00	-57.71	RMS	27.50	-26.61	0.72	-95.23	35.91	-13.00	-44.71	Horizontal
3	2808.00	-55.49	RMS	28.50	-25.44	0.58	-95.23	36.10	-13.00	-42.49	Horizontal



Site : 03CH12-HY  
 Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical  
 : NR SA n12 15M Ch141700 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
				Factor	l			g	dBm		
1	1404.00	-58.59	RMS	25.90	-28.13	0.86	-95.23	38.01	-13.00	-45.59	Vertical
2	2106.00	-56.90	RMS	27.50	-26.61	0.72	-95.23	36.72	-13.00	-43.90	Vertical
3	2808.00	-55.57	RMS	28.50	-25.44	0.58	-95.23	36.02	-13.00	-42.57	Vertical




Ant. 1

Part 27L Mode 5


NR SA n66 20M Ch344000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR SA n66 20M Ch344000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol
				Factor	1					
1	3423.00	-51.85	RMS	29.75	-24.00	1.05 -95.23	36.58	-13.00	-38.85	Horizontal
2	5134.00	-48.63	RMS	33.30	-23.05	0.47 -95.23	35.88	-13.00	-35.63	Horizontal
3	6845.00	-44.43	RMS	36.19	-21.34	0.34 -95.23	35.61	-13.00	-31.43	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR SA n66 20M Ch344000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol
				Factor	1					
1	3423.00	-52.05	RMS	29.75	-24.00	1.05 -95.23	36.38	-13.00	-39.05	Vertical
2	5134.00	-48.65	RMS	33.30	-23.05	0.47 -95.23	35.86	-13.00	-35.65	Vertical
3	6845.00	-44.92	RMS	36.19	-21.34	0.34 -95.23	35.12	-13.00	-31.92	Vertical




Ant. 1

Part 27L Mode 5


NR SA n66 20M Ch349000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR SA n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
1	3472.00	-52.43	RMS	29.71	-23.68	0.99	-95.23	35.78	-13.00	-39.43	Horizontal
2	5208.00	-47.89	RMS	33.12	-22.84	0.47	-95.23	36.59	-13.00	-34.89	Horizontal
3	6945.00	-45.08	RMS	36.00	-21.29	0.34	-95.23	35.10	-13.00	-32.08	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR SA n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
1	3472.00	-52.13	RMS	29.71	-23.68	0.99	-95.23	36.08	-13.00	-39.13	Vertical
2	5208.00	-48.41	RMS	33.12	-22.84	0.47	-95.23	36.07	-13.00	-35.41	Vertical
3	6945.00	-45.31	RMS	36.00	-21.29	0.34	-95.23	34.87	-13.00	-32.31	Vertical






Ant. 1

Part 27L Mode 5


NR SA n66 20M Ch354000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR SA n66 20M Ch354000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol
				Factor	1					
1	3523.00	-36.02	RMS	29.60	-23.43	0.94 -95.23	52.10	-13.00	-23.02	Horizontal
2	5284.00	-48.60	RMS	33.20	-22.40	0.45 -95.23	35.38	-13.00	-35.60	Horizontal
3	7045.00	-44.70	RMS	36.28	-21.27	0.34 -95.23	35.18	-13.00	-31.70	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR SA n66 20M Ch354000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol
				Factor	1					
1	3523.00	-40.25	RMS	29.60	-23.43	0.94 -95.23	47.87	-13.00	-27.25	Vertical
2	5284.00	-48.54	RMS	33.20	-22.40	0.45 -95.23	35.44	-13.00	-35.54	Vertical
3	7045.00	-44.19	RMS	36.28	-21.27	0.34 -95.23	35.69	-13.00	-31.19	Vertical




Ant. 1+5

Part 27L Mode 6


EN-DC B5+n66 10M + 20M Ch20525 1RB0 QPSK + Ch344000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 5 10M Ch20525 1RB0 QPSK  
 : NR SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3423.00	-44.59	RMS	29.75	-24.00	1.05	-95.23	43.84	-13.00	-31.59	Horizontal
2	5134.00	-48.69	RMS	33.30	-23.05	0.47	-95.23	35.82	-13.00	-35.69	Horizontal
3	6845.00	-44.97	RMS	36.19	-21.34	0.34	-95.23	35.07	-13.00	-31.97	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 5 10M Ch20525 1RB0 QPSK  
 : NR SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3423.00	-40.87	RMS	29.75	-24.00	1.05	-95.23	47.57	-13.00	-27.87	Vertical
2	5134.00	-48.65	RMS	33.30	-23.05	0.47	-95.23	35.86	-13.00	-35.65	Vertical
3	6845.00	-44.76	RMS	36.19	-21.34	0.34	-95.23	35.28	-13.00	-31.76	Vertical




Ant. 1+5

Part 27L Mode 6


EN-DC B5+n66 10M + 20M Ch20525 1RB0 QPSK + Ch349000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 5 10M Ch20525 1RB0 QPSK  
 : NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3472.00	-52.54	RMS	29.71	-23.68	0.99	-95.23	35.67	-13.00	-39.54	Horizontal
2	5208.00	-45.88	RMS	33.12	-22.84	0.47	-95.23	38.60	-13.00	-32.88	Horizontal
3	6945.00	-45.31	RMS	36.00	-21.29	0.34	-95.23	34.87	-13.00	-32.31	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 5 10M Ch20525 1RB0 QPSK  
 : NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3472.00	-45.19	RMS	29.71	-23.68	0.99	-95.23	43.02	-13.00	-32.19	Vertical
2	5208.00	-46.00	RMS	33.12	-22.84	0.47	-95.23	38.48	-13.00	-33.00	Vertical
3	6945.00	-45.18	RMS	36.00	-21.29	0.34	-95.23	35.00	-13.00	-32.18	Vertical




Ant. 1+5

Part 27L Mode 6


EN-DC B5+n66 10M + 20M Ch20525 1RB0 QPSK + Ch354000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : LTE Band 5 10M Ch20525 1RB0 QPSK  
 : NR SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3523.00	-24.98	RMS	29.60	-23.43	0.94	-95.23	63.14	-13.00	-11.98	Horizontal
2	5284.00	-48.68	RMS	33.20	-22.40	0.45	-95.23	35.30	-13.00	-35.68	Horizontal
3	7045.00	-44.75	RMS	36.28	-21.27	0.34	-95.23	35.13	-13.00	-31.75	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : LTE Band 5 10M Ch20525 1RB0 QPSK  
 : NR SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3523.00	-24.56	RMS	29.60	-23.43	0.94	-95.23	63.56	-13.00	-11.56	Vertical
2	5284.00	-48.90	RMS	33.20	-22.40	0.45	-95.23	35.08	-13.00	-35.90	Vertical
3	7045.00	-44.86	RMS	36.28	-21.27	0.34	-95.23	35.02	-13.00	-31.86	Vertical




Ant. 5

Part 27M Mode 7


NR SA n7 40M Ch504000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : NR SA n7 40M Ch504000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						
1	5004.00	-48.81	RMS	33.22	-23.36	0.63	-95.23	0.00	-25.00	-23.81	Horizontal
2	7506.00	-40.53	RMS	36.49	-20.86	0.71	-95.23	38.36	-25.00	-15.53	Horizontal
3	10009.00	-37.33	RMS	38.62	-18.42	0.78	-95.23	36.92	-25.00	-12.33	Horizontal



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : NR SA n7 40M Ch504000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						
1	5004.00	-48.69	RMS	33.22	-23.36	0.63	-95.23	36.05	-25.00	-23.69	Vertical
2	7506.00	-40.54	RMS	36.49	-20.86	0.71	-95.23	38.35	-25.00	-15.54	Vertical
3	10009.00	-37.65	RMS	38.62	-18.42	0.78	-95.23	36.60	-25.00	-12.65	Vertical




Ant. 5

Part 27M Mode 7


NR SA n7 40M Ch507000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : NR SA n7 40M Ch507000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol
				Factor	1					
1	5034.00	-48.50	RMS	33.34	-23.29	0.64 -95.23	36.04	-25.00	-23.50	Horizontal
2	7551.00	-34.19	RMS	36.40	-20.89	0.74 -95.23	44.79	-25.00	-9.19	Horizontal
3	10069.00	-38.81	RMS	38.70	-18.40	0.78 -95.23	35.34	-25.00	-13.81	Horizontal



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : NR SA n7 40M Ch507000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol
				Factor	1					
1	5034.00	-46.21	RMS	33.34	-23.29	0.64 -95.23	38.33	-25.00	-21.21	Vertical
2	7551.00	-36.07	RMS	36.40	-20.89	0.74 -95.23	42.91	-25.00	-11.07	Vertical
3	10069.00	-38.70	RMS	38.70	-18.40	0.78 -95.23	35.45	-25.00	-13.70	Vertical




Ant. 5

Part 27M Mode 7


NR SA n7 40M Ch510000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : NR SA n7 40M Ch510000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol
				Factor	1					
1	5064.00	-48.74	RMS	33.43	-23.22	0.66 -95.23	35.62	-25.00	-23.74	Horizontal
2	7596.00	-40.28	RMS	36.40	-20.91	0.78 -95.23	38.68	-25.00	-15.28	Horizontal
3	10129.00	-37.98	RMS	38.76	-18.38	0.78 -95.23	36.09	-25.00	-12.98	Horizontal



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : NR SA n7 40M Ch510000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol
				Factor	1					
1	5064.00	-48.65	RMS	33.43	-23.22	0.66 -95.23	35.71	-25.00	-23.65	Vertical
2	7596.00	-40.94	RMS	36.40	-20.91	0.78 -95.23	38.02	-25.00	-15.94	Vertical
3	10129.00	-38.05	RMS	38.76	-18.38	0.78 -95.23	36.02	-25.00	-13.05	Vertical






Ant. 5

Part 27M Mode 8


NR SA n38 40M Ch518000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : NR SA n38 40M Ch518000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5145.00	-44.69	RMS	33.23	-23.02	0.47	-95.23	0.00	-25.00	-19.69	Horizontal
2	7717.00	-42.22	RMS	36.73	-20.94	0.39	-95.23	36.83	-25.00	-17.22	Horizontal
3	10289.00	-39.07	RMS	38.82	-18.33	0.46	-95.23	35.21	-25.00	-14.07	Horizontal



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : NR SA n38 40M Ch518000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5145.00	-45.71	RMS	33.23	-23.02	0.47	-95.23	38.84	-25.00	-20.71	Vertical
2	7717.00	-43.21	RMS	36.73	-20.94	0.39	-95.23	35.84	-25.00	-18.21	Vertical
3	10289.00	-38.91	RMS	38.82	-18.33	0.46	-95.23	35.37	-25.00	-13.91	Vertical




Ant. 5

Part 27M Mode 8


NR SA n38 40M Ch519000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : NR SA n38 40M Ch519000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	5155.00	-43.86	RMS	33.19	-23.00	0.47	-95.23	40.71	-25.00	-18.86	Horizontal
2	7732.00	-41.04	RMS	36.76	-20.94	0.39	-95.23	37.98	-25.00	-16.04	Horizontal
3	10309.00	-38.92	RMS	38.85	-18.33	0.46	-95.23	35.33	-25.00	-13.92	Horizontal



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : NR SA n38 40M Ch519000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	5155.00	-45.93	RMS	33.19	-23.00	0.47	-95.23	38.64	-25.00	-20.93	Vertical
2	7732.00	-42.92	RMS	36.76	-20.94	0.39	-95.23	36.10	-25.00	-17.92	Vertical
3	10309.00	-39.12	RMS	38.85	-18.33	0.46	-95.23	35.13	-25.00	-14.12	Vertical




Ant. 5

Part 27M Mode 8


NR SA n38 40M Ch520000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : NR SA n38 40M Ch520000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	5165.00	-45.61	RMS	33.17	-22.97	0.47	-95.23	38.95	-25.00	-20.61	Horizontal
2	7747.00	-42.82	RMS	36.79	-20.95	0.40	-95.23	36.17	-25.00	-17.82	Horizontal
3	10329.00	-38.78	RMS	38.97	-18.32	0.46	-95.23	35.34	-25.00	-13.78	Horizontal



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : NR SA n38 40M Ch520000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	5165.00	-45.80	RMS	33.17	-22.97	0.47	-95.23	38.76	-25.00	-20.80	Vertical
2	7747.00	-43.37	RMS	36.79	-20.95	0.40	-95.23	35.62	-25.00	-18.37	Vertical
3	10329.00	-38.79	RMS	38.97	-18.32	0.46	-95.23	35.33	-25.00	-13.79	Vertical




Ant. 5

Part 27M Mode 9


NR SA n41 100M Ch509202 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4994.00	-48.49	RMS	33.16	-23.32	0.63	-95.23	0.00	-25.00	-23.49	Horizontal
2	7491.00	-43.83	RMS	36.54	-20.85	0.70	-95.23	35.01	-25.00	-18.83	Horizontal
3	9989.00	-38.81	RMS	38.56	-18.45	0.78	-95.23	35.53	-25.00	-13.81	Horizontal



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : NR SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4994.00	-48.15	RMS	33.16	-23.32	0.63	-95.23	36.61	-25.00	-23.15	Vertical
2	7491.00	-44.29	RMS	36.54	-20.85	0.70	-95.23	34.55	-25.00	-19.29	Vertical
3	9989.00	-38.84	RMS	38.56	-18.45	0.78	-95.23	35.50	-25.00	-13.84	Vertical




Ant. 5

Part 27M Mode 9


NR SA n41 100M Ch518598 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : NR SA n41 100M Ch518598 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						
1	5088.00	-43.31	RMS	33.48	-23.16	0.67	-95.23	40.93	-25.00	-18.31	Horizontal
2	7632.00	-41.62	RMS	36.46	-20.92	0.79	-95.23	37.28	-25.00	-16.62	Horizontal
3	10177.00	-38.79	RMS	38.91	-18.37	0.78	-95.23	35.12	-25.00	-13.79	Horizontal



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : NR SA n41 100M Ch518598 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						
1	5088.00	-47.19	RMS	33.48	-23.16	0.67	-95.23	37.05	-25.00	-22.19	Vertical
2	7632.00	-38.41	RMS	36.46	-20.92	0.79	-95.23	40.49	-25.00	-13.41	Vertical
3	10177.00	-38.38	RMS	38.91	-18.37	0.78	-95.23	35.53	-25.00	-13.38	Vertical




Ant. 5

Part 27M Mode 9


NR SA n41 100M Ch528000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : NR SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1						
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5182.00	-44.72	RMS	33.14	-22.93	0.70	-95.23	39.60	-25.00	-19.72	Horizontal
2 7773.00	-43.23	RMS	36.89	-20.95	0.83	-95.23	35.23	-25.00	-18.23	Horizontal
3 10365.00	-38.56	RMS	39.07	-18.31	0.78	-95.23	35.13	-25.00	-13.56	Horizontal



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : NR SA n41 100M Ch528000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
			Factor	1						
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 5182.00	-46.10	RMS	33.14	-22.93	0.70	-95.23	38.22	-25.00	-21.10	Vertical
2 7773.00	-43.13	RMS	36.89	-20.95	0.83	-95.23	35.33	-25.00	-18.13	Vertical
3 10365.00	-38.36	RMS	39.07	-18.31	0.78	-95.23	35.33	-25.00	-13.36	Vertical




Ant. 1+5

Part 27M Mode 10


EN-DC B5+n7 10M + 40M Ch20525 1RB0 QPSK + Ch504000 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : LTE Band 5 10M Ch20525 1RB0 QPSK  
 : NR SA n7 40M Ch504000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5004.00	-49.12	RMS	33.22	-23.36	0.47	-95.23	0.00	-25.00	-24.12	Horizontal
2 7506.00	-44.04	RMS	36.49	-20.86	0.35	-95.23	35.21	-25.00	-19.04	Horizontal
3 10009.00	-38.93	RMS	38.62	-18.42	0.47	-95.23	35.63	-25.00	-13.93	Horizontal



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : LTE Band 5 10M Ch20525 1RB0 QPSK  
 : NR SA n7 40M Ch504000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5004.00	-49.24	RMS	33.22	-23.36	0.47	-95.23	35.66	-25.00	-24.24	Vertical
2 7506.00	-43.52	RMS	36.49	-20.86	0.35	-95.23	35.73	-25.00	-18.52	Vertical
3 10009.00	-38.89	RMS	38.62	-18.42	0.47	-95.23	35.67	-25.00	-13.89	Vertical






Ant. 1+5

Part 27M Mode 10


EN-DC B5+n7 10M + 40M Ch20525 1RB0 QPSK + Ch507000 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : LTE Band 5 10M Ch20525 1RB0 QPSK  
 : NR SA n7 40M Ch507000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5035.00	-48.90	RMS	33.34	-23.29	0.47	-95.23	35.81	-25.00	-23.90	Horizontal
2 7552.00	-44.02	RMS	36.40	-20.89	0.35	-95.23	35.35	-25.00	-19.02	Horizontal
3 10069.00	-38.77	RMS	38.70	-18.40	0.47	-95.23	35.69	-25.00	-13.77	Horizontal



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : LTE Band 5 10M Ch20525 1RB0 QPSK  
 : NR SA n7 40M Ch507000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5035.00	-48.53	RMS	33.34	-23.29	0.47	-95.23	36.18	-25.00	-23.53	Vertical
2 7552.00	-43.91	RMS	36.40	-20.89	0.35	-95.23	35.46	-25.00	-18.91	Vertical
3 10069.00	-38.71	RMS	38.70	-18.40	0.47	-95.23	35.75	-25.00	-13.71	Vertical




Ant. 1+5

Part 27M Mode 10


EN-DC B5+n7 10M + 40M Ch20525 1RB0 QPSK + Ch510000 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Horizontal  
 : LTE Band 5 10M Ch20525 1RB0 QPSK  
 : NR SA n7 40M Ch510000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5064.00	-48.82	RMS	33.43	-23.22	0.47	-95.23	35.73	-25.00	-23.82	Horizontal
2 7596.00	-43.71	RMS	36.40	-20.91	0.36	-95.23	35.67	-25.00	-18.71	Horizontal
3 10129.00	-38.69	RMS	38.76	-18.38	0.47	-95.23	35.69	-25.00	-13.69	Horizontal



Site : 03CH12-HY  
 Condition: -25 3m 9120D-02114-230731 Vertical  
 : LTE Band 5 10M Ch20525 1RB0 QPSK  
 : NR SA n7 40M Ch510000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1 5064.00	-48.68	RMS	33.43	-23.22	0.47	-95.23	35.87	-25.00	-23.68	Vertical
2 7596.00	-43.91	RMS	36.40	-20.91	0.36	-95.23	35.47	-25.00	-18.91	Vertical
3 10129.00	-38.74	RMS	38.76	-18.38	0.47	-95.23	35.64	-25.00	-13.74	Vertical




Ant. 1

Part 90S Mode 3


NR SA n26 5M Ch163300 1RB1 BPSK

L



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR SA n26 5M Ch163300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	l						
1	1629.00	-59.34	RMS	25.59	-27.31	0.91	-95.23	36.70	-13.00	-46.34	Horizontal
2	2444.00	-56.16	RMS	27.64	-26.31	0.71	-95.23	37.03	-13.00	-43.16	Horizontal
3	3258.00	-52.85	RMS	29.88	-24.68	0.57	-95.23	36.61	-13.00	-39.85	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR SA n26 5M Ch163300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	l						
1	1629.00	-59.47	RMS	25.59	-27.31	0.91	-95.23	36.57	-13.00	-46.47	Vertical
2	2444.00	-56.76	RMS	27.64	-26.31	0.71	-95.23	36.43	-13.00	-43.76	Vertical
3	3258.00	-53.07	RMS	29.88	-24.68	0.57	-95.23	36.39	-13.00	-40.07	Vertical




Ant. 1

Part 90S Mode 3


NR SA n26 5M Ch163800 1RB1 BPSK

M



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR SA n26 5M Ch163800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	dB						
1	1634.00	-59.01	RMS	25.56	-27.30	0.91	-95.23	37.05	-13.00	-46.01	Horizontal
2	2451.00	-56.59	RMS	27.71	-26.30	0.71	-95.23	36.52	-13.00	-43.59	Horizontal
3	3268.00	-53.45	RMS	29.86	-24.64	0.57	-95.23	35.99	-13.00	-40.45	Horizontal



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR SA n26 5M Ch163800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	dB						
1	1634.00	-59.57	RMS	25.56	-27.30	0.91	-95.23	36.49	-13.00	-46.57	Vertical
2	2451.00	-56.52	RMS	27.71	-26.30	0.71	-95.23	36.59	-13.00	-43.52	Vertical
3	3268.00	-53.32	RMS	29.86	-24.64	0.57	-95.23	36.12	-13.00	-40.32	Vertical




Ant. 1

Part 90S Mode 3


NR SA n26 5M Ch164300 1RB1 BPSK

H



Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Horizontal  
 : NR SA n26 5M Ch164300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1						
1	1639.00	-59.45	RMS	25.51	-27.29	0.90	-95.23	36.66	-13.00	-46.45	Horizontal
2	2459.00	-55.66	RMS	27.79	-26.28	0.71	-95.23	37.35	-13.00	-42.66	Horizontal
3	3278.00	-53.06	RMS	29.84	-24.61	0.57	-95.23	36.37	-13.00	-40.06	Horizontal




Site : 03CH12-HY  
 Condition: -13 3m 9120D-02114-230731 Vertical  
 : NR SA n26 5M Ch164300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1						
1	1639.00	-59.41	RMS	25.51	-27.29	0.90	-95.23	36.70	-13.00	-46.41	Vertical
2	2459.00	-56.41	RMS	27.79	-26.28	0.71	-95.23	36.60	-13.00	-43.41	Vertical
3	3278.00	-52.97	RMS	29.84	-24.61	0.57	-95.23	36.46	-13.00	-39.97	Vertical



Ant. 5



Remark: The over limit signal #1 is fundamental signal which can be ignored.