



## Appendix D. Photographs of EUT and Setup

# FCC SAR Test Report

## <Photographs of EUT>



**EUT – Front View**



**EUT – Rear View**



**Battery – Front View**



**Battery – Rear View**




**Holster – Front View**



**Holster – Rear View**

# FCC SAR Test Report

## <Photographs of SAR Setup>





# FCC SAR Test Report

 <p>A photograph showing the front face of a black handheld device (EUT) mounted on a stand. A red double-headed vertical arrow indicates a 1.5 cm gap between the top of the device and a horizontal surface above it.</p>	 <p>A photograph showing the rear face of the same black handheld device (EUT) mounted on a stand. A red double-headed vertical arrow indicates a 1.5 cm gap between the top of the device and a horizontal surface above it.</p>
<p><b>Front Face of EUT with 1.5 cm Gap (Body-worn, EUT Standalone)</b></p>	<p><b>Rear Face of EUT with 1.5 cm Gap (Body-worn, EUT Standalone)</b></p>
 <p>A photograph showing the front face of the black handheld device (EUT) mounted on a stand. The device is positioned such that its top surface is flush with a horizontal surface above it, indicating a 0 cm gap.</p>	
<p><b>Front Face of EUT with 0 cm Gap (Body-worn, EUT with Holster)</b></p>	