



**2.4GHz 2400~2483.5MHz
WIFI 802.11b (Harmonic @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	53.22	-20.78	74	67.03	33.64	11.93	59.38	100	145	P	H
		4824	50.84	-3.16	54	64.65	33.64	11.93	59.38	100	145	A	H
													H
													H
		4824	49.04	-24.96	74	62.85	33.64	11.93	59.38	100	0	P	V
													V
													V
802.11b CH 06 2437MHz		4872	51.67	-22.33	74	65.52	33.54	11.9	59.29	100	138	P	H
		4872	49.5	-4.5	54	63.35	33.54	11.9	59.29	100	138	A	H
		7308	42.78	-31.22	74	51.2	34.69	14.94	58.05	100	0	P	H
													H
		4872	45.65	-28.35	74	59.5	33.54	11.9	59.29	100	0	P	V
		7308	42.85	-31.15	74	51.27	34.69	14.94	58.05	100	0	P	V
													V
802.11b CH 11 2462MHz		4926	45.23	-28.77	74	59.13	33.44	11.87	59.21	100	0	P	H
		7386	41.94	-32.06	74	50.51	34.47	15.08	58.12	100	0	P	H
													H
													H
		4926	42.74	-31.26	74	56.64	33.44	11.87	59.21	100	0	P	V
		7386	41.35	-32.65	74	49.92	34.47	15.08	58.12	100	0	P	V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 01 2412MHz		2389.7	61.2	-12.8	74	55.74	32.19	8.24	34.97	100	204	P	H	
		2390	51.81	-2.19	54	46.36	32.19	8.24	34.98	100	204	A	H	
	*	2412	114.04	-	-	108.54	32.24	8.24	34.98	100	204	P	H	
	*	2412	106.39	-	-	100.89	32.24	8.24	34.98	100	204	A	H	
													H	
														H
			2390	56.57	-17.43	74	51.12	32.19	8.24	34.98	300	183	P	V
			2390	47.41	-6.59	54	41.96	32.19	8.24	34.98	300	183	A	V
	*		2412	104.17	-	-	98.67	32.24	8.24	34.98	300	183	P	V
	*		2412	96.23	-	-	90.73	32.24	8.24	34.98	300	183	A	V
														V
														V
802.11g CH 02 2417MHz		2389.66	61.55	-12.45	74	56.09	32.19	8.24	34.97	127	204	P	H	
		2389.94	52.68	-1.32	54	47.23	32.19	8.24	34.98	127	204	A	H	
	*	2417	114.27	-	-	108.78	32.24	8.24	34.99	127	204	P	H	
	*	2417	106.44	-	-	100.95	32.24	8.24	34.99	127	204	A	H	
													H	
														H
			2367.54	55.85	-18.15	74	50.47	32.09	8.26	34.97	100	187	P	V
			2389.66	46.61	-7.39	54	41.15	32.19	8.24	34.97	100	187	A	V
	*		2417	105.43	-	-	99.94	32.24	8.24	34.99	100	187	P	V
	*		2417	97.87	-	-	92.38	32.24	8.24	34.99	100	187	A	V
														V
														V



WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		2389.8	60.06	-13.94	74	54.61	32.19	8.24	34.98	100	176	P	H
		2389.94	51.96	-2.04	54	46.51	32.19	8.24	34.98	100	176	A	H
	*	2437	117.06	-	-	111.44	32.34	8.27	34.99	100	176	P	H
	*	2437	109.65	-	-	104.03	32.34	8.27	34.99	100	176	A	H
		2483.52	62.71	-11.29	74	56.96	32.45	8.3	35	100	176	P	H
		2483.55	52.37	-1.63	54	46.62	32.45	8.3	35	100	176	A	H
		2376.5	56.07	-17.93	74	50.64	32.14	8.26	34.97	137	293	P	V
		2389.8	46.3	-7.7	54	40.85	32.19	8.24	34.98	137	293	A	V
	*	2437	107.59	-	-	101.97	32.34	8.27	34.99	137	293	P	V
	*	2437	99.79	-	-	94.17	32.34	8.27	34.99	137	293	A	V
		2483.97	56.06	-17.94	74	50.31	32.45	8.3	35	137	293	P	V
		2483.55	46.76	-7.24	54	41.01	32.45	8.3	35	137	293	A	V
802.11g CH 10 2457MHz	*	2457	113.86	39.86	74	108.18	32.4	8.27	34.99	120	180	P	H
	*	2457	106.08	52.08	54	100.4	32.4	8.27	34.99	120	180	A	H
		2483.62	63.47	-10.53	74	57.72	32.45	8.3	35	120	180	P	H
		2483.56	52.45	-1.55	54	46.7	32.45	8.3	35	120	180	A	H
													H
													H
	*	2457	104.42	30.42	74	98.74	32.4	8.27	34.99	144	187	P	V
	*	2457	97.11	43.11	54	91.43	32.4	8.27	34.99	144	187	A	V
		2484.7	56.56	-17.44	74	50.81	32.45	8.3	35	144	187	P	V
		2483.56	46.67	-7.33	54	40.92	32.45	8.3	35	144	187	A	V
													V
													V



WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 11 2462MHz	*	2462	111.92	-	-	106.21	32.4	8.3	34.99	120	181	P	H	
	*	2462	104.25	-	-	98.54	32.4	8.3	34.99	120	181	A	H	
		2483.64	63.45	-10.55	74	57.7	32.45	8.3	35	120	181	P	H	
		2483.52	52.08	-1.92	54	46.33	32.45	8.3	35	120	181	A	H	
													H	
														H
	*	2462	101.36	-	-	95.65	32.4	8.3	34.99	296	181	P	V	
	*	2462	94.46	-	-	88.75	32.4	8.3	34.99	296	181	A	V	
		2484.16	56.79	-17.21	74	51.04	32.45	8.3	35	296	181	P	V	
		2483.68	46.39	-7.61	54	40.64	32.45	8.3	35	296	181	A	V	
														V
														V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 													



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	50.46	-23.54	74	64.27	33.64	11.93	59.38	100	0	P	H
													H
													H
													H
													V
													V
													V
802.11g CH 06 2437MHz		4878	48.31	-25.69	74	62.16	33.54	11.9	59.29	100	0	P	H
		7308	42.06	-31.94	74	50.48	34.69	14.94	58.05	100	0	P	H
													H
													H
													V
													V
													V
802.11g CH 11 2462MHz		4926	40.89	-33.11	74	54.79	33.44	11.87	59.21	100	0	P	H
		7386	41.06	-32.94	74	49.63	34.47	15.08	58.12	100	0	P	H
													H
													H
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11g LF		95.88	33.54	-9.96	43.5	47.11	15.88	2.11	31.56	-	-	P	H	
		158.79	35.18	-8.32	43.5	46.99	17.07	2.62	31.5	-	-	P	H	
		299.73	33.6	-12.4	46	41.82	19.8	3.28	31.3	-	-	P	H	
		303.5	32.51	-13.49	46	40.46	19.91	3.43	31.29	-	-	P	H	
		519.8	40.22	-5.78	46	42.68	24.36	4.13	30.95	100	111	P	H	
		944.7	35.07	-10.93	46	30.11	30.08	5.4	30.52	-	-	P	H	
														H
														H
														H
														H
														H
														H
			30.81	36.25	-3.75	40	40.44	25.46	1.71	31.36	100	96	P	V
			156.36	28.68	-14.82	43.5	40.28	17.28	2.62	31.5	-	-	P	V
			198.75	30.45	-13.05	43.5	43.23	15.95	2.72	31.45	-	-	P	V
			390.3	33.5	-12.5	46	38.67	22.16	3.82	31.15	-	-	P	V
			519.8	36.87	-9.13	46	39.33	24.36	4.13	30.95	-	-	P	V
			650	35.94	-10.06	46	36.21	25.9	4.59	30.76	-	-	P	V
														V
														V
													V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.													



<Ant. No. 1 Chain 0 + 1>

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11b CH 01 2412MHz		2390	59	-15	74	53.55	32.19	8.24	34.98	120	214	P	H	
		2390	52.69	-1.31	54	47.24	32.19	8.24	34.98	120	214	A	H	
	*	2412	115.26	-	-	109.76	32.24	8.24	34.98	120	214	P	H	
	*	2412	112.16	-	-	106.66	32.24	8.24	34.98	120	214	A	H	
													H	
													H	
			2311.79	55.87	-18.13	74	50.61	31.93	8.28	34.95	254	167	P	V
			2390	46.29	-7.71	54	40.84	32.19	8.24	34.98	254	167	A	V
	*		2412	109.13	-	-	103.63	32.24	8.24	34.98	254	167	P	V
	*		2412	106.05	-	-	100.55	32.24	8.24	34.98	254	167	A	V
													V	
												V		
802.11b CH 02 2417MHz		2389.94	60.38	-13.62	74	54.93	32.19	8.24	34.98	127	218	P	H	
		2389.94	52.49	-1.51	54	47.04	32.19	8.24	34.98	127	218	A	H	
	*	2417	116.88	-	-	111.39	32.24	8.24	34.99	127	218	P	H	
	*	2417	113.88	-	-	108.39	32.24	8.24	34.99	127	218	A	H	
													H	
													H	
			2389.8	56.89	-17.11	74	51.44	32.19	8.24	34.98	258	165	P	V
			2389.94	47.35	-6.65	54	41.9	32.19	8.24	34.98	258	165	A	V
	*		2417	110.08	-	-	104.59	32.24	8.24	34.99	258	165	P	V
	*		2417	107.05	-	-	101.56	32.24	8.24	34.99	258	165	A	V
													V	
												V		



WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		2355.78	56.66	-17.34	74	51.28	32.09	8.26	34.97	100	216	P	H
		2389.94	46.43	-7.57	54	40.98	32.19	8.24	34.98	100	216	A	H
	*	2437	117.34	-	-	111.72	32.34	8.27	34.99	100	216	P	H
	*	2437	114.3	-	-	108.68	32.34	8.27	34.99	100	216	A	H
		2483.62	58.65	-15.35	74	52.9	32.45	8.3	35	100	216	P	H
		2488.03	47.14	-6.86	54	41.34	32.5	8.3	35	100	216	A	H
		2379.3	55.75	-18.25	74	50.32	32.14	8.26	34.97	100	190	P	V
		2389.94	45.3	-8.7	54	39.85	32.19	8.24	34.98	100	190	A	V
	*	2437	109.71	-	-	104.09	32.34	8.27	34.99	100	190	P	V
	*	2437	106.51	-	-	100.89	32.34	8.27	34.99	100	190	A	V
		2498.53	55.71	-18.29	74	49.92	32.5	8.3	35.01	100	190	P	V
		2487.4	45.77	-8.23	54	40.02	32.45	8.3	35	100	190	A	V
802.11b CH 10 2457MHz	*	2457	115.69	-	-	110.01	32.4	8.27	34.99	122	212	P	H
	*	2457	112.67	-	-	106.99	32.4	8.27	34.99	122	212	A	H
		2483.8	62.05	-11.95	74	56.3	32.45	8.3	35	122	212	P	H
		2483.62	52.72	-1.28	54	46.97	32.45	8.3	35	122	212	A	H
													H
													H
	*	2457	110.63	-	-	104.95	32.4	8.27	34.99	222	167	P	V
	*	2457	107.52	-	-	101.84	32.4	8.27	34.99	222	167	A	V
		2484.52	57.2	-16.8	74	51.45	32.45	8.3	35	222	167	P	V
		2483.86	47.69	-6.31	54	41.94	32.45	8.3	35	222	167	A	V
													V
													V



WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11b CH 11 2462MHz	*	2462	114.28	-	-	108.57	32.4	8.3	34.99	118	211	P	H	
	*	2462	111.23	-	-	105.52	32.4	8.3	34.99	118	211	A	H	
		2485.96	63.11	-10.89	74	57.36	32.45	8.3	35	118	211	P	H	
		2483.52	52.62	-1.38	54	46.87	32.45	8.3	35	118	211	A	H	
													H	
														H
	*	2462	109.64	-	-	103.93	32.4	8.3	34.99	366	176	P	V	
	*	2462	106.58	-	-	100.87	32.4	8.3	34.99	366	176	A	V	
		2489.6	57.32	-16.68	74	51.52	32.5	8.3	35	366	176	P	V	
		2483.72	46.8	-7.2	54	41.05	32.45	8.3	35	366	176	A	V	
														V
														V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**2.4GHz 2400~2483.5MHz
WIFI 802.11b (Harmonic @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	52.19	-21.81	74	66	33.64	11.93	59.38	100	131	P	H
		4824	49.48	-4.52	54	63.29	33.64	11.93	59.38	100	131	A	H
													H
													H
		4824	48.37	-25.63	74	62.18	33.64	11.93	59.38	100	0	P	V
													V
													V
802.11b CH 06 2437MHz		4874	53.58	-20.42	74	67.43	33.54	11.9	59.29	100	141	P	H
		4874	50.91	-3.09	54	64.76	33.54	11.9	59.29	100	141	A	H
		7311	48.77	-25.23	74	57.19	34.69	14.94	58.05	100	0	P	H
													H
		4874	49.85	-24.15	74	63.7	33.54	11.9	59.29	100	0	P	V
		7311	47.12	-26.88	74	55.54	34.69	14.94	58.05	100	0	P	V
													V
802.11b CH 11 2462MHz		4926	45.43	-28.57	74	59.33	33.44	11.87	59.21	100	0	P	H
		7386	44.58	-29.42	74	53.15	34.47	15.08	58.12	100	0	P	H
													H
													H
		4926	40.53	-33.47	74	54.43	33.44	11.87	59.21	100	0	P	V
		7386	43.02	-30.98	74	51.59	34.47	15.08	58.12	100	0	P	V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 01 2412MHz		2389.8	62.58	-11.42	74	57.13	32.19	8.24	34.98	100	188	P	H	
		2389.91	52.23	-1.77	54	46.78	32.19	8.24	34.98	100	188	A	H	
	*	2412	113.54	-	-	108.04	32.24	8.24	34.98	100	188	P	H	
	*	2412	106.38	-	-	100.88	32.24	8.24	34.98	100	188	A	H	
													H	
														H
			2389.8	59.65	-14.35	74	54.2	32.19	8.24	34.98	200	183	P	V
			2390	50.05	-3.95	54	44.6	32.19	8.24	34.98	200	183	A	V
	*		2412	108.5	-	-	103	32.24	8.24	34.98	200	183	P	V
	*		2412	100.68	-	-	95.18	32.24	8.24	34.98	200	183	A	V
														V
														V
802.11g CH 02 2417MHz		2389.94	61.29	-12.71	74	55.84	32.19	8.24	34.98	100	210	P	H	
		2389.94	52.43	-1.57	54	46.98	32.19	8.24	34.98	100	210	A	H	
	*	2417	115.59	-	-	110.1	32.24	8.24	34.99	100	210	P	H	
	*	2417	108.49	-	-	103	32.24	8.24	34.99	100	210	A	H	
														H
														H
			2389.52	58.09	-15.91	74	52.63	32.19	8.24	34.97	100	191	P	V
			2389.94	49.09	-4.91	54	43.64	32.19	8.24	34.98	100	191	A	V
	*		2417	109.68	-	-	104.19	32.24	8.24	34.99	100	191	P	V
	*		2417	102.1	-	-	96.61	32.24	8.24	34.99	100	191	A	V
														V
														V



WIFI	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		2389.66	60.71	-13.29	74	55.25	32.19	8.24	34.97	100	184	P	H
		2389.94	51.26	-2.74	54	45.81	32.19	8.24	34.98	100	184	A	H
	*	2437	118.23	-	-	112.61	32.34	8.27	34.99	100	184	P	H
	*	2437	111.16	-	-	105.54	32.34	8.27	34.99	100	184	A	H
		2483.76	64.17	-9.83	74	58.42	32.45	8.3	35	100	184	P	H
		2483.52	52.38	-1.62	54	46.63	32.45	8.3	35	100	184	A	H
		2389.38	56.66	-17.34	74	51.2	32.19	8.24	34.97	100	187	P	V
		2389.8	47.91	-6.09	54	42.46	32.19	8.24	34.98	100	187	A	V
	*	2437	113.34	-	-	107.72	32.34	8.27	34.99	100	187	P	V
	*	2437	105.7	-	-	100.08	32.34	8.27	34.99	100	187	A	V
		2485.72	58.86	-15.14	74	53.11	32.45	8.3	35	100	187	P	V
		2483.52	48.9	-5.1	54	43.15	32.45	8.3	35	100	187	A	V
802.11g CH 10 2457MHz	*	2457	114.9	-	-	109.22	32.4	8.27	34.99	117	209	P	H
	*	2457	107.56	-	-	101.88	32.4	8.27	34.99	117	209	A	H
		2483.56	61.93	-12.07	74	56.18	32.45	8.3	35	117	209	P	H
		2483.5	52.55	-1.45	54	46.8	32.45	8.3	35	117	209	A	H
													H
													H
	*	2457	107.44	-	-	101.76	32.4	8.27	34.99	100	136	P	V
	*	2457	101.13	-	-	95.45	32.4	8.27	34.99	100	136	A	V
		2483.5	58.36	-15.64	74	52.61	32.45	8.3	35	100	136	P	V
		2483.5	48.3	-5.7	54	42.55	32.45	8.3	35	100	136	A	V
													V
													V



WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 11 2462MHz	*	2462	113.95	-	-	108.24	32.4	8.3	34.99	116	185	P	H	
	*	2462	106.49	-	-	100.78	32.4	8.3	34.99	116	185	A	H	
		2484.96	61.73	-12.27	74	55.98	32.45	8.3	35	116	185	P	H	
		2483.52	52.53	-1.47	54	46.78	32.45	8.3	35	116	185	A	H	
													H	
														H
	*	2462	106.49	-	-	100.78	32.4	8.3	34.99	200	177	P	V	
	*	2462	98.85	-	-	93.14	32.4	8.3	34.99	200	177	A	V	
		2484.72	60.17	-13.83	74	54.42	32.45	8.3	35	200	177	P	V	
		2483.8	49.3	-4.7	54	43.55	32.45	8.3	35	200	177	A	V	
													V	
													V	
	Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 01 2412MHz		4824	48.17	-25.83	74	61.98	33.64	11.93	59.38	100	0	P	H	
													H	
													H	
													H	
		4824	41.66	-32.34	74	55.47	33.64	11.93	59.38	100	0	P	V	
														V
														V
802.11g CH 06 2437MHz		4874	47.14	-26.86	74	60.99	33.54	11.9	59.29	100	0	P	H	
		7311	46.64	-27.36	74	55.06	34.69	14.94	58.05	100	0	P	H	
													H	
													H	
		4874	42.99	-31.01	74	56.84	33.54	11.9	59.29	100	0	P	V	
		7311	42.27	-31.73	74	50.69	34.69	14.94	58.05	100	0	P	V	
														V
802.11g CH 11 2462MHz		4924	41.42	-32.58	74	55.32	33.44	11.87	59.21	100	0	P	H	
		7386	42.44	-31.56	74	51.01	34.47	15.08	58.12	100	0	P	H	
													H	
													H	
		4924	40.14	-33.86	74	54.04	33.44	11.87	59.21	100	0	P	V	
		7386	42.47	-31.53	74	51.04	34.47	15.08	58.12	100	0	P	V	
														V
Remark	1. No other spurious found.													
	2. All results are PASS against Peak and Average limit line.													



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT20 (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT20 CH 01 2412MHz		2390	63.1	-10.9	74	57.65	32.19	8.24	34.98	100	212	P	H	
		2390	52.16	-1.84	54	46.71	32.19	8.24	34.98	100	212	A	H	
	*	2412	112.09	-	-	106.59	32.24	8.24	34.98	100	212	P	H	
	*	2412	103.6	-	-	98.1	32.24	8.24	34.98	100	212	A	H	
													H	
														H
			2389.07	57.43	-16.57	74	51.97	32.19	8.24	34.97	100	195	P	V
			2389.91	48.23	-5.77	54	42.78	32.19	8.24	34.98	100	195	A	V
		*	2412	104.7	-	-	99.2	32.24	8.24	34.98	100	195	P	V
		*	2412	97.57	-	-	92.07	32.24	8.24	34.98	100	195	A	V
													V	
													V	
802.11ac VHT20 CH 02 2417MHz		2389.8	62.61	-11.39	74	57.16	32.19	8.24	34.98	100	208	P	H	
		2389.66	52.58	-1.42	54	47.12	32.19	8.24	34.97	100	208	A	H	
		*	2417	113.71	-	-	108.22	32.24	8.24	34.99	100	208	P	H
		*	2417	106.52	-	-	101.03	32.24	8.24	34.99	100	208	A	H
													P	H
													A	H
			2363.9	56.76	-17.24	74	51.38	32.09	8.26	34.97	100	191	P	V
			2389.38	47.78	-6.22	54	42.32	32.19	8.24	34.97	100	191	A	V
		*	2417	107.22	-	-	101.73	32.24	8.24	34.99	100	191	P	V
		*	2417	99.96	-	-	94.47	32.24	8.24	34.99	100	191	A	V
												P	V	
												A	V	



WIFI	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT20 CH 06 2437MHz		2388.12	60.61	-13.39	74	55.15	32.19	8.24	34.97	100	184	P	H
		2389.94	51.96	-2.04	54	46.51	32.19	8.24	34.98	100	184	A	H
	*	2437	116.14	-	-	110.52	32.34	8.27	34.99	100	184	P	H
	*	2437	109.25	-	-	103.63	32.34	8.27	34.99	100	184	A	H
		2484.32	62.65	-11.35	74	56.9	32.45	8.3	35	100	184	P	H
		2483.55	52.03	-1.97	54	46.28	32.45	8.3	35	100	184	A	H
		2389.94	56.53	-17.47	74	51.08	32.19	8.24	34.98	147	183	P	V
		2389.38	48.29	-5.71	54	42.83	32.19	8.24	34.97	147	183	A	V
	*	2437	112.08	-	-	106.46	32.34	8.27	34.99	147	183	P	V
	*	2437	104.48	-	-	98.86	32.34	8.27	34.99	147	183	A	V
		2485.44	62.09	-11.91	74	56.34	32.45	8.3	35	147	183	P	V
		2483.52	49.89	-4.11	54	44.14	32.45	8.3	35	147	183	A	V
802.11ac VHT20 CH 10 2457MHz	*	2457	114.15	-	-	108.47	32.4	8.27	34.99	137	210	P	H
	*	2457	106.27	-	-	100.59	32.4	8.27	34.99	137	210	A	H
		2484.46	62.14	-11.86	74	56.39	32.45	8.3	35	137	210	P	H
		2484.28	52.58	-1.42	54	46.83	32.45	8.3	35	137	210	A	H
													H
													H
	*	2457	107.45	-	-	101.77	32.4	8.27	34.99	100	193	P	V
	*	2457	100.04	-	-	94.36	32.4	8.27	34.99	100	193	A	V
		2488.72	60.42	-13.58	74	54.62	32.5	8.3	35	100	193	P	V
		2483.56	50.29	-3.71	54	44.54	32.45	8.3	35	100	193	A	V
												V	
												V	



WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT20 CH 11 2462MHz	*	2462	110.4	-	-	104.69	32.4	8.3	34.99	100	208	P	H
	*	2462	103.06	-	-	97.35	32.4	8.3	34.99	100	208	A	H
		2483.52	62.85	-11.15	74	57.1	32.45	8.3	35	100	208	P	H
		2483.6	52.58	-1.42	54	46.83	32.45	8.3	35	100	208	A	H
													H
													H
	*	2462	105.38	-	-	99.67	32.4	8.3	34.99	100	138	P	V
	*	2462	97.52	-	-	91.81	32.4	8.3	34.99	100	138	A	V
		2486.4	57.06	-16.94	74	51.31	32.45	8.3	35	100	138	P	V
		2483.88	47.92	-6.08	54	42.17	32.45	8.3	35	100	138	A	V
												V	
												V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 												



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT20 (Harmonic @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT20 CH 01 2412MHz		4824	43.35	-30.65	74	57.16	33.64	11.93	59.38	100	0	P	H	
													H	
													H	
													H	
			4824	41.26	-32.74	74	55.07	33.64	11.93	59.38	100	0	P	V
														V
														V
802.11ac VHT20 CH 06 2437MHz		4874	46.2	-27.8	74	60.05	33.54	11.9	59.29	100	0	P	H	
		7311	48.04	-25.96	74	56.46	34.69	14.94	58.05	100	0	P	H	
													H	
													H	
			4874	43.14	-30.86	74	56.99	33.54	11.9	59.29	100	0	P	V
			7311	42.72	-31.28	74	51.14	34.69	14.94	58.05	100	0	P	V
														V
802.11ac VHT20 CH 11 2462MHz		4924	40.46	-33.54	74	54.36	33.44	11.87	59.21	100	0	P	H	
		7386	42.38	-31.62	74	50.95	34.47	15.08	58.12	100	0	P	H	
													H	
													H	
			4924	39.7	-34.3	74	53.6	33.44	11.87	59.21	100	0	P	V
			7386	41.82	-32.18	74	50.39	34.47	15.08	58.12	100	0	P	V
														V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT40 (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT40 CH 03 2422MHz		2389.52	60.05	-13.95	74	54.59	32.19	8.24	34.97	100	189	P	H
		2389.8	52.59	-1.41	54	47.14	32.19	8.24	34.98	100	189	P	H
	*	2422	106.23	-	-	100.66	32.29	8.27	34.99	100	189	P	H
	*	2422	98.59	-	-	93.02	32.29	8.27	34.99	100	189	A	H
		2488.73	57.8	-16.2	74	52	32.5	8.3	35	100	189	P	H
		2484.11	47.73	-6.27	54	41.98	32.45	8.3	35	100	189	A	H
		2388.96	56.66	-17.34	74	51.2	32.19	8.24	34.97	200	184	P	V
		2389.52	48.52	-5.48	54	43.06	32.19	8.24	34.97	200	184	A	V
	*	2422	99.21	-	-	93.64	32.29	8.27	34.99	200	184	P	V
	*	2422	92.82	-	-	87.25	32.29	8.27	34.99	200	184	A	V
		2493.49	56.27	-17.73	74	50.48	32.5	8.3	35.01	200	184	P	V
		2493.07	47.27	-6.73	54	41.48	32.5	8.3	35.01	200	184	A	V
802.11ac VHT40 CH 04 2427MHz		2389.52	60.82	-13.18	74	55.36	32.19	8.24	34.97	100	207	P	H
		2389.24	52.12	-1.88	54	46.66	32.19	8.24	34.97	100	207	A	H
	*	2427	105.37	-	-	99.8	32.29	8.27	34.99	100	207	P	H
	*	2427	97.97	-	-	92.4	32.29	8.27	34.99	100	207	A	H
		2485.86	57.38	-16.62	74	51.63	32.45	8.3	35	100	207	P	H
		2483.5	47.9	-6.1	54	42.15	32.45	8.3	35	100	207	A	H
		2389.24	56.63	-17.37	74	51.17	32.19	8.24	34.97	100	194	P	V
		2389.66	49.93	-4.07	54	44.47	32.19	8.24	34.97	100	194	A	V
	*	2427	101.15	-	-	95.58	32.29	8.27	34.99	100	194	P	V
	*	2427	94.34	-	-	88.77	32.29	8.27	34.99	100	194	A	V
		2493.56	55.98	-18.02	74	50.19	32.5	8.3	35.01	100	194	P	V
		2489.5	47.54	-6.46	54	41.74	32.5	8.3	35	100	194	A	V



WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT40 CH 06 2437MHz		2389.52	61.45	-12.55	74	55.99	32.19	8.24	34.97	100	209	P	H
		2389.94	52.52	-1.48	54	47.07	32.19	8.24	34.98	100	209	A	H
	*	2437	107.82	-	-	102.2	32.34	8.27	34.99	100	209	P	H
	*	2437	100.57	-	-	94.95	32.34	8.27	34.99	100	209	A	H
		2484.74	59.88	-14.12	74	54.13	32.45	8.3	35	100	209	P	H
		2484.04	51.8	-2.2	54	46.05	32.45	8.3	35	100	209	A	H
		2348.5	56.7	-17.3	74	51.38	32.03	8.26	34.97	100	231	P	V
		2389.94	48.17	-5.83	54	42.72	32.19	8.24	34.98	100	231	A	V
	*	2437	99.86	-	-	94.24	32.34	8.27	34.99	100	231	P	V
	*	2437	92.81	-	-	87.19	32.34	8.27	34.99	100	231	A	V
		2488.66	57.03	-16.97	74	51.23	32.5	8.3	35	100	231	P	V
		2485.86	47.61	-6.39	54	41.86	32.45	8.3	35	100	231	A	V
802.11ac VHT40 CH 08 2447MHz		2389.38	56.58	-17.42	74	51.12	32.19	8.24	34.97	100	211	P	H
		2389.24	48.9	-5.1	54	43.44	32.19	8.24	34.97	100	211	A	H
	*	2447	108.08	-	-	102.46	32.34	8.27	34.99	100	211	P	H
	*	2447	100.85	-	-	95.23	32.34	8.27	34.99	100	211	A	H
		2484.95	61.41	-12.59	74	55.66	32.45	8.3	35	100	211	P	H
		2485.09	52.44	-1.56	54	46.69	32.45	8.3	35	100	211	A	H
		2388.26	56.7	-17.3	74	51.24	32.19	8.24	34.97	100	196	P	V
		2389.66	47.33	-6.67	54	41.87	32.19	8.24	34.97	100	196	A	V
	*	2447	103	-	-	97.38	32.34	8.27	34.99	100	196	P	V
	*	2447	96.04	-	-	90.42	32.34	8.27	34.99	100	196	A	V
		2488.45	60.49	-13.51	74	54.69	32.5	8.3	35	100	196	P	V
		2487.82	49.65	-4.35	54	43.85	32.5	8.3	35	100	196	A	V



WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT40 CH 09 2452MHz		2341.22	55.47	-18.53	74	50.15	32.03	8.26	34.97	116	184	P	H
		2389.94	46.82	-7.18	54	41.37	32.19	8.24	34.98	116	184	A	H
	*	2452	106.91	-	-	101.29	32.34	8.27	34.99	116	184	P	H
	*	2452	99.23	-	-	93.61	32.34	8.27	34.99	116	184	A	H
		2484.32	60.14	-13.86	74	54.39	32.45	8.3	35	116	184	P	H
		2483.69	52.34	-1.66	54	46.59	32.45	8.3	35	116	184	A	H
		2327.22	56.27	-17.73	74	50.97	31.98	8.28	34.96	200	177	P	V
		2370.48	46.54	-7.46	54	41.11	32.14	8.26	34.97	200	177	A	V
	*	2452	99.89	-	-	94.27	32.34	8.27	34.99	200	177	P	V
	*	2452	92.48	-	-	86.86	32.34	8.27	34.99	200	177	A	V
		2484.18	57.43	-16.57	74	51.68	32.45	8.3	35	200	177	P	V
		2484.53	48.11	-5.89	54	42.36	32.45	8.3	35	200	177	A	V
802.11ac VHT40 CH 10 2457MHz		2384.9	56.08	-17.92	74	50.67	32.14	8.24	34.97	122	199	P	H
		2389.66	46.66	-7.34	54	41.2	32.19	8.24	34.97	122	199	A	H
	*	2457	106.18	-	-	100.5	32.4	8.27	34.99	122	199	P	H
	*	2457	99.18	-	-	93.5	32.4	8.27	34.99	122	199	A	H
		2484.6	60.18	-13.82	74	54.43	32.45	8.3	35	122	199	P	H
		2484.81	52.13	-1.87	54	46.38	32.45	8.3	35	122	199	A	H
		2356.34	55.99	-18.01	74	50.61	32.09	8.26	34.97	100	108	P	V
		2385.46	46.53	-7.47	54	41.12	32.14	8.24	34.97	100	108	A	V
	*	2457	99.33	-	-	93.65	32.4	8.27	34.99	100	108	P	V
	*	2457	91.82	-	-	86.14	32.4	8.27	34.99	100	108	A	V
		2486	56.91	-17.09	74	51.16	32.45	8.3	35	100	108	P	V
		2484.04	48.12	-5.88	54	42.37	32.45	8.3	35	100	108	A	V



WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT40 CH 11 2462MHz		2389.52	56.23	-17.77	74	50.77	32.19	8.24	34.97	116	197	P	H
		2389.8	46.49	-7.51	54	41.04	32.19	8.24	34.98	116	197	A	H
	*	2462	103.36	-	-	97.65	32.4	8.3	34.99	116	197	P	H
	*	2462	96.33	-	-	90.62	32.4	8.3	34.99	116	197	A	H
		2483.55	61.42	-12.58	74	55.67	32.45	8.3	35	116	197	P	H
		2483.5	52.56	-1.44	54	46.81	32.45	8.3	35	116	197	A	H
		2339.26	55.7	-18.3	74	50.36	32.03	8.28	34.97	100	109	P	V
		2376.78	46.64	-7.36	54	41.21	32.14	8.26	34.97	100	109	A	V
	*	2462	96.14	-	-	90.43	32.4	8.3	34.99	100	109	P	V
	*	2462	88.9	-	-	83.19	32.4	8.3	34.99	100	109	A	V
		2483.5	57.56	-16.44	74	51.81	32.45	8.3	35	100	109	P	V
		2483.5	49	-5	54	43.25	32.45	8.3	35	100	109	A	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 												



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT40 (Harmonic @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT40 CH 03 2422MHz		4844	40.01	-33.99	74	53.82	33.61	11.93	59.35	100	0	P	H
		7266	41.6	-32.4	74	49.97	34.78	14.87	58.02	100	0	P	H
													H
													H
		4844	40.35	-33.65	74	54.16	33.61	11.93	59.35	100	0	P	V
		7266	40.71	-33.29	74	49.08	34.78	14.87	58.02	100	0	P	V
													V
802.11ac VHT40 CH 06 2437MHz		4874	43.69	-30.31	74	57.54	33.54	11.9	59.29	100	0	P	H
		7311	41.38	-32.62	74	49.8	34.69	14.94	58.05	100	0	P	H
													H
													H
		4874	39.67	-34.33	74	53.52	33.54	11.9	59.29	100	0	P	V
		7311	40.94	-33.06	74	49.36	34.69	14.94	58.05	100	0	P	V
													V
802.11ac VHT40 CH 09 2452MHz		4904	42.88	-31.12	74	56.78	33.47	11.87	59.24	100	0	P	H
		7356	40.57	-33.43	74	49.09	34.56	15.01	58.09	100	0	P	H
													H
													H
		4904	40.54	-33.46	74	54.44	33.47	11.87	59.24	100	0	P	V
		7356	41.61	-32.39	74	50.13	34.56	15.01	58.09	100	0	P	V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz
2.4GHz WIFI 802.11b (LF)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11b LF		95.88	33.94	-9.56	43.5	47.51	15.88	2.11	31.56	-	-	P	H	
		154.47	33.5	-10	43.5	44.96	17.42	2.62	31.5	-	-	P	H	
		298.38	34.33	-11.67	46	42.56	19.79	3.28	31.3	-	-	P	H	
		301.4	32.18	-13.82	46	40.2	19.85	3.43	31.3	-	-	P	H	
		519.8	38.03	-7.97	46	40.49	24.36	4.13	30.95	100	22	P	H	
		650	34.16	-11.84	46	34.43	25.9	4.59	30.76	-	-	P	H	
														H
														H
														H
														H
														H
														H
			30.81	36.73	-3.27	40	40.92	25.46	1.71	31.36	100	58	P	V
			65.91	35.36	-4.64	40	52.42	12.42	2.11	31.59	-	-	P	V
			292.71	32.33	-13.67	46	40.63	19.73	3.28	31.31	-	-	P	V
			390.3	33.16	-12.84	46	38.33	22.16	3.82	31.15	-	-	P	V
			519.8	38.24	-7.76	46	40.7	24.36	4.13	30.95	-	-	P	V
			650	35.78	-10.22	46	36.05	25.9	4.59	30.76	-	-	P	V
														V
														V
													V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.													



<Ant. No. 3 Chain 0>

2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11b CH 01 2412MHz		2336.04	55.92	-18.08	74	50.57	32.03	8.28	34.96	380	300	P	H	
		2390	46.01	-7.99	54	40.56	32.19	8.24	34.98	380	300	A	H	
	*	2412	102.55	-	-	97.05	32.24	8.24	34.98	380	300	P	H	
	*	2412	99.58	-	-	94.08	32.24	8.24	34.98	380	300	A	H	
													H	
													H	
			2389.065	56.09	-17.91	74	50.63	32.19	8.24	34.97	380	265	P	V
			2390	47.57	-6.43	54	42.12	32.19	8.24	34.98	380	265	A	V
	*		2412	108.8	-	-	103.3	32.24	8.24	34.98	380	265	P	V
	*		2412	105.85	-	-	100.35	32.24	8.24	34.98	380	265	A	V
													V	
												V		
802.11b CH 11 2462MHz	*	2462	100.9	-	-	95.19	32.4	8.3	34.99	300	342	P	H	
	*	2462	97.84	-	-	92.13	32.4	8.3	34.99	300	342	A	H	
			2483.88	56.1	-17.9	74	50.35	32.45	8.3	35	300	342	P	H
			2483.52	46.75	-7.25	54	41	32.45	8.3	35	300	342	A	H
													H	
													H	
	*		2462	110.04	-	-	104.33	32.4	8.3	34.99	300	239	P	V
	*		2462	107.05	-	-	101.34	32.4	8.3	34.99	300	239	A	V
			2483.76	57.91	-16.09	74	52.16	32.45	8.3	35	300	239	P	V
			2483.52	51.16	-2.84	54	45.41	32.45	8.3	35	300	239	A	V
													V	
												V		
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz
WIFI 802.11b (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4872	38.99	-35.01	74	52.84	33.54	11.9	59.29	100	0	P	H
		7308	41.69	-32.31	74	50.11	34.69	14.94	58.05	100	0	P	H
													H
													H
		4872	42.4	-31.6	74	56.25	33.54	11.9	59.29	100	0	P	V
		7308	44.54	-29.46	74	52.96	34.69	14.94	58.05	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 01 2412MHz		2379.3	56.18	-17.82	74	50.75	32.14	8.26	34.97	380	300	P	H	
		2389.8	45.98	-8.02	54	40.53	32.19	8.24	34.98	380	300	A	H	
	*	2412	99.4	-	-	93.9	32.24	8.24	34.98	380	300	P	H	
	*	2412	91.81	-	-	86.31	32.24	8.24	34.98	380	300	A	H	
													H	
														H
			2374.58	55.98	-18.02	74	50.55	32.14	8.26	34.97	380	268	P	V
			2390	46.81	-7.19	54	41.36	32.19	8.24	34.98	380	268	A	V
	*		2412	105.56	-	-	100.06	32.24	8.24	34.98	380	268	P	V
	*		2412	97.86	-	-	92.36	32.24	8.24	34.98	380	268	A	V
														V
														V
802.11g CH 11 2462MHz	*	2462	99.09	-	-	93.38	32.4	8.3	34.99	238	145	P	H	
	*	2462	91.18	-	-	85.47	32.4	8.3	34.99	238	145	A	H	
			2485.72	56.3	-17.7	74	50.55	32.45	8.3	35	238	145	P	H
			2484.52	46.51	-7.49	54	40.76	32.45	8.3	35	238	145	A	H
														H
														H
	*		2462	107.52	-	-	101.81	32.4	8.3	34.99	300	239	P	V
	*		2462	100.25	-	-	94.54	32.4	8.3	34.99	300	239	A	V
			2483.56	57.9	-16.1	74	52.15	32.45	8.3	35	300	239	P	V
			2483.64	48.7	-5.3	54	42.95	32.45	8.3	35	300	239	A	V
														V
														V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		4874	40.16	-33.84	74	54.01	33.54	11.9	59.29	100	0	P	H
		7311	42.71	-31.29	74	51.13	34.69	14.94	58.05	100	0	P	H
													H
													H
		4874	42.66	-31.34	74	56.51	33.54	11.9	59.29	100	0	P	V
		7311	44.14	-29.86	74	52.56	34.69	14.94	58.05	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**Emission below 1GHz
2.4GHz WIFI 802.11b (LF)**

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11b LF		31.08	33.32	-6.68	40	37.51	25.46	1.71	31.36	100	162	P	H	
		148.26	33.75	-9.75	43.5	44.89	17.75	2.62	31.51	-	-	P	H	
		248.97	32.72	-13.28	46	42.16	18.91	3.03	31.38	-	-	P	H	
		519.8	33.44	-12.56	46	35.9	24.36	4.13	30.95	-	-	P	H	
		650	35.38	-10.62	46	35.65	25.9	4.59	30.76	-	-	P	H	
		953.1	34.22	-11.78	46	29.12	30.21	5.4	30.51	-	-	P	H	
														H
														H
														H
														H
														H
														H
			31.62	33.53	-6.47	40	38.28	24.92	1.71	31.38	-	-	P	V
			198.21	34.03	-9.47	43.5	46.86	15.9	2.72	31.45	-	-	P	V
			275.97	32.17	-13.83	46	40.89	19.34	3.28	31.34	-	-	P	V
			390.3	33.88	-12.12	46	39.05	22.16	3.82	31.15	-	-	P	V
			519.8	39.61	-6.39	46	42.07	24.36	4.13	30.95	100	268	P	V
			650	36.97	-9.03	46	37.24	25.9	4.59	30.76	-	-	P	V
														V
														V
													V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.													



<Ant. No. 3 Chain 1>

2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11b CH 01 2412MHz		2352.32	55.79	-18.21	74	50.41	32.09	8.26	34.97	379	321	P	H	
		2390	45.07	-8.93	54	39.62	32.19	8.24	34.98	379	321	A	H	
	*	2412	96.84	-	-	91.34	32.24	8.24	34.98	379	321	P	H	
	*	2412	93.79	-	-	88.29	32.24	8.24	34.98	379	321	A	H	
													H	
													H	
			2372.27	55.3	-18.7	74	49.87	32.14	8.26	34.97	200	216	P	V
			2390	45.92	-8.08	54	40.47	32.19	8.24	34.98	200	216	A	V
	*		2412	106.09	-	-	100.59	32.24	8.24	34.98	200	216	P	V
	*		2412	103.05	-	-	97.55	32.24	8.24	34.98	200	216	A	V
													V	
802.11b CH 11 2462MHz	*	2462	100.85	-	-	95.14	32.4	8.3	34.99	200	49	P	H	
	*	2462	97.84	-	-	92.13	32.4	8.3	34.99	200	49	A	H	
			2498.08	56.26	-17.74	74	50.47	32.5	8.3	35.01	200	49	P	H
			2483.52	45.79	-8.21	54	40.04	32.45	8.3	35	200	49	A	H
													H	
													H	
	*		2462	108.1	-	-	102.39	32.4	8.3	34.99	300	260	P	V
	*		2462	105.04	-	-	99.33	32.4	8.3	34.99	300	260	A	V
			2486.96	57.26	-16.74	74	51.51	32.45	8.3	35	300	260	P	V
			2483.52	49.43	-4.57	54	43.68	32.45	8.3	35	300	260	A	V
													V	
												V		
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4872	39.59	-34.41	74	53.44	33.54	11.9	59.29	100	0	P	H
		7308	42.18	-31.82	74	50.6	34.69	14.94	58.05	100	0	P	H
													H
													H
		4872	42.29	-31.71	74	56.14	33.54	11.9	59.29	100	0	P	V
		7308	41.89	-32.11	74	50.31	34.69	14.94	58.05	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 01 2412MHz		2384.13	56.16	-17.84	74	50.75	32.14	8.24	34.97	380	323	P	H	
		2389.59	46.15	-7.85	54	40.69	32.19	8.24	34.97	380	323	A	H	
	*	2412	99.24	-	-	93.74	32.24	8.24	34.98	380	323	P	H	
	*	2412	91.76	-	-	86.26	32.24	8.24	34.98	380	323	A	H	
													H	
														H
			2389.8	58.8	-15.2	74	53.35	32.19	8.24	34.98	129	216	P	V
			2390	49.8	-4.2	54	44.35	32.19	8.24	34.98	129	216	A	V
	*		2412	109.87	-	-	104.37	32.24	8.24	34.98	129	216	P	V
	*		2412	102.02	-	-	96.52	32.24	8.24	34.98	129	216	A	V
														V
													V	
802.11g CH 11 2462MHz	*	2462	100.19	-	-	94.48	32.4	8.3	34.99	200	46	P	H	
	*	2462	92.2	-	-	86.49	32.4	8.3	34.99	200	46	A	H	
			2489.72	56.14	-17.86	74	50.34	32.5	8.3	35	200	46	P	H
			2488.48	46.27	-7.73	54	40.47	32.5	8.3	35	200	46	A	H
														H
														H
	*		2462	106.86	-	-	101.15	32.4	8.3	34.99	300	258	P	V
	*		2462	98.99	-	-	93.28	32.4	8.3	34.99	300	258	A	V
			2485.72	57.14	-16.86	74	51.39	32.45	8.3	35	300	258	P	V
			2483.56	47.27	-6.73	54	41.52	32.45	8.3	35	300	258	A	V
														V
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		4872	39.13	-34.87	74	52.98	33.54	11.9	59.29	100	0	P	H
		7308	40.56	-33.44	74	48.98	34.69	14.94	58.05	100	0	P	H
													H
													H
		4872	39.15	-34.85	74	53	33.54	11.9	59.29	100	0	P	V
		7308	39.99	-34.01	74	48.41	34.69	14.94	58.05	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11g LF		42.69	31.04	-8.96	40	42.13	18.72	1.71	31.52	-	-	P	H	
		195.24	31.93	-11.57	43.5	44.92	15.75	2.72	31.46	-	-	P	H	
		277.86	37.15	-8.85	46	45.88	19.32	3.28	31.33	-	-	P	H	
		314	34.12	-11.88	46	41.77	20.2	3.43	31.28	-	-	P	H	
		519.8	39.59	-6.41	46	42.05	24.36	4.13	30.95	100	159	P	H	
		950.3	35.3	-10.7	46	30.21	30.2	5.4	30.51	-	-	P	H	
														H
														H
														H
														H
														H
														H
			30.54	35.84	-4.16	40	40.03	25.46	1.71	31.36	100	111	P	V
			42.69	34.87	-5.13	40	45.96	18.72	1.71	31.52	-	-	P	V
			149.61	34.88	-8.62	43.5	46.04	17.73	2.62	31.51	-	-	P	V
			519.8	35.01	-10.99	46	37.47	24.36	4.13	30.95	-	-	P	V
			650	35.09	-10.91	46	35.36	25.9	4.59	30.76	-	-	P	V
			974.8	35.89	-18.11	54	30.75	30.25	5.4	30.51	-	-	P	V
														V
														V
													V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.													



<Ant. No. 3 Chain 0 + 1>

2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11b CH 01 2412MHz		2382.45	55.4	-18.6	74	49.99	32.14	8.24	34.97	100	201	P	H	
		2390	45.41	-8.59	54	39.96	32.19	8.24	34.98	100	201	A	H	
	*	2412	101.95	-	-	96.45	32.24	8.24	34.98	100	201	P	H	
	*	2412	98.97	-	-	93.47	32.24	8.24	34.98	100	201	A	H	
													H	
													H	
			2390	57.74	-16.26	74	52.29	32.19	8.24	34.98	100	82	P	V
			2390	50.01	-3.99	54	44.56	32.19	8.24	34.98	100	82	A	V
	*		2412	112.2	-	-	106.7	32.24	8.24	34.98	100	82	P	V
	*		2412	109.23	-	-	103.73	32.24	8.24	34.98	100	82	A	V
													V	
												V		
802.11b CH 11 2462MHz	*	2462	101.98	-	-	96.27	32.4	8.3	34.99	122	136	P	H	
	*	2462	98.89	-	-	93.18	32.4	8.3	34.99	122	136	A	H	
			2483.52	55.63	-18.37	74	49.88	32.45	8.3	35	122	136	P	H
			2487.96	45.29	-8.71	54	39.49	32.5	8.3	35	122	136	A	H
													H	
													H	
	*		2462	110.07	-	-	104.36	32.4	8.3	34.99	100	115	P	V
	*		2462	106.99	-	-	101.28	32.4	8.3	34.99	100	115	A	V
			2484.76	56.62	-17.38	74	50.87	32.45	8.3	35	100	115	P	V
			2483.6	47.72	-6.28	54	41.97	32.45	8.3	35	100	115	A	V
													V	
												V		
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4872	38.83	-35.17	74	52.68	33.54	11.9	59.29	100	0	P	H
		7308	41.01	-32.99	74	49.43	34.69	14.94	58.05	100	0	P	H
													H
													H
		4872	41.36	-32.64	74	55.21	33.54	11.9	59.29	100	0	P	V
		7308	42.44	-31.56	74	50.86	34.69	14.94	58.05	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 01 2412MHz		2353.47	55.66	-18.34	74	50.28	32.09	8.26	34.97	100	226	P	H	
		2389.38	46.09	-7.91	54	40.63	32.19	8.24	34.97	100	226	A	H	
	*	2412	101.27	-	-	95.77	32.24	8.24	34.98	100	226	P	H	
	*	2412	94.02	-	-	88.52	32.24	8.24	34.98	100	226	A	H	
													H	
														H
			2390	58.41	-15.59	74	52.96	32.19	8.24	34.98	101	115	P	V
			2390	49.67	-4.33	54	44.22	32.19	8.24	34.98	101	115	A	V
	*		2412	108.37	-	-	102.87	32.24	8.24	34.98	101	115	P	V
	*		2412	101.3	-	-	95.8	32.24	8.24	34.98	101	115	A	V
														V
802.11g CH 11 2462MHz	*	2462	101.12	-	-	95.41	32.4	8.3	34.99	380	4	P	H	
	*	2462	94.71	-	-	89	32.4	8.3	34.99	380	4	A	H	
			2498.08	56.05	-17.95	74	50.26	32.5	8.3	35.01	380	4	P	H
			2484.88	46.25	-7.75	54	40.5	32.45	8.3	35	380	4	A	H
														H
														H
	*		2462	108.5	-	-	102.79	32.4	8.3	34.99	200	172	P	V
	*		2462	100.67	-	-	94.96	32.4	8.3	34.99	200	172	A	V
			2488.92	56.86	-17.14	74	51.06	32.5	8.3	35	200	172	P	V
			2483.72	48.08	-5.92	54	42.33	32.45	8.3	35	200	172	A	V
														V
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 06 2437MHz		4872	40.25	-33.75	74	54.1	33.54	11.9	59.29	100	0	P	H	
		7308	40.49	-33.51	74	48.91	34.69	14.94	58.05	100	0	P	H	
													H	
													H	
			4872	39.79	-34.21	74	53.64	33.54	11.9	59.29	100	0	P	V
			7308	41.55	-32.45	74	49.97	34.69	14.94	58.05	100	0	P	V
														V
														V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT20 (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT20 CH 01 2412MHz		2385.29	55.85	-18.15	74	50.44	32.14	8.24	34.97	100	226	P	H	
		2389.59	45.91	-8.09	54	40.45	32.19	8.24	34.97	100	226	A	H	
	*	2412	98.99	-	-	93.49	32.24	8.24	34.98	100	226	P	H	
	*	2412	91.71	-	-	86.21	32.24	8.24	34.98	100	226	A	H	
													H	
														H
			2389.49	57.71	-16.29	74	52.25	32.19	8.24	34.97	100	81	P	V
			2389.59	48.7	-5.3	54	43.24	32.19	8.24	34.97	100	81	A	V
		*	2412	105.95	-	-	100.45	32.24	8.24	34.98	100	81	P	V
		*	2412	98.78	-	-	93.28	32.24	8.24	34.98	100	81	A	V
802.11ac VHT20 CH 11 2462MHz													V	
													V	
		*	2462	101.09	-	-	95.38	32.4	8.3	34.99	100	136	P	H
		*	2462	92.59	-	-	86.88	32.4	8.3	34.99	100	136	A	H
			2489.12	56.18	-17.82	74	50.38	32.5	8.3	35	100	136	P	H
			2484.72	46.29	-7.71	54	40.54	32.45	8.3	35	100	136	A	H
														H
														H
		*	2462	107.9	-	-	102.19	32.4	8.3	34.99	100	115	P	V
		*	2462	100.76	-	-	95.05	32.4	8.3	34.99	100	115	A	V
		2483.72	57.7	-16.3	74	51.95	32.45	8.3	35	100	115	P	V	
		2483.6	48.62	-5.38	54	42.87	32.45	8.3	35	100	115	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11ac VHT20 (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT20 CH 06 2437MHz		4872	38.95	-35.05	74	52.8	33.54	11.9	59.29	100	0	P	H	
		7308	40.55	-33.45	74	48.97	34.69	14.94	58.05	100	0	P	H	
													H	
													H	
			4872	41.19	-32.81	74	55.04	33.54	11.9	59.29	100	0	P	V
			7308	42.1	-31.9	74	50.52	34.69	14.94	58.05	100	0	P	V
														V
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT40 (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT40 CH 03 2422MHz		2324	55.21	-18.79	74	49.91	31.98	8.28	34.96	100	226	P	H
		2389.94	46.74	-7.26	54	41.29	32.19	8.24	34.98	100	226	A	H
	*	2422	94.4	-	-	88.83	32.29	8.27	34.99	100	226	P	H
	*	2422	86.97	-	-	81.4	32.29	8.27	34.99	100	226	A	H
		2488.94	55.24	-18.76	74	49.44	32.5	8.3	35	100	226	P	H
		2490.48	46.82	-7.18	54	41.02	32.5	8.3	35	100	226	A	H
		2389.94	57.55	-16.45	74	52.1	32.19	8.24	34.98	100	278	P	V
		2389.8	48.65	-5.35	54	43.2	32.19	8.24	34.98	100	278	A	V
	*	2422	100.99	-	-	95.42	32.29	8.27	34.99	100	278	P	V
	*	2422	92.93	-	-	87.36	32.29	8.27	34.99	100	278	A	V
		2483.62	55.82	-18.18	74	50.07	32.45	8.3	35	100	278	P	V
		2490.13	46.77	-7.23	54	40.97	32.5	8.3	35	100	278	A	V
802.11ac VHT40 CH 09 2452MHz		2374.54	56.31	-17.69	74	50.88	32.14	8.26	34.97	100	136	P	H
		2385.88	46.54	-7.46	54	41.08	32.19	8.24	34.97	100	136	A	H
	*	2452	94.64	-	-	89.02	32.34	8.27	34.99	100	136	P	H
	*	2452	87.57	-	-	81.95	32.34	8.27	34.99	100	136	A	H
		2483.62	55.87	-18.13	74	50.12	32.45	8.3	35	100	136	P	H
		2494.19	46.75	-7.25	54	40.96	32.5	8.3	35.01	100	136	A	H
		2345.14	56.3	-17.7	74	50.98	32.03	8.26	34.97	100	115	P	V
		2388.68	46.33	-7.67	54	40.87	32.19	8.24	34.97	100	115	A	V
	*	2452	102.85	-	-	97.23	32.34	8.27	34.99	100	115	P	V
	*	2452	95.43	-	-	89.81	32.34	8.27	34.99	100	115	A	V
	2486.63	55.71	-18.29	74	49.96	32.45	8.3	35	100	115	P	V	
	2483.97	48.19	-5.81	54	42.44	32.45	8.3	35	100	115	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ac VHT40 (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT40 CH 06 2437MHz		4872	39.41	-34.59	74	53.26	33.54	11.9	59.29	100	0	P	H	
		7308	41.37	-32.63	74	49.79	34.69	14.94	58.05	100	0	P	H	
													H	
													H	
			4872	38.72	-35.28	74	52.57	33.54	11.9	59.29	100	0	P	V
			7308	41.55	-32.45	74	49.97	34.69	14.94	58.05	100	0	P	V
														V
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**Emission below 1GHz
2.4GHz WIFI 802.11b (LF)**

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11b LF		196.05	31.67	-11.83	43.5	44.6	15.8	2.72	31.45	-	-	P	H	
		248.7	32.94	-13.06	46	42.47	18.82	3.03	31.38	-	-	P	H	
		298.11	35.71	-10.29	46	43.95	19.78	3.28	31.3	-	-	P	H	
		316.1	34.15	-11.85	46	41.73	20.26	3.43	31.27	-	-	P	H	
		519.8	41.44	-4.56	46	43.9	24.36	4.13	30.95	100	99	P	H	
		956.6	35.45	-10.55	46	30.35	30.21	5.4	30.51	-	-	P	H	
													H	
													H	
													H	
													H	
													H	
													H	
			30.81	35.6	-4.4	40	39.79	25.46	1.71	31.36	100	222	P	V
			42.69	35.46	-4.54	40	46.55	18.72	1.71	31.52	-	-	P	V
			148.8	33.35	-10.15	43.5	44.49	17.75	2.62	31.51	-	-	P	V
			390.3	34.13	-11.87	46	39.3	22.16	3.82	31.15	-	-	P	V
			519.8	35.68	-10.32	46	38.14	24.36	4.13	30.95	-	-	P	V
			974.8	35.64	-18.36	54	30.5	30.25	5.4	30.51	-	-	P	V
														V
														V
													V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.													



<Ant. No. 4 Chain 0>

2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11b CH 01 2412MHz		2315.57	55.86	-18.14	74	50.61	31.93	8.28	34.96	133	1	P	H	
		2390	46.25	-7.75	54	40.8	32.19	8.24	34.98	133	1	A	H	
	*	2412	106.28	-	-	100.78	32.24	8.24	34.98	133	1	P	H	
	*	2412	103.25	-	-	97.75	32.24	8.24	34.98	133	1	A	H	
													H	
													H	
			2389.8	58.88	-15.12	74	53.43	32.19	8.24	34.98	327	0	P	V
			2390	52.72	-1.28	54	47.27	32.19	8.24	34.98	327	0	A	V
	*		2412	113.05	-	-	107.55	32.24	8.24	34.98	327	0	P	V
	*		2412	110.07	-	-	104.57	32.24	8.24	34.98	327	0	A	V
													V	
802.11b CH 11 2462MHz	*	2462	106.05	-	-	100.34	32.4	8.3	34.99	209	1	P	H	
	*	2462	103.04	-	-	97.33	32.4	8.3	34.99	209	1	A	H	
			2483.52	56.74	-17.26	74	50.99	32.45	8.3	35	209	1	P	H
			2483.52	47.24	-6.76	54	41.49	32.45	8.3	35	209	1	A	H
													H	
													H	
	*		2462	113.11	-	-	107.4	32.4	8.3	34.99	351	0	P	V
	*		2462	110.17	-	-	104.46	32.4	8.3	34.99	351	0	A	V
			2483.52	59.68	-14.32	74	53.93	32.45	8.3	35	351	0	P	V
			2483.52	52.8	-1.2	54	47.05	32.45	8.3	35	351	0	A	V
													V	
												V		
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	40.8	-33.2	74	54.65	33.54	11.9	59.29	100	0	P	H
		7311	41.07	-32.93	74	49.49	34.69	14.94	58.05	100	0	P	H
													H
													H
		4874	46.59	-27.41	74	60.44	33.54	11.9	59.29	100	0	P	V
		7311	44.62	-29.38	74	53.04	34.69	14.94	58.05	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 01 2412MHz		2388.54	55.74	-18.26	74	50.28	32.19	8.24	34.97	130	0	P	H	
		2390	46.58	-7.42	54	41.13	32.19	8.24	34.98	130	0	A	H	
	*	2412	103.43	-	-	97.93	32.24	8.24	34.98	130	0	P	H	
	*	2412	95.73	-	-	90.23	32.24	8.24	34.98	130	0	A	H	
													H	
														H
			2389.59	60.35	-13.65	74	54.89	32.19	8.24	34.97	328	3	P	V
			2390	51.49	-2.51	54	46.04	32.19	8.24	34.98	328	3	A	V
	*		2412	110.41	-	-	104.91	32.24	8.24	34.98	328	3	P	V
	*		2412	102.8	-	-	97.3	32.24	8.24	34.98	328	3	A	V
														V
													V	
802.11g CH 11 2462MHz	*	2462	103.29	-	-	97.58	32.4	8.3	34.99	210	0	P	H	
	*	2462	95.41	-	-	89.7	32.4	8.3	34.99	210	0	A	H	
			2483.68	55.91	-18.09	74	50.16	32.45	8.3	35	210	0	P	H
			2483.56	46.44	-7.56	54	40.69	32.45	8.3	35	210	0	A	H
														H
														H
	*		2462	110.69	-	-	104.98	32.4	8.3	34.99	351	3	P	V
	*		2462	102.82	-	-	97.11	32.4	8.3	34.99	351	3	A	V
			2488.48	59.02	-14.98	74	53.22	32.5	8.3	35	351	3	P	V
			2483.68	49.87	-4.13	54	44.12	32.45	8.3	35	351	3	A	V
														V
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		4874	40.85	-33.15	74	54.7	33.54	11.9	59.29	100	0	P	H
		7311	40.81	-33.19	74	49.23	34.69	14.94	58.05	100	0	P	H
													H
													H
		4874	43.39	-30.61	74	57.24	33.54	11.9	59.29	100	0	P	V
		7311	43.07	-30.93	74	51.49	34.69	14.94	58.05	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**Emission below 1GHz
2.4GHz WIFI 802.11b (LF)**

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11b LF		65.1	32.95	-7.05	40	50.08	12.35	2.11	31.59	100	0	P	H	
		96.15	31.34	-12.16	43.5	44.91	15.88	2.11	31.56	-	-	P	H	
		187.14	33.37	-10.13	43.5	46.64	15.47	2.72	31.46	-	-	P	H	
		325.2	34.41	-11.59	46	41.74	20.5	3.43	31.26	-	-	P	H	
		519.8	37.71	-8.29	46	40.17	24.36	4.13	30.95	-	-	P	H	
		650	34.63	-11.37	46	34.9	25.9	4.59	30.76	-	-	P	H	
														H
														H
														H
														H
														H
														H
			31.62	36.15	-3.85	40	40.9	24.92	1.71	31.38	-	-	P	V
			65.1	31.02	-8.98	40	48.15	12.35	2.11	31.59	-	-	P	V
			186.6	33.16	-10.34	43.5	46.45	15.46	2.72	31.47	-	-	P	V
			325.2	37.47	-8.53	46	44.8	20.5	3.43	31.26	-	-	P	V
			519.8	42.21	-3.79	46	44.67	24.36	4.13	30.95	100	39	P	V
			650	35.95	-10.05	46	36.22	25.9	4.59	30.76	-	-	P	V
														V
														V
													V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.													



<Ant. No. 4 Chain 1>

2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11b CH 01 2412MHz		2340.14	55.54	-18.46	74	50.22	32.03	8.26	34.97	100	126	P	H	
		2390	45.25	-8.75	54	39.8	32.19	8.24	34.98	100	126	A	H	
	*	2412	98.37	-	-	92.87	32.24	8.24	34.98	100	126	P	H	
	*	2412	95.37	-	-	89.87	32.24	8.24	34.98	100	126	A	H	
													H	
													H	
			2378.36	56.57	-17.43	74	51.14	32.14	8.26	34.97	356	0	P	V
			2390	46.81	-7.19	54	41.36	32.19	8.24	34.98	356	0	A	V
	*		2412	106.38	-	-	100.88	32.24	8.24	34.98	356	0	P	V
	*		2412	103.38	-	-	97.88	32.24	8.24	34.98	356	0	A	V
													V	
													V	
802.11b CH 11 2462MHz	*	2462	100.87	-	-	95.16	32.4	8.3	34.99	100	135	P	H	
	*	2462	97.74	-	-	92.03	32.4	8.3	34.99	100	135	A	H	
			2489.48	56.74	-17.26	74	50.94	32.5	35	100	135	P	H	
			2483.52	47.11	-6.89	54	41.36	32.45	8.3	35	100	135	A	H
													H	
													H	
	*		2462	108.36	-	-	102.65	32.4	8.3	34.99	342	0	P	V
	*		2462	105.23	-	-	99.52	32.4	8.3	34.99	342	0	A	V
			2483.8	58.89	-15.11	74	53.14	32.45	8.3	35	342	0	P	V
			2483.52	50.8	-3.2	54	45.05	32.45	8.3	35	342	0	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	41.4	-32.6	74	55.25	33.54	11.9	59.29	100	0	P	H
		7311	40.88	-33.12	74	49.3	34.69	14.94	58.05	100	0	P	H
													H
													H
		4874	47.93	-26.07	74	61.78	33.54	11.9	59.29	100	0	P	V
		7311	41.65	-32.35	74	50.07	34.69	14.94	58.05	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 01 2412MHz		2340.66	55.97	-18.03	74	50.65	32.03	8.26	34.97	100	283	P	H	
		2390	47.3	-6.7	54	41.85	32.19	8.24	34.98	100	283	A	H	
	*	2412	101.24	-	-	95.74	32.24	8.24	34.98	100	283	P	H	
	*	2412	93.79	-	-	88.29	32.24	8.24	34.98	100	283	A	H	
													H	
													H	
			2389.17	60.79	-13.21	74	55.33	32.19	8.24	34.97	322	0	P	V
			2390	51.5	-2.5	54	46.05	32.19	8.24	34.98	322	0	A	V
	*		2412	108.64	-	-	103.14	32.24	8.24	34.98	322	0	P	V
	*		2412	101.01	-	-	95.51	32.24	8.24	34.98	322	0	A	V
													V	
802.11g CH 11 2462MHz	*	2462	99.67	-	-	93.96	32.4	8.3	34.99	100	136	P	H	
	*	2462	92.19	-	-	86.48	32.4	8.3	34.99	100	136	A	H	
			2490.84	56.23	-17.77	74	50.43	32.5	35	100	136	P	H	
			2484.64	46.85	-7.15	54	41.1	32.45	8.3	35	100	136	A	H
													H	
													H	
	*		2462	107.55	-	-	101.84	32.4	8.3	34.99	342	0	P	V
	*		2462	99.81	-	-	94.1	32.4	8.3	34.99	342	0	A	V
			2483.52	58.87	-15.13	74	53.12	32.45	8.3	35	342	0	P	V
			2483.6	49.21	-4.79	54	43.46	32.45	8.3	35	342	0	A	V
													V	
												V		
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		4874	39.69	-34.31	74	53.54	33.54	11.9	59.29	100	0	P	H
		7311	40.18	-33.82	74	48.6	34.69	14.94	58.05	100	0	P	H
													H
													H
		4874	46.71	-27.29	74	60.56	33.54	11.9	59.29	100	0	P	V
		7311	40.97	-33.03	74	49.39	34.69	14.94	58.05	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**Emission below 1GHz
2.4GHz WIFI 802.11g (LF)**

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11g LF		65.1	31.32	-8.68	40	48.45	12.35	2.11	31.59	100	78	P	H	
		149.88	28.88	-14.62	43.5	40.07	17.7	2.62	31.51	-	-	P	H	
		186.87	32.33	-11.17	43.5	45.6	15.47	2.72	31.46	-	-	P	H	
		325.2	33.65	-12.35	46	40.98	20.5	3.43	31.26	-	-	P	H	
		519.8	33.37	-12.63	46	35.83	24.36	4.13	30.95	-	-	P	H	
		780.2	34.49	-11.51	46	32.62	27.5	4.98	30.61	-	-	P	H	
														H
														H
														H
														H
														H
														H
			31.35	35.83	-4.17	40	40.04	25.46	1.71	31.38	-	-	P	V
			152.58	31.65	-11.85	43.5	42.97	17.56	2.62	31.5	-	-	P	V
			187.14	33.19	-10.31	43.5	46.46	15.47	2.72	31.46	-	-	P	V
			325.2	37.26	-8.74	46	44.59	20.5	3.43	31.26	-	-	P	V
			519.8	42.02	-3.98	46	44.48	24.36	4.13	30.95	100	55	P	V
			715.1	38.01	-7.99	46	37.23	26.64	4.81	30.67	-	-	P	V
														V
														V
													V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.													



<Ant. No. 4 Chain 0 + 1>

2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11b CH 01 2412MHz		2389.49	56.38	-17.62	74	50.92	32.19	8.24	34.97	349	67	P	H	
		2390	47.43	-6.57	54	41.98	32.19	8.24	34.98	349	67	A	H	
	*	2412	106.83	-	-	101.33	32.24	8.24	34.98	349	67	P	H	
	*	2412	103.81	-	-	98.31	32.24	8.24	34.98	349	67	A	H	
													H	
													H	
			2389.49	59.23	-14.77	74	53.77	32.19	8.24	34.97	324	0	P	V
			2390	52.67	-1.33	54	47.22	32.19	8.24	34.98	324	0	A	V
		*	2412	113.12	-	-	107.62	32.24	8.24	34.98	324	0	P	V
		*	2412	109.97	-	-	104.47	32.24	8.24	34.98	324	0	A	V
													V	
													V	
802.11b CH 11 2462MHz	*	2462	103.75	-	-	98.04	32.4	8.3	34.99	380	62	P	H	
	*	2462	100.71	-	-	95	32.4	8.3	34.99	380	62	A	H	
		2488.04	56.67	-17.33	74	50.87	32.5	8.3	35	380	62	P	H	
		2483.52	46.69	-7.31	54	40.94	32.45	8.3	35	380	62	A	H	
													H	
													H	
		*	2462	110.55	-	-	104.84	32.4	8.3	34.99	347	0	P	V
		*	2462	107.51	-	-	101.8	32.4	8.3	34.99	347	0	A	V
			2483.72	58.1	-15.9	74	52.35	32.45	8.3	35	347	0	P	V
			2483.52	50.38	-3.62	54	44.63	32.45	8.3	35	347	0	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	41.31	-32.69	74	55.16	33.54	11.9	59.29	100	0	P	H
		7311	41.92	-32.08	74	50.34	34.69	14.94	58.05	100	0	P	H
													H
													H
		4874	48.03	-25.97	74	61.88	33.54	11.9	59.29	100	0	P	V
		7311	45.76	-28.24	74	54.18	34.69	14.94	58.05	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11g CH 01 2412MHz		2389.7	56.88	-17.12	74	51.42	32.19	8.24	34.97	349	67	P	H	
		2389.7	47.57	-6.43	54	42.11	32.19	8.24	34.97	349	67	A	H	
	*	2412	104.95	-	-	99.45	32.24	8.24	34.98	349	67	P	H	
	*	2412	96.98	-	-	91.48	32.24	8.24	34.98	349	67	A	H	
													H	
														H
			2390	59.86	-14.14	74	54.41	32.19	8.24	34.98	322	0	P	V
			2389.49	51.45	-2.55	54	45.99	32.19	8.24	34.97	322	0	A	V
	*		2412	112.73	-	-	107.23	32.24	8.24	34.98	322	0	P	V
	*		2412	105.33	-	-	99.83	32.24	8.24	34.98	322	0	A	V
														V
														V
802.11g CH 11 2462MHz	*	2462	103.2	-	-	97.49	32.4	8.3	34.99	380	64	P	H	
	*	2462	95.62	-	-	89.91	32.4	8.3	34.99	380	64	A	H	
		2485.48	56.77	-17.23	74	51.02	32.45	8.3	35	380	64	P	H	
		2483.64	47.25	-6.75	54	41.5	32.45	8.3	35	380	64	A	H	
													H	
													H	
	*	2462	111.97	-	-	106.26	32.4	8.3	34.99	349	0	P	V	
	*	2462	104.46	-	-	98.75	32.4	8.3	34.99	349	0	A	V	
		2484.32	58.96	-15.04	74	53.21	32.45	8.3	35	349	0	P	V	
		2483.6	49.73	-4.27	54	43.98	32.45	8.3	35	349	0	A	V	
														V
														V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		4874	40.32	-33.68	74	54.17	33.54	11.9	59.29	100	0	P	H
		7311	40.97	-33.03	74	49.39	34.69	14.94	58.05	100	0	P	H
													H
													H
		4874	45.62	-28.38	74	59.47	33.54	11.9	59.29	100	0	P	V
		7311	43.15	-30.85	74	51.57	34.69	14.94	58.05	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT20 (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT20 CH 01 2412MHz		2389.28	55.96	-18.04	74	50.5	32.19	8.24	34.97	349	67	P	H	
		2389.7	47.51	-6.49	54	42.05	32.19	8.24	34.97	349	67	A	H	
	*	2412	102.44	-	-	96.94	32.24	8.24	34.98	349	67	P	H	
	*	2412	95.37	-	-	89.87	32.24	8.24	34.98	349	67	A	H	
													H	
														H
			2389.59	66.28	-7.72	74	60.82	32.19	8.24	34.97	322	0	P	V
			2390	52.87	-1.13	54	47.42	32.19	8.24	34.98	322	0	P	V
		*	2412	110.58	-	-	105.08	32.24	8.24	34.98	322	0	P	V
		*	2412	103.7	-	-	98.2	32.24	8.24	34.98	322	0	A	V
													V	
													V	
802.11ac VHT20 CH 11 2462MHz		2462	101.15	-	-	95.44	32.4	8.3	34.99	380	62	P	H	
		2462	94.54	-	-	88.83	32.4	8.3	34.99	380	62	A	H	
		2484.08	56.62	-17.38	74	50.87	32.45	8.3	35	380	62	P	H	
		2484.28	47.32	-6.68	54	41.57	32.45	8.3	35	380	62	A	H	
														H
														H
		*	2462	111.06	-	-	105.35	32.4	8.3	34.99	349	0	P	V
		*	2462	103.38	-	-	97.67	32.4	8.3	34.99	349	0	A	V
			2484.72	61.24	-12.76	74	55.49	32.45	8.3	35	349	0	P	V
			2484.44	49.79	-4.21	54	44.04	32.45	8.3	35	349	0	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11ac VHT20 (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT20 CH 06 2437MHz		4874	39.38	-34.62	74	53.23	33.54	11.9	59.29	100	0	P	H	
		7311	39.92	-34.08	74	48.34	34.69	14.94	58.05	100	0	P	H	
													H	
													H	
			4874	46.29	-27.71	74	60.14	33.54	11.9	59.29	100	0	P	V
			7311	42.35	-31.65	74	50.77	34.69	14.94	58.05	100	0	P	V
														V
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT40 (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT40 CH 03 2422MHz		2374.68	56.23	-17.77	74	50.8	32.14	8.26	34.97	380	99	P	H
		2389.24	47.44	-6.56	54	41.98	32.19	8.24	34.97	380	99	A	H
	*	2422	95.39	-	-	89.82	32.29	8.27	34.99	380	99	P	H
	*	2422	88.87	-	-	83.3	32.29	8.27	34.99	380	99	A	H
		2485.72	55.8	-18.2	74	50.05	32.45	8.3	35	380	99	P	H
		2493.49	47.04	-6.96	54	41.25	32.5	8.3	35.01	380	99	A	H
		2389.94	61.13	-12.87	74	55.68	32.19	8.24	34.98	322	0	P	V
		2389.94	52.71	-1.29	54	47.26	32.19	8.24	34.98	322	0	P	V
	*	2422	105.04	-	-	99.47	32.29	8.27	34.99	322	0	P	V
	*	2422	97.82	-	-	92.25	32.29	8.27	34.99	322	0	A	V
		2485.09	55.86	-18.14	74	50.11	32.45	8.3	35	322	0	P	V
		2488.8	47.39	-6.61	54	41.59	32.5	8.3	35	322	0	A	V
802.11ac VHT40 CH 09 2452MHz		2315.46	55.9	-18.1	74	50.65	31.93	8.28	34.96	380	64	P	H
		2388.26	46.69	-7.31	54	41.23	32.19	8.24	34.97	380	64	A	H
	*	2452	96.29	-	-	90.67	32.34	8.27	34.99	380	64	P	H
	*	2452	89.31	-	-	83.69	32.34	8.27	34.99	380	64	A	H
		2498.11	56.41	-17.59	74	50.62	32.5	8.3	35.01	380	64	P	H
		2483.76	47.5	-6.5	54	41.75	32.45	8.3	35	380	64	A	H
		2370.2	56.25	-17.75	74	50.82	32.14	8.26	34.97	316	0	P	V
		2389.24	47.08	-6.92	54	41.62	32.19	8.24	34.97	316	0	A	V
	*	2452	104.48	-	-	98.86	32.34	8.27	34.99	316	0	P	V
	*	2452	97.89	-	-	92.27	32.34	8.27	34.99	316	0	A	V
		2485.72	58.58	-15.42	74	52.83	32.45	8.3	35	316	0	P	V
		2484.25	49.66	-4.34	54	43.91	32.45	8.3	35	316	0	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT40 (Harmonic @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT40 CH 06 2437MHz		4874	39.45	-34.55	74	53.3	33.54	11.9	59.29	100	0	P	H	
		7311	40.13	-33.87	74	48.55	34.69	14.94	58.05	100	0	P	H	
													H	
													H	
			4874	39.66	-34.34	74	53.51	33.54	11.9	59.29	100	0	P	V
			7311	41.41	-32.59	74	49.83	34.69	14.94	58.05	100	0	P	V
														V
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**Emission below 1GHz
5GHz WIFI 802.11ac VHT20 (LF)**

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
5GHz 802.11ac VHT20 LF		31.35	28.21	-11.79	40	32.42	25.46	1.71	31.38	-	-	P	H	
		64.83	30.15	-9.85	40	47.29	12.35	2.11	31.6	100	78	P	H	
		186.87	32.95	-10.55	43.5	46.22	15.47	2.72	31.46	-	-	P	H	
		325.2	34.62	-11.38	46	41.95	20.5	3.43	31.26	-	-	P	H	
		389.6	32.16	-13.84	46	37.33	22.16	3.82	31.15	-	-	P	H	
		519.8	33.47	-12.53	46	35.93	24.36	4.13	30.95	-	-	P	H	
														H
														H
														H
														H
														H
			30.81	34.87	-5.13	40	39.06	25.46	1.71	31.36	100	178	P	V
			65.1	30.46	-9.54	40	47.59	12.35	2.11	31.59	-	-	P	V
			186.87	33.24	-10.26	43.5	46.51	15.47	2.72	31.46	-	-	P	V
			325.2	37.37	-8.63	46	44.7	20.5	3.43	31.26	-	-	P	V
			519.8	40.64	-5.36	46	43.1	24.36	4.13	30.95	-	-	P	V
			715.1	35.65	-10.35	46	34.87	26.64	4.81	30.67	-	-	P	V
														V
														V
													V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.													



<TXBF Mode>

<Ant. No. 1 Chain 0 + 1>

2.4GHz 2400~2483.5MHz

WIFI 802.11ac VHT20 (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11ac VHT20 CH 01 2412MHz		2390	61.32	-12.68	74	55.87	32.19	8.24	34.98	100	194	P	H	
		2390	52.26	-1.74	54	46.81	32.19	8.24	34.98	100	194	A	H	
	*	2412	112.82	-	-	107.32	32.24	8.24	34.98	100	194	P	H	
	*	2412	107.95	-	-	102.45	32.24	8.24	34.98	100	194	A	H	
													H	
													H	
			2389.8	60.48	-13.52	74	55.03	32.19	8.24	34.98	305	215	P	V
			2390	49.3	-4.7	54	43.85	32.19	8.24	34.98	305	215	A	V
	*		2412	106.44	-	-	100.94	32.24	8.24	34.98	305	215	P	V
	*		2412	99.43	-	-	93.93	32.24	8.24	34.98	305	215	A	V
												V		
												V		
802.11ac VHT20 CH 02 2417MHz		2389.94	60.82	-13.18	74	55.37	32.19	8.24	34.98	100	203	P	H	
		2389.94	52.65	-1.35	54	47.2	32.19	8.24	34.98	100	203	A	H	
	*	2417	116.32	-	-	110.83	32.24	8.24	34.99	100	203	P	H	
	*	2417	111.01	-	-	105.52	32.24	8.24	34.99	100	203	A	H	
													H	
													H	
			2329.6	56.08	-17.92	74	50.78	31.98	8.28	34.96	380	229	P	V
			2389.94	45.79	-8.21	54	40.34	32.19	8.24	34.98	380	229	A	V
	*		2417	108.9	-	-	103.41	32.24	8.24	34.99	380	229	P	V
	*		2417	103.25	-	-	97.76	32.24	8.24	34.99	380	229	A	V
												V		
												V		



WIFI	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT20 CH 06 2437MHz		2389.52	59.37	-14.63	74	53.91	32.19	8.24	34.97	100	203	P	H
		2389.94	51.42	-2.58	54	45.97	32.19	8.24	34.98	100	203	A	H
	*	2437	117.98	-	-	112.36	32.34	8.27	34.99	100	203	P	H
	*	2437	110.61	-	-	104.99	32.34	8.27	34.99	100	203	A	H
		2486.7	62.4	-11.6	74	56.65	32.45	8.3	35	100	203	P	H
		2483.69	52.28	-1.72	54	46.53	32.45	8.3	35	100	203	A	H
		2360.12	55.64	-18.36	74	50.26	32.09	8.26	34.97	160	228	P	V
		2389.94	46.67	-7.33	54	41.22	32.19	8.24	34.98	160	228	A	V
	*	2437	111.59	-	-	105.97	32.34	8.27	34.99	160	228	P	V
	*	2437	104.46	-	-	98.84	32.34	8.27	34.99	160	228	A	V
		2484.74	56.32	-17.68	74	50.57	32.45	8.3	35	160	228	P	V
	2483.62	47.28	-6.72	54	41.53	32.45	8.3	35	160	228	A	V	
802.11ac VHT20 CH 10 2457MHz	*	2457	114.31	-	-	108.63	32.4	8.27	34.99	100	203	P	H
	*	2457	109.57	-	-	103.89	32.4	8.27	34.99	100	203	A	H
		2484.1	62.07	-11.93	74	56.32	32.45	8.3	35	100	203	P	H
		2484.16	52.11	-1.89	54	46.36	32.45	8.3	35	100	203	A	H
													H
													H
	*	2457	109.14	-	-	103.46	32.4	8.27	34.99	380	220	P	V
	*	2457	101.98	-	-	96.3	32.4	8.27	34.99	380	220	A	V
		2484.88	56.8	-17.2	74	51.05	32.45	8.3	35	380	220	P	V
		2483.56	47.4	-6.6	54	41.65	32.45	8.3	35	380	220	A	V
												V	
												V	



WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT20 CH 11 2462MHz	*	2462	111.12	-	-	105.41	32.4	8.3	34.99	100	203	P	H
	*	2462	104.18	-	-	98.47	32.4	8.3	34.99	100	203	A	H
		2483.92	62.03	-11.97	74	56.28	32.45	8.3	35	100	203	P	H
		2483.6	52.05	-1.95	54	46.3	32.45	8.3	35	100	203	A	H
													H
													H
	*	2462	104.85	-	-	99.14	32.4	8.3	34.99	380	220	P	V
	*	2462	97.42	-	-	91.71	32.4	8.3	34.99	380	220	A	V
		2485.24	57.28	-16.72	74	51.53	32.45	8.3	35	380	220	P	V
		2483.84	46.1	-7.9	54	40.35	32.45	8.3	35	380	220	A	V
												V	
												V	
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 												



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT20 (Harmonic @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT20 CH 01 2412MHz		4824	49.07	-24.93	74	62.88	33.64	11.93	59.38	100	0	P	H	
													H	
													H	
													H	
			4824	42.5	-31.5	74	56.31	33.64	11.93	59.38	100	0	P	V
														V
														V
802.11ac VHT20 CH 06 2437MHz		4874	49.52	-24.48	74	63.37	33.54	11.9	59.29	100	0	P	H	
		7311	46.28	-27.72	74	54.7	34.69	14.94	58.05	100	0	P	H	
													H	
													H	
			4874	46.55	-27.45	74	60.4	33.54	11.9	59.29	100	0	P	V
			7311	41.46	-32.54	74	49.88	34.69	14.94	58.05	100	0	P	V
														V
802.11ac VHT20 CH 11 2462MHz		4924	41.38	-32.62	74	55.28	33.44	11.87	59.21	100	0	P	H	
		7386	42.07	-31.93	74	50.64	34.47	15.08	58.12	100	0	P	H	
													H	
													H	
			4924	40	-34	74	53.9	33.44	11.87	59.21	100	0	P	V
			7386	41.51	-32.49	74	50.08	34.47	15.08	58.12	100	0	P	V
														V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT40 (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT40 CH 03 2422MHz		2389.8	61.59	-12.41	74	56.14	32.19	8.24	34.98	100	204	P	H
		2389.94	52.59	-1.41	54	47.14	32.19	8.24	34.98	100	204	A	H
	*	2422	109.93	-	-	104.36	32.29	8.27	34.99	100	204	P	H
	*	2422	105.96	-	-	100.39	32.29	8.27	34.99	100	204	A	H
		2483.76	56	-18	74	50.25	32.45	8.3	35	100	204	P	H
		2483.97	47.18	-6.82	54	41.43	32.45	8.3	35	100	204	A	H
		2310.56	56.46	-17.54	74	51.2	31.93	8.28	34.95	380	230	P	V
		2389.38	45.69	-8.31	54	40.23	32.19	8.24	34.97	380	230	A	V
	*	2422	104.81	-	-	99.24	32.29	8.27	34.99	380	230	P	V
	*	2422	97.46	-	-	91.89	32.29	8.27	34.99	380	230	A	V
		2489.71	55.61	-18.39	74	49.81	32.5	8.3	35	380	230	P	V
		2487.89	45.74	-8.26	54	39.94	32.5	8.3	35	380	230	A	V
802.11ac VHT40 CH 04 2427MHz		2389.8	60.25	-13.75	74	54.8	32.19	8.24	34.98	100	204	P	H
		2389.94	52.47	-1.53	54	47.02	32.19	8.24	34.98	100	204	A	H
	*	2427	108.99	-	-	103.42	32.29	8.27	34.99	100	204	P	H
	*	2427	105.37	-	-	99.8	32.29	8.27	34.99	100	204	A	H
													H
													H
		2377.34	55.8	-18.2	74	50.37	32.14	8.26	34.97	380	222	P	V
		2389.66	45.63	-8.37	54	40.17	32.19	8.24	34.97	380	222	A	V
	*	2427	105.69	-	-	100.12	32.29	8.27	34.99	380	222	P	V
	*	2427	98.12	-	-	92.55	32.29	8.27	34.99	380	222	A	V
													V
													V



WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT40 CH 06 2437MHz		2389.66	60.23	-13.77	74	54.77	32.19	8.24	34.97	100	204	P	H
		2389.94	52.13	-1.87	54	46.68	32.19	8.24	34.98	100	204	A	H
	*	2437	110.3	-	-	104.68	32.34	8.27	34.99	100	204	P	H
	*	2437	107.06	-	-	101.44	32.34	8.27	34.99	100	204	A	H
		2484.6	62.84	-11.16	74	57.09	32.45	8.3	35	100	204	P	H
		2483.55	52.55	-1.45	54	46.8	32.45	8.3	35	100	204	A	H
		2360.68	55.61	-18.39	74	50.23	32.09	8.26	34.97	380	234	P	V
		2389.94	45.62	-8.38	54	40.17	32.19	8.24	34.98	380	234	A	V
	*	2437	105	-	-	99.38	32.34	8.27	34.99	380	234	P	V
	*	2437	100.43	-	-	94.81	32.34	8.27	34.99	380	234	A	V
		2497.27	56.12	-17.88	74	50.33	32.5	8.3	35.01	380	234	P	V
		2490.27	45.81	-8.19	54	40.01	32.5	8.3	35	380	234	A	V
802.11ac VHT40 CH 08 2447MHz	*	2447	110.64	-	-	105.02	32.34	8.27	34.99	100	213	P	H
	*	2447	107.2	-	-	101.58	32.34	8.27	34.99	100	213	A	H
		2491	64.22	-9.78	74	58.42	32.5	8.3	35	100	213	P	H
		2488.36	52.54	-1.46	54	46.74	32.5	8.3	35	100	213	A	H
													H
													H
	*	2447	105.94	-	-	100.32	32.34	8.27	34.99	380	225	P	V
	*	2447	101.4	-	-	95.78	32.34	8.27	34.99	380	225	A	V
		2488.3	59.73	-14.27	74	53.93	32.5	8.3	35	380	225	P	V
		2488.48	48.98	-5.02	54	43.18	32.5	8.3	35	380	225	A	V
												V	
												V	



WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT40 CH 09 2452MHz		2320.92	55.87	-18.13	74	50.57	31.98	8.28	34.96	100	200	P	H
		2389.94	46.77	-7.23	54	41.32	32.19	8.24	34.98	100	200	A	H
	*	2452	109.92	-	-	104.3	32.34	8.27	34.99	100	200	P	H
	*	2452	106.94	-	-	101.32	32.34	8.27	34.99	100	200	A	H
		2484.81	60.73	-13.27	74	54.98	32.45	8.3	35	100	200	P	H
		2485.09	52.25	-1.75	54	46.5	32.45	8.3	35	100	200	A	H
		2385.04	55.34	-18.66	74	49.93	32.14	8.24	34.97	380	221	P	V
		2387.98	45.41	-8.59	54	39.95	32.19	8.24	34.97	380	221	A	V
	*	2452	105.27	-	-	99.65	32.34	8.27	34.99	380	221	P	V
	*	2452	99.34	-	-	93.72	32.34	8.27	34.99	380	221	A	V
		2487.75	58.44	-15.56	74	52.64	32.5	8.3	35	380	221	P	V
		2488.17	50.15	-3.85	54	44.35	32.5	8.3	35	380	221	A	V
802.11ac VHT40 CH 10 2457MHz	*	2457	109.96	-	-	104.28	32.4	8.27	34.99	100	202	P	H
	*	2457	106.9	-	-	101.22	32.4	8.27	34.99	100	202	A	H
		2484.82	60.44	-13.56	74	54.69	32.45	8.3	35	100	202	P	H
		2484.1	52.49	-1.51	54	46.74	32.45	8.3	35	100	202	A	H
													H
													H
	*	2457	105.59	-	-	99.91	32.4	8.27	34.99	380	218	P	V
	*	2457	100.2	-	-	94.52	32.4	8.27	34.99	380	218	A	V
		2488.72	57.09	-16.91	74	51.29	32.5	8.3	35	380	218	P	V
		2483.5	48.83	-5.17	54	43.08	32.45	8.3	35	380	218	A	V
												V	
												V	



WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT40 CH 11 2462MHz		2358.3	55.62	-18.38	74	50.24	32.09	8.26	34.97	100	200	P	H
		2389.94	45.48	-8.52	54	40.03	32.19	8.24	34.98	100	200	A	H
	*	2462	105	-	-	99.29	32.4	8.3	34.99	100	200	P	H
	*	2462	101.69	-	-	95.98	32.4	8.3	34.99	100	200	A	H
		2483.5	61.86	-12.14	74	56.11	32.45	8.3	35	100	200	P	H
		2483.5	52.7	-1.3	54	46.95	32.45	8.3	35	100	200	A	H
		2310.84	55.37	-18.63	74	50.11	31.93	8.28	34.95	380	222	P	V
		2387.42	45.4	-8.6	54	39.94	32.19	8.24	34.97	380	222	A	V
	*	2462	99.99	-	-	94.28	32.4	8.3	34.99	380	222	P	V
	*	2462	95.52	-	-	89.81	32.4	8.3	34.99	380	222	A	V
		2485.09	55.64	-18.36	74	49.89	32.45	8.3	35	380	222	P	V
		2483.5	47.18	-6.82	54	41.43	32.45	8.3	35	380	222	A	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 												



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT40 (Harmonic @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT40 CH 03 2422MHz		4844	42.69	-31.31	74	56.5	33.61	11.93	59.35	100	0	P	H
		7266	42.74	-31.26	74	51.11	34.78	14.87	58.02	100	0	P	H
													H
													H
		4844	40.34	-33.66	74	54.15	33.61	11.93	59.35	100	0	P	V
		7266	41.08	-32.92	74	49.45	34.78	14.87	58.02	100	0	P	V
													V
802.11ac VHT40 CH 06 2437MHz		4874	40.68	-33.32	74	54.53	33.54	11.9	59.29	100	0	P	H
		7311	41.78	-32.22	74	50.2	34.69	14.94	58.05	100	0	P	H
													H
													H
		4874	39.44	-34.56	74	53.29	33.54	11.9	59.29	100	0	P	V
		7311	40.66	-33.34	74	49.08	34.69	14.94	58.05	100	0	P	V
													V
802.11ac VHT40 CH 09 2452MHz		4904	43.3	-30.7	74	57.2	33.47	11.87	59.24	100	0	P	H
		7356	40.71	-33.29	74	49.23	34.56	15.01	58.09	100	0	P	H
													H
													H
		4904	39.61	-34.39	74	53.51	33.47	11.87	59.24	100	0	P	V
		7356	41.37	-32.63	74	49.89	34.56	15.01	58.09	100	0	P	V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz

2.4GHz WIFI 802.11ac VHT40 (LF)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
2.4GHz 802.11ac VHT40 LF		95.88	34.37	-9.13	43.5	47.94	15.88	2.11	31.56	-	-	P	H	
		158.25	33.42	-10.08	43.5	45.16	17.14	2.62	31.5	-	-	P	H	
		240.6	32.28	-13.72	46	42.55	18.09	3.03	31.39	-	-	P	H	
		302.8	32.79	-13.21	46	40.77	19.88	3.43	31.29	-	-	P	H	
		519.8	37.72	-8.28	46	40.18	24.36	4.13	30.95	100	69	P	H	
		650	33.79	-12.21	46	34.06	25.9	4.59	30.76	-	-	P	H	
														H
														H
														H
														H
														H
														H
			31.62	36.82	-3.18	40	41.57	24.92	1.71	31.38	100	88	P	V
			160.95	29.11	-14.39	43.5	41.08	16.9	2.62	31.49	-	-	P	V
			298.11	31.36	-14.64	46	39.6	19.78	3.28	31.3	-	-	P	V
			389.6	30.68	-15.32	46	35.85	22.16	3.82	31.15	-	-	P	V
			519.8	36.82	-9.18	46	39.28	24.36	4.13	30.95	-	-	P	V
			650	32.26	-13.74	46	32.53	25.9	4.59	30.76	-	-	P	V
													V	
													V	
													V	
													V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.													



<Ant. No. 3 Chain 0 + 1>

2.4GHz 2400~2483.5MHz

WIFI 802.11ac VHT20 (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11ac VHT20 CH 01 2412MHz		2378.46	55.66	-18.34	74	50.23	32.14	8.26	34.97	223	31	P	H	
		2390	46.32	-7.68	54	40.87	32.19	8.24	34.98	223	31	A	H	
	*	2412	103.74	-	-	98.24	32.24	8.24	34.98	223	31	P	H	
	*	2412	97.31	-	-	91.81	32.24	8.24	34.98	223	31	A	H	
													H	
													H	
			2389.49	57.38	-16.62	74	51.92	32.19	8.24	34.97	202	178	P	V
			2390	48.55	-5.45	54	43.1	32.19	8.24	34.98	202	178	A	V
		*	2412	110.02	-	-	104.52	32.24	8.24	34.98	202	178	P	V
		*	2412	103.57	-	-	98.07	32.24	8.24	34.98	202	178	A	V
802.11ac VHT20 CH 11 2462MHz													V	
													V	
		*	2462	102.47	-	-	96.76	32.4	8.3	34.99	112	162	P	H
		*	2462	95.23	-	-	89.52	32.4	8.3	34.99	112	162	A	H
			2483.96	56.88	-17.12	74	51.13	32.45	8.3	35	112	162	P	H
			2484.08	46.16	-7.84	54	40.41	32.45	8.3	35	112	162	A	H
														H
														H
		*	2462	110.36	-	-	104.65	32.4	8.3	34.99	200	177	P	V
		*	2462	103.14	-	-	97.43	32.4	8.3	34.99	200	177	A	V
		2483.96	58.96	-15.04	74	53.21	32.45	8.3	35	200	177	P	V	
		2483.52	49.62	-4.38	54	43.87	32.45	8.3	35	200	177	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11ac VHT20 (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT20 CH 06 2437MHz		4874	39.46	-34.54	74	53.31	33.54	11.9	59.29	100	0	P	H	
		7311	41.42	-32.58	74	49.84	34.69	14.94	58.05	100	0	P	H	
													H	
													H	
			4874	41.68	-32.32	74	55.53	33.54	11.9	59.29	100	0	P	V
			7311	40.96	-33.04	74	49.38	34.69	14.94	58.05	100	0	P	V
														V
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT40 (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT40 CH 03 2422MHz		2340.66	55.77	-18.23	74	50.45	32.03	8.26	34.97	100	190	P	H
		2389.94	46.58	-7.42	54	41.13	32.19	8.24	34.98	100	190	A	H
	*	2422	98.39	-	-	92.82	32.29	8.27	34.99	100	190	P	H
	*	2422	95.45	-	-	89.88	32.29	8.27	34.99	100	190	A	H
		2492.58	56.14	-17.86	74	50.35	32.5	8.3	35.01	100	190	P	H
		2487.96	45.63	-8.37	54	39.83	32.5	8.3	35	100	190	A	H
		2389.66	59.19	-14.81	74	53.73	32.19	8.24	34.97	100	181	P	V
		2389.94	50.39	-3.61	54	44.94	32.19	8.24	34.98	100	181	A	V
	*	2422	106.44	-	-	100.87	32.29	8.27	34.99	100	181	P	V
	*	2422	101.93	-	-	96.36	32.29	8.27	34.99	100	181	A	V
		2488.24	55.79	-18.21	74	49.99	32.5	8.3	35	100	181	P	V
		2483.5	46.18	-7.82	54	40.43	32.45	8.3	35	100	181	A	V
802.11ac VHT40 CH 09 2452MHz		2344.58	55.12	-18.88	74	49.8	32.03	8.26	34.97	100	169	P	H
		2389.66	45.37	-8.63	54	39.91	32.19	8.24	34.97	100	169	A	H
	*	2452	98.18	-	-	92.56	32.34	8.27	34.99	100	169	P	H
	*	2452	94.63	-	-	89.01	32.34	8.27	34.99	100	169	A	H
		2486.63	57.17	-16.83	74	51.42	32.45	8.3	35	100	169	P	H
		2483.5	45.92	-8.08	54	40.17	32.45	8.3	35	100	169	A	H
		2383.36	55.93	-18.07	74	50.52	32.14	8.24	34.97	200	185	P	V
		2389.8	45.76	-8.24	54	40.31	32.19	8.24	34.98	200	185	A	V
	*	2452	107.47	-	-	101.85	32.34	8.27	34.99	200	185	P	V
	*	2452	102.45	-	-	96.83	32.34	8.27	34.99	200	185	A	V
		2489.92	57.53	-16.47	74	51.73	32.5	8.3	35	200	185	P	V
		2483.55	48.84	-5.16	54	43.09	32.45	8.3	35	200	185	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ac VHT40 (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT40 CH 06 2437MHz		4874	39.59	-34.41	74	53.44	33.54	11.9	59.29	100	0	P	H	
		7311	40.73	-33.27	74	49.15	34.69	14.94	58.05	100	0	P	H	
													H	
													H	
			4874	39.57	-34.43	74	53.42	33.54	11.9	59.29	100	0	P	V
			7311	40.89	-33.11	74	49.31	34.69	14.94	58.05	100	0	P	V
														V
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**Emission below 1GHz
5GHz WIFI 802.11ac VHT40 (LF)**

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
5GHz 802.11ac VHT40 LF		42.69	31.23	-8.77	40	42.32	18.72	1.71	31.52	-	-	P	H	
		196.05	32.37	-11.13	43.5	45.3	15.8	2.72	31.45	-	-	P	H	
		272.73	35.9	-10.1	46	44.59	19.37	3.28	31.34	-	-	P	H	
		390.3	33.9	-12.1	46	39.07	22.16	3.82	31.15	-	-	P	H	
		519.8	39.27	-6.73	46	41.73	24.36	4.13	30.95	100	77	P	H	
		986.7	35.43	-18.57	54	30.13	30.27	5.54	30.51	-	-	P	H	
														H
														H
														H
														H
														H
														H
														H
														H
														H
			30.81	35.99	-4.01	40	40.18	25.46	1.71	31.36	100	218	P	V
			65.1	35.12	-4.88	40	52.25	12.35	2.11	31.59	-	-	P	V
			132.06	36.16	-7.34	43.5	47.11	18.24	2.34	31.53	-	-	P	V
			325.2	35.47	-10.53	46	42.8	20.5	3.43	31.26	-	-	P	V
			519.8	36.68	-9.32	46	39.14	24.36	4.13	30.95	-	-	P	V
		974.8	35.73	-18.27	54	30.59	30.25	5.4	30.51	-	-	P	V	
													V	
													V	
													V	
													V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.													



<Ant. No. 4 Chain 0 + 1>

2.4GHz 2400~2483.5MHz

WIFI 802.11ac VHT20 (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11ac VHT20 CH 01 2412MHz		2364.71	56.64	-17.36	74	51.26	32.09	8.26	34.97	300	74	P	H	
		2390	46.44	-7.56	54	40.99	32.19	8.24	34.98	300	74	A	H	
	*	2412	103.15	-	-	97.65	32.24	8.24	34.98	300	74	P	H	
	*	2412	96.55	-	-	91.05	32.24	8.24	34.98	300	74	A	H	
													H	
													H	
			2390	58.93	-15.07	74	53.48	32.19	8.24	34.98	197	190	P	V
			2390	49.85	-4.15	54	44.4	32.19	8.24	34.98	197	190	A	V
		*	2412	109.64	-	-	104.14	32.24	8.24	34.98	197	190	P	V
		*	2412	103.95	-	-	98.45	32.24	8.24	34.98	197	190	A	V
802.11ac VHT20 CH 11 2462MHz													V	
													V	
		*	2462	104.87	-	-	99.16	32.4	8.3	34.99	300	74	P	H
		*	2462	96.35	-	-	90.64	32.4	8.3	34.99	300	74	A	H
			2491.28	56.08	-17.92	74	50.28	32.5	8.3	35	300	74	P	H
			2484.36	46.04	-7.96	54	40.29	32.45	8.3	35	300	74	A	H
														H
														H
		*	2462	111.58	-	-	105.87	32.4	8.3	34.99	178	190	P	V
		*	2462	104.67	-	-	98.96	32.4	8.3	34.99	178	190	A	V
		2483.52	60.91	-13.09	74	55.16	32.45	8.3	35	178	190	P	V	
		2483.56	49.42	-4.58	54	43.67	32.45	8.3	35	178	190	A	V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11ac VHT20 (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT20 CH 06 2437MHz		4874	39.88	-34.12	74	53.73	33.54	11.9	59.29	100	0	P	H	
		7311	40.9	-33.1	74	49.32	34.69	14.94	58.05	100	0	P	H	
													H	
													H	
			4874	44.68	-29.32	74	58.53	33.54	11.9	59.29	100	0	P	V
			7311	40.01	-33.99	74	48.43	34.69	14.94	58.05	100	0	P	V
														V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT40 (Band Edge @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ac VHT40 CH 03 2422MHz		2389.66	57.19	-16.81	74	51.73	32.19	8.24	34.97	246	74	P	H
		2389.94	47.78	-6.22	54	42.33	32.19	8.24	34.98	246	74	A	H
	*	2422	101.73	-	-	96.16	32.29	8.27	34.99	246	74	P	H
	*	2422	97.1	-	-	91.53	32.29	8.27	34.99	246	74	A	H
		2488.03	56.34	-17.66	74	50.54	32.5	8.3	35	246	74	P	H
		2483.9	45.77	-8.23	54	40.02	32.45	8.3	35	246	74	A	H
		2389.66	57.7	-16.3	74	52.24	32.19	8.24	34.97	197	190	P	V
		2389.94	50.29	-3.71	54	44.84	32.19	8.24	34.98	197	190	A	V
	*	2422	106.56	-	-	100.99	32.29	8.27	34.99	197	190	P	V
	*	2422	102.37	-	-	96.8	32.29	8.27	34.99	197	190	A	V
		2484.95	56.02	-17.98	74	50.27	32.45	8.3	35	197	190	P	V
		2483.52	47.08	-6.92	54	41.33	32.45	8.3	35	197	190	A	V
802.11ac VHT40 CH 09 2452MHz		2354.66	56.3	-17.7	74	50.92	32.09	8.26	34.97	298	74	P	H
		2389.8	45.6	-8.4	54	40.15	32.19	8.24	34.98	298	74	A	H
	*	2452	101.44	-	-	95.82	32.34	8.27	34.99	298	74	P	H
	*	2452	97.05	-	-	91.43	32.34	8.27	34.99	298	74	A	H
		2483.52	57.23	-16.77	74	51.48	32.45	8.3	35	298	74	P	H
		2483.76	46.78	-7.22	54	41.03	32.45	8.3	35	298	74	A	H
		2361.94	55.81	-18.19	74	50.43	32.09	8.26	34.97	200	233	P	V
		2389.8	45.95	-8.05	54	40.5	32.19	8.24	34.98	200	233	A	V
	*	2452	108.73	-	-	103.11	32.34	8.27	34.99	200	233	P	V
	*	2452	104.71	-	-	99.09	32.34	8.27	34.99	200	233	A	V
		2488.38	59.74	-14.26	74	53.94	32.5	8.3	35	200	233	P	V
		2483.55	51.14	-2.86	54	45.39	32.45	8.3	35	200	233	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ac VHT40 (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT40 CH 06 2437MHz		4874	39.2	-34.8	74	53.05	33.54	11.9	59.29	100	0	P	H	
		7311	40.95	-33.05	74	49.37	34.69	14.94	58.05	100	0	P	H	
													H	
													H	
			4874	39.32	-34.68	74	53.17	33.54	11.9	59.29	100	0	P	V
			7311	40.16	-33.84	74	48.58	34.69	14.94	58.05	100	0	P	V
														V
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Emission below 1GHz
5GHz WIFI 802.11ac VHT40 (LF)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.	
				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.		
		(MHz)	(dBµV/m)	(dB)	(dBµV/m)	(dBµV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
5GHz 802.11ac VHT40 LF		30.54	28.27	-11.73	40	32.46	25.46	1.71	31.36	-	-	P	H	
		65.1	31.03	-8.97	40	48.16	12.35	2.11	31.59	100	78	P	H	
		186.87	32.3	-11.2	43.5	45.57	15.47	2.72	31.46	-	-	P	H	
		325.2	34.24	-11.76	46	41.57	20.5	3.43	31.26	-	-	P	H	
		519.8	33.22	-12.78	46	35.68	24.36	4.13	30.95	-	-	P	H	
		955.9	34.97	-11.03	46	29.87	30.21	5.4	30.51	-	-	P	H	
														H
														H
														H
														H
														H
														H
			30.27	35.32	-4.68	40	38.96	26	1.71	31.35	100	58	P	V
			65.1	31.17	-8.83	40	48.3	12.35	2.11	31.59	-	-	P	V
			186.87	33.83	-9.67	43.5	47.1	15.47	2.72	31.46	-	-	P	V
			325.2	37.53	-8.47	46	44.86	20.5	3.43	31.26	-	-	P	V
			389.6	36.47	-9.53	46	41.64	22.16	3.82	31.15	-	-	P	V
			519.8	41.24	-4.76	46	43.7	24.36	4.13	30.95	-	-	P	V
														V
														V
													V	
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.													



<For Sample 2>

<CDD Mode>

<Ant. No. 4 Chain 0 + 1>

2.4GHz 2400~2483.5MHz

WIFI 802.11ac VHT20 (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11ac VHT20 CH 01 2412MHz		2389.8	56.42	-17.58	74	50.67	32.49	8.24	34.98	100	245	P	H	
		2390	47.43	-6.57	54	41.68	32.49	8.24	34.98	100	245	A	H	
	*	2412	101.55	-	-	95.76	32.53	8.24	34.98	100	245	P	H	
	*	2412	94.63	-	-	88.84	32.53	8.24	34.98	100	245	A	H	
													H	
														H
			2389.59	60.02	-13.98	74	54.26	32.49	8.24	34.97	325	3	P	V
			2390	51.32	-2.68	54	45.57	32.49	8.24	34.98	325	3	A	V
		*	2412	108.89	-	-	103.1	32.53	8.24	34.98	325	3	P	V
		*	2412	101.83	-	-	96.04	32.53	8.24	34.98	325	3	A	V
													V	
													V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



2.4GHz 2400~2483.5MHz

WIFI 802.11ac VHT20 (Harmonic @ 3m)

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT20 CH 01 2412MHz		4824	41.3	-32.7	74	53.42	35.33	11.93	59.38	100	0	P	H	
													H	
													H	
													H	
			4824	43.31	-30.69	74	55.43	35.33	11.93	59.38	100	0	P	V
														V
														V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



<For Sample 3>

<CDD Mode>

<Ant. No. 4 Chain 0 + 1>

2.4GHz 2400~2483.5MHz

WIFI 802.11ac VHT20 (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)	
802.11ac VHT20 CH 01 2412MHz		2389.17	55.69	-18.31	74	49.93	32.49	8.24	34.97	300	20	P	H	
		2389.07	46.8	-7.2	54	41.04	32.49	8.24	34.97	300	20	A	H	
	*	2412	102.22	-	-	96.43	32.53	8.24	34.98	300	20	P	H	
	*	2412	95.7	-	-	89.91	32.53	8.24	34.98	300	20	A	H	
													H	
													H	
			2389.91	61.56	-12.44	74	55.81	32.49	8.24	34.98	325	0	P	V
			2390	51.41	-2.59	54	45.66	32.49	8.24	34.98	325	0	A	V
	*		2412	109.76	-	-	103.97	32.53	8.24	34.98	325	0	P	V
	*		2412	102.71	-	-	96.92	32.53	8.24	34.98	325	0	A	V
													V	
												V		
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



**2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT20 (Harmonic @ 3m)**

WIFI	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ac VHT20 CH 01 2412MHz		4824	41.27	-32.73	74	53.39	35.33	11.93	59.38	100	0	P	H	
													H	
													H	
													H	
			4824	43.6	-30.4	74	55.72	35.33	11.93	59.38	100	0	P	V
														V
														V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.													



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is over limit line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
2412MHz		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

- Level(dBμV/m) =
Antenna Factor(dB/m) + Cable Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
- Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

- Level(dBμV/m)
= Antenna Factor(dB/m) + Cable Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
- Over Limit(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

- Level(dBμV/m)
= Antenna Factor(dB/m) + Cable Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
- Over Limit(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix C. Radiated Spurious Emission Plots

Test Engineer :	Jesse Wang, James Chiu, Potter Liu	Temperature :	22~26°C
		Relative Humidity :	52~58%

Note symbol

-L	Low channel location
-R	High channel location

<For Sample 1>





<CDD Mode>

<Ant. No. 1 Chain 0>



2.4GHz 2400~2483.5MHz





WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH01 2412MHz	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74.3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 9</p>	 <p>Site: 03CH07-HY Condition: PEAK_74.3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 9</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54.3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector: Peak Project: 752421 Mode: 9</p>	 <p>Site: 03CH07-HY Condition: AVG_54.3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector: Peak Project: 752421 Mode: 9</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH01 2412MHz	
	Vertical	Fundamental
Peak	<p>Site: 03CH07-HY Condition: PEAK_BE_74_3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 9</p>	<p>Site: 03CH07-HY Condition: PEAK_74_3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 9</p>
Avg.	<p>Site: 03CH07-HY Condition: AVG_BE_54_3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector: Peak Project: 752421 Mode: 9</p>	<p>Site: 03CH07-HY Condition: AVG_54_3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector: Peak Project: 752421 Mode: 9</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH02 2417MHz	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK, 3m HF-ANT, 130829 HORIZONTAL REW: 1000.000kHz VBW: 3000.000kHz SVWT: Auto Detector: Peak Project: 752421 Mode: 10</p>	 <p>Site: 03CH07-HY Condition: PEAK, 3m HF-ANT, 130829 HORIZONTAL REW: 1000.000kHz VBW: 3000.000kHz SVWT: Auto Detector: Peak Project: 752421 Mode: 10</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG, 3m HF-ANT, 130829 HORIZONTAL REW: 1000.000kHz VBW: 0.100kHz SVWT: Auto Detector: Peak Project: 752421 Mode: 10</p>	 <p>Site: 03CH07-HY Condition: AVG, 3m HF-ANT, 130829 HORIZONTAL REW: 1000.000kHz VBW: 0.100kHz SVWT: Auto Detector: Peak Project: 752421 Mode: 10</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH02 2417MHz		
	Vertical	Fundamental
Peak	 <p>Site : 03CH07.HY Condition : PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 10</p>	 <p>Site : 03CH07.HY Condition : PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 10</p>
Avg.	 <p>Site : 03CH07.HY Condition : AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector : Peak Project : 752421 Mode : 10</p>	 <p>Site : 03CH07.HY Condition : AVG_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector : Peak Project : 752421 Mode : 10</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH06 2437MHz - L		
Horizontal		Fundamental
Peak	 <p>Level (dBm/m)</p> <p>Date: 2017-06-20</p> <p>Site: 03CH07-HY Condition: PEAK_BE_74.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 11</p>	 <p>Level (dBm/m)</p> <p>Date: 2017-06-20</p> <p>Site: 03CH07-HY Condition: PEAK_T4.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 11</p>
Avg.	 <p>Level (dBm/m)</p> <p>Date: 2017-06-20</p> <p>Site: 03CH07-HY Condition: AVG_BE_54.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 11</p>	 <p>Level (dBm/m)</p> <p>Date: 2017-06-20</p> <p>Site: 03CH07-HY Condition: AVG_54.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 11</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH06 2437MHz - R	
	Horizontal	Fundamental
<p>Peak</p>	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 11</p>	<p>Left blank</p>
<p>Avg.</p>	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto Detector : Peak Project : 752421 Mode : 11</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH06 2437MHz - L		
Vertical		Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74.3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 11</p>	 <p>Site: 03CH07-HY Condition: PEAK_74.3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 11</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54.3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 11</p>	 <p>Site: 03CH07-HY Condition: AVG_54.3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 11</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH06 2437MHz - R	
	Vertical	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF-ANT_130829 VERTICAL RBW 1000.000kHz VBW 3000.000kHz SWT Auto Detector : Peak Project : 752421 Mode : 11</p>	Left blank
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF-ANT_130829 VERTICAL RBW 1000.000kHz VBW 0.010kHz SWT Auto Detector : Peak Project : 752421 Mode : 11</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH10 2457MHz		
Horizontal		Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 12</p>	 <p>Site: 03CH07-HY Condition: PEAK_FT_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 12</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 12</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 12</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH10 2457MHz		
	Vertical	Fundamental
Peak	<p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000 0000kHz VBW:3000 0000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 12</p>	<p>Site: 03CH07-HY Condition: PEAK_F1 3m HF-ANT_130829 VERTICAL REW:1000 0000kHz VBW:3000 0000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 12</p>
Avg.	<p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000 0000kHz VBW:0 0100kHz SWT:Auto Detector: Peak Project: 752421 Mode: 12</p>	<p>Site: 03CH07-HY Condition: AVG_F4 3m HF-ANT_130829 VERTICAL REW:1000 0000kHz VBW:0 0100kHz SWT:Auto Detector: Peak Project: 752421 Mode: 12</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH11 2462MHz		
Horizontal		Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT 130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 13</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT 130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 13</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT 130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 13</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT 130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 13</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH11 2462MHz	
	Vertical	Fundamental
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Vertical. The plot shows a signal level starting at approximately 105 dBuV/m at 2400 MHz and decreasing to about 55 dBuV/m at 2500 MHz. A sharp peak is visible at 2462 MHz, labeled 'PEAK_B1_74'.</p> <p>Site: 03CH07-HY Condition: PEAK_B1_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 13</p>	<p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a flat baseline at approximately 55 dBuV/m from 1000 MHz to 2400 MHz, followed by a sharp peak at 2462 MHz labeled 'PEAK_74', and then returns to the baseline.</p> <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 13</p>
Avg.	<p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Vertical. The plot shows a signal level starting at approximately 105 dBuV/m at 2400 MHz and decreasing to about 55 dBuV/m at 2500 MHz. A sharp peak is visible at 2462 MHz, labeled 'AVG_B1_54'.</p> <p>Site: 03CH07-HY Condition: AVG_B1_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector: Peak Project: 752421 Mode: 13</p>	<p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a flat baseline at approximately 55 dBuV/m from 1000 MHz to 2400 MHz, followed by a sharp peak at 2462 MHz labeled 'AVG_54', and then returns to the baseline.</p> <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector: Peak Project: 752421 Mode: 13</p>



2.4GHz 2400~2483.5MHz





WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH01 2412MHz	
	Horizontal	Fundamental
Peak	<p>Site Condition: 03CH07-HY, PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL, REW:1000 500kHz VBW:3000 600kHz SWT:Auto Detector: Peak Project: 752421 Mode: 14</p>	<p>Site Condition: 03CH07-HY, PEAK_74 3m HF-ANT_130829 HORIZONTAL, REW:1000 600kHz VBW:3000 600kHz SWT:Auto Detector: Peak Project: 752421 Mode: 14</p>
Avg.	<p>Site Condition: 03CH07-HY, AVG_BE_54 3m HF-ANT_130829 HORIZONTAL, REW:1000 600kHz VBW:1 600kHz SWT:Auto Detector: Peak Project: 752421 Mode: 14</p>	<p>Site Condition: 03CH07-HY, AVG_54 3m HF-ANT_130829 HORIZONTAL, REW:1000 600kHz VBW:1 600kHz SWT:Auto Detector: Peak Project: 752421 Mode: 14</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH01 2412MHz	
	Vertical	Fundamental
Peak	<p>Site: 03CH07-HY Condition: PEAK_SE_74 3m HF-ANT_130829 VERTICAL REW:1000 000kHz VBW:3000 000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 14</p>	<p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000 000kHz VBW:3000 000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 14</p>
Avg.	<p>Site: 03CH07-HY Condition: AVG_SE_54 3m HF-ANT_130829 VERTICAL REW:1000 000kHz VBW:1 000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 14</p>	<p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 VERTICAL REW:1000 000kHz VBW:1 000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 14</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH02 2417MHz		
Horizontal		Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_SE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 15</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 15</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_SE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 15</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 15</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH02 2417MHz		
Vertical		Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_SE_74 3m HF-ANT_130829 VERTICAL REW:1000 000kHz VBW:3000 000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 15</p>	 <p>Site : 03CH07-HY Condition : PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000 000kHz VBW:3000 000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 15</p>
Avg.	 <p>Site : 03CH07-HY Condition : AVG_SE_54 3m HF-ANT_130829 VERTICAL REW:1000 000kHz VBW:1 000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 15</p>	 <p>Site : 03CH07-HY Condition : AVG_54 3m HF-ANT_130829 VERTICAL REW:1000 000kHz VBW:1 000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 15</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH06 2437MHz - L	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_SE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 16</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 16</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_SE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 16</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 16</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH06 2437MHz - R	
	Horizontal	Fundamental
<p>Peak</p>	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL Detector : PEAK Project : 752421 Mode : 16</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF-ANT_130829 HORIZONTAL Detector : Peak Project : 752421 Mode : 16</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH06 2437MHz - L		
	Vertical	Fundamental
Peak	 <p>Site Condition : 03CH07-HY PEAK_SE_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 16</p>	 <p>Site Condition : 03CH07-HY PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 16</p>
Avg.	 <p>Site Condition : 03CH07-HY AVG_SE_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 16</p>	 <p>Site Condition : 03CH07-HY AVG_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 16</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH06 2437MHz - R	
	Vertical	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000 000kHz VBW:3000 000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 16</p>	Left Blank
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000 000kHz VBW:1 000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 16</p>	Left Blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH10 2457MHz	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000 000kHz VBW:3000 000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 17</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000 000kHz VBW:3000 000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 17</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000 000kHz VBW:1 000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 17</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000 000kHz VBW:1 000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 17</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH10 2457MHz		
	Vertical	Fundamental
Peak	 <p>Site Condition : 03CH07-HY PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 17</p>	 <p>Site Condition : 03CH07-HY PEAK_FT 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 17</p>
Avg.	 <p>Site Condition : 03CH07-HY AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 17</p>	 <p>Site Condition : 03CH07-HY AVG_FT 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 17</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH11 2462MHz	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_SE_74 3m HF-Ant_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 18</p>	 <p>Site: 03CH07-HY Condition: PEAK_SE_74 3m HF-Ant_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 18</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_SE_54 3m HF-Ant_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 18</p>	 <p>Site: 03CH07-HY Condition: AVG_SE_54 3m HF-Ant_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 18</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH11 2462MHz		
Vertical		Fundamental
Peak	<p>Date: 2017-06-08</p> <p>Site Condition: 03CH07-HY PEAK_SE_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <p>Detector: Peak Project: 752421 Mode: 18</p>	<p>Date: 2017-06-08</p> <p>Site Condition: 03CH07-HY PEAK_F1 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <p>Detector: Peak Project: 752421 Mode: 18</p>
Avg.	<p>Date: 2017-06-08</p> <p>Site Condition: 03CH07-HY AVG_SE_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <p>Detector: Peak Project: 752421 Mode: 18</p>	<p>Date: 2017-06-08</p> <p>Site Condition: 03CH07-HY AVG_F1 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <p>Detector: Peak Project: 752421 Mode: 18</p>



2.4GHz 2400~2483.5MHz
 WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
	802.11b CH01 2412MHz	
	Horizontal	Vertical
<p>Peak Avg.</p>	 <p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 HORIZONTAL Detector : Peak Project : 752421 Mode : 9</p>	 <p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 VERTICAL Detector : Peak Project : 752421 Mode : 9</p>





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
	802.11b CH06 2437MHz	
	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 HORIZONTAL Detector : Peak Project : 752421 Mode : IT</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 VERTICAL Detector : Peak Project : 752421 Mode : IT</p>

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
	802.11b CH11 2462MHz	
	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 HORIZONTAL Detector : Peak Project : 752421 Mode : IT</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 VERTICAL Detector : Peak Project : 752421 Mode : IT</p>



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
	802.11g CH01 2412MHz	
	Horizontal	Vertical
<p>Peak Avg.</p>	 <p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 HORIZONTAL Detector : Peak Project : 752421 Mode : 14</p>	 <p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 VERTICAL Detector : Peak Project : 752421 Mode : 14</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
	802.11g CH06 2437MHz	
	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 HORIZONTAL Detector : Peak Project : 752421 Mode : 16</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 VERTICAL Detector : Peak Project : 752421 Mode : 16</p>

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
	802.11g CH11 2462MHz	
	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 HORIZONTAL Detector : Peak Project : 752421 Mode : 16</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 VERTICAL Detector : Peak Project : 752421 Mode : 16</p>







Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	2.4GHz 2400~2483.5MHz	
	802.11g LF	
	Horizontal	Vertical
QP / Peak	<p>Site : 03Q107-HY Condition : QP 3m LF-ANT-35419(6) HORIZONTAL Detector : Peak Project : 752421 Mode : 19</p>	<p>Site : 03Q107-HY Condition : QP 3m LF-ANT-35419(6) VERTICAL Detector : Peak Project : 752421 Mode : 19</p>



<Ant. No. 1 Chain 1>





2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH01 2412MHz	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 20</p>	 <p>Site: 03CH07-HY Condition: PEAK_74.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 20</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 20</p>	 <p>Site: 03CH07-HY Condition: AVG_54.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 20</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH01 2412MHz	
	Vertical	Fundamental
Peak	<p>Site: 03CH07-HY Condition: PEAK_BE_74.3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 20</p>	<p>Site: 03CH07-HY Condition: PEAK_74.3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 20</p>
Avg.	<p>Site: 03CH07-HY Condition: AVG_BE_54.3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 20</p>	<p>Site: 03CH07-HY Condition: AVG_54.3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 20</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH02 2417MHz	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 21</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 21</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector: Peak Project: 752421 Mode: 21</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector: Peak Project: 752421 Mode: 21</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH02 2417MHz		
	Vertical	Fundamental
Peak	 <p>Date: 2017-06-15</p> <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 21</p>	 <p>Date: 2017-06-15</p> <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 21</p>
Avg.	 <p>Date: 2017-06-15</p> <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 21</p>	 <p>Date: 2017-06-15</p> <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 21</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH06 2437MHz - L	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK, BE_74, 3m HF-ANT, 130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 22</p>	 <p>Site: 03CH07-HY Condition: PEAK, 74, 3m HF-ANT, 130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 22</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG, BE_54, 3m HF-ANT, 130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 22</p>	 <p>Site: 03CH07-HY Condition: AVG, 54, 3m HF-ANT, 130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 22</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH06 2437MHz - R	
	Horizontal	Fundamental
<p>Peak</p>	<p>Site: 03CH07.HY Condition: PEAK_BE_74_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 22</p>	<p>Left blank</p>
<p>Avg.</p>	<p>Site: 03CH07.HY Condition: AVG_BE_54_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.100kHz SWT:Auto Detector: Peak Project: 752421 Mode: 22</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
AT	802.11b CH06 2437MHz - L	
2	Vertical	Fundamental
Peak	<p>Site: 03CH07.HY Condition: PEAK, 74.3m HF-ANT, 130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 22</p>	<p>Site: 03CH07.HY Condition: PEAK, 74.3m HF-ANT, 130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 22</p>
Avg.	<p>Site: 03CH07.HY Condition: AVG, 54.3m HF-ANT, 130829 VERTICAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector: Peak Project: 752421 Mode: 22</p>	<p>Site: 03CH07.HY Condition: AVG, 54.3m HF-ANT, 130829 VERTICAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector: Peak Project: 752421 Mode: 22</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH06 2437MHz - R	
	Vertical	Fundamental
Peak	<p>Site: 03CH07.HY Condition: PEAK_BE_74_3m HF-ANT_130829 VERTICAL REW:1000:000kHz VBW:3000:000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 22</p>	Left blank
Avg.	<p>Site: 03CH07.HY Condition: AVG_BE_54_3m HF-ANT_130829 VERTICAL REW:1000:000kHz VBW:0.100kHz SWT:Auto Detector: Peak Project: 752421 Mode: 22</p>	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH10 2457MHz	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 23</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 23</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 23</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 23</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH10 2457MHz		
Vertical		Fundamental
Peak	<p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 23</p>	<p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 23</p>
Avg.	<p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto Detector: Peak Project: 752421 Mode: 23</p>	<p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto Detector: Peak Project: 752421 Mode: 23</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH11 2462MHz	
	Horizontal	Fundamental
Peak	<p>Site: 03CH07-HY Condition: PEAK_BE_74_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 24</p>	<p>Site: 03CH07-HY Condition: PEAK_74_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 24</p>
Avg.	<p>Site: 03CH07-HY Condition: AVG_BE_54_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 24</p>	<p>Site: 03CH07-HY Condition: AVG_54_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 24</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH11 2462MHz		
Vertical		Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT 130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 24</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT 130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 24</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT 130829 VERTICAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector: Peak Project: 752421 Mode: 24</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT 130829 VERTICAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector: Peak Project: 752421 Mode: 24</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH01 2412MHz	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 25</p>	 <p>Site: 03CH07-HY Condition: PEAK_74.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 25</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 25</p>	 <p>Site: 03CH07-HY Condition: AVG_54.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 25</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH01 2412MHz	
	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a sharp peak at approximately 2412 MHz. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 2310 to 2415 MHz. A red vertical line marks the peak at 2412 MHz.</p> <p>Site: 03CH07-HY Condition: PEAK_BE_74.3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 25</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a sharp peak at approximately 2412 MHz. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 1900 to 3000 MHz. A red vertical line marks the peak at 2412 MHz, labeled 'PEAK_74'.</p> <p>Site: 03CH07-HY Condition: PEAK_74.3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 25</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization showing the average signal. The plot shows a sharp peak at approximately 2412 MHz. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 2310 to 2415 MHz. A red vertical line marks the peak at 2412 MHz.</p> <p>Site: 03CH07-HY Condition: AVG_BE_54.3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 25</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization showing the average signal. The plot shows a sharp peak at approximately 2412 MHz. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 1900 to 3000 MHz. A red vertical line marks the peak at 2412 MHz, labeled 'AVG_54'.</p> <p>Site: 03CH07-HY Condition: AVG_54.3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 25</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH02 2417MHz	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 26</p>	 <p>Site: 03CH07-HY Condition: PEAK_T4_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 25</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 26</p>	 <p>Site: 03CH07-HY Condition: AVG_54_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 26</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH02 2417MHz		
	Vertical	Fundamental
Peak	<p>Site: 03CH07-HY Condition: PEAK, SIE, 74, 3m HF-ANT, 130829 VERTICAL REW: 1000.000kHz VBW: 3000.000kHz SWT: Auto Detector: Peak Project: 752421 Mode: 26</p>	<p>Site: 03CH07-HY Condition: PEAK, 74, 3m HF-ANT, 130829 VERTICAL REW: 1000.000kHz VBW: 3000.000kHz SWT: Auto Detector: Peak Project: 752421 Mode: 25</p>
Avg.	<p>Site: 03CH07-HY Condition: AVG, SE, 54, 3m HF-ANT, 130829 VERTICAL REW: 1000.000kHz VBW: 1.000kHz SWT: Auto Detector: Peak Project: 752421 Mode: 26</p>	<p>Site: 03CH07-HY Condition: AVG, SE, 54, 3m HF-ANT, 130829 VERTICAL REW: 1000.000kHz VBW: 1.000kHz SWT: Auto Detector: Peak Project: 752421 Mode: 25</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH06 2437MHz - L	
	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal orientation. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line is at 2437 MHz. The signal level is flat at ~52 dBuV/m until 2380 MHz, then rises to ~105 dBuV/m at 2437 MHz. A red horizontal line is at 70 dBuV/m.</p> <p>Site: 03CH07-HY Condition: PEAK, 3m HF-ANT, 130829 HORIZONTAL REW: 1000.000kHz VBW: 3000.000kHz SVWT: Auto Detector: Peak Project: 752421 Mode: 27</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental orientation. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A sharp peak is visible at 2437 MHz. A red horizontal line is at 70 dBuV/m, labeled 'PEAK_74'.</p> <p>Site: 03CH07-HY Condition: PEAK, 3m HF-ANT, 130829 HORIZONTAL REW: 1000.000kHz VBW: 3000.000kHz SVWT: Auto Detector: Peak Project: 752421 Mode: 27</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal orientation, averaged. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line is at 2437 MHz. The signal level is flat at ~52 dBuV/m until 2380 MHz, then rises to ~105 dBuV/m at 2437 MHz. A red horizontal line is at 70 dBuV/m.</p> <p>Site: 03CH07-HY Condition: AVG, 3m HF-ANT, 130829 HORIZONTAL REW: 1000.000kHz VBW: 1.000kHz SVWT: Auto Detector: Peak Project: 752421 Mode: 27</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental orientation, averaged. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A sharp peak is visible at 2437 MHz. A red horizontal line is at 70 dBuV/m, labeled 'AVG_54'.</p> <p>Site: 03CH07-HY Condition: AVG, 3m HF-ANT, 130829 HORIZONTAL REW: 1000.000kHz VBW: 1.000kHz SVWT: Auto Detector: Peak Project: 752421 Mode: 27</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH06 2437MHz - R	
	Horizontal	Fundamental
<p>Peak</p>	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 27</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 27</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH06 2437MHz - L		
	Vertical	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74.3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 27</p>	 <p>Site: 03CH07-HY Condition: PEAK_74.3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 27</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54.3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 27</p>	 <p>Site: 03CH07-HY Condition: AVG_54.3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 27</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH06 2437MHz - R	
	Vertical	Fundamental
Peak	 <p>Date: 2017-06-20</p> <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF ANT_130829 VERTICAL RBW: 1000.000kHz VBW: 3000.000kHz SWT: Auto Detector: Peak Project: 752421 Mode: 27</p>	Left Blank
Avg.	 <p>Date: 2017-06-20</p> <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF ANT_130829 VERTICAL RBW: 1000.000kHz VBW: 1.000kHz SWT: Auto Detector: Peak Project: 752421 Mode: 27</p>	Left Blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH10 2457MHz		
Horizontal		Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal orientation. The plot shows a broad signal between 2440 and 2480 MHz. A red vertical line marks a peak at approximately 2483.5 MHz, labeled 'PEAK_BE_74'. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 2440 to 2500 MHz.</p> <p>Site Condition: 03CH07-HY PEAK_BE_74 3m HF-AUT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 28</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental orientation. The plot shows a sharp peak at 2457 MHz. A red vertical line marks this peak, labeled 'PEAK_74'. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz.</p> <p>Site Condition: 03CH07-HY PEAK_74 3m HF-AUT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 28</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal orientation, showing the average signal. A red vertical line marks the average level at approximately 2483.5 MHz, labeled 'AVG_BE_54'. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 2440 to 2500 MHz.</p> <p>Site Condition: 03CH07-HY AVG_BE_54 3m HF-AUT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 28</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental orientation, showing the average signal. A red vertical line marks the average level at 2457 MHz, labeled 'AVG_54'. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz.</p> <p>Site Condition: 03CH07-HY AVG_54 3m HF-AUT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 28</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH10 2457MHz	
	Vertical	Fundamental
Peak	<p>Level (dBuV/m) vs Frequency (MHz) - Date: 2017-06-16</p> <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 28</p>	<p>Level (dBuV/m) vs Frequency (MHz) - Date: 2017-06-16</p> <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 28</p>
Avg.	<p>Level (dBuV/m) vs Frequency (MHz) - Date: 2017-06-16</p> <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 28</p>	<p>Level (dBuV/m) vs Frequency (MHz) - Date: 2017-06-16</p> <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL Detector: Peak Project: 752421 Mode: 28</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH11 2462MHz		
Horizontal		Fundamental
Peak	 <p>Date: 2017.06.09</p> <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 29</p>	 <p>Date: 2017.06.09</p> <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 29</p>
Avg.	 <p>Date: 2017.06.09</p> <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 29</p>	 <p>Date: 2017.06.09</p> <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 29</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH11 2462MHz		
Vertical		Fundamental
Peak	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Peak Vertical. The plot shows a signal level starting at approximately 105 dBm/1m at 2400 MHz, dropping to about 70 dBm/1m by 2475 MHz, and then remaining relatively flat with a small peak at 2462 MHz. A red horizontal line labeled 'PEAK_BE_74' is drawn at approximately 70 dBm/1m.</p> <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 29</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a signal level starting at approximately 52 dBm/1m at 1000 MHz, rising to about 70 dBm/1m by 2400 MHz, and then showing a sharp peak at 2462 MHz. A red horizontal line labeled 'PEAK_74' is drawn at approximately 70 dBm/1m.</p> <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 29</p>
Avg.	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Avg Vertical. The plot shows a signal level starting at approximately 105 dBm/1m at 2400 MHz, dropping to about 52 dBm/1m by 2475 MHz, and then remaining flat. A red horizontal line labeled 'AVG_BE_54' is drawn at approximately 52 dBm/1m.</p> <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 29</p>	 <p>Level (dBm/1m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a signal level starting at approximately 52 dBm/1m at 1000 MHz, rising to about 52 dBm/1m by 2400 MHz, and then showing a sharp peak at 2462 MHz. A red horizontal line labeled 'AVG_54' is drawn at approximately 52 dBm/1m.</p> <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 29</p>



2.4GHz 2400~2483.5MHz
 WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
	802.11b CH01 2412MHz	
	Horizontal	Vertical
<p>Peak Avg.</p>	 <p>Site: 01CH07-HY Condition: PEAK_74 3m SHF-EHF_131029 HORIZONTAL Detector: Peak Project: 752421 Mode: 20</p>	 <p>Site: 01CH07-HY Condition: PEAK_74 3m SHF-EHF_131029 VERTICAL Detector: Peak Project: 752421 Mode: 20</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
	802.11b CH06 2437MHz	
	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 HORIZONTAL Detector : Peak Project : 752421 Mode : 22</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 VERTICAL Detector : Peak Project : 752421 Mode : 22</p>

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
	802.11b CH11 2462MHz	
	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 HORIZONTAL Detector : Peak Project : 752421 Mode : 22</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 VERTICAL Detector : Peak Project : 752421 Mode : 22</p>



2.4GHz 2400~2483.5MHz
 WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
	802.11g CH01 2412MHz	
	Horizontal	Vertical
<p>Peak Avg.</p>	<p>Site: 03CH07-HY Condition: PEAK_74 3m SHF-EHF_131029 HORIZONTAL Detector: Peak Project: 752421 Mode: 25</p>	<p>Site: 03CH07-HY Condition: PEAK_74 3m SHF-EHF_131029 VERTICAL Detector: Peak Project: 752421 Mode: 25</p>



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
	802.11g CH06 2437MHz	
	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 HORIZONTAL Detector : Peak Project : 752421 Mode : 27</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 VERTICAL Detector : Peak Project : 752421 Mode : 27</p>

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
	802.11g CH11 2462MHz	
	Horizontal	Vertical
Peak Avg.	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 HORIZONTAL Detector : Peak Project : 752421 Mode : 29</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m SHF-EHF_131029 VERTICAL Detector : Peak Project : 752421 Mode : 29</p>



Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	2.4GHz 2400~2483.5MHz	
	802.11g LF	
	Horizontal	Vertical
QP / Peak	<p>Site : 03CH07-4HY Condition : QP 3m LF-ANT-35419(6) HORIZONTAL Detector : Peak Project : 752421 Mode : 30</p>	<p>Site : 03CH07-4HY Condition : QP 3m LF-ANT-35419(6) VERTICAL Detector : Peak Project : 752421 Mode : 30</p>







<Ant. No. 1 Chain 0 + 1>

2.4GHz 2400~2483.5MHz





WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH01 2412MHz	
	Horizontal	Fundamental
Peak	<p>Site: 03CH07-HY Condition: PEAK_BE_74.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 31</p>	<p>Site: 03CH07-HY Condition: PEAK_74.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 31</p>
Avg.	<p>Site: 03CH07-HY Condition: AVG_BE_54.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 31</p>	<p>Site: 03CH07-HY Condition: AVG_54.3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 31</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH01 2412MHz		
Vertical		Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK, 0E, 74, 3m HF-ANT, 130829 VERTICAL REW: 1000.000kHz VBW: 3000.000kHz SWT: Auto Detector: Peak Project: 752421 Mode: 31</p>	 <p>Site: 03CH07-HY Condition: PEAK, 74, 3m HF-ANT, 130829 VERTICAL REW: 1000.000kHz VBW: 3000.000kHz SWT: Auto Detector: Peak Project: 752421 Mode: 31</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG, BE, 54, 3m HF-ANT, 130829 VERTICAL REW: 1000.000kHz VBW: 0.100kHz SWT: Auto Detector: Peak Project: 752421 Mode: 31</p>	 <p>Site: 03CH07-HY Condition: AVG, 54, 3m HF-ANT, 130829 VERTICAL REW: 1000.000kHz VBW: 0.100kHz SWT: Auto Detector: Peak Project: 752421 Mode: 31</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH02 2417MHz		
Horizontal		Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 32</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 32</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 32</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 32</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH02 2417MHz		
Vertical		Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at approximately 2417 MHz. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line marks the peak at 2417 MHz.</p> <p>Site: 03CH07-HY Condition: PEAK, 802.11, 3m HF-ANT, 130829 VERTICAL REW: 1000.000kHz VBW: 3000.000kHz SWT: Auto Detector: Peak Project: 752421 Mode: 32</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at 2417 MHz. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line is labeled 'PEAK_74' at approximately 75 dBuV/m.</p> <p>Site: 03CH07-HY Condition: PEAK, 802.11, 3m HF-ANT, 130829 VERTICAL REW: 1000.000kHz VBW: 3000.000kHz SWT: Auto Detector: Peak Project: 752421 Mode: 32</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line marks the peak at 2417 MHz.</p> <p>Site: 03CH07-HY Condition: AVG, 802.11, 3m HF-ANT, 130829 VERTICAL REW: 1000.000kHz VBW: 0.100kHz SWT: Auto Detector: Peak Project: 752421 Mode: 32</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line is labeled 'AVG_54' at approximately 54 dBuV/m.</p> <p>Site: 03CH07-HY Condition: AVG, 802.11, 3m HF-ANT, 130829 VERTICAL REW: 1000.000kHz VBW: 0.100kHz SWT: Auto Detector: Peak Project: 752421 Mode: 32</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH06 2437MHz - L		
Horizontal		Fundamental
Peak	 <p>Level (dBu/m) vs Frequency (MHz) plot showing a peak at approximately 2437 MHz. The y-axis ranges from 17.5 to 140 dBu/m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line marks the peak at 2437 MHz.</p> <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 33</p>	 <p>Level (dBu/m) vs Frequency (MHz) plot showing a sharp peak at 2437 MHz. The y-axis ranges from 17.5 to 140 dBu/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line is labeled 'PEAK_74' at approximately 70 dBu/m.</p> <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 33</p>
Avg.	 <p>Level (dBu/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 17.5 to 140 dBu/m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line marks the peak at 2437 MHz.</p> <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 33</p>	 <p>Level (dBu/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 17.5 to 140 dBu/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line is labeled 'AVG_54' at approximately 54 dBu/m.</p> <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 33</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH06 2437MHz - R	
	Horizontal	Fundamental
<p>Peak</p>	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL RBW 1000 0000kHz VBW 3000 000kHz SVWT Auto Detector : Peak Project : 752421 Mode : 33</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF-ANT_130829 HORIZONTAL RBW 1000 0000kHz VBW 0 100kHz SWT Auto Detector : Peak Project : 752421 Mode : 33</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH06 2437MHz - L		
	Vertical	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 33</p>	 <p>Site : 03CH07-HY Condition : PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 33</p>
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector : Peak Project : 752421 Mode : 33</p>	 <p>Site : 03CH07-HY Condition : AVG_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector : Peak Project : 752421 Mode : 33</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH06 2437MHz - R	
	Vertical	Fundamental
Peak	 <p>Site : 03CH07.HY Condition : PEAK_BE_74 3m HF-ANT_130829 VERTICAL RBW:1000 000kHz VBW:3000 000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 33</p>	Left blank
Avg.	 <p>Site : 03CH07.HY Condition : AVG_BE_54 3m HF-ANT_130829 VERTICAL RBW:1000 000kHz VBW:0.100kHz SWT:Auto Detector : Peak Project : 752421 Mode : 33</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH10 2457MHz		
Horizontal		Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2457 MHz. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 2440 to 2500 MHz. A red vertical line marks the peak at 2457 MHz, labeled 'PEAK_BE_74'.</p> <p>Site Condition: 03CH07-HY PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 34</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing a sharp peak at 2457 MHz. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the peak at 2457 MHz, labeled 'PEAK_74'.</p> <p>Site Condition: 03CH07-HY PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 34</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 2440 to 2500 MHz. A red vertical line marks the average level at 2457 MHz, labeled 'AVG_BE_54'.</p> <p>Site Condition: 03CH07-HY AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 34</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot showing the average spectrum. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red vertical line marks the average level at 2457 MHz, labeled 'AVG_54'.</p> <p>Site Condition: 03CH07-HY AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 34</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11b CH10 2457MHz		
	Vertical	Fundamental
Peak	<p>Site Condition : 03CH07-HY PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 34</p>	<p>Site Condition : 03CH07-HY PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 34</p>
Avg.	<p>Site Condition : 03CH07-HY AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector : Peak Project : 752421 Mode : 34</p>	<p>Site Condition : 03CH07-HY AVG_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:0.010kHz SWT:Auto Detector : Peak Project : 752421 Mode : 34</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH11 2462MHz	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-AUT_130829 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 35</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-AUT_130829 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 35</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-AUT_130829 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 35</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-AUT_130829 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 35</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11b CH11 2462MHz	
	Vertical	Fundamental
Peak	<p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-Ant_130829 VERTICAL Detector: Peak Project: 752421 Mode: 35</p>	<p>Site: 03CH07-HY Condition: PEAK_74 3m HF-Ant_130829 VERTICAL Detector: Peak Project: 752421 Mode: 35</p>
Avg.	<p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-Ant_130829 VERTICAL Detector: Peak Project: 752421 Mode: 35</p>	<p>Site: 03CH07-HY Condition: AVG_54 3m HF-Ant_130829 VERTICAL Detector: Peak Project: 752421 Mode: 35</p>



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH01 2412MHz	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL Detector: RBW 1000 000kHz VBW 3000 000kHz SWT Auto Peak Project: 752421 Mode: -36</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 HORIZONTAL Detector: RBW 1000 000kHz VBW 3000 000kHz SWT Auto Peak Project: 752421 Mode: -36</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL Detector: RBW 1000 000kHz VBW 1 000kHz SWT Auto Peak Project: 752421 Mode: -36</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 HORIZONTAL Detector: RBW 1000 000kHz VBW 1 000kHz SWT Auto Peak Project: 752421 Mode: -36</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH01 2412MHz		
	Vertical	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_74_3m HF-ANT_130829 VERTICAL Detector : Peak Project : 752421 Mode : 36</p>	 <p>Site : 03CH07-HY Condition : PEAK_74_3m HF-ANT_130829 VERTICAL Detector : Peak Project : 752421 Mode : 36</p>
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54_3m HF-ANT_130829 VERTICAL Detector : Peak Project : 752421 Mode : 36</p>	 <p>Site : 03CH07-HY Condition : AVG_54_3m HF-ANT_130829 VERTICAL Detector : Peak Project : 752421 Mode : 36</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH02 2417MHz	
	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 37</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 37</p>
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 37</p>	<p>Site : 03CH07-HY Condition : AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 37</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH02 2417MHz		
Vertical		Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_74.3m HF-ANT_130829 VERTICAL REW:1000.0000kHz VBW:3000.0000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 37</p>	 <p>Site : 03CH07-HY Condition : PEAK_74.3m HF-ANT_130829 VERTICAL REW:1000.0000kHz VBW:3000.0000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 37</p>
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54.3m HF-ANT_130829 VERTICAL REW:1000.0000kHz VBW:1.0000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 37</p>	 <p>Site : 03CH07-HY Condition : AVG_54.3m HF-ANT_130829 VERTICAL REW:1000.0000kHz VBW:1.0000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 37</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH06 2437MHz - L	
	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal orientation. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line is at 2386 MHz. A peak is visible around 2437 MHz. Date: 2017-06-20.</p> <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 38</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental orientation. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line is at 70.0 dBuV/m. A sharp peak is labeled 'PEAK_74' at approximately 2437 MHz. Date: 2017-06-20.</p> <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 38</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal orientation. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 2310 to 2450 MHz. A red vertical line is at 2386 MHz. A peak is visible around 2437 MHz. Date: 2017-06-20.</p> <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 38</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental orientation. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red horizontal line is at 52.5 dBuV/m. A sharp peak is labeled 'AVG_54' at approximately 2437 MHz. Date: 2017-06-20.</p> <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 38</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH06 2437MHz - R	
	Horizontal	Fundamental
<p>Peak</p>	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 38</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 38</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH06 2437MHz - L		
Vertical		Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 38</p>	 <p>Site : 03CH07-HY Condition : PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 38</p>
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 38</p>	 <p>Site : 03CH07-HY Condition : AVG_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 38</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH06 2437MHz - R	
	Vertical	Fundamental
Peak	 <p>Site : 03CH07.HY Condition : PEAK_BE_74 3m HF-ANT_130829 VERTICAL RBW:1000 000kHz VBW:3000 000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 38</p>	Left Blank
Avg.	 <p>Site : 03CH07.HY Condition : AVG_BE_54 3m HF-ANT_130829 VERTICAL RBW:1000 000kHz VBW:1.000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 38</p>	Left Blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH10 2457MHz		
Horizontal		Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal orientation. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 2440 to 2500 MHz. A peak is observed at approximately 2457 MHz, marked with a red vertical line and labeled 'PEAK_BE_74'. The plot shows a broad signal between 2440 and 2480 MHz, followed by a sharp peak at 2457 MHz.</p> <p>Site Condition : 03CH07-HY PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.0000kHz VBW:3000.0000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 39</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental orientation. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A sharp peak is observed at approximately 2457 MHz, marked with a red vertical line and labeled 'PEAK_74'. The rest of the spectrum is flat at approximately 52.5 dBuV/m.</p> <p>Site Condition : 03CH07-HY PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000.0000kHz VBW:3000.0000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 39</p>
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal orientation. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 2440 to 2500 MHz. An average level is indicated by a red horizontal line at approximately 52.5 dBuV/m, labeled 'AVG_BE_54'. The plot shows a broad signal between 2440 and 2480 MHz, followed by a sharp peak at 2457 MHz.</p> <p>Site Condition : 03CH07-HY AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.0000kHz VBW:1.0000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 39</p>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental orientation. The y-axis ranges from 17.5 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. An average level is indicated by a red horizontal line at approximately 52.5 dBuV/m, labeled 'AVG_54'. A sharp peak is observed at approximately 2457 MHz.</p> <p>Site Condition : 03CH07-HY AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.0000kHz VBW:1.0000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 39</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11g CH10 2457MHz		
	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000 0000Hz VBW:3000 0000Hz SWT:Auto Detector : Peak Project : 752421 Mode : 39</p>	<p>Site : 03CH07-HY Condition : PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000 0000Hz VBW:3000 0000Hz SWT:Auto Detector : Peak Project : 752421 Mode : 39</p>
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000 0000Hz VBW:1 0000Hz SWT:Auto Detector : Peak Project : 752421 Mode : 39</p>	<p>Site : 03CH07-HY Condition : AVG_54 3m HF-ANT_130829 VERTICAL REW:1000 0000Hz VBW:1 0000Hz SWT:Auto Detector : Peak Project : 752421 Mode : 39</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH11 2462MHz	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07.HY Condition: PEAK_BE_74 3m HF-Ant 130829 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 40</p>	 <p>Site: 03CH07.HY Condition: PEAK_74 3m HF-Ant 130829 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 40</p>
Avg.	 <p>Site: 03CH07.HY Condition: AVG_BE_54 3m HF-Ant 130829 HORIZONTAL RBW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 40</p>	 <p>Site: 03CH07.HY Condition: AVG_54 3m HF-Ant 130829 HORIZONTAL RBW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 40</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11g CH11 2462MHz	
	Vertical	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 40</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 40</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 40</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 40</p>







2.4GHz 2400~2483.5MHz
WIFI 802.11ac VHT20 (Band Edge @ 3m)

Table with 4 quadrants: Peak Horizontal, Peak Fundamental, Avg. Horizontal, Avg. Fundamental. Each quadrant contains a spectral plot and technical parameters like Site, Condition, Detector, Project, and Mode.







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VHT20 CH01 2412MHz	
	Vertical	Fundamental
Peak	<p>Site: 03CH07.HY Condition: PEAK_BE_74_3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 41</p>	<p>Site: 03CH07.HY Condition: PEAK_BE_74_3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 41</p>
Avg.	<p>Site: 03CH07.HY Condition: AVG_BE_54_3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 41</p>	<p>Site: 03CH07.HY Condition: AVG_54_3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 41</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VHT20 CH02 2417MHz	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 42</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 42</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 42</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 42</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11ac VHT20 CH02 2417MHz		
Vertical		Fundamental
Peak	 <p>Date: 2017-06-16</p> <p>Site Condition: 03CH07-HY PEAK_BE_74.3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <p>Detector: Peak Project: 752421 Mode: 42</p>	 <p>Date: 2017-06-16</p> <p>Site Condition: 03CH07-HY PEAK_74.3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <p>Detector: Peak Project: 752421 Mode: 42</p>
Avg.	 <p>Date: 2017-06-16</p> <p>Site Condition: 03CH07-HY AVG_BE_54.3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <p>Detector: Peak Project: 752421 Mode: 42</p>	 <p>Date: 2017-06-16</p> <p>Site Condition: 03CH07-HY AVG_54.3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SWT:Auto</p> <p>Detector: Peak Project: 752421 Mode: 42</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VHT20 CH06 2437MHz - L	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: -43</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: -43</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: -43</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: -43</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH20 CH06 2437MHz - R	
	Horizontal	Fundamental
<p>Peak</p>	<p>Site: 03CH07-HY Condition: PEAK_BE_74_3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: -43</p>	<p>Left blank</p>
<p>Avg.</p>	<p>Site: 03CH07-HY Condition: AVG_BE_54_3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: -43</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11ac VH20 CH06 2437MHz - L		
Vertical		Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74.3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 43</p>	 <p>Site: 03CH07-HY Condition: PEAK_74.3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 43</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54.3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 43</p>	 <p>Site: 03CH07-HY Condition: AVG_54.3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 43</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH20 CH06 2437MHz - R	
	Vertical	Fundamental
<p>Peak</p>	<p>Site: 03CH07.HY Condition: PEAK_BE_74_3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: -43</p>	<p>Left blank</p>
<p>Avg.</p>	<p>Site: 03CH07.HY Condition: AVG_BE_54_3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: -43</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VHT20 CH10 2457MHz	
	Horizontal	Fundamental
Peak	 <p>Site Condition : 03CH07-HY PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.0000kHz VBW:3000.0000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 44</p>	 <p>Site Condition : 03CH07-HY PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000.0000kHz VBW:3000.0000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 44</p>
Avg.	 <p>Site Condition : 03CH07-HY AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.0000kHz VBW:1.0000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 44</p>	 <p>Site Condition : 03CH07-HY AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.0000kHz VBW:1.0000kHz SVWT:Auto Detector : Peak Project : 752421 Mode : 44</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VHT20 CH10 2457MHz	
	Vertical	Fundamental
Peak	<p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 44</p>	<p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 44</p>
Avg.	<p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 44</p>	<p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 44</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH20 CH11 2462MHz	
	Horizontal	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 45</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 45</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 45</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 45</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH20 CH11 2462MHz	
	Vertical	Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 45</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 45</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 45</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:1.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 45</p>



2.4GHz 2400~2483.5MHz





WIFI 802.11ac VHT40 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH40 CH03 2422MHz - L	
	Horizontal	Fundamental
Peak	 <p>Site Condition 03CH07-HY PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL Detector Peak Project 752421 Mode -46</p>	 <p>Site Condition 03CH07-HY PEAK_74 3m HF-ANT_130829 HORIZONTAL Detector Peak Project 752421 Mode -46</p>
Avg.	 <p>Site Condition 03CH07-HY AVG_BE_54 3m HF-ANT_130829 HORIZONTAL Detector Peak Project 752421 Mode -46</p>	 <p>Site Condition 03CH07-HY AVG_54 3m HF-ANT_130829 HORIZONTAL Detector Peak Project 752421 Mode -46</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH40 CH03 2422MHz - R	
	Horizontal	Fundamental
Peak	<p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 45</p>	Left blank
Avg.	<p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:3.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 45</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11ac VH40 CH03 2422MHz - L		
	Vertical	Fundamental
Peak	 <p>Date: 2017-06-09</p> <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 46</p>	 <p>Date: 2017-06-09</p> <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 46</p>
Avg.	 <p>Date: 2017-06-09</p> <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 46</p>	 <p>Date: 2017-06-09</p> <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 46</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH40 CH03 2422MHz - R	
	Vertical	Fundamental
Peak	 <p>Date: 2017-06-09</p> <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL RBW: 1000 0000Hz VBW: 3000 0000Hz SWT: Auto Detector: Peak Project: 752421 Mode: 46</p>	Left blank
Avg.	 <p>Date: 2017-06-09</p> <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL RBW: 1000 0000Hz VBW: 3000 0000Hz SWT: Auto Detector: Peak Project: 752421 Mode: 46</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11ac VH40 CH04 2427MHz - L		
Horizontal		Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74.3m HF-ANT_130829 HORIZONTAL REW:1000.0000kHz VBW:3000.0000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: -47</p>	 <p>Site: 03CH07-HY Condition: PEAK_74.3m HF-ANT_130829 HORIZONTAL REW:1000.0000kHz VBW:3000.0000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: -47</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54.3m HF-ANT_130829 HORIZONTAL REW:1000.0000kHz VBW:3.0000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: -47</p>	 <p>Site: 03CH07-HY Condition: AVG_54.3m HF-ANT_130829 HORIZONTAL REW:1000.0000kHz VBW:3.0000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: -47</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH40 CH04 2427MHz - R	
	Horizontal	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74, 3m HF-ANT, 130829 HORIZONTAL REW: 1000.000kHz, VBW: 3000.000kHz, SWT: Auto Detector : Peak Project : 752421 Mode : -47</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54, 3m HF-ANT, 130829 HORIZONTAL REW: 1000.000kHz, VBW: 3000.000kHz, SWT: Auto Detector : Peak Project : 752421 Mode : -47</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11ac VH40 CH04 2427MHz - L		
Vertical		Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: -47</p>	 <p>Site: 03CH07-HY Condition: PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: -47</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: -47</p>	 <p>Site: 03CH07-HY Condition: AVG_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: -47</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH40 CH04 2427MHz - R	
	Vertical	Fundamental
Peak	<p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000 0000Hz VBW:3000 0000Hz SWT:Auto Detector : Peak Project : 752421 Mode : 47</p>	Left blank
Avg.	<p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000 0000Hz VBW:3 0000Hz SWT:Auto Detector : Peak Project : 752421 Mode : 47</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11ac VH40 CH06 2437MHz - L		
Horizontal		Fundamental
Peak	 <p>Site: 03CH07.HY Condition: PEAK_BE_74_3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 48</p>	 <p>Site: 03CH07.HY Condition: PEAK_74_3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 48</p>
Avg.	 <p>Site: 03CH07.HY Condition: AVG_BE_54_3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 48</p>	 <p>Site: 03CH07.HY Condition: AVG_54_3m HF-ANT_130829 HORIZONTAL Detector: Peak Project: 752421 Mode: 48</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH40 CH06 2437MHz - R	
	Horizontal	Fundamental
<p>Peak</p>	 <p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 48</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:3.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 48</p>	<p>Left blank</p>







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11ac VH40 CH06 2437MHz - L		
Vertical		Fundamental
Peak	 <p>Site: 03CH07.HY Condition: PEAK_BE_74_3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 48</p>	 <p>Site: 03CH07.HY Condition: PEAK_74_3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 48</p>
Avg.	 <p>Site: 03CH07.HY Condition: AVG_BE_54_3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 48</p>	 <p>Site: 03CH07.HY Condition: AVG_54_3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 48</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH40 CH06 2437MHz - R	
	Vertical	Fundamental
Peak	<p>Site: 03CH07.HY Condition: PEAK_BE_74 3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 48</p>	Left blank
Avg.	<p>Site: 03CH07.HY Condition: AVG_BE_54 3m HF-ANT_130829 VERTICAL RBW:1000.000kHz VBW:3.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 48</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11ac VH40 CH08 2447MHz - L		
Horizontal		Fundamental
Peak	 <p>Site: 03CH07-HY Condition: PEAK_BE_74.3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 49</p>	 <p>Site: 03CH07-HY Condition: PEAK_74.3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 49</p>
Avg.	 <p>Site: 03CH07-HY Condition: AVG_BE_54.3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 49</p>	 <p>Site: 03CH07-HY Condition: AVG_54.3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 49</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH40 CH08 2447MHz - R	
	Horizontal	Fundamental
Peak	<p>Site: 03CH07-HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL REW:1000 000kHz VBW:3000 000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 49</p>	Left blank
Avg.	<p>Site: 03CH07-HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL REW:1000 000kHz VBW:3 000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 49</p>	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
802.11ac VH40 CH08 2447MHz - L		
Vertical		Fundamental
Peak	 <p>Date: 2017-06-16</p> <p>Site Condition: 03CH07-HY PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <p>Detector: Peak Project: 752421 Mode: 49</p>	 <p>Date: 2017-06-17</p> <p>Site Condition: 03CH07-HY PEAK_74 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <p>Detector: Peak Project: 752421 Mode: 49</p>
Avg.	 <p>Date: 2017-06-16</p> <p>Site Condition: 03CH07-HY AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3.000kHz SWT:Auto</p> <p>Detector: Peak Project: 752421 Mode: 49</p>	 <p>Date: 2017-06-17</p> <p>Site Condition: 03CH07-HY AVG_54 3m HF-ANT_130829 VERTICAL REW:1000.000kHz VBW:3.000kHz SWT:Auto</p> <p>Detector: Peak Project: 752421 Mode: 49</p>





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH40 CH08 2447MHz - R	
	Vertical	Fundamental
Peak	 <p>Site : 03CH07-HY Condition : PEAK_BE_74 3m HF-ANT_130829 VERTICAL REW:1000 000kHz VBW:3000 000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 49</p>	Left blank
Avg.	 <p>Site : 03CH07-HY Condition : AVG_BE_54 3m HF-ANT_130829 VERTICAL REW:1000 000kHz VBW:3 000kHz SWT:Auto Detector : Peak Project : 752421 Mode : 49</p>	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH40 CH09 2452MHz - L	
	Horizontal	Fundamental
Peak	 <p>Level (dBm/m) vs Frequency (MHz) plot for Horizontal orientation. The y-axis ranges from 17.5 to 140 dBm/m, and the x-axis ranges from 2310 to 2450 MHz. A sharp peak is visible at approximately 2452 MHz, reaching a level of about 105 dBm/m. A red vertical line marks the peak at 2452 MHz.</p> <p>Site: 03CH07.HY Condition: PEAK_BE_74_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 50</p>	 <p>Level (dBm/m) vs Frequency (MHz) plot for Fundamental orientation. The y-axis ranges from 17.5 to 140 dBm/m, and the x-axis ranges from 1000 to 3000 MHz. A sharp peak is visible at approximately 2452 MHz, reaching a level of about 105 dBm/m. A red vertical line marks the peak at 2452 MHz.</p> <p>Site: 03CH07.HY Condition: PEAK_BE_74_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 50</p>
Avg.	 <p>Level (dBm/m) vs Frequency (MHz) plot for Horizontal orientation. The y-axis ranges from 17.5 to 140 dBm/m, and the x-axis ranges from 2310 to 2450 MHz. A sharp peak is visible at approximately 2452 MHz, reaching a level of about 105 dBm/m. A red vertical line marks the peak at 2452 MHz.</p> <p>Site: 03CH07.HY Condition: AVG_BE_54_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 50</p>	 <p>Level (dBm/m) vs Frequency (MHz) plot for Fundamental orientation. The y-axis ranges from 17.5 to 140 dBm/m, and the x-axis ranges from 1000 to 3000 MHz. A sharp peak is visible at approximately 2452 MHz, reaching a level of about 105 dBm/m. A red vertical line marks the peak at 2452 MHz.</p> <p>Site: 03CH07.HY Condition: AVG_BE_54_3m HF-ANT_130829 HORIZONTAL REW:1000.000kHz VBW:3.000kHz SVWT:Auto Detector: Peak Project: 752421 Mode: 50</p>



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	802.11ac VH40 CH09 2452MHz - R	
	Horizontal	Fundamental
<p>Peak</p>	 <p>Site: 03CH07.HY Condition: PEAK_BE_74 3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 50</p>	<p>Left blank</p>
<p>Avg.</p>	 <p>Site: 03CH07.HY Condition: AVG_BE_54 3m HF-ANT_130829 HORIZONTAL RBW:1000.000kHz VBW:3.000kHz SWT:Auto Detector: Peak Project: 752421 Mode: 50</p>	<p>Left blank</p>