







		73																																																																																		
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																			
ANT	SDM 7+8																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.01</td> <td>74.11</td> <td>88.20</td> <td>-14.09</td> <td>54.47</td> <td>35.00</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>312</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	74.11	88.20	-14.09	54.47	35.00	14.55	30.71	0.00	312	184	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>84.32</td> <td>-----</td> <td>-----</td> <td>64.68</td> <td>35.80</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>312</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	84.32	-----	-----	64.68	35.80	14.55	30.71	0.00	312	184	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7125.01	74.11	88.20	-14.09	54.47	35.00	14.55	30.71	0.00	312	184	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7115.00	84.32	-----	-----	64.68	35.80	14.55	30.71	0.00	312	184	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.01</td> <td>63.89</td> <td>68.20</td> <td>-4.31</td> <td>44.25</td> <td>35.00</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>312</td> <td>184</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	63.89	68.20	-4.31	44.25	35.00	14.55	30.71	0.00	312	184	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>74.21</td> <td>-----</td> <td>-----</td> <td>54.58</td> <td>35.80</td> <td>14.54</td> <td>30.71</td> <td>0.00</td> <td>312</td> <td>184</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	74.21	-----	-----	54.58	35.80	14.54	30.71	0.00	312	184	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7125.01	63.89	68.20	-4.31	44.25	35.00	14.55	30.71	0.00	312	184	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	7115.00	74.21	-----	-----	54.58	35.80	14.54	30.71	0.00	312	184	AVERAGE																																																																								



		73																																																																																	
Mode	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																		
ANT	SDM 7+8																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Peak level at 7125.01 MHz is 73.18 dBuV/m. Limit is 88.20 dBuV/m. WiFi 6E (Peak) label.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.01</td> <td>73.18</td> <td>88.20</td> <td>-15.02</td> <td>53.54</td> <td>35.00</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>317</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	73.18	88.20	-15.02	53.54	35.00	14.55	30.71	0.00	317	109	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Peak level at 7115.00 MHz is 86.57 dBuV/m. Limit is 66.93 dBuV/m. WiFi 6E (Peak) label.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>86.57</td> <td>66.93</td> <td>66.93</td> <td>35.80</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>317</td> <td>109</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	86.57	66.93	66.93	35.80	14.55	30.71	0.00	317	109	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	7125.01	73.18	88.20	-15.02	53.54	35.00	14.55	30.71	0.00	317	109	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	7115.00	86.57	66.93	66.93	35.80	14.55	30.71	0.00	317	109	PEAK																																																																								
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical. Average level at 7125.01 MHz is 65.09 dBuV/m. Limit is 68.20 dBuV/m. WiFi 6E (AVG) label.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.01</td> <td>65.09</td> <td>68.20</td> <td>-3.11</td> <td>45.45</td> <td>35.00</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>317</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	65.09	68.20	-3.11	45.45	35.00	14.55	30.71	0.00	317	109	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental. Average level at 7115.00 MHz is 75.98 dBuV/m. Limit is 56.34 dBuV/m. WiFi 6E (AVG) label.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>75.98</td> <td>56.34</td> <td>56.34</td> <td>35.80</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>317</td> <td>109</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	75.98	56.34	56.34	35.80	14.55	30.71	0.00	317	109	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	7125.01	65.09	68.20	-3.11	45.45	35.00	14.55	30.71	0.00	317	109	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	7115.00	75.98	56.34	56.34	35.80	14.55	30.71	0.00	317	109	AVERAGE																																																																								



Mode	73																																																																																	
	Harmonic																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																	
ANT	SDM 7+8																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>45.84</td> <td>88.20</td> <td>-42.36</td> <td>49.97</td> <td>39.33</td> <td>20.67</td> <td>64.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14230.00	45.84	88.20	-42.36	49.97	39.33	20.67	64.13	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>46.03</td> <td>88.20</td> <td>-42.17</td> <td>50.16</td> <td>39.33</td> <td>20.67</td> <td>64.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14230.00	46.03	88.20	-42.17	50.16	39.33	20.67	64.13	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 14230.00	45.84	88.20	-42.36	49.97	39.33	20.67	64.13	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 14230.00	46.03	88.20	-42.17	50.16	39.33	20.67	64.13	0.00	---	---	PEAK																																																																							



	58	
Mode	Emission above 18GHz worst case	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz	
ANT	SDM 7+8	
Pol.	Horizontal	Vertical
Peak Avg		



74																																																																																									
Mode	Emission below 1GHz																																																																																								
U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																									
ANT	SDM 7+8																																																																																								
Pol.	Horizontal																																																																																								
Peak Avg	<p>Site : 03CH08-KS Condition : WIFI 6E PEAK 3m CBL 6111D 59913 HORIZONTAL Project : 311602 Mode : 74 IMEI :</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>97.90</td><td>22.71</td><td>-20.79</td><td>43.50</td><td>37.01</td><td>15.66</td><td>1.44</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>2</td><td>150.28</td><td>19.14</td><td>-24.36</td><td>43.50</td><td>31.76</td><td>17.01</td><td>1.77</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>3</td><td>218.18</td><td>19.33</td><td>-26.67</td><td>46.00</td><td>33.44</td><td>15.14</td><td>2.15</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>4</td><td>255.04</td><td>21.71</td><td>-24.29</td><td>46.00</td><td>31.71</td><td>19.08</td><td>2.32</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>5</td><td>629.46</td><td>26.13</td><td>-19.87</td><td>46.00</td><td>27.70</td><td>26.18</td><td>3.66</td><td>31.41</td><td>---</td><td>--- Peak</td></tr> <tr><td>6</td><td>939.86</td><td>31.46</td><td>-14.54</td><td>46.00</td><td>27.86</td><td>29.58</td><td>4.46</td><td>30.44</td><td>---</td><td>--- Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	97.90	22.71	-20.79	43.50	37.01	15.66	1.44	31.40	---	--- Peak	2	150.28	19.14	-24.36	43.50	31.76	17.01	1.77	31.40	---	--- Peak	3	218.18	19.33	-26.67	46.00	33.44	15.14	2.15	31.40	---	--- Peak	4	255.04	21.71	-24.29	46.00	31.71	19.08	2.32	31.40	---	--- Peak	5	629.46	26.13	-19.87	46.00	27.70	26.18	3.66	31.41	---	--- Peak	6	939.86	31.46	-14.54	46.00	27.86	29.58	4.46	30.44	---	--- Peak
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																
1	97.90	22.71	-20.79	43.50	37.01	15.66	1.44	31.40	---	--- Peak																																																																															
2	150.28	19.14	-24.36	43.50	31.76	17.01	1.77	31.40	---	--- Peak																																																																															
3	218.18	19.33	-26.67	46.00	33.44	15.14	2.15	31.40	---	--- Peak																																																																															
4	255.04	21.71	-24.29	46.00	31.71	19.08	2.32	31.40	---	--- Peak																																																																															
5	629.46	26.13	-19.87	46.00	27.70	26.18	3.66	31.41	---	--- Peak																																																																															
6	939.86	31.46	-14.54	46.00	27.86	29.58	4.46	30.44	---	--- Peak																																																																															
	Vertical																																																																																								
	<p>Site : 03CH08-KS Condition : WIFI 6E PEAK 3m CBL 6111D 59913 VERTICAL Project : 311602 Mode : 74 IMEI :</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>39.70</td><td>29.92</td><td>-10.08</td><td>40.00</td><td>41.02</td><td>19.68</td><td>0.62</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>2</td><td>73.65</td><td>25.97</td><td>-14.03</td><td>40.00</td><td>43.60</td><td>12.67</td><td>1.10</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>3</td><td>128.94</td><td>20.59</td><td>-22.91</td><td>43.50</td><td>32.77</td><td>17.58</td><td>1.64</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>4</td><td>255.04</td><td>17.21</td><td>-28.79</td><td>46.00</td><td>27.21</td><td>19.08</td><td>2.32</td><td>31.40</td><td>---</td><td>--- Peak</td></tr> <tr><td>5</td><td>472.32</td><td>21.27</td><td>-24.73</td><td>46.00</td><td>26.36</td><td>23.24</td><td>3.17</td><td>31.50</td><td>---</td><td>--- Peak</td></tr> <tr><td>6</td><td>719.67</td><td>27.76</td><td>-18.24</td><td>46.00</td><td>28.16</td><td>27.03</td><td>3.92</td><td>31.35</td><td>---</td><td>--- Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	39.70	29.92	-10.08	40.00	41.02	19.68	0.62	31.40	---	--- Peak	2	73.65	25.97	-14.03	40.00	43.60	12.67	1.10	31.40	---	--- Peak	3	128.94	20.59	-22.91	43.50	32.77	17.58	1.64	31.40	---	--- Peak	4	255.04	17.21	-28.79	46.00	27.21	19.08	2.32	31.40	---	--- Peak	5	472.32	21.27	-24.73	46.00	26.36	23.24	3.17	31.50	---	--- Peak	6	719.67	27.76	-18.24	46.00	28.16	27.03	3.92	31.35	---	--- Peak
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																
1	39.70	29.92	-10.08	40.00	41.02	19.68	0.62	31.40	---	--- Peak																																																																															
2	73.65	25.97	-14.03	40.00	43.60	12.67	1.10	31.40	---	--- Peak																																																																															
3	128.94	20.59	-22.91	43.50	32.77	17.58	1.64	31.40	---	--- Peak																																																																															
4	255.04	17.21	-28.79	46.00	27.21	19.08	2.32	31.40	---	--- Peak																																																																															
5	472.32	21.27	-24.73	46.00	26.36	23.24	3.17	31.50	---	--- Peak																																																																															
6	719.67	27.76	-18.24	46.00	28.16	27.03	3.92	31.35	---	--- Peak																																																																															







	69																																																																																			
Mode	Band Edge - L																																																																																			
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																			
ANT	7+8																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2381.63</td> <td>58.95</td> <td>74.00</td> <td>-15.05</td> <td>43.14</td> <td>31.96</td> <td>8.74</td> <td>30.89</td> <td>6.00</td> <td>125</td> <td>133</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.63	58.95	74.00	-15.05	43.14	31.96	8.74	30.89	6.00	125	133	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>109.67</td> <td>-----</td> <td>-----</td> <td>93.55</td> <td>32.04</td> <td>8.88</td> <td>30.80</td> <td>6.00</td> <td>125</td> <td>133</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	109.67	-----	-----	93.55	32.04	8.88	30.80	6.00	125	133	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2381.63	58.95	74.00	-15.05	43.14	31.96	8.74	30.89	6.00	125	133	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	109.67	-----	-----	93.55	32.04	8.88	30.80	6.00	125	133	PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.76</td> <td>45.06</td> <td>54.00</td> <td>-8.94</td> <td>29.20</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>125</td> <td>133</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.76	45.06	54.00	-8.94	29.20	31.98	8.77	30.89	6.00	125	133	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>99.32</td> <td>-----</td> <td>-----</td> <td>83.20</td> <td>32.04</td> <td>8.88</td> <td>30.80</td> <td>6.00</td> <td>125</td> <td>133</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	99.32	-----	-----	83.20	32.04	8.88	30.80	6.00	125	133	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.76	45.06	54.00	-8.94	29.20	31.98	8.77	30.89	6.00	125	133	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2437.00	99.32	-----	-----	83.20	32.04	8.88	30.80	6.00	125	133	AVERAGE																																																																								





	69																																									
Mode	Band Edge - R																																									
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																									
ANT	7+8																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1" data-bbox="255 1108 774 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.87</td> <td>65.28</td> <td>74.00</td> <td>-8.72</td> <td>48.75</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>125</td> <td>133</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2483.87	65.28	74.00	-8.72	48.75	32.13	9.05	30.65	6.00	125	133	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2483.87	65.28	74.00	-8.72	48.75	32.13	9.05	30.65	6.00	125	133	PEAK																														
Avg	<table border="1" data-bbox="255 1787 774 1910"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.12</td> <td>49.03</td> <td>54.00</td> <td>-4.97</td> <td>32.49</td> <td>32.13</td> <td>9.05</td> <td>30.64</td> <td>6.00</td> <td>125</td> <td>133</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2484.12	49.03	54.00	-4.97	32.49	32.13	9.05	30.64	6.00	125	133	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2484.12	49.03	54.00	-4.97	32.49	32.13	9.05	30.64	6.00	125	133	AVERAGE																														



	69																																																																															
Mode	Band Edge - L																																																																															
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																															
ANT	7+8																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	 <table border="1" data-bbox="263 1108 790 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.88</td> <td>57.43</td> <td>74.00</td> <td>-16.57</td> <td>41.57</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>100</td> <td>7 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.88	57.43	74.00	-16.57	41.57	31.98	8.77	30.89	6.00	100	7 PEAK	 <table border="1" data-bbox="869 1108 1460 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2437.00</td> <td>107.88</td> <td>-----</td> <td>-----</td> <td>91.78</td> <td>32.04</td> <td>8.87</td> <td>30.81</td> <td>6.00</td> <td>100</td> <td>7 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2437.00	107.88	-----	-----	91.78	32.04	8.87	30.81	6.00	100	7 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2389.88	57.43	74.00	-16.57	41.57	31.98	8.77	30.89	6.00	100	7 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2437.00	107.88	-----	-----	91.78	32.04	8.87	30.81	6.00	100	7 PEAK																																																																						
Avg	 <table border="1" data-bbox="263 1792 790 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2389.88</td> <td>45.00</td> <td>54.00</td> <td>-9.00</td> <td>29.14</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>100</td> <td>7 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.88	45.00	54.00	-9.00	29.14	31.98	8.77	30.89	6.00	100	7 AVERAGE	 <table border="1" data-bbox="869 1792 1460 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2437.00</td> <td>97.56</td> <td>-----</td> <td>-----</td> <td>81.46</td> <td>32.04</td> <td>8.87</td> <td>30.81</td> <td>6.00</td> <td>100</td> <td>7 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2437.00	97.56	-----	-----	81.46	32.04	8.87	30.81	6.00	100	7 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2389.88	45.00	54.00	-9.00	29.14	31.98	8.77	30.89	6.00	100	7 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 2437.00	97.56	-----	-----	81.46	32.04	8.87	30.81	6.00	100	7 AVERAGE																																																																						



	69																																																										
Mode	Band Edge - R																																																										
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																										
ANT	7+8																																																										
Pol.	Vertical	Fundamental																																																									
Peak	 <table border="1" data-bbox="268 1115 774 1238"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.68</td> <td>60.86</td> <td>74.00</td> <td>-13.14</td> <td>44.33</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>100</td> <td>7 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB									cm									deg	1	2483.68	60.86	74.00	-13.14	44.33	32.13	9.05	30.65	6.00	100	7 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																			
								cm																																																			
								deg																																																			
1	2483.68	60.86	74.00	-13.14	44.33	32.13	9.05	30.65	6.00	100	7 PEAK																																																
Avg	 <table border="1" data-bbox="268 1792 774 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>47.78</td> <td>54.00</td> <td>-6.22</td> <td>31.25</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>100</td> <td>7 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB									cm									deg	1	2483.56	47.78	54.00	-6.22	31.25	32.13	9.05	30.65	6.00	100	7 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																			
								cm																																																			
								deg																																																			
1	2483.56	47.78	54.00	-6.22	31.25	32.13	9.05	30.65	6.00	100	7 AVERAGE																																																







Mode	69																																																																																																																																								
	Harmonic																																																																																																																																								
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																																																								
ANT	7+8																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																							
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3640.00</td> <td>60.70</td> <td>74.00</td> <td>-13.30</td> <td>81.99</td> <td>33.16</td> <td>10.68</td> <td>65.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>40.03</td> <td>74.00</td> <td>-33.97</td> <td>59.08</td> <td>34.10</td> <td>12.29</td> <td>65.44</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>43.15</td> <td>74.00</td> <td>-30.85</td> <td>57.87</td> <td>35.80</td> <td>14.73</td> <td>65.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3640.00	60.70	74.00	-13.30	81.99	33.16	10.68	65.13	0.00	---	---	Peak	2	4874.00	40.03	74.00	-33.97	59.08	34.10	12.29	65.44	0.00	---	---	Peak	3	7311.00	43.15	74.00	-30.85	57.87	35.80	14.73	65.25	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3640.00</td> <td>59.47</td> <td>74.00</td> <td>-14.53</td> <td>80.76</td> <td>33.16</td> <td>10.68</td> <td>65.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>42.42</td> <td>74.00</td> <td>-31.58</td> <td>61.47</td> <td>34.10</td> <td>12.29</td> <td>65.44</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>42.80</td> <td>74.00</td> <td>-31.20</td> <td>57.52</td> <td>35.80</td> <td>14.73</td> <td>65.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3640.00	59.47	74.00	-14.53	80.76	33.16	10.68	65.13	0.00	---	---	Peak	2	4874.00	42.42	74.00	-31.58	61.47	34.10	12.29	65.44	0.00	---	---	Peak	3	7311.00	42.80	74.00	-31.20	57.52	35.80	14.73	65.25	0.00	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	3640.00	60.70	74.00	-13.30	81.99	33.16	10.68	65.13	0.00	---	---	Peak																																																																																																																													
2	4874.00	40.03	74.00	-33.97	59.08	34.10	12.29	65.44	0.00	---	---	Peak																																																																																																																													
3	7311.00	43.15	74.00	-30.85	57.87	35.80	14.73	65.25	0.00	---	---	Peak																																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	3640.00	59.47	74.00	-14.53	80.76	33.16	10.68	65.13	0.00	---	---	Peak																																																																																																																													
2	4874.00	42.42	74.00	-31.58	61.47	34.10	12.29	65.44	0.00	---	---	Peak																																																																																																																													
3	7311.00	42.80	74.00	-31.20	57.52	35.80	14.73	65.25	0.00	---	---	Peak																																																																																																																													



		69																																																																																																														
Mode	Band Edge - L																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																															
ANT	SDM 7+8																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Horizontal. The plot shows a signal level around 81.3 dBuV/m with a red horizontal line labeled 'WiFi 6E(Peak)' at approximately 97.5 dBuV/m. The x-axis ranges from 7115 to 7245 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.01</td> <td>73.07</td> <td>88.20</td> <td>-15.13</td> <td>53.43</td> <td>35.00</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.01	73.07	88.20	-15.13	53.43	35.00	14.55	30.71	0.00	100	43	PEAK	<p>Peak Fundamental Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 10000 MHz. Three peaks are labeled 1, 2, and 3. A red horizontal line labeled 'WiFi 6E(Peak)' is at approximately 97.5 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>102.25</td> <td>74.00</td> <td>28.25</td> <td>92.04</td> <td>32.06</td> <td>8.92</td> <td>30.77</td> <td>0.00</td> <td>100</td> <td>43</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>3640.00</td> <td>114.70</td> <td>74.00</td> <td>40.70</td> <td>100.43</td> <td>33.16</td> <td>10.67</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>43</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7115.00</td> <td>86.04</td> <td>74.00</td> <td>12.04</td> <td>66.40</td> <td>35.80</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>43</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	102.25	74.00	28.25	92.04	32.06	8.92	30.77	0.00	100	43	Peak	2	3640.00	114.70	74.00	40.70	100.43	33.16	10.67	29.56	0.00	100	43	Peak	3	7115.00	86.04	74.00	12.04	66.40	35.80	14.55	30.71	0.00	100	43	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	7125.01	73.07	88.20	-15.13	53.43	35.00	14.55	30.71	0.00	100	43	PEAK																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2437.00	102.25	74.00	28.25	92.04	32.06	8.92	30.77	0.00	100	43	Peak																																																																																																				
2	3640.00	114.70	74.00	40.70	100.43	33.16	10.67	29.56	0.00	100	43	Peak																																																																																																				
3	7115.00	86.04	74.00	12.04	66.40	35.80	14.55	30.71	0.00	100	43	Peak																																																																																																				
Avg	<p>Avg Horizontal Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 7115 to 7245 MHz. A red horizontal line labeled 'WiFi 6E(AVG)' is at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.01</td> <td>64.10</td> <td>68.20</td> <td>-4.10</td> <td>44.46</td> <td>35.00</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>43</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.01	64.10	68.20	-4.10	44.46	35.00	14.55	30.71	0.00	100	43	AVERAGE	<p>Avg Fundamental Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 10000 MHz. Three peaks are labeled 1, 2, and 3. A red horizontal line labeled 'WiFi 6E(AVG)' is at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>93.41</td> <td>54.00</td> <td>39.41</td> <td>83.20</td> <td>32.06</td> <td>8.92</td> <td>30.77</td> <td>0.00</td> <td>100</td> <td>43</td> <td>Average</td> </tr> <tr> <td>2</td> <td>3640.00</td> <td>111.43</td> <td>54.00</td> <td>57.43</td> <td>97.16</td> <td>33.16</td> <td>10.67</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>43</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7115.00</td> <td>75.35</td> <td>54.00</td> <td>21.35</td> <td>55.72</td> <td>35.80</td> <td>14.54</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>43</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	93.41	54.00	39.41	83.20	32.06	8.92	30.77	0.00	100	43	Average	2	3640.00	111.43	54.00	57.43	97.16	33.16	10.67	29.56	0.00	100	43	Average	3	7115.00	75.35	54.00	21.35	55.72	35.80	14.54	30.71	0.00	100	43	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	7125.01	64.10	68.20	-4.10	44.46	35.00	14.55	30.71	0.00	100	43	AVERAGE																																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2437.00	93.41	54.00	39.41	83.20	32.06	8.92	30.77	0.00	100	43	Average																																																																																																				
2	3640.00	111.43	54.00	57.43	97.16	33.16	10.67	29.56	0.00	100	43	Average																																																																																																				
3	7115.00	75.35	54.00	21.35	55.72	35.80	14.54	30.71	0.00	100	43	Average																																																																																																				







		69																																																																																																												
Mode	Band Edge - L																																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																													
ANT	SDM 7+8																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical Peak. The plot shows a signal level starting at approximately 81.3 dBuV/m at 7115 MHz and dropping to a noise floor of about 48.8 dBuV/m by 7141 MHz. A red horizontal line indicates the 'WiFi 6E(Peak)' limit at approximately 97.5 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.01</td> <td>70.73</td> <td>88.20</td> <td>-17.47</td> <td>51.09</td> <td>35.00</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	70.73	88.20	-17.47	51.09	35.00	14.55	30.71	0.00	100	172	PEAK	 <p>Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 10000 MHz. Three peaks are identified and numbered 1, 2, and 3. A red horizontal line indicates the 'WiFi 6E(Peak)' limit at approximately 97.5 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>100.79</td> <td>74.00</td> <td>26.79</td> <td>90.71</td> <td>32.03</td> <td>8.87</td> <td>30.82</td> <td>0.00</td> <td>100</td> <td>172</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>3640.00</td> <td>101.01</td> <td>74.00</td> <td>27.01</td> <td>86.74</td> <td>33.16</td> <td>10.67</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>172</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7115.00</td> <td>83.82</td> <td>74.00</td> <td>9.82</td> <td>64.18</td> <td>35.80</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>172</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	100.79	74.00	26.79	90.71	32.03	8.87	30.82	0.00	100	172	Peak	2	3640.00	101.01	74.00	27.01	86.74	33.16	10.67	29.56	0.00	100	172	Peak	3	7115.00	83.82	74.00	9.82	64.18	35.80	14.55	30.71	0.00	100	172	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.01	70.73	88.20	-17.47	51.09	35.00	14.55	30.71	0.00	100	172	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2437.00	100.79	74.00	26.79	90.71	32.03	8.87	30.82	0.00	100	172	Peak																																																																																																		
2	3640.00	101.01	74.00	27.01	86.74	33.16	10.67	29.56	0.00	100	172	Peak																																																																																																		
3	7115.00	83.82	74.00	9.82	64.18	35.80	14.55	30.71	0.00	100	172	Peak																																																																																																		
Avg	 <p>Vertical Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 7115 to 7245 MHz. The signal level is around 63.17 dBuV/m at 7125 MHz, dropping to a noise floor of 48.8 dBuV/m. A red horizontal line indicates the 'WiFi 6E(AVG)' limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.01</td> <td>63.17</td> <td>68.20</td> <td>-5.03</td> <td>43.53</td> <td>35.00</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>172</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	63.17	68.20	-5.03	43.53	35.00	14.55	30.71	0.00	100	172	AVERAGE	 <p>Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 10000 MHz. Three peaks are identified and numbered 1, 2, and 3. A red horizontal line indicates the 'WiFi 6E(AVG)' limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>91.38</td> <td>54.00</td> <td>37.38</td> <td>81.04</td> <td>32.09</td> <td>8.97</td> <td>30.72</td> <td>0.00</td> <td>100</td> <td>172</td> <td>Average</td> </tr> <tr> <td>2</td> <td>3640.00</td> <td>98.64</td> <td>54.00</td> <td>44.64</td> <td>84.37</td> <td>33.16</td> <td>10.67</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>172</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7115.00</td> <td>73.93</td> <td>54.00</td> <td>19.93</td> <td>54.29</td> <td>35.80</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>172</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	91.38	54.00	37.38	81.04	32.09	8.97	30.72	0.00	100	172	Average	2	3640.00	98.64	54.00	44.64	84.37	33.16	10.67	29.56	0.00	100	172	Average	3	7115.00	73.93	54.00	19.93	54.29	35.80	14.55	30.71	0.00	100	172	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.01	63.17	68.20	-5.03	43.53	35.00	14.55	30.71	0.00	100	172	AVERAGE																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2437.00	91.38	54.00	37.38	81.04	32.09	8.97	30.72	0.00	100	172	Average																																																																																																		
2	3640.00	98.64	54.00	44.64	84.37	33.16	10.67	29.56	0.00	100	172	Average																																																																																																		
3	7115.00	73.93	54.00	19.93	54.29	35.80	14.55	30.71	0.00	100	172	Average																																																																																																		



Mode	69																																																																																	
	Harmonic																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHZ																																																																																	
ANT	SDM 7+8																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>45.60</td> <td>88.20</td> <td>-42.60</td> <td>49.73</td> <td>39.33</td> <td>20.67</td> <td>64.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14230.00	45.60	88.20	-42.60	49.73	39.33	20.67	64.13	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>46.51</td> <td>88.20</td> <td>-41.69</td> <td>50.64</td> <td>39.33</td> <td>20.67</td> <td>64.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14230.00	46.51	88.20	-41.69	50.64	39.33	20.67	64.13	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 14230.00	45.60	88.20	-42.60	49.73	39.33	20.67	64.13	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 14230.00	46.51	88.20	-41.69	50.64	39.33	20.67	64.13	0.00	---	---	PEAK																																																																							







	70																																																																																																						
Mode	Band Edge - L																																																																																																						
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																						
ANT	8																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	 <table border="1" data-bbox="272 1097 794 1220"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.07</td> <td>56.96</td> <td>74.00</td> <td>-17.04</td> <td>41.12</td> <td>31.97</td> <td>8.76</td> <td>30.89</td> <td>6.00</td> <td>130</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2386.07	56.96	74.00	-17.04	41.12	31.97	8.76	30.89	6.00	130	296	PEAK	 <table border="1" data-bbox="901 1097 1423 1220"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>88.05</td> <td>74.00</td> <td>14.05</td> <td>72.11</td> <td>32.00</td> <td>8.81</td> <td>30.87</td> <td>6.00</td> <td>130</td> <td>296</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2437.00</td> <td>105.69</td> <td>74.00</td> <td>31.69</td> <td>89.50</td> <td>32.06</td> <td>8.91</td> <td>30.78</td> <td>6.00</td> <td>130</td> <td>296</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	88.05	74.00	14.05	72.11	32.00	8.81	30.87	6.00	130	296	Peak	2	2437.00	105.69	74.00	31.69	89.50	32.06	8.91	30.78	6.00	130	296	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	2386.07	56.96	74.00	-17.04	41.12	31.97	8.76	30.89	6.00	130	296	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	2402.00	88.05	74.00	14.05	72.11	32.00	8.81	30.87	6.00	130	296	Peak																																																																																											
2	2437.00	105.69	74.00	31.69	89.50	32.06	8.91	30.78	6.00	130	296	Peak																																																																																											
Avg	 <table border="1" data-bbox="272 1769 794 1892"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.88</td> <td>44.96</td> <td>54.00</td> <td>-9.04</td> <td>29.10</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>130</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.88	44.96	54.00	-9.04	29.10	31.98	8.77	30.89	6.00	130	296	AVERAGE	 <table border="1" data-bbox="901 1769 1423 1892"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>86.17</td> <td>54.00</td> <td>32.17</td> <td>70.23</td> <td>32.00</td> <td>8.81</td> <td>30.87</td> <td>6.00</td> <td>130</td> <td>296</td> <td>Average</td> </tr> <tr> <td>2</td> <td>2437.00</td> <td>95.03</td> <td>54.00</td> <td>41.03</td> <td>78.84</td> <td>32.06</td> <td>8.91</td> <td>30.78</td> <td>6.00</td> <td>130</td> <td>296</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	86.17	54.00	32.17	70.23	32.00	8.81	30.87	6.00	130	296	Average	2	2437.00	95.03	54.00	41.03	78.84	32.06	8.91	30.78	6.00	130	296	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	2389.88	44.96	54.00	-9.04	29.10	31.98	8.77	30.89	6.00	130	296	AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	2402.00	86.17	54.00	32.17	70.23	32.00	8.81	30.87	6.00	130	296	Average																																																																																											
2	2437.00	95.03	54.00	41.03	78.84	32.06	8.91	30.78	6.00	130	296	Average																																																																																											



Mode	70																																									
	Band Edge - R																																									
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																									
ANT	8																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.94</td> <td>60.77</td> <td>74.00</td> <td>-13.23</td> <td>44.23</td> <td>32.13</td> <td>9.05</td> <td>30.64</td> <td>6.00</td> <td>130</td> <td>296</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2484.94	60.77	74.00	-13.23	44.23	32.13	9.05	30.64	6.00	130	296	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2484.94	60.77	74.00	-13.23	44.23	32.13	9.05	30.64	6.00	130	296	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>46.77</td> <td>54.00</td> <td>-7.23</td> <td>30.24</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> <td>130</td> <td>296</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2483.56	46.77	54.00	-7.23	30.24	32.13	9.05	30.65	6.00	130	296	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	2483.56	46.77	54.00	-7.23	30.24	32.13	9.05	30.65	6.00	130	296	AVERAGE																														



		70																																																																																																		
Mode	Band Edge - L																																																																																																			
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																			
ANT	8																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.76</td> <td>57.23</td> <td>74.00</td> <td>-16.77</td> <td>41.37</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>106</td> <td>14 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.76	57.23	74.00	-16.77	41.37	31.98	8.77	30.89	6.00	106	14 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>80.92</td> <td>74.00</td> <td>6.92</td> <td>64.98</td> <td>32.00</td> <td>8.81</td> <td>30.87</td> <td>6.00</td> <td>106</td> <td>14 Peak</td> </tr> <tr> <td>2</td> <td>2437.00</td> <td>106.93</td> <td>74.00</td> <td>32.93</td> <td>90.74</td> <td>32.06</td> <td>8.91</td> <td>30.78</td> <td>6.00</td> <td>106</td> <td>14 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	80.92	74.00	6.92	64.98	32.00	8.81	30.87	6.00	106	14 Peak	2	2437.00	106.93	74.00	32.93	90.74	32.06	8.91	30.78	6.00	106	14 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2389.76	57.23	74.00	-16.77	41.37	31.98	8.77	30.89	6.00	106	14 PEAK																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2402.00	80.92	74.00	6.92	64.98	32.00	8.81	30.87	6.00	106	14 Peak																																																																																									
2	2437.00	106.93	74.00	32.93	90.74	32.06	8.91	30.78	6.00	106	14 Peak																																																																																									
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.88</td> <td>45.35</td> <td>54.00</td> <td>-8.65</td> <td>29.49</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>106</td> <td>14 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.88	45.35	54.00	-8.65	29.49	31.98	8.77	30.89	6.00	106	14 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>78.43</td> <td>54.00</td> <td>24.43</td> <td>62.49</td> <td>32.00</td> <td>8.81</td> <td>30.87</td> <td>6.00</td> <td>106</td> <td>14 Average</td> </tr> <tr> <td>2</td> <td>2437.00</td> <td>95.21</td> <td>54.00</td> <td>41.21</td> <td>79.02</td> <td>32.06</td> <td>8.91</td> <td>30.78</td> <td>6.00</td> <td>106</td> <td>14 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	78.43	54.00	24.43	62.49	32.00	8.81	30.87	6.00	106	14 Average	2	2437.00	95.21	54.00	41.21	79.02	32.06	8.91	30.78	6.00	106	14 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2389.88	45.35	54.00	-8.65	29.49	31.98	8.77	30.89	6.00	106	14 AVERAGE																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2402.00	78.43	54.00	24.43	62.49	32.00	8.81	30.87	6.00	106	14 Average																																																																																									
2	2437.00	95.21	54.00	41.21	79.02	32.06	8.91	30.78	6.00	106	14 Average																																																																																									



	70																																														
Mode	Band Edge - R																																														
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																														
ANT	8																																														
Pol.	Vertical	Fundamental																																													
Peak	<table border="1" data-bbox="255 1108 774 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.62</td> <td>60.52</td> <td>74.00</td> <td>-13.48</td> <td>43.99</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>106 14 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.62	60.52	74.00	-13.48	43.99	32.13	9.05	30.65	6.00									106 14 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 2483.62	60.52	74.00	-13.48	43.99	32.13	9.05	30.65	6.00																																							
								106 14 PEAK																																							
Avg	<table border="1" data-bbox="255 1780 774 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2483.56</td> <td>47.22</td> <td>54.00</td> <td>-6.78</td> <td>30.69</td> <td>32.13</td> <td>9.05</td> <td>30.65</td> <td>6.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>106 14 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 2483.56	47.22	54.00	-6.78	30.69	32.13	9.05	30.65	6.00									106 14 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																							
1 2483.56	47.22	54.00	-6.78	30.69	32.13	9.05	30.65	6.00																																							
								106 14 AVERAGE																																							







Mode	70																																																																																																																																							
	Harmonic																																																																																																																																							
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																																																							
ANT	8																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3640.00</td> <td>61.07</td> <td>74.00</td> <td>-12.93</td> <td>82.31</td> <td>33.18</td> <td>10.72</td> <td>65.14</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>40.24</td> <td>74.00</td> <td>-33.76</td> <td>59.29</td> <td>34.10</td> <td>12.29</td> <td>65.44</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>43.62</td> <td>74.00</td> <td>-30.38</td> <td>58.34</td> <td>35.00</td> <td>14.73</td> <td>65.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3640.00	61.07	74.00	-12.93	82.31	33.18	10.72	65.14	0.00	---	---	Peak	2	4874.00	40.24	74.00	-33.76	59.29	34.10	12.29	65.44	0.00	---	---	Peak	3	7311.00	43.62	74.00	-30.38	58.34	35.00	14.73	65.25	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3640.00</td> <td>59.05</td> <td>74.00</td> <td>-14.95</td> <td>80.29</td> <td>33.18</td> <td>10.72</td> <td>65.14</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>41.43</td> <td>74.00</td> <td>-32.57</td> <td>60.48</td> <td>34.10</td> <td>12.29</td> <td>65.44</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>42.55</td> <td>74.00</td> <td>-31.45</td> <td>57.27</td> <td>35.80</td> <td>14.73</td> <td>65.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3640.00	59.05	74.00	-14.95	80.29	33.18	10.72	65.14	0.00	---	---	Peak	2	4874.00	41.43	74.00	-32.57	60.48	34.10	12.29	65.44	0.00	---	---	Peak	3	7311.00	42.55	74.00	-31.45	57.27	35.80	14.73	65.25	0.00	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	3640.00	61.07	74.00	-12.93	82.31	33.18	10.72	65.14	0.00	---	---	Peak																																																																																																																												
2	4874.00	40.24	74.00	-33.76	59.29	34.10	12.29	65.44	0.00	---	---	Peak																																																																																																																												
3	7311.00	43.62	74.00	-30.38	58.34	35.00	14.73	65.25	0.00	---	---	Peak																																																																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	3640.00	59.05	74.00	-14.95	80.29	33.18	10.72	65.14	0.00	---	---	Peak																																																																																																																												
2	4874.00	41.43	74.00	-32.57	60.48	34.10	12.29	65.44	0.00	---	---	Peak																																																																																																																												
3	7311.00	42.55	74.00	-31.45	57.27	35.80	14.73	65.25	0.00	---	---	Peak																																																																																																																												



	70																																																																																														
Mode	Band Edge - L																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH00_2402MHz																																																																																														
ANT	7																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2379.42</td> <td>56.59</td> <td>74.00</td> <td>-17.41</td> <td>40.80</td> <td>31.95</td> <td>8.74</td> <td>30.90</td> <td>6.00</td> <td>383</td> <td>263</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2379.42	56.59	74.00	-17.41	40.80	31.95	8.74	30.90	6.00	383	263	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>96.36</td> <td>74.00</td> <td>22.36</td> <td>80.42</td> <td>32.00</td> <td>8.81</td> <td>30.87</td> <td>6.00</td> <td>383</td> <td>263</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2437.00</td> <td>96.56</td> <td>74.00</td> <td>22.56</td> <td>80.37</td> <td>32.06</td> <td>8.91</td> <td>30.78</td> <td>6.00</td> <td>383</td> <td>263</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2402.00	96.36	74.00	22.36	80.42	32.00	8.81	30.87	6.00	383	263	Peak	2	2437.00	96.56	74.00	22.56	80.37	32.06	8.91	30.78	6.00	383	263	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	2379.42	56.59	74.00	-17.41	40.80	31.95	8.74	30.90	6.00	383	263	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	2402.00	96.36	74.00	22.36	80.42	32.00	8.81	30.87	6.00	383	263	Peak																																																																																			
2	2437.00	96.56	74.00	22.56	80.37	32.06	8.91	30.78	6.00	383	263	Peak																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>46.46</td> <td>54.00</td> <td>-7.54</td> <td>30.60</td> <td>31.98</td> <td>8.77</td> <td>30.89</td> <td>6.00</td> <td>383</td> <td>263</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2389.82	46.46	54.00	-7.54	30.60	31.98	8.77	30.89	6.00	383	263	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>95.45</td> <td>54.00</td> <td>41.45</td> <td>79.51</td> <td>32.00</td> <td>8.81</td> <td>30.87</td> <td>6.00</td> <td>383</td> <td>263</td> <td>Average</td> </tr> <tr> <td>2</td> <td>2437.00</td> <td>86.31</td> <td>54.00</td> <td>32.31</td> <td>70.12</td> <td>32.06</td> <td>8.91</td> <td>30.78</td> <td>6.00</td> <td>383</td> <td>263</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2402.00	95.45	54.00	41.45	79.51	32.00	8.81	30.87	6.00	383	263	Average	2	2437.00	86.31	54.00	32.31	70.12	32.06	8.91	30.78	6.00	383	263	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	2389.82	46.46	54.00	-7.54	30.60	31.98	8.77	30.89	6.00	383	263	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	2402.00	95.45	54.00	41.45	79.51	32.00	8.81	30.87	6.00	383	263	Average																																																																																			
2	2437.00	86.31	54.00	32.31	70.12	32.06	8.91	30.78	6.00	383	263	Average																																																																																			



Mode	70																																																																																														
	Band Edge - L																																																																																														
	2400-2483.5_Bluetooth-LE_GSKF_CH00_2402MHz																																																																																														
ANT	7																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.33</td> <td>56.98</td> <td>74.00</td> <td>-17.02</td> <td>41.18</td> <td>31.96</td> <td>8.74</td> <td>30.90</td> <td>6.00</td> <td>309</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2388.33	56.98	74.00	-17.02	41.18	31.96	8.74	30.90	6.00	309	234	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>92.73</td> <td>74.00</td> <td>18.73</td> <td>76.79</td> <td>32.00</td> <td>8.81</td> <td>30.87</td> <td>6.00</td> <td>309</td> <td>234</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2437.00</td> <td>91.16</td> <td>74.00</td> <td>17.16</td> <td>74.97</td> <td>32.06</td> <td>8.91</td> <td>30.78</td> <td>6.00</td> <td>309</td> <td>234</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2402.00	92.73	74.00	18.73	76.79	32.00	8.81	30.87	6.00	309	234	Peak	2	2437.00	91.16	74.00	17.16	74.97	32.06	8.91	30.78	6.00	309	234	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	2388.33	56.98	74.00	-17.02	41.18	31.96	8.74	30.90	6.00	309	234	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	2402.00	92.73	74.00	18.73	76.79	32.00	8.81	30.87	6.00	309	234	Peak																																																																																			
2	2437.00	91.16	74.00	17.16	74.97	32.06	8.91	30.78	6.00	309	234	Peak																																																																																			
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2386.96</td> <td>46.43</td> <td>54.00</td> <td>-7.57</td> <td>30.59</td> <td>31.97</td> <td>8.76</td> <td>30.89</td> <td>6.00</td> <td>309</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2386.96	46.43	54.00	-7.57	30.59	31.97	8.76	30.89	6.00	309	234	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>91.93</td> <td>54.00</td> <td>37.93</td> <td>75.99</td> <td>32.00</td> <td>8.81</td> <td>30.87</td> <td>6.00</td> <td>309</td> <td>234</td> <td>Average</td> </tr> <tr> <td>2</td> <td>2437.00</td> <td>81.62</td> <td>54.00</td> <td>27.62</td> <td>65.43</td> <td>32.06</td> <td>8.91</td> <td>30.78</td> <td>6.00</td> <td>309</td> <td>234</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2402.00	91.93	54.00	37.93	75.99	32.00	8.81	30.87	6.00	309	234	Average	2	2437.00	81.62	54.00	27.62	65.43	32.06	8.91	30.78	6.00	309	234	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	2386.96	46.43	54.00	-7.57	30.59	31.97	8.76	30.89	6.00	309	234	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	2402.00	91.93	54.00	37.93	75.99	32.00	8.81	30.87	6.00	309	234	Average																																																																																			
2	2437.00	81.62	54.00	27.62	65.43	32.06	8.91	30.78	6.00	309	234	Average																																																																																			



Mode	70																																																																																																													
	Harmonic																																																																																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH00_2402MHz																																																																																																													
ANT	7																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3640.00</td> <td>58.67</td> <td>74.00</td> <td>-15.33</td> <td>79.96</td> <td>33.16</td> <td>10.68</td> <td>65.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4804.00</td> <td>41.82</td> <td>74.00</td> <td>-32.18</td> <td>60.60</td> <td>34.10</td> <td>12.55</td> <td>65.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3640.00	58.67	74.00	-15.33	79.96	33.16	10.68	65.13	0.00	---	---	Peak	2	4804.00	41.82	74.00	-32.18	60.60	34.10	12.55	65.43	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3640.00</td> <td>56.49</td> <td>74.00</td> <td>-17.51</td> <td>77.78</td> <td>33.16</td> <td>10.68</td> <td>65.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4804.00</td> <td>40.37</td> <td>74.00</td> <td>-33.63</td> <td>59.15</td> <td>34.10</td> <td>12.55</td> <td>65.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3640.00	56.49	74.00	-17.51	77.78	33.16	10.68	65.13	0.00	---	---	Peak	2	4804.00	40.37	74.00	-33.63	59.15	34.10	12.55	65.43	0.00	---	---	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	3640.00	58.67	74.00	-15.33	79.96	33.16	10.68	65.13	0.00	---	---	Peak																																																																																																		
2	4804.00	41.82	74.00	-32.18	60.60	34.10	12.55	65.43	0.00	---	---	Peak																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	3640.00	56.49	74.00	-17.51	77.78	33.16	10.68	65.13	0.00	---	---	Peak																																																																																																		
2	4804.00	40.37	74.00	-33.63	59.15	34.10	12.55	65.43	0.00	---	---	Peak																																																																																																		



		70																																																																																																																															
Mode		Band Edge - L																																																																																																																															
		U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																																															
ANT		SDM 7+8																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.01</td> <td>72.91</td> <td>88.20</td> <td>-15.29</td> <td>53.27</td> <td>35.00</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>41</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.01	72.91	88.20	-15.29	53.27	35.00	14.55	30.71	0.00	100	41	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>90.56</td> <td>74.00</td> <td>16.56</td> <td>80.62</td> <td>32.00</td> <td>8.81</td> <td>30.87</td> <td>0.00</td> <td>100</td> <td>41</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2437.00</td> <td>95.15</td> <td>74.00</td> <td>21.15</td> <td>85.00</td> <td>32.05</td> <td>8.89</td> <td>30.79</td> <td>0.00</td> <td>100</td> <td>41</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>3640.00</td> <td>114.86</td> <td>74.00</td> <td>40.86</td> <td>100.59</td> <td>33.16</td> <td>10.67</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>41</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7115.00</td> <td>86.48</td> <td>74.00</td> <td>12.48</td> <td>66.85</td> <td>35.80</td> <td>14.54</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>41</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	90.56	74.00	16.56	80.62	32.00	8.81	30.87	0.00	100	41	Peak	2	2437.00	95.15	74.00	21.15	85.00	32.05	8.89	30.79	0.00	100	41	Peak	3	3640.00	114.86	74.00	40.86	100.59	33.16	10.67	29.56	0.00	100	41	Peak	4	7115.00	86.48	74.00	12.48	66.85	35.80	14.54	30.71	0.00	100	41	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	7125.01	72.91	88.20	-15.29	53.27	35.00	14.55	30.71	0.00	100	41	PEAK																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	2402.00	90.56	74.00	16.56	80.62	32.00	8.81	30.87	0.00	100	41	Peak																																																																																																																					
2	2437.00	95.15	74.00	21.15	85.00	32.05	8.89	30.79	0.00	100	41	Peak																																																																																																																					
3	3640.00	114.86	74.00	40.86	100.59	33.16	10.67	29.56	0.00	100	41	Peak																																																																																																																					
4	7115.00	86.48	74.00	12.48	66.85	35.80	14.54	30.71	0.00	100	41	Peak																																																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.01</td> <td>64.93</td> <td>68.20</td> <td>-3.27</td> <td>45.29</td> <td>35.00</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>41</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.01	64.93	68.20	-3.27	45.29	35.00	14.55	30.71	0.00	100	41	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>89.09</td> <td>54.00</td> <td>35.09</td> <td>79.14</td> <td>32.01</td> <td>8.81</td> <td>30.87</td> <td>0.00</td> <td>100</td> <td>41</td> <td>Average</td> </tr> <tr> <td>2</td> <td>2437.00</td> <td>85.20</td> <td>54.00</td> <td>31.20</td> <td>75.05</td> <td>32.05</td> <td>8.89</td> <td>30.79</td> <td>0.00</td> <td>100</td> <td>41</td> <td>Average</td> </tr> <tr> <td>3</td> <td>3640.00</td> <td>111.73</td> <td>54.00</td> <td>57.73</td> <td>97.46</td> <td>33.16</td> <td>10.67</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>41</td> <td>Average</td> </tr> <tr> <td>4</td> <td>7115.00</td> <td>76.35</td> <td>54.00</td> <td>22.35</td> <td>56.72</td> <td>35.80</td> <td>14.54</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>41</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	89.09	54.00	35.09	79.14	32.01	8.81	30.87	0.00	100	41	Average	2	2437.00	85.20	54.00	31.20	75.05	32.05	8.89	30.79	0.00	100	41	Average	3	3640.00	111.73	54.00	57.73	97.46	33.16	10.67	29.56	0.00	100	41	Average	4	7115.00	76.35	54.00	22.35	56.72	35.80	14.54	30.71	0.00	100	41	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	7125.01	64.93	68.20	-3.27	45.29	35.00	14.55	30.71	0.00	100	41	AVERAGE																																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	2402.00	89.09	54.00	35.09	79.14	32.01	8.81	30.87	0.00	100	41	Average																																																																																																																					
2	2437.00	85.20	54.00	31.20	75.05	32.05	8.89	30.79	0.00	100	41	Average																																																																																																																					
3	3640.00	111.73	54.00	57.73	97.46	33.16	10.67	29.56	0.00	100	41	Average																																																																																																																					
4	7115.00	76.35	54.00	22.35	56.72	35.80	14.54	30.71	0.00	100	41	Average																																																																																																																					



		70																																																																																																																									
Mode	Band Edge - L																																																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																																										
ANT	SDM 7+8																																																																																																																										
Pol.	Vertical	Fundamental																																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.01</td> <td>73.38</td> <td>88.20</td> <td>-14.82</td> <td>53.74</td> <td>35.00</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>172</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	73.38	88.20	-14.82	53.74	35.00	14.55	30.71	0.00	100	172	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>82.59</td> <td>74.00</td> <td>8.59</td> <td>72.64</td> <td>32.01</td> <td>8.81</td> <td>30.87</td> <td>0.00</td> <td>100</td> <td>172</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>2437.00</td> <td>99.81</td> <td>74.00</td> <td>25.81</td> <td>89.73</td> <td>32.03</td> <td>8.87</td> <td>30.82</td> <td>0.00</td> <td>100</td> <td>172</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>3640.00</td> <td>101.36</td> <td>74.00</td> <td>27.36</td> <td>87.09</td> <td>33.16</td> <td>10.67</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>172</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7115.00</td> <td>84.15</td> <td>74.00</td> <td>10.15</td> <td>64.52</td> <td>35.80</td> <td>14.54</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>172</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	82.59	74.00	8.59	72.64	32.01	8.81	30.87	0.00	100	172	Peak	2	2437.00	99.81	74.00	25.81	89.73	32.03	8.87	30.82	0.00	100	172	Peak	3	3640.00	101.36	74.00	27.36	87.09	33.16	10.67	29.56	0.00	100	172	Peak	4	7115.00	84.15	74.00	10.15	64.52	35.80	14.54	30.71	0.00	100	172	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	7125.01	73.38	88.20	-14.82	53.74	35.00	14.55	30.71	0.00	100	172	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2402.00	82.59	74.00	8.59	72.64	32.01	8.81	30.87	0.00	100	172	Peak																																																																																																															
2	2437.00	99.81	74.00	25.81	89.73	32.03	8.87	30.82	0.00	100	172	Peak																																																																																																															
3	3640.00	101.36	74.00	27.36	87.09	33.16	10.67	29.56	0.00	100	172	Peak																																																																																																															
4	7115.00	84.15	74.00	10.15	64.52	35.80	14.54	30.71	0.00	100	172	Peak																																																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.01</td> <td>62.85</td> <td>68.20</td> <td>-5.35</td> <td>43.21</td> <td>35.00</td> <td>14.55</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>172</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	62.85	68.20	-5.35	43.21	35.00	14.55	30.71	0.00	100	172	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2402.00</td> <td>81.02</td> <td>54.00</td> <td>27.02</td> <td>71.08</td> <td>32.00</td> <td>8.81</td> <td>30.87</td> <td>0.00</td> <td>100</td> <td>172</td> <td>Average</td> </tr> <tr> <td>2</td> <td>2437.00</td> <td>90.16</td> <td>54.00</td> <td>36.16</td> <td>80.08</td> <td>32.03</td> <td>8.87</td> <td>30.82</td> <td>0.00</td> <td>100</td> <td>172</td> <td>Average</td> </tr> <tr> <td>3</td> <td>3640.00</td> <td>99.32</td> <td>54.00</td> <td>45.32</td> <td>85.05</td> <td>33.16</td> <td>10.67</td> <td>29.56</td> <td>0.00</td> <td>100</td> <td>172</td> <td>Average</td> </tr> <tr> <td>4</td> <td>7115.00</td> <td>74.00</td> <td>54.00</td> <td>20.00</td> <td>54.37</td> <td>35.80</td> <td>14.54</td> <td>30.71</td> <td>0.00</td> <td>100</td> <td>172</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	81.02	54.00	27.02	71.08	32.00	8.81	30.87	0.00	100	172	Average	2	2437.00	90.16	54.00	36.16	80.08	32.03	8.87	30.82	0.00	100	172	Average	3	3640.00	99.32	54.00	45.32	85.05	33.16	10.67	29.56	0.00	100	172	Average	4	7115.00	74.00	54.00	20.00	54.37	35.80	14.54	30.71	0.00	100	172	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	7125.01	62.85	68.20	-5.35	43.21	35.00	14.55	30.71	0.00	100	172	AVERAGE																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2402.00	81.02	54.00	27.02	71.08	32.00	8.81	30.87	0.00	100	172	Average																																																																																																															
2	2437.00	90.16	54.00	36.16	80.08	32.03	8.87	30.82	0.00	100	172	Average																																																																																																															
3	3640.00	99.32	54.00	45.32	85.05	33.16	10.67	29.56	0.00	100	172	Average																																																																																																															
4	7115.00	74.00	54.00	20.00	54.37	35.80	14.54	30.71	0.00	100	172	Average																																																																																																															




Mode	70																																																																																	
	Harmonic																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																	
ANT	SDM 7+8																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>45.66</td> <td>88.20</td> <td>-42.54</td> <td>49.79</td> <td>39.33</td> <td>20.67</td> <td>64.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14230.00	45.66	88.20	-42.54	49.79	39.33	20.67	64.13	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>46.22</td> <td>88.20</td> <td>-41.98</td> <td>50.35</td> <td>39.33</td> <td>20.67</td> <td>64.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14230.00	46.22	88.20	-41.98	50.35	39.33	20.67	64.13	0.00	---	---	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 14230.00	45.66	88.20	-42.54	49.79	39.33	20.67	64.13	0.00	---	---	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 14230.00	46.22	88.20	-41.98	50.35	39.33	20.67	64.13	0.00	---	---	PEAK																																																																							



Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
7+8	802.11a	99.32	-	-	10Hz
7+8	802.11ax HE20	100	-	-	10Hz
7+8	802.11ax HE20 RU106	100	-	-	10Hz
7+8	802.11ax HE40	100	-	-	10Hz
7+8	802.11ax HE40 RU242	100	-	-	10Hz
7+8	802.11ax HE80	99.35	-	-	10Hz
7+8	802.11ax HE80 RU484	98.98	-	-	10Hz
7+8	802.11ax HE160	99.34	-	-	10Hz
7+8	802.11ax HE160 RU996	98.95	-	-	10Hz

802.11a






802.11ax HE20




802.11ax HE20 RU106






802.11ax HE40




802.11ax HE40 RU242






802.11ax HE80




802.11ax HE80 RU484





802.11ax HE160



802.11ax HE160 RU996

