




N5(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N5(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N5(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N5(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N5(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N5(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



FR1 N7(ANT2)

Transmitter Conducted Output Power And EIRP, (G_T-L_C)=0.9dB

NR Band	SCS	BandWidth	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)
7	15	5	500500	2502.5	DFT-s-OFDM PI/2 BPSK	1@1	23.88	24.78	0.3006
7	15	5	507000	2535	DFT-s-OFDM PI/2 BPSK	1@1	23.69	24.59	0.2877
7	15	5	513500	2567.5	DFT-s-OFDM PI/2 BPSK	1@1	23.73	24.63	0.2904
7	15	10	501000	2505	DFT-s-OFDM PI/2 BPSK	1@1	23.68	24.58	0.2871
7	15	10	507000	2535	DFT-s-OFDM PI/2 BPSK	1@1	23.57	24.47	0.2799
7	15	10	513000	2565	DFT-s-OFDM PI/2 BPSK	1@1	23.57	24.47	0.2799
7	15	15	501500	2507.5	DFT-s-OFDM PI/2 BPSK	1@1	23.6	24.5	0.2818
7	15	15	507000	2535	DFT-s-OFDM PI/2 BPSK	1@1	23.53	24.43	0.2773
7	15	15	512500	2562.5	DFT-s-OFDM PI/2 BPSK	1@1	23.39	24.29	0.2685
7	15	20	502000	2510	DFT-s-OFDM PI/2 BPSK	1@1	23.59	24.49	0.2812
7	15	20	507000	2535	DFT-s-OFDM PI/2 BPSK	1@1	23.59	24.49	0.2812
7	15	20	512000	2560	DFT-s-OFDM PI/2 BPSK	1@1	23.03	23.93	0.2472
7	15	25	502500	2512.5	DFT-s-OFDM PI/2 BPSK	1@1	23.25	24.15	0.2600
7	15	25	507000	2535	DFT-s-OFDM PI/2 BPSK	1@1	23.79	24.69	0.2944
7	15	25	511500	2557.5	DFT-s-OFDM PI/2 BPSK	1@1	23.02	23.92	0.2466
7	15	30	503000	2515	DFT-s-OFDM PI/2 BPSK	1@1	23.22	24.12	0.2582
7	15	30	507000	2535	DFT-s-OFDM PI/2 BPSK	1@1	23.81	24.71	0.2958
7	15	30	511000	2555	DFT-s-OFDM PI/2 BPSK	1@1	23.03	23.93	0.2472
7	15	40	504000	2520	DFT-s-OFDM PI/2 BPSK	108@54	23.94	24.84	0.3048
7	15	40	504000	2520	DFT-s-OFDM PI/2 BPSK	1@1	23.63	24.53	0.2838
7	15	40	504000	2520	DFT-s-OFDM PI/2 BPSK	1@214	23.78	24.68	0.2938
7	15	40	504000	2520	DFT-s-OFDM QPSK	108@54	23.43	24.33	0.2710
7	15	40	504000	2520	DFT-s-OFDM QPSK	1@1	22.71	23.61	0.2296
7	15	40	504000	2520	DFT-s-OFDM QPSK	1@214	23	23.9	0.2455
7	15	40	504000	2520	DFT-s-OFDM 16 QAM	108@54	22.57	23.47	0.2223
7	15	40	504000	2520	DFT-s-OFDM 16 QAM	1@1	21.81	22.71	0.1866
7	15	40	504000	2520	DFT-s-OFDM 16 QAM	1@214	22.17	23.07	0.2028
7	15	40	504000	2520	DFT-s-OFDM 64 QAM	108@54	21.29	22.19	0.1656
7	15	40	504000	2520	DFT-s-OFDM 64 QAM	1@1	20.68	21.58	0.1439
7	15	40	504000	2520	DFT-s-OFDM 64 QAM	1@214	21.13	22.03	0.1596
7	15	40	504000	2520	DFT-s-OFDM 256 QAM	108@54	19.47	20.37	0.1089
7	15	40	504000	2520	DFT-s-OFDM 256 QAM	1@1	18.69	19.59	0.0910
7	15	40	504000	2520	DFT-s-OFDM 256 QAM	1@214	18.83	19.73	0.0940
7	15	40	504000	2520	CP-OFDM QPSK	1@1	21.57	22.47	0.1766
7	15	40	507000	2535	DFT-s-OFDM PI/2 BPSK	108@54	23.82	24.72	0.2965
7	15	40	507000	2535	DFT-s-OFDM PI/2 BPSK	1@1	23.99	24.89	0.3083
7	15	40	507000	2535	DFT-s-OFDM PI/2 BPSK	1@214	23.86	24.76	0.2992
7	15	40	507000	2535	DFT-s-OFDM QPSK	108@54	23.23	24.13	0.2588
7	15	40	507000	2535	DFT-s-OFDM QPSK	1@1	23.55	24.45	0.2786
7	15	40	507000	2535	DFT-s-OFDM QPSK	1@214	23.44	24.34	0.2716

7	15	40	507000	2535	DFT-s-OFDM 16 QAM	108@54	22.36	23.26	0.2118
7	15	40	507000	2535	DFT-s-OFDM 16 QAM	1@1	22.66	23.56	0.2270
7	15	40	507000	2535	DFT-s-OFDM 16 QAM	1@214	22.57	23.47	0.2223
7	15	40	507000	2535	DFT-s-OFDM 64 QAM	108@54	21.08	21.98	0.1578
7	15	40	507000	2535	DFT-s-OFDM 64 QAM	1@1	21.46	22.36	0.1722
7	15	40	507000	2535	DFT-s-OFDM 64 QAM	1@214	21.45	22.35	0.1718
7	15	40	507000	2535	DFT-s-OFDM 256 QAM	108@54	19.39	20.29	0.1069
7	15	40	507000	2535	DFT-s-OFDM 256 QAM	1@1	19.15	20.05	0.1012
7	15	40	507000	2535	DFT-s-OFDM 256 QAM	1@214	18.84	19.74	0.0942
7	15	40	507000	2535	CP-OFDM QPSK	1@1	22.51	23.41	0.2193
7	15	40	510000	2535	DFT-s-OFDM PI/2 BPSK	108@54	22.96	23.86	0.2432
7	15	40	510000	2550	DFT-s-OFDM PI/2 BPSK	1@1	23.46	24.36	0.2729
7	15	40	510000	2550	DFT-s-OFDM PI/2 BPSK	1@214	23.55	24.45	0.2786
7	15	40	510000	2550	DFT-s-OFDM QPSK	108@54	23.5	24.4	0.2754
7	15	40	510000	2550	DFT-s-OFDM QPSK	1@1	23.59	24.49	0.2812
7	15	40	510000	2550	DFT-s-OFDM QPSK	1@214	23.56	24.46	0.2793
7	15	40	510000	2550	DFT-s-OFDM 16 QAM	108@54	22.45	23.35	0.2163
7	15	40	510000	2550	DFT-s-OFDM 16 QAM	1@1	22.5	23.4	0.2188
7	15	40	510000	2550	DFT-s-OFDM 16 QAM	1@214	22.56	23.46	0.2218
7	15	40	510000	2550	DFT-s-OFDM 64 QAM	108@54	20.98	21.88	0.1542
7	15	40	510000	2550	DFT-s-OFDM 64 QAM	1@1	21.26	22.16	0.1644
7	15	40	510000	2550	DFT-s-OFDM 64 QAM	1@214	21.24	22.14	0.1637
7	15	40	510000	2550	DFT-s-OFDM 256 QAM	108@54	18.9	19.8	0.0955
7	15	40	510000	2550	DFT-s-OFDM 256 QAM	1@1	18.53	19.43	0.0877
7	15	40	510000	2550	DFT-s-OFDM 256 QAM	1@214	18.62	19.52	0.0895
7	15	40	510000	2550	CP-OFDM QPSK	1@1	22.05	22.95	0.1972

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	100@0	0.0017	PASS	NV
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	100@0	0.0029	PASS	LV
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	100@0	0.0032	PASS	HV
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	100@0	-0.0013	PASS	-30°C
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	100@0	0.0028	PASS	-20°C
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	100@0	0.0024	PASS	-10°C
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	100@0	0.0031	PASS	0°C
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	100@0	-0.0014	PASS	10°C
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	100@0	-0.0019	PASS	20°C
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	100@0	0.0027	PASS	30°C
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	100@0	0.0039	PASS	40°C
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	100@0	0.0025	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
7	15	40	507000	2535.0	DFT-s-OFDM PI/2 BPSK	216@0	6.95	13	PASS
7	15	40	507000	2535.0	DFT-s-OFDM PI/2 BPSK	1@0	4.22	13	PASS
7	15	40	507000	2535.0	DFT-s-OFDM QPSK	216@0	7.24	13	PASS
7	15	40	507000	2535.0	DFT-s-OFDM QPSK	1@0	5.36	13	PASS

N7(40M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N7(40M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



N7(40M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



N7(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



Occupied Bandwidth


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
7	15	5	507000	2535.0	CP-OFDM QPSK	25@0	4.4647	4.838
7	15	5	507000	2535.0	CP-OFDM 16 QAM	25@0	4.4948	4.947
7	15	5	507000	2535.0	CP-OFDM 64 QAM	25@0	4.4624	4.829
7	15	5	507000	2535.0	CP-OFDM 256 QAM	25@0	4.4783	4.896
7	15	10	507000	2535.0	CP-OFDM QPSK	52@0	9.2805	9.873
7	15	10	507000	2535.0	CP-OFDM 16 QAM	52@0	9.2763	9.832
7	15	10	507000	2535.0	CP-OFDM 64 QAM	52@0	9.2611	9.746
7	15	10	507000	2535.0	CP-OFDM 256 QAM	52@0	9.2827	9.898
7	15	15	507000	2535.0	CP-OFDM QPSK	79@0	14.1	14.89
7	15	15	507000	2535.0	CP-OFDM 16 QAM	79@0	14.102	14.81
7	15	15	507000	2535.0	CP-OFDM 64 QAM	79@0	14.11	14.75
7	15	15	507000	2535.0	CP-OFDM 256 QAM	79@0	14.068	14.83
7	15	20	507000	2535.0	CP-OFDM QPSK	106@0	18.909	19.73
7	15	20	507000	2535.0	CP-OFDM 16 QAM	106@0	18.914	19.7
7	15	20	507000	2535.0	CP-OFDM 64 QAM	106@0	18.869	20.82
7	15	20	507000	2535.0	CP-OFDM 256 QAM	106@0	18.948	19.74
7	15	25	507000	2535.0	CP-OFDM QPSK	133@0	23.688	24.67
7	15	25	507000	2535.0	CP-OFDM 16 QAM	133@0	23.728	24.65
7	15	25	507000	2535.0	CP-OFDM 64 QAM	133@0	23.743	24.56
7	15	25	507000	2535.0	CP-OFDM 256 QAM	133@0	23.73	24.64
7	15	30	507000	2535.0	CP-OFDM QPSK	160@0	28.542	29.55
7	15	30	507000	2535.0	CP-OFDM 16 QAM	160@0	28.554	29.57
7	15	30	507000	2535.0	CP-OFDM 64 QAM	160@0	28.594	29.58
7	15	30	507000	2535.0	CP-OFDM 256 QAM	160@0	28.6	29.6
7	15	40	507000	2535.0	CP-OFDM QPSK	216@0	38.541	39.85
7	15	40	507000	2535.0	CP-OFDM 16 QAM	216@0	38.579	39.86

7	15	40	507000	2535.0	CP-OFDM 64 QAM	216@0	38.539	39.86
7	15	40	507000	2535.0	CP-OFDM 256 QAM	216@0	38.55	39.87


N7(5M)_CP-OFDM_QPSK_Outer_Full_Mid_CH



N7(5M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N7(5M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N7(5M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



N7(10M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N7(10M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N7(10M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N7(10M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N7(15M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N7(15M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N7(15M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



N7(15M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N7(20M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N7(20M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



N7(20M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



N7(20M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N7(25M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N7(25M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N7(25M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N7(25M)_CP-OFDM_256QAM_Outer_Full_Mid_CH



N7(30M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N7(30M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N7(30M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N7(30M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N7(40M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N7(40M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



N7(40M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



N7(40M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
7	15	5	500500	2502.5	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	5	500500	2502.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	500500	2502.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	500500	2502.5	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	5	500500	2502.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	500500	2502.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	507000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	5	507000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	507000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	507000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	5	507000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	507000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	513500	2567.5	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	5	513500	2567.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	513500	2567.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	513500	2567.5	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	5	513500	2567.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	513500	2567.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	502000	2510.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	20	502000	2510.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	502000	2510.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	502000	2510.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	20	502000	2510.0	DFT-s-OFDM QPSK	1@0	see graph	PASS


7	15	20	502000	2510.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	507000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	20	507000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	507000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	507000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	512000	2560.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	20	512000	2560.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	512000	2560.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	512000	2560.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	20	512000	2560.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	512000	2560.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	40	504000	2520.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	40	504000	2520.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	40	504000	2520.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	40	504000	2520.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	40	504000	2520.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	40	504000	2520.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	40	507000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	40	507000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	40	507000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	40	507000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	40	507000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS

7	15	40	507000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	40	510000	2550.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	40	510000	2550.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	40	510000	2550.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	40	510000	2550.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	40	510000	2550.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	40	510000	2550.0	DFT-s-OFDM QPSK	1@0	see graph	PASS


N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N7(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N7(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N7(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N7(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N7(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N7(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N7(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N7(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N7(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N7(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N7(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N7(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
7	15	5	500500	2502.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	500500	2502.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	500500	2502.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
7	15	5	500500	2502.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
7	15	5	513500	2567.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
7	15	5	513500	2567.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
7	15	5	513500	2567.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
7	15	5	513500	2567.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
7	15	20	502000	2510.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	502000	2510.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	502000	2510.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
7	15	20	502000	2510.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
7	15	20	512000	2560.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
7	15	20	512000	2560.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
7	15	20	512000	2560.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
7	15	20	512000	2560.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
7	15	40	504000	2520.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	40	504000	2520.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	40	504000	2520.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
7	15	40	504000	2520.0	DFT-s-OFDM QPSK	216@0	see graph	PASS
7	15	40	510000	2550.0	DFT-s-OFDM BPSK	1@215	see graph	PASS
7	15	40	510000	2550.0	DFT-s-OFDM QPSK	1@215	see graph	PASS
7	15	40	510000	2550.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
7	15	40	510000	2550.0	DFT-s-OFDM QPSK	216@0	see graph	PASS


N7(5M)_DFT-s- OFDM_BPSK_Edge_1RB_Left_Low_CH




N7(5M)_DFT-s- OFDM_QPSK_Edge_1RB_Left_Low_CH




N7(5M)_DFT-s- OFDM_BPSK_Outer_Full_Low_CH




N7(5M)_DFT-s- OFDM_QPSK_Outer_Full_Low_CH




N7(5M)_DFT-s- OFDM_BPSK_Edge_1RB_Right_High_CH




N7(5M)_DFT-s- OFDM_QPSK_Edge_1RB_Right_High_CH



N7(5M)_DFT-s- OFDM_BPSK_Outer_Full_High_CH



N7(5M)_DFT-s- OFDM_QPSK_Outer_Full_High_CH




N7(20M)_DFT-s- OFDM_BPSK_Edge_1RB_Left_Low_CH




N7(20M)_DFT-s- OFDM_QPSK_Edge_1RB_Left_Low_CH



N7(20M)_DFT-s- OFDM_BPSK_Outer_Full_Low_CH




N7(20M)_DFT-s- OFDM_QPSK_Outer_Full_Low_CH




N7(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N7(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




N7(20M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N7(20M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH




N7(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N7(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH_CHP_ PASS




N7(40M)_DFT-s- OFDM_QPSK_Edge_1RB_Left_Low_CH




N7(40M)_DFT-s- OFDM_QPSK_Edge_1RB_Left_Low_CH_CHP_PASS




N7(40M)_DFT-s- OFDM_BPSK_Outer_Full_Low_CH




N7(40M)_DFT-s- OFDM_BPSK_Outer_Full_Low_CH_CHP_PASS




N7(40M)_DFT-s- OFDM_QPSK_Outer_Full_Low_CH




N7(40M)_DFT-s- OFDM_QPSK_Outer_Full_Low_CH_CHP_PASS




N7(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N7(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH_CHP_PASS




N7(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N7(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH_CHP_PASS




N7(40M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N7(40M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH_CHP_PASS



N7(40M)_DFT-s- OFDM_QPSK_Outer_Full_High_CH



N7(40M)_DFT-s- OFDM_QPSK_Outer_Full_High_CH_CHP_PASS



FR1 N38(ANT2)

Transmitter Conducted Output Power And EIRP, (G_T-L_C)=0.9dB

NR Band	SCS	BandWidth	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)
38	30	20	516000	2595	DFT-s-OFDM PI/2 BPSK	1@1	23.24	24.14	0.2594
38	30	20	519000	2595	DFT-s-OFDM PI/2 BPSK	1@1	23.26	24.16	0.2606
38	30	20	522000	2610	DFT-s-OFDM PI/2 BPSK	1@1	23.32	24.22	0.2642
38	30	30	517000	2585	DFT-s-OFDM PI/2 BPSK	1@1	22.88	23.78	0.2388
38	30	30	519000	2595	DFT-s-OFDM PI/2 BPSK	1@1	23.29	24.19	0.2624
38	30	30	521000	2595	DFT-s-OFDM PI/2 BPSK	1@1	23.33	24.23	0.2649
38	30	40	518000	2590	DFT-s-OFDM PI/2 BPSK	50@25	22.82	23.72	0.2355
38	30	40	518000	2590	DFT-s-OFDM PI/2 BPSK	1@1	23.32	24.22	0.2642
38	30	40	518000	2590	DFT-s-OFDM PI/2 BPSK	1@104	23.57	24.47	0.2799
38	30	40	518000	2590	DFT-s-OFDM QPSK	50@25	23.29	24.19	0.2624
38	30	40	518000	2590	DFT-s-OFDM QPSK	1@1	23.63	24.53	0.2838
38	30	40	518000	2590	DFT-s-OFDM QPSK	1@104	23.25	24.15	0.2600
38	30	40	518000	2590	DFT-s-OFDM 16 QAM	50@25	22.33	23.23	0.2104
38	30	40	518000	2590	DFT-s-OFDM 16 QAM	1@1	22.39	23.29	0.2133
38	30	40	518000	2590	DFT-s-OFDM 16 QAM	1@104	22.68	23.58	0.2280
38	30	40	518000	2590	DFT-s-OFDM 64 QAM	50@25	20.84	21.74	0.1493
38	30	40	518000	2590	DFT-s-OFDM 64 QAM	1@1	20.73	21.63	0.1455
38	30	40	518000	2590	DFT-s-OFDM 64 QAM	1@104	21	21.9	0.1549
38	30	40	518000	2590	DFT-s-OFDM 256 QAM	50@25	18.76	19.66	0.0925
38	30	40	518000	2590	DFT-s-OFDM 256 QAM	1@1	18.72	19.62	0.0916
38	30	40	518000	2590	DFT-s-OFDM 256 QAM	1@104	18.91	19.81	0.0957
38	30	40	518000	2590	CP-OFDM QPSK	1@1	21.82	22.72	0.1871
38	30	40	519000	2595	DFT-s-OFDM PI/2 BPSK	50@25	23.3	24.2	0.2630
38	30	40	519000	2595	DFT-s-OFDM PI/2 BPSK	1@1	23.32	24.22	0.2642
38	30	40	519000	2595	DFT-s-OFDM PI/2 BPSK	1@104	23.48	24.38	0.2742
38	30	40	519000	2595	DFT-s-OFDM QPSK	50@25	23.31	24.21	0.2636
38	30	40	519000	2595	DFT-s-OFDM QPSK	1@1	23.36	24.26	0.2667
38	30	40	519000	2595	DFT-s-OFDM QPSK	1@104	23.6	24.5	0.2818
38	30	40	519000	2595	DFT-s-OFDM 16 QAM	50@25	22.36	23.26	0.2118
38	30	40	519000	2595	DFT-s-OFDM 16 QAM	1@1	22.46	23.36	0.2168
38	30	40	519000	2595	DFT-s-OFDM 16 QAM	1@104	22.63	23.53	0.2254
38	30	40	519000	2595	DFT-s-OFDM 64 QAM	50@25	20.87	21.77	0.1503
38	30	40	519000	2595	DFT-s-OFDM 64 QAM	1@1	20.77	21.67	0.1469
38	30	40	519000	2595	DFT-s-OFDM 64 QAM	1@104	20.9	21.8	0.1514
38	30	40	519000	2595	DFT-s-OFDM 256 QAM	50@25	18.76	19.66	0.0925
38	30	40	519000	2595	DFT-s-OFDM 256 QAM	1@1	18.71	19.61	0.0914
38	30	40	519000	2595	DFT-s-OFDM 256 QAM	1@104	18.89	19.79	0.0953
38	30	40	519000	2595	CP-OFDM QPSK	1@1	21.84	22.74	0.1879
38	30	40	520000	2600	DFT-s-OFDM PI/2 BPSK	50@25	22.91	23.81	0.2404
38	30	40	520000	2600	DFT-s-OFDM PI/2 BPSK	1@1	23.32	24.22	0.2642

38	30	40	520000	2600	DFT-s-OFDM PI/2 BPSK	1@104	23.5	24.4	0.2754
38	30	40	520000	2600	DFT-s-OFDM QPSK	50@25	23.36	24.26	0.2667
38	30	40	520000	2600	DFT-s-OFDM QPSK	1@1	23.35	24.25	0.2661
38	30	40	520000	2600	DFT-s-OFDM QPSK	1@104	23.55	24.45	0.2786
38	30	40	520000	2600	DFT-s-OFDM 16 QAM	50@25	22.41	23.31	0.2143
38	30	40	520000	2600	DFT-s-OFDM 16 QAM	1@1	22.39	23.29	0.2133
38	30	40	520000	2600	DFT-s-OFDM 16 QAM	1@104	22.67	23.57	0.2275
38	30	40	520000	2600	DFT-s-OFDM 64 QAM	50@25	20.94	21.84	0.1528
38	30	40	520000	2600	DFT-s-OFDM 64 QAM	1@1	20.69	21.59	0.1442
38	30	40	520000	2600	DFT-s-OFDM 64 QAM	1@104	20.92	21.82	0.1521
38	30	40	520000	2600	DFT-s-OFDM 256 QAM	50@25	18.85	19.75	0.0944
38	30	40	520000	2600	DFT-s-OFDM 256 QAM	1@1	18.68	19.58	0.0908
38	30	40	520000	2600	DFT-s-OFDM 256 QAM	1@104	18.91	19.81	0.0957
38	30	40	520000	2600	CP-OFDM QPSK	1@1	21.78	22.68	0.1854

FR1 N41(ANT2)

Transmitter Conducted Output Power And EIRP, (G_T-L_C)=0.9dB

NR Band	SCS	BandWidth	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)
41	30	20	501204	2506.02	DFT-s-OFDM PI/2 BPSK	1@1	23.64	24.54	0.2844
41	30	20	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	23.28	24.18	0.2618
41	30	20	535998	2679.99	DFT-s-OFDM PI/2 BPSK	1@1	23.31	24.21	0.2636
41	30	30	502200	2511	DFT-s-OFDM PI/2 BPSK	1@1	23.36	24.26	0.2667
41	30	30	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	23.41	24.31	0.2698
41	30	30	534996	2674.98	DFT-s-OFDM PI/2 BPSK	1@1	23.06	23.96	0.2489
41	30	40	503202	2516.01	DFT-s-OFDM PI/2 BPSK	1@1	23.6	24.5	0.2818
41	30	40	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	23.23	24.13	0.2588
41	30	40	534000	2670	DFT-s-OFDM PI/2 BPSK	1@1	23.04	23.94	0.2477
41	30	50	504204	2521.02	DFT-s-OFDM PI/2 BPSK	1@1	23.34	24.24	0.2655
41	30	50	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	23.09	23.99	0.2506
41	30	50	532998	2664.99	DFT-s-OFDM PI/2 BPSK	1@1	22.86	23.76	0.2377
41	30	60	505200	2526	DFT-s-OFDM PI/2 BPSK	1@1	23.35	24.25	0.2661
41	30	60	518598	2526	DFT-s-OFDM PI/2 BPSK	1@1	21.53	22.43	0.1750
41	30	60	531996	2659.98	DFT-s-OFDM PI/2 BPSK	1@1	22.77	23.67	0.2328
41	30	70	505200	2531.01	DFT-s-OFDM PI/2 BPSK	1@1	23.36	24.26	0.2667
41	30	70	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	22.89	23.79	0.2393
41	30	70	531996	2655	DFT-s-OFDM PI/2 BPSK	1@1	22.77	23.67	0.2328
41	30	80	507204	2536.02	DFT-s-OFDM PI/2 BPSK	1@1	23.32	24.22	0.2642
41	30	80	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	22.79	23.69	0.2339
41	30	80	529998	2649.99	DFT-s-OFDM PI/2 BPSK	1@1	22.78	23.68	0.2333
41	30	90	508200	2541	DFT-s-OFDM PI/2 BPSK	1@1	23.32	24.22	0.2642
41	30	90	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	22.88	23.78	0.2388
41	30	90	528996	2644.98	DFT-s-OFDM PI/2 BPSK	1@1	22.71	23.61	0.2296
41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	135@67	23.29	24.19	0.2624
41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	1@1	23.48	24.38	0.2742
41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	1@271	23.2	24.1	0.2570
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	135@67	23.3	24.2	0.2630
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@1	23.53	24.43	0.2773
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@271	23.23	24.13	0.2588
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	135@67	22.34	23.24	0.2109
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	1@1	22.63	23.53	0.2254
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	1@271	22.35	23.25	0.2113
41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	135@67	20.84	21.74	0.1493
41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	1@1	20.89	21.79	0.1510
41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	1@271	20.65	21.55	0.1429
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	135@67	18.81	19.71	0.0935
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	1@1	18.89	19.79	0.0953
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	1@271	18.6	19.5	0.0891
41	30	100	509202	2546.01	CP-OFDM QPSK	1@1	22	22.9	0.1950

41	30	100	518598	2546.01	DFT-s-OFDM PI/2 BPSK	135@67	23.31	24.21	0.2636
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	23.13	24.03	0.2529
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@271	23.23	24.13	0.2588
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	135@67	23.12	24.02	0.2523
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@1	23.19	24.09	0.2564
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@271	23.29	24.19	0.2624
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	135@67	22.14	23.04	0.2014
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	22.21	23.11	0.2046
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	1@271	22.38	23.28	0.2128
41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	135@67	20.62	21.52	0.1419
41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	1@1	20.57	21.47	0.1403
41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	1@271	20.67	21.57	0.1435
41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	135@67	18.66	19.56	0.0904
41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	1@1	18.52	19.42	0.0875
41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	1@271	18.61	19.51	0.0893
41	30	100	518598	2592.99	CP-OFDM QPSK	1@1	21.64	22.54	0.1795
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	135@67	23.12	24.02	0.2523
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	1@1	23.75	24.65	0.2917
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	1@271	23.38	24.28	0.2679
41	30	100	528000	2640	DFT-s-OFDM QPSK	135@67	23.08	23.98	0.2500
41	30	100	528000	2640	DFT-s-OFDM QPSK	1@1	22.92	23.82	0.2410
41	30	100	528000	2640	DFT-s-OFDM QPSK	1@271	23.3	24.2	0.2630
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	135@67	22.09	22.99	0.1991
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	1@1	21.98	22.88	0.1941
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	1@271	22.41	23.31	0.2143
41	30	100	528000	2640	DFT-s-OFDM 64 QAM	135@67	20.6	21.5	0.1413
41	30	100	528000	2640	DFT-s-OFDM 64 QAM	1@1	20.37	21.27	0.1340
41	30	100	528000	2640	DFT-s-OFDM 64 QAM	1@271	20.73	21.63	0.1455
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	135@67	18.64	19.54	0.0899
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	1@1	18.3	19.2	0.0832
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	1@271	18.68	19.58	0.0908
41	30	100	528000	2640	CP-OFDM QPSK	1@1	21.41	22.31	0.1702

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0015	PASS	NV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0024	PASS	LV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0033	PASS	HV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0016	PASS	-30°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0017	PASS	-20°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0031	PASS	-10°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0028	PASS	0°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0016	PASS	10°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	-0.0012	PASS	20°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0013	PASS	30°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0019	PASS	40°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.0028	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	270@0	10.48	13	PASS
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@0	6.81	13	PASS
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	270@0	10.41	13	PASS
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@0	8.53	13	PASS