

RF EXPOSURE REPORT

REPORT NO.: SA120210E04-1 R1

MODEL NO.: WT41N0

FCC ID: UZ7WT41N0

RECEIVED: Feb. 10, 2012

TESTED: Mar. 12, 2012

ISSUED: Nov. 09, 2012

APPLICANT: Motorola Solutions, Inc.

ADDRESS: One Motorola Plaza Holtsville NY 11742-1300 USA

ISSUED BY: Bureau Veritas Consumer Products Services

(H.K.) Ltd., Taoyuan Branch Hsin Chu Laboratory

LAB ADDRESS: No. 81-1, Lu Liao Keng, 9th Ling, Wu Lung Tsuen,

Chiung Lin Hsiang, Hsin Chu Hsien 307, Taiwan,

R.O.C.

This report should not be used by the client to claim product certification, approval, or endorsement by any government agencies.

This report is for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents. Unless specific mention, the uncertainty of measurement has been explicitly taken into account to declare the compliance or non-compliance to the specification

Report No.: SA120210E04-1 R1 1 of 5

Cancels and replaces the report No.: SA120210E04-1 dated Nov. 01, 2012



TABLE OF CONTENTS

RELEAS	SE CONTROL RECORD	3
1.	CERTIFICATION	4
2.	EVALUATION RESULT	5

Report No.: SA120210E04-1 R1 2 of 5 Cancels and replaces the report No.: SA120210E04-1 dated Nov. 01, 2012



RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
SA120210E04-1	Original release	Nov. 01, 2012
SA120210E04-1 R1	Modified the test sample to ENGINEERING SAMPLE_DV3 for section 1.	Nov. 09, 2012

Report No.: SA120210E04-1 R1 3 of 5 Report Format Version 5.0.0 Cancels and replaces the report No.: SA120210E04-1 dated Nov. 01, 2012



1. CERTIFICATION

PRODUCT: Wearable Terminal

BRAND: MOTOROLA

MODEL: WT41N0

TEST SAMPLE: ENGINEERING SAMPLE_DV3

APPLICANT: Motorola Solutions, Inc.

TESTED: Mar. 12, 2012

STANDARDS: FCC Part 2 (Section 2.1091)

FCC OET Bulletin 65, Supplement C (01-01)

IEEE C95.1

The above equipment (Model: WT41N0) has been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch,** and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

PREPARED BY: Pho en is Hugny, DATE: Nov. 09, 2012

(Phoenix Huang, Specialist)

(May Chen, Deputy Manager)

Report No.: SA120210E04-1 R1 4 of 5 Report Format Version 5.0.0 Cancels and replaces the report No.: SA120210E04-1 dated Nov. 01, 2012



2. EVALUATION RESULT

There are Bluetooth technology and WLAN technology used for the EUT. This report has recorded the No SAR evaluation at the Bluetooth technology.

FOR BLUETOOTH FUNCTION

No SAR Evaluation Required if power is below the following threshold:

Tunable		
F(GHz) Low	F(GHz) High	60/f SAR Limitation (mW)
2.402	2.480	24.19

Maximum measured transmitter power:

Pout Conducted (dBm)	Pout Conducted (mW)	Maximum Antenna Gain (dBi)	Pout EIRP (mW)
9.12	8.166	1.47	11.455

Threshold for no SAR evaluation is 24.19 mW Maximum TX Power is 8.166 mW Conducted and 11.455 mW EIRP

Conclusion: No SAR evaluation required since maximum Transmitter Pout (both conducted and EIRP) is below FCC threshold

--- END ---

Report No.: SA120210E04-1 R1 5 of 5 Cancels and replaces the report No.: SA120210E04-1 dated Nov. 01, 2012