



A D T

LTE Band 25 (Channel Bandwidth 5MHz)




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 15

Date: 2012-11-07



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 HORIZONTAL
 Brand/Model: P530A
 Remark : Band 25_5M_(QPSK 1,0) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|---------|--------|------------|------------|------------|--------|--------|
| | MHz | dBm/m | dBm | dBm/m | dB | dB/m | |
| 1 | 42.42 | -56.16 | -54.83 | -13.00 | -43.16 | -1.33 | Peak |
| 2 | 104.79 | -59.58 | -49.08 | -13.00 | -46.58 | -10.50 | Peak |
| 3 | 223.32 | -57.47 | -50.57 | -13.00 | -44.47 | -6.90 | Peak |
| 4 | 341.30 | -68.91 | -62.84 | -13.00 | -55.91 | -6.07 | Peak |
| 5 | 601.00 | -65.47 | -65.14 | -13.00 | -52.47 | -0.33 | Peak |
| 6 | 788.60 | -62.93 | -64.98 | -13.00 | -49.93 | 2.05 | Peak |
| 7 pp | 3760.60 | -31.30 | -24.57 | -13.00 | -18.30 | -6.73 | Peak |
| 8 | 5640.90 | -42.15 | -42.36 | -13.00 | -29.15 | 0.21 | Peak |




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 16



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 VERTICAL
 Brand/Model: P530A
 Remark : Band 25_5M_(QPSK 1,0) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|---------|--------|------------|------------|------------|--------|--------|
| | MHz | dBm/m | dBm | dBm/m | dB | dB/m | |
| 1 | 30.00 | -36.40 | -37.47 | -13.00 | -23.40 | 1.07 | Peak |
| 2 | 105.06 | -58.51 | -48.01 | -13.00 | -45.51 | -10.50 | Peak |
| 3 | 223.32 | -63.38 | -56.48 | -13.00 | -50.38 | -6.90 | Peak |
| 4 | 421.10 | -69.45 | -64.35 | -13.00 | -56.45 | -5.10 | Peak |
| 5 | 652.80 | -64.07 | -64.66 | -13.00 | -51.07 | 0.59 | Peak |
| 6 | 861.40 | -62.17 | -64.65 | -13.00 | -49.17 | 2.48 | Peak |
| 7 pp | 3760.60 | -33.24 | -26.51 | -13.00 | -20.24 | -6.73 | Peak |
| 8 | 5640.90 | -38.33 | -38.54 | -13.00 | -25.33 | 0.21 | Peak |




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 15



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 HORIZONTAL
 Brand/Model: P530A
 Remark : Band 25_5M_(QPSK 25,0) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|---------|--------|------------|------------|------------|--------|--------|
| | MHz | dBm/m | dBm | dBm/m | dB | dB/m | |
| 1 | 42.42 | -57.13 | -55.80 | -13.00 | -44.13 | -1.33 | Peak |
| 2 | 104.52 | -59.79 | -49.29 | -13.00 | -46.79 | -10.50 | Peak |
| 3 | 225.75 | -57.14 | -50.37 | -13.00 | -44.14 | -6.77 | Peak |
| 4 | 334.30 | -69.13 | -63.01 | -13.00 | -56.13 | -6.12 | Peak |
| 5 | 601.00 | -65.10 | -64.77 | -13.00 | -52.10 | -0.33 | Peak |
| 6 | 759.90 | -62.82 | -64.67 | -13.00 | -49.82 | 1.85 | Peak |
| 7 pp | 3765.00 | -38.05 | -31.44 | -13.00 | -25.05 | -6.61 | Peak |




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 16



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 VERTICAL
 Brand/Model: P530A
 Remark : Band 25_5M_(QPSK 25,0) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read Level | Limit Line | Over Limit | Factor | Remark |
|---|------|---------|------------|------------|------------|--------|-------------|
| | MHz | dBm/m | dBm | dBm/m | dB | dB/m | |
| 1 | pp | 30.00 | -36.90 | -37.97 | -13.00 | -23.90 | 1.07 Peak |
| 2 | | 105.33 | -60.51 | -49.98 | -13.00 | -47.51 | -10.53 Peak |
| 3 | | 218.19 | -63.80 | -56.68 | -13.00 | -50.80 | -7.12 Peak |
| 4 | | 349.70 | -70.02 | -64.01 | -13.00 | -57.02 | -6.01 Peak |
| 5 | | 608.70 | -65.30 | -65.11 | -13.00 | -52.30 | -0.19 Peak |
| 6 | | 829.20 | -62.51 | -64.81 | -13.00 | -49.51 | 2.30 Peak |
| 7 | | 3765.00 | -39.24 | -32.63 | -13.00 | -26.24 | -6.61 Peak |



A D T


LTE Band 25 (Channel Bandwidth 10MHz)



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 15



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 HORIZONTAL
 Brand/Model: P530A
 Remark : Band 25_10M_(QPSK 1,0) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read | Limit | Over | | |
|------|---------|--------|--------|--------|--------|--------|--------|
| | MHz | dBm/m | Level | Line | Limit | Factor | Remark |
| | | | dBm | dBm/m | dB | dB/m | |
| 1 | 42.42 | -56.65 | -55.32 | -13.00 | -43.65 | -1.33 | Peak |
| 2 | 105.06 | -59.81 | -49.31 | -13.00 | -46.81 | -10.50 | Peak |
| 3 | 224.40 | -57.23 | -50.37 | -13.00 | -44.23 | -6.86 | Peak |
| 4 | 332.20 | -68.34 | -62.20 | -13.00 | -55.34 | -6.14 | Peak |
| 5 | 624.10 | -64.76 | -64.83 | -13.00 | -51.76 | 0.07 | Peak |
| 6 | 771.80 | -62.47 | -64.41 | -13.00 | -49.47 | 1.94 | Peak |
| 7 pp | 3756.20 | -33.13 | -26.40 | -13.00 | -20.13 | -6.73 | Peak |
| 8 | 5634.30 | -41.92 | -42.10 | -13.00 | -28.92 | 0.18 | Peak |




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 16



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 VERTICAL
 Brand/Model: P530A
 Remark : Band 25_10M_(QPSK 1,0) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|---------|--------|------------|------------|------------|--------|--------|
| | MHz | dBm/m | dBm | dBm/m | dB | dB/m | |
| 1 | 30.00 | -36.43 | -37.50 | -13.00 | -23.43 | 1.07 | Peak |
| 2 | 105.60 | -60.69 | -50.16 | -13.00 | -47.69 | -10.53 | Peak |
| 3 | 217.11 | -63.72 | -56.56 | -13.00 | -50.72 | -7.16 | Peak |
| 4 | 325.90 | -69.85 | -63.66 | -13.00 | -56.85 | -6.19 | Peak |
| 5 | 580.00 | -65.75 | -64.84 | -13.00 | -52.75 | -0.91 | Peak |
| 6 | 818.00 | -62.52 | -64.75 | -13.00 | -49.52 | 2.23 | Peak |
| 7 pp | 3756.20 | -36.36 | -29.63 | -13.00 | -23.36 | -6.73 | Peak |
| 8 | 5634.30 | -42.04 | -42.22 | -13.00 | -29.04 | 0.18 | Peak |




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 15



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 HORIZONTAL
 Brand/Model: P530A
 Remark : Band 25_10M_(QPSK 50,0) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|---------|--------|------------|------------|------------|--------|--------|
| | MHz | dBm/m | dBm | dBm/m | dB | dB/m | |
| 1 | 30.00 | -56.03 | -57.10 | -13.00 | -43.03 | 1.07 | Peak |
| 2 | 105.06 | -60.05 | -49.55 | -13.00 | -47.05 | -10.50 | Peak |
| 3 | 224.94 | -57.33 | -50.52 | -13.00 | -44.33 | -6.81 | Peak |
| 4 | 472.20 | -68.32 | -64.52 | -13.00 | -55.32 | -3.80 | Peak |
| 5 | 647.90 | -64.22 | -64.73 | -13.00 | -51.22 | 0.51 | Peak |
| 6 | 777.40 | -62.78 | -64.76 | -13.00 | -49.78 | 1.98 | Peak |
| 7 pp | 3765.00 | -40.25 | -33.64 | -13.00 | -27.25 | -6.61 | Peak |




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 16



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 VERTICAL
 Brand/Model: P530A
 Remark : Band 25_10M_(QPSK 50,0) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read Level | Limit Line | Over Limit | Factor | Remark |
|---|------|---------|------------|------------|------------|--------|-------------|
| | MHz | dBm/m | dBm | dBm/m | dB | dB/m | |
| 1 | pp | 30.00 | -36.44 | -37.51 | -13.00 | -23.44 | 1.07 Peak |
| 2 | | 105.60 | -60.68 | -50.15 | -13.00 | -47.68 | -10.53 Peak |
| 3 | | 222.51 | -63.37 | -56.42 | -13.00 | -50.37 | -6.95 Peak |
| 4 | | 381.90 | -69.90 | -64.13 | -13.00 | -56.90 | -5.77 Peak |
| 5 | | 626.20 | -64.09 | -64.21 | -13.00 | -51.09 | 0.12 Peak |
| 6 | | 776.00 | -62.74 | -64.70 | -13.00 | -49.74 | 1.96 Peak |
| 7 | | 3765.00 | -40.16 | -33.55 | -13.00 | -27.16 | -6.61 Peak |



A D T

LTE Band 25 (Channel Bandwidth 15MHz)




Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 15

Date: 2012-11-08



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 HORIZONTAL
 Brand/Model: P530A
 Remark : Band 25_15M_(QPSK 1,0) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Read | Limit | Over | | | |
|------|---------|--------|--------|--------|--------|------------|
| Freq | Level | Level | Line | Limit | Factor | Remark |
| MHz | dBm/m | dBm | dBm/m | dB | dB/m | |
| 1 | 43.77 | -63.48 | -62.22 | -13.00 | -50.48 | -1.26 Peak |
| 2 | 182.28 | -70.69 | -64.79 | -13.00 | -57.69 | -5.90 Peak |
| 3 | 224.94 | -68.45 | -61.64 | -13.00 | -55.45 | -6.81 Peak |
| 4 | 312.60 | -67.89 | -61.60 | -13.00 | -54.89 | -6.29 Peak |
| 5 | 593.30 | -64.00 | -63.46 | -13.00 | -51.00 | -0.54 Peak |
| 6 | 696.90 | -63.76 | -65.16 | -13.00 | -50.76 | 1.40 Peak |
| 7 pp | 3751.80 | -34.07 | -27.34 | -13.00 | -21.07 | -6.73 Peak |
| 8 | 5627.70 | -42.37 | -42.55 | -13.00 | -29.37 | 0.18 Peak |




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 16



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 VERTICAL
 Brand/Model: P530A
 Remark : Band 25_15M_(QPSK 1,0) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|---------|--------|------------|------------|------------|--------|--------|
| | MHz | dBm/m | dBm | dBm/m | dB | dB/m | |
| 1 | 30.00 | -46.82 | -47.89 | -13.00 | -33.82 | 1.07 | Peak |
| 2 | 142.05 | -66.86 | -61.00 | -13.00 | -53.86 | -5.86 | Peak |
| 3 | 237.90 | -70.17 | -63.92 | -13.00 | -57.17 | -6.25 | Peak |
| 4 | 358.80 | -69.53 | -63.59 | -13.00 | -56.53 | -5.94 | Peak |
| 5 | 654.90 | -63.85 | -64.48 | -13.00 | -50.85 | 0.63 | Peak |
| 6 | 785.10 | -61.99 | -64.01 | -13.00 | -48.99 | 2.02 | Peak |
| 7 pp | 3751.80 | -35.32 | -28.59 | -13.00 | -22.32 | -6.73 | Peak |
| 8 | 5627.70 | -42.23 | -42.41 | -13.00 | -29.23 | 0.18 | Peak |




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 15



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 HORIZONTAL
 Brand/Model: P530A
 Remark : Band 25_15M_(QPSK 75,0) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|---------|--------|------------|------------|------------|--------|--------|
| | MHz | dBm/m | dBm | dBm/m | dB | dB/m | |
| 1 | 55.92 | -56.63 | -51.13 | -13.00 | -43.63 | -5.50 | Peak |
| 2 | 104.79 | -60.09 | -49.59 | -13.00 | -47.09 | -10.50 | Peak |
| 3 | 226.02 | -57.36 | -50.59 | -13.00 | -44.36 | -6.77 | Peak |
| 4 | 316.10 | -67.28 | -61.02 | -13.00 | -54.28 | -6.26 | Peak |
| 5 | 604.50 | -65.39 | -65.11 | -13.00 | -52.39 | -0.28 | Peak |
| 6 | 862.10 | -62.13 | -64.61 | -13.00 | -49.13 | 2.48 | Peak |
| 7 pp | 3765.00 | -39.50 | -32.89 | -13.00 | -26.50 | -6.61 | Peak |




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 16



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 VERTICAL
 Brand/Model: P530A
 Remark : Band 25_15M_(QPSK 75,0) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read Level | Limit Line | Over Limit | Factor | Remark |
|---|------|---------|------------|------------|------------|--------|-------------|
| | MHz | dBm/m | dBm | dBm/m | dB | dB/m | |
| 1 | pp | 30.00 | -36.39 | -37.46 | -13.00 | -23.39 | 1.07 Peak |
| 2 | | 105.06 | -60.72 | -50.22 | -13.00 | -47.72 | -10.50 Peak |
| 3 | | 219.54 | -62.99 | -55.91 | -13.00 | -49.99 | -7.08 Peak |
| 4 | | 381.90 | -69.48 | -63.71 | -13.00 | -56.48 | -5.77 Peak |
| 5 | | 638.80 | -63.98 | -64.33 | -13.00 | -50.98 | 0.35 Peak |
| 6 | | 828.50 | -62.22 | -64.51 | -13.00 | -49.22 | 2.29 Peak |
| 7 | | 3765.00 | -42.29 | -35.68 | -13.00 | -29.29 | -6.61 Peak |



A D T


LTE Band 25 (Channel Bandwidth 20MHz)



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 15



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 HORIZONTAL
 Brand/Model: P530A
 Remark : Band 25_20M_(QPSK 1,50) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read | Limit | Over | | |
|------|---------|--------|--------|--------|--------|--------|--------|
| | MHz | dBm/m | Level | Line | Limit | Factor | Remark |
| | | | dBm | dBm/m | dB | dB/m | |
| 1 | 45.66 | -61.78 | -60.02 | -13.00 | -48.78 | -1.76 | Peak |
| 2 | 139.89 | -70.05 | -64.38 | -13.00 | -57.05 | -5.67 | Peak |
| 3 | 266.79 | -67.87 | -61.96 | -13.00 | -54.87 | -5.91 | Peak |
| 4 | 324.50 | -68.63 | -62.44 | -13.00 | -55.63 | -6.19 | Peak |
| 5 | 638.10 | -63.35 | -63.68 | -13.00 | -50.35 | 0.33 | Peak |
| 6 | 848.80 | -62.27 | -64.68 | -13.00 | -49.27 | 2.41 | Peak |
| 7 pp | 3765.00 | -30.65 | -24.04 | -13.00 | -17.65 | -6.61 | Peak |
| 8 | 5647.50 | -44.24 | -44.45 | -13.00 | -31.24 | 0.21 | Peak |




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 16



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 VERTICAL
 Brand/Model: P530A
 Remark : Band 25_20M_(QPSK 1,50) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|---------|--------|------------|------------|------------|--------|--------|
| | MHz | dBm/m | dBm | dBm/m | dB | dB/m | |
| 1 | 30.00 | -44.66 | -45.73 | -13.00 | -31.66 | 1.07 | Peak |
| 2 | 139.62 | -70.84 | -65.17 | -13.00 | -57.84 | -5.67 | Peak |
| 3 | 211.71 | -65.94 | -58.51 | -13.00 | -52.94 | -7.43 | Peak |
| 4 | 323.10 | -70.69 | -64.48 | -13.00 | -57.69 | -6.21 | Peak |
| 5 | 596.10 | -65.24 | -64.78 | -13.00 | -52.24 | -0.46 | Peak |
| 6 | 815.90 | -62.82 | -65.04 | -13.00 | -49.82 | 2.22 | Peak |
| 7 pp | 3765.00 | -35.27 | -28.66 | -13.00 | -22.27 | -6.61 | Peak |
| 8 | 5647.50 | -41.09 | -41.30 | -13.00 | -28.09 | 0.21 | Peak |




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 15



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 HORIZONTAL
 Brand/Model: P530A
 Remark : Band 25_20M_(QPSK 100,0) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|---------|--------|------------|------------|------------|--------|--------|
| | MHz | dBm/m | dBm | dBm/m | dB | dB/m | |
| 1 | 45.93 | -61.38 | -59.62 | -13.00 | -48.38 | -1.76 | Peak |
| 2 | 152.85 | -70.93 | -64.52 | -13.00 | -57.93 | -6.41 | Peak |
| 3 | 250.32 | -68.67 | -62.99 | -13.00 | -55.67 | -5.68 | Peak |
| 4 | 353.20 | -67.58 | -61.60 | -13.00 | -54.58 | -5.98 | Peak |
| 5 | 656.30 | -63.79 | -64.45 | -13.00 | -50.79 | 0.66 | Peak |
| 6 | 853.70 | -62.20 | -64.63 | -13.00 | -49.20 | 2.43 | Peak |
| 7 pp | 3765.00 | -38.99 | -32.38 | -13.00 | -25.99 | -6.61 | Peak |




A D T



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch

A D T

Data: 16



Site : 966 Chamber 5
 Condition : PART22/24 3m EIRP_RSE_1G~19G_3 VERTICAL
 Brand/Model: P530A
 Remark : Band 25_20M_(QPSK 100,0) Link
 Tested by : Kay Wu
 Temperature : 25°C
 Humidity : 65%
 Plane : Y

| | Freq | Level | Read Level | Limit Line | Over Limit | Factor | Remark |
|------|---------|--------|------------|------------|------------|--------|--------|
| | MHz | dBm/m | dBm | dBm/m | dB | dB/m | |
| 1 | 30.81 | -46.09 | -46.43 | -13.00 | -33.09 | 0.34 | Peak |
| 2 | 152.04 | -67.50 | -61.11 | -13.00 | -54.50 | -6.39 | Peak |
| 3 | 260.04 | -70.07 | -64.25 | -13.00 | -57.07 | -5.82 | Peak |
| 4 | 358.80 | -70.02 | -64.08 | -13.00 | -57.02 | -5.94 | Peak |
| 5 | 679.40 | -63.65 | -64.72 | -13.00 | -50.65 | 1.07 | Peak |
| 6 | 915.30 | -62.15 | -65.16 | -13.00 | -49.15 | 3.01 | Peak |
| 7 pp | 3765.00 | -42.59 | -35.98 | -13.00 | -29.59 | -6.61 | Peak |



5 PHOTOGRAPHS OF THE TEST CONFIGURATION

Please refer to the attached file (Test Setup Photo).



A D T

6 INFORMATION ON THE TESTING LABORATORIES

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Linko EMC/RF Lab:

Tel: 886-2-26052180

Fax: 886-2-26051924

Hsin Chu EMC/RF Lab:

Tel: 886-3-5935343

Fax: 886-3-5935342

Hwa Ya EMC/RF/Safety/Telecom Lab:

Tel: 886-3-3183232

Fax: 886-3-3270892

Email: service.adt@tw.bureauveritas.com

Web Site: www.bureauveritas-adt.com

The address and road map of all our labs can be found in our web site also.



7 APPENDIX A – MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications were made to the EUT by the lab during the test.

---END---