

FCC ID: UZI-C330

Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 1 of 95

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E

OF

Product Name:	OF HSPA+ USB Modem
Brand Name:	BandLuxe
Model Name:	C330
Model Difference:	N/A
FCC ID:	UZI-C330
Report No.:	EH/2011/30045
Issue Date:	Apr. 08, 2011
FCC Rule Part:	2 , 22H & 24E
Prepared for:	BandRich Inc. 7F., No. 188, Baociao Rd., Sin-Dian City, Taipei County 23146, Taiwan (R.O.C.)
Prepared by:	SGS Taiwan Ltd.
	Electronics & Communication Laboratory No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei County, Taiwan.

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此聚告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipai County, Taiwan /台北縣五殿工業區五工路 134 號



FCC ID: UZI-C330

Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 2 of 95

VERIFICATION OF COMPLIANCE

Applicant:	BandRich Inc. 7F., No. 188, Baociao Rd., Sin-Dian City,		
	Taipei County 23146, Taiwan (R.O.C.)		
Product Name:	HSPA+ USB Modem		
Brand Name:	BandLuxe		
Model No.:	C330		
Model Difference:	N/A		
FCC ID:	UZI-C330		
File Number:	EH/2011/30045		
Date of test:	Mar. 17, 2011 ~ Apr. 08, 2011		
Date of EUT Received:	Mar. 17, 2011		

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-C-2004 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rule FCC PART 22 subpart H, PART 24 subpart E.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Sky Wang	Date:	Apr. 08, 2011
	Sky Wang / Asst. Supervisor		
Prepared By:	Alex Hsieh	Date:	Apr. 08, 2011
Approved By:	Alex Hsieh / Sr. Engineer Jim Chang	Date:	Apr. 08, 2011
	Jim Chang / Supervisor		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Version

Version No.	Date	Description	
00	Apr. 08, 2011	Initial creation of document	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Indukstrial Zone, Taipel County, Taiwan / 台北縣五殿工業區五工路 134 號 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 iwan Ltd.



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 4 of 95

Table of Contents

1.	GEN	ERAL PRODUCT INFORMATION	6
	1.1.	Related Submittal(s) / Grant (s)	8
	1.2.	Test Methodology	8
	1.3.	Test Facility	8
	1.4.	Special Accessories	8
	1.5.	Equipment Modifications	8
2.	SYS	FEM TEST CONFIGURATION	9
	2.1.	EUT Configuration	9
	2.2.	EUT Exercise	9
	2.3.	Test Procedure	9
	2.4.	Measurement Equipment Used:	10
	2.5.	Configuration of Tested System	12
3.	SUM	IMARY OF TEST RESULTS	13
4.	DES	CRIPTION OF TEST MODES	14
5.	RF F	OWER OUTPUT MEASUREMENT	15
	5.1	Standard Applicable:	15
	5.2	Test Set-up:	16
	5.3	Measurement Procedure:	16
	5.4	Measurement Equipment Used:	16
	5.5	Measurement Result:	17
6.	ERP	, EIRP MEASUREMENT	24
	6.1.	Standard Applicable:	24
	6.2.	Test SET-UP (Block Diagram of Configuration):	24
	6.3.	Measurement Procedure:	26
	6.4.	Measurement Equipment Used:	26
	6.5.	Measurement Result:	27
7.	99%	OCCUPIED BANDWIDTH MEASUREMENT	31
	7.1.	Standard Applicable:	31
	7.2.	Test Set-up:	31
	7.3.	Measurement Procedure:	31
	7.4.	Measurement Equipment Used:	31
	7.5.	Measurement Result:	32
8.	OUT	OF BAND EMISSION AT ANTENNA TERMINALS	46
	8.1.	Standard Applicable:	46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Indukstrial Zone, Taipel County, Taiwan / 台北縣五殿工業區五工路 134 號 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd.



FCC ID: UZI-C330

	8.2.	Test SET-UP:	
	8.3.	Measurement Procedure:	
	8.4.	Measurement Equipment Used:	
	8.5.	Measurement Result:	
9.	FIEL	D STRENGTH OF SPURIOUS RADIATION MEASUREMENT	64
	9.1.	Standard Applicable:	
	9.2.	EUT Setup (Block Diagram of Configuration):	64
	9.3.	Measurement Procedure:	65
	9.4.	Measurement Equipment Used:	
	9.5.	Measurement Result:	
10.	FRE	QUENCY STABILITY V.S. TEMPERATURE MEASUREMENT	
	10.1.	Standard Applicable:	
	10.2.	Test Set-up:	
	10.3.	Measurement Procedure:	
	10.4.	Measurement Equipment Used:	
	10.5.	Measurement Result:	
11.	FRE	QUENCY STABILITY V.S. VOLTAGE MEASUREMENT	
	11.1.	Standard Applicable:	
	11.2.	Test Set-up:	
	11.3.	Measurement Procedure:	
	11.4.	Measurement Equipment Used:	
	11.5.	Measurement Result:	

f (886-2) 2298-0488 www.tw.sgs.com



1. GENERAL PRODUCT INFORMATION

General:	Jeneral:			
Product Name:	HSPA+ USB Modem			
Brand Name:	BandLuxe			
Model Name:	C330			
Model difference:	N/A			
USB Cable:	Model No.: N/A, Supplier: N/A			
Power Supply	5Vdc from USB Port			

GSM and WCDMA:

	Operating Frequency	Rated Power			
	GPRS 850, Class 12	824 MHz- 849MHz	33 dBm		
Collular Dhona Standarda	EDGE 850, Class 12	824 MHz- 849MHz	27 dBm		
Cellular Phone Standards Frequency Range and Power:	GPRS 1900, Class 12	1850MHz – 1910MHz	30 dBm		
	EDGE 1900, Class 12	1850MHz – 1910MHz	26 dBm		
	WCDMA/HSUPA/HSDPA Band II	1852.4MHz – 1907.6MHz	24 dBm		
	WCDMA/HSUPA/HSDPA Band V 826.4MHz – 846.6 MHz		24 dBm		
Hardware Version:	V03				
Software Version:	N/A				
Type of Emission	GPRS 850: 248KGXW, GPRS 1900 :249KGXW EDGE 850: 250KG7W, EDGE 1900:249KG7W WCDMA Band II: 4M14F9W,HSUPA Band II: 4M14F9W WCDMA Band V: 4M14F9W,HSUPA Band V: 4M14F9W				
IMEI:	35663204				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instru-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document be not evonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road. Wuku Industrial 70ne. Taive1, 4th & Br at 134 Str No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 iwan Ltd.



Final Amplifier Voltage and Current Information:

Test Mode	DC voltage (V)	DC current (mA)
GPRS 850	5.0 Vdc	230
GPRS 1900	5.0 Vdc	190
EDGE 850	5.0 Vdc	180
EDGE 1900	5.0 Vdc	180
WCDMA B2	5.0 Vdc	320
HSUPA B2	5.0 Vdc	300
WCDMA B5	5.0 Vdc	430
HSUPA B5	5.0 Vdc	310

This test report applies for GPRS/EDGE 850/1900, WCDMA/HSDPA/HSUPA band II/V.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road, Wuku Industrial 70ne. Taivei (2.114. Na 134. 98 134. 98 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

www.tw.sgs.com



1.1. Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for FCC ID: <u>UZI-C330</u> filing to comply with Section Part 22 subpart H, Part 24 subpart E of the FCC CFR 47 Rules.

1.2. Test Methodology

Both conducted and radiated testing were performed according to the procedures document of TIA/EIA 603C and FCC CFR 47.1046, 2.1047, 2.1049, 2.1051, 2.1053, 2.1055 and 2.1057.

The Output power Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, WCDMA / HSDPA) was used for EUT and Base station setting.

1.3. Test Facility

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4: 2003. FCC Registration Number are: 990257 and 236194, Canada Registration Number: 4620A-4

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 29, Pau-Tou-Tsuo Valley Chia-Pau Tsuen, Linkou Hsiang, Taipei county, which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. SGS Site No. 1(3 &10 meters) and FCC Registration Number: 94644.

All equipment is calibrated externally and traceable to SI (International System of Unit).

1.4. Special Accessories

Not available for this EUT intended for grant.

1.5. Equipment Modifications

Not available for this EUT intended for grant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipel County, Taiwan/6±馬五殿工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 9 of 95

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the engineering mode to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 AC Power Line Conducted Emissions

The EUT is placed on a turn table which is 0.8 m above ground plane. According to the requirements in Section 7 and 13 of ANSI C63.4: 2003. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz using CISPR Quasi-Peak and Average detector mode.

2.3.2 Conducted Measurement at Antenna Port:

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.3 Radiated Emissions (ERP/EIRP):

The EUT is a placed on as turn table which is 80 cm above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 2 of TIA/EIA 603C.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan / 台北縣五股工業區五工路 134 號

f (886-2) 2298-0488 www.tw.sgs.com



2.4. Measurement Equipment Used:

Conducted Emission Test Site					
EQUIPMENT	EQUIPMENT MFR MODEL SERIAL LAST CAL				
TYPE		NUMBER	NUMBER	CAL.	
Spectrum Analyzer	Agilent	E4446A	MY43360126	04/19/2010	04/18/2012
Spectrum Analyzer	Agilent	E4440A	US41160416	01/23/2010	01/22/2012
Radio Communication Analyzer	R&S	CMU200	102189	05/13/2010	05/13/2012
800 – 1000MHz Filter	Micro-Tronics	BRM13462	001	01/05/2011	01/04/2012
1800 – 2000MHz Filter	Micro-Tronics	BRM13463	001	01/05/2011	01/04/2012
Temperature Chamber	TERCHY	MHG-120LF	911009	04/14/2010	04/13/2012
Temperature Chamber	GIANT FORCE	GTH-150-40- CP-AR	MAA0512-018	02/05/2010	02/04/2012
DC Block	Agilent	BLK-18	155452	07/05/2010	07/04/2011
Attenuator	Mini-Circuit	BW-S20W5	N/A	07/05/2010	07/04/2011
Attenuator	Mini-Circuit	BW-S10W5	N/A	07/05/2010	07/04/2011
Attenuator	Mini-Circuit	BW-S6W5	N/A	07/05/2010	07/04/2011
Splitter	Agilent	11636B	N/A	07/05/2010	07/04/2011
DC Power Supply	HP	6038A	2929A-07548	06/27/2010	06/26/2011
DC Power Supply	Topward	3303D	981327	10/25/2010	10/26/2012

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Indukstrial Zone, Taipel County, Taiwan / 台北縣五殿工業區五工路 134 號 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 iwan Ltd



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 11 of 95

ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber					
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
ТҮРЕ		NUMBER	NUMBER	CAL.	
Spectrum Analyzer	R&S	FSP 40	100034	02/12/2010	02/11/2012
Bilog Antenna	SCHWAZBECK	VULB9160	9160-3136	11/15/2009	11/14/2010
Dipole Antenna	SCHWAZBECK	VHAP	908/909	07/10/2010	07/09/2012
Dipole Antenna	SCHWAZBECK	UHAP	891/892	07/10/2010	07/09/2012
Hor.n antenna	SCHWAZBECK	BBHA 9120D	309	01/22/2010	01/21/2012
Horn antenna	SCHWAZBECK	BBHA 9120D	9120D-673	05/09/2010	05/08/2012
Signal Generator	R&S	SMR40	100210	01/22/2010	01/21/2012
Signal Generator	Agilent	E4438C	MY45093613	06/11/2010	06/10/2011
Pre-Amplifier	Agilent	8447D	1937A02834	11/30/2009	11/29/2010
Pre-Amplifier	Agilent	8449B	3008A01973	01/05/2011	01/04/2012
Attenuator	Mini-Circuit	BW-S20W5	001	07/05/2010	07/04/2011
Attenuator	Mini-Circuit	BW-S10W5	001	07/05/2010	07/04/2011
Attenuator	Mini-Circuit	BW-S6W5	001	07/05/2010	07/04/2011
Radio Communication Analyzer	R&S	CMU200	102189	05/13/2010	05/12/2012
Turn Table	HD	DT420	N/A	N.C.R	N.C.R
Antenna Tower	HD	MA240-N	240/657	N.C.R	N.C.R
Controller	HD	HD100	N/A	N.C.R	N.C.R
Low Loss Cable	HUBER+SUHNER	SUCOFLEX 104PEA-10M	10m	01/05/2011	01/04/2012
Low Loss Cable	HUBER+SUHNER	SUCOFLEX 104PEA-3M	3m	01/05/2011	01/04/2012
3m Site	SGS	966 chamber	N/A	11/09/2010	11/08/2011

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Inis document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Indukstrial Zone, Taipei County, Taiwan / 6±縣五殿工 紫區五工路 134 號 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 iwan Ltd


台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



2.5. Configuration of Tested System





Remote Side



Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Universal Radio Communication Tester	R&S	CMU200	102189	shielded	Un-shielded
2.	DC Power Supply	Chroma	41901	777188	shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road, Wuku Industrial 70ne. Taivei (2.114. Na 134. 98 134. 98 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a)		
§22.913(a)(2)	ERP/ EIRP measurement	Compliant
§24.232(c)		
§2.1049(h)	99% Occupied Bandwidth	Compliant
§2.1051	Out of Band Emissions at Antenna	
§22.917(a)	Terminals and	Compliant
§24.238(a)	Band Edge	
§2.1053		
§22.917(a)	Field Strength of Spurious Radiation	Compliant
§24.238(a)		
§2.1055(a)(1)		
§22.355	Frequency Stability vs. Temperature	Compliant
§24.235		
§2.1055(d)(2)		
§22.355	Frequency Stability vs. Voltage	Compliant
§24.235		

Max ERP/EIRP measurement result:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instru-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document be not evonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road. Wuku Industrial 70ne. Taive1, 4th & Br at 134 Str No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 iwan Ltd.

f (886-2) 2298-0488 www.tw.sgs.com



4. DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition.

EUT staying in continuous transmitting mode. Channel Low, Mid and High for each type band with rated data rate were chosen for full testing.

The field strength of spurious radiation emission was measured as EUT for GPRS/EDGE and WCDMA Band II/V. were reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SCR Jawan Lift Nucli Nucli Nucli Nucli Nucli Nucli Nucli Particial Zone Time Company Satistication of the company. Any unau-thorized alteration, forgery or falsification of the law. Wurk Undustrial Zone Taipel County Taipel (2) # # SER T # Sta 124 ## No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd.





Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 15 of 95

5. RF POWER OUTPUT MEASUREMENT

5.1 Standard Applicable:

According to FCC §2.1046.

FCC 22.913(a) Mobile station are limited to 7W.

FCC 24.232(c) Peak Power Measurement

3GPP Power limitation for HSDPA and HSUPA

Maximum Output Powers for HSDPA

Sub-test in table C.10.1.4	Power Class 3		Power	Class 4
	Power (dBm)			Tol (dB)
1	+24	+1.7/-3.7	+21	+2.7/-2.7
2	+24	+1.7/-3.7	+21	+2.7/-2.7
3	+23.5	+2.2/-3.7	+20.5	+3.2/-2.7
4	+23.5	+2.2/-3.7	+20.5	+3.2/-2.7

Maximum Output Powers for HSUPA

Sub-test in table	Power	Class 3	Power Class 4		
C.11.1.3	Power (dBm)	Tol (dB)	Power (dBm)	Tol (dB)	
1	+24	+1.7/-6.7	+21	+2.7/-5.7	
2	+22	+3.7/-5.2	+19	+4.7/-4.2	
3	+23	+2.7/-5.2	+20	+3.7/-4.2	
4	+22	+3.7/-5.2	+19	+4.7/-4.2	
5	+24	+1.7/-6.7	+21	+2.7/-5.7	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


Merchant is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

in Zone, Taiper Coulity, Taiwait/台北縣五脫上茶區五工路1 f (886-2) 2298-0488 www.tw.sgs.com



5.2 Test Set-up:



Note: Measurement setup for testing on Antenna connector

5.3 Measurement Procedure:

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. The Procedure of KDB941225(SAR Measurement Procedures for 3G devices, WCDMA/HSDPA) was used for EUT and Base station setting.RMC 12.2kps is used for this testing

5.4 Measurement Equipment Used:

Refer to section 2.4 in this report



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 17 of 95

5.5 Measurement Result: 5.1 RF Conducted Output Power 5.1.1.: GPRS/EDGE (GMSK; 8-PSK)

Result:

EUT Mode	Frequency (MHz)	СН	Peak Power (1TS) (dBm)	Peak Power (2TS) (dBm)	Peak Power (3TS) (dBm)	Peak Power (4TS) (dBm)
	824.2	128	32.20	28.80	27.10	25.80
GPRS 850 (Class 12)	836.6	190	32.20	28.80	27.10	25.70
(01000 12)	848.8	251	32.00	28.60	26.80	25.50

EUT Mode	Frequency (MHz)	СН	Average Power (1TS) (dBm)	Average Power (2TS) (dBm)	Average Power (3TS) (dBm)	Average Power (4TS) (dBm)
GDD G 050	824.2	128	31.60	28.30	26.50	25.30
GPRS 850 (Class 12)	836.6	190	31.60	28.30	26.50	25.20
(0100012)	848.8	251	31.50	28.00	26.30	25.00

EUT Mode	Frequency (MHz)	СН	Peak Power (1TS) (dBm)	Peak Power (2TS) (dBm)	Peak Power (3TS) (dBm)	Peak Power (4TS) (dBm)
	824.2	128	28.60	25.80	24.10	22.30
EDGE 850 (Class 12)	836.6	190	28.20	25.70	23.50	22.20
(01000 12)	848.8	251	28.20	25.40	23.30	21.90

EUT Mode	Frequency (MHz)	СН	Average Power (1TS) (dBm)	Average Power (2TS) (dBm)	Average Power (3TS) (dBm)	Average Power (4TS) (dBm)
	824.2	128	25.70	22.70	21.00	19.20
EDGE 850 (Class 12)	836.6	190	25.50	22.50	20.30	19.00
(01055 12)	848.8	251	25.40	22.30	20.10	18.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Indukstrial Zone, Taipel County, Taiwan / 台北縣五殿工業區五工路 134 號 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd.

f (886-2) 2298-0488 www.tw.sgs.com



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 18 of 95

EUT Mode	Frequency (MHz)	СН	Peak Power (1TS) (dBm)	Peak Power (2TS) (dBm)	Peak Power (3TS) (dBm)	Peak Power (4TS) (dBm)
CDDG 1000	1850.2	512	28.80	25.80	24.00	22.80
GPRS 1900 (Class 12)	1880.0	661	28.80	25.80	24.00	22.80
(0100012)	1909.8	810	28.80	25.90	24.10	22.90

EUT Mode	Frequency (MHz)	СН	Average Power (1TS) (dBm)	Average Power (2TS) (dBm)	Average Power (3TS) (dBm)	Average Power (4TS) (dBm)
GDDG 1000	1850.2	512	28.30	25.20	23.40	22.20
GPRS 1900 (Class 12)	1880.0	661	28.30	25.20	23.40	22.20
(01000 12)	1909.8	810	28.30	25.20	23.40	22.30

EUT Mode	Frequency (MHz)	СН	Peak Power (1TS) (dBm)	Peak Power (2TS) (dBm)	Peak Power (3TS) (dBm)	Peak Power (4TS) (dBm)
ED CE 1000	1850.2	512	26.90	24.10	22.10	20.50
EDGE 1900 (Class 12)	1880.0	661	26.80	23.90	21.90	20.80
(01455 12)	1909.8	810	26.90	23.70	21.60	20.50

EUT Mode	Frequency (MHz)	СН	Average Power (1TS) (dBm)	Average Power (2TS) (dBm)	Average Power (3TS) (dBm)	Average Power (4TS) (dBm)
ED CE 1000	1850.2	512	23.80	20.90	18.90	17.30
EDGE 1900 (Class 12)	1880.0	661	23.80	20.80	18.80	17.60
()	1909.8	810	23.80	20.50	18.50	17.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Inis document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Indukstrial Zone, Taipei County, Taiwan / 6±線五殿工 紫區五正路 134 號 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 iwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 19 of 95

5.5.1.2: WCDMA mode

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1/-3). RMC 12.2kps is used for this testing.

Results:

EUT Mode	Frequency (MHz)	СН	Peak Power (dBm)	Avg Power (dBm)
	1852.4	9262	24.78	21.29
WCDMA Band II	1880.0	9400	24.12	21.06
Duild II	1907.6	9538	24.32	21.08

EUT Mode	Frequency	СН	Peak Power	Avg Power
	(MHz)		(dBm)	(dBm)
	826.40	4132	25.53	22.18
WCDMA Band V	836.60	4183	25.38	22.13
Duild	846.60	4233	25.06	21.97

Note: The results above reflect max power with all up bits.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. Siness States the results and the results and the states are reported by the states are results and results and results and results are results and results and results are results and results are results and results and results are results are results and results are results are results and results are indemnification and jurisdiction issues defined therein. Any oblider of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd f (886-2) 2298-0488 www.tw.sgs.com



5.5.13: HSDPA Release 6 mode

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βc	βd	β _d (SF)	βc/βd	<mark>βнs</mark> (Note1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

Results:

Mode	Sub-test	RMS	Power (d	Bm)	Power Class 3 Limita-	Comments
			Channel		tion (dBm)	
		9262	9400	9538		
HSDPA	1	21.46	20.95	20.94	20.3dBm - 25.7dBm	Pass
B2	2	21.17	20.92	20.93	20.3dBm - 25.7dBm	Pass
	3	20.98 20.50 2		20.41	19.8dBm – 25.7dBm	Pass
	4	21.05	20.51	20.53	19.8dBm – 25.7dBm	Pass

Results:

Mode	Sub-test	RMS Power (dBm) Channel			Power Class 3 Limita- tion (dBm)	Comments
		4132	4172	4233		
HSDPA	1	21.97	21.99	22.09	20.3dBm - 25.7dBm	Pass
B5	2	22.11	22.02	21.84	20.3dBm - 25.7dBm	Pass
	3	21.51	21.51 21.51 2		19.8dBm – 25.7dBm	Pass
	4	21.56	21.55	21.66	19.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五殿工業區五工路 134 號



5.5.1.4: HSPA (HSDPA & HSUPA) Release 6 mode

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing

HSPA SUB-TEST Setting

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	βc	β _d	β _d (SF)	β_c/β_d	$\beta_{\rm HS}$	β _{ec}	β_{ed}	β _{ed} (SF)	$\begin{array}{c} \beta_{ed} \\ (Codes) \end{array}$	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps)
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22 5	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β_{ed} 1: 47/15 β_{ed} 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Merchant is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Note: The recommended HSUPA are implemented as per following sub-tests. Results:

R	es	uľ	ts	:

Mode	Sub-test	RMS Power (dBm) Channel			Power Class 3 Limita- tion (dBm)	Comments
		9262	9400	9538		
HSUPA	1	21.21	21.04	21.02	17.3dBm – 25.7dBm	Pass
B2	2	19.26	19.11	19.06	16.8dBm – 25.7dBm	Pass
	3	20.27	20.06	20.10	17.8dBm – 25.7dBm	Pass
	4	19.39	19.16	19.10	16.8dBm – 25.7dBm	Pass
	5	21.10	20.90	20.93	17.3dBm – 25.7dBm	Pass

Results:

Mode	Sub-test	RMS	Power (d Channel	Bm)	Power Class 3 Limita- tion (dBm)	Comments
		4132	4172	4233		
HSUPA	1	22.14	22.06	21.89	17.3dBm – 25.7dBm	Pass
B5	2	20.20	20.14	19.93	16.8dBm - 25.7dBm	Pass
	3	21.18	21.12	20.97	17.8dBm – 25.7dBm	Pass
	4	20.25	20.20	20.01	16.8dBm – 25.7dBm	Pass
	5	22.00	21.89	21.78	17.3dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Indukstrial Zone, Taipel County, Taiwan / 台北縣五殿工業區五工路 134 號 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd.

f (886-2) 2298-0488 www.tw.sgs.com



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 23 of 95

PCL	0	1	2	3	4	5	6	7	8	
Output power (dBm)	28.3	26.7	25.1	22.9	23.4	21.8	19.8	17.6	15.8	
PCL	9	10	11	12	13	14	15	16		
Output power (dBm)	13.6	11.6	9.5	7.7	6	4.1	2	-0.3		

5.5.2 Maximum Power Reduction: GPRS1900 band

Note: The EUT output power was controlled by simulator. Set Communication Tester CMU200 PCL as above, and get the mobile phone output power reading.

WCDMA/HSDPA band II / V

The EUT output power was controlled by simulator. Set Communication Tester CMU200 function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. then record the read(see page 19 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.5dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



6. ERP, EIRP MEASUREMENT

6.1. Standard Applicable:


According to FCC §2.1046

FCC 22.913(a) Mobile station are limited to 7W ERP.

FCC 24.232(b) Mobile station are limited to 2W EIRP.

6.2. Test SET-UP (Block Diagram of Configuration):

(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/6±縣五殿工業區五工路 134 號




Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 25 of 95



(B) Radiated Emission Test Set-UP Frequency Over 1 GHz

(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Merchant is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

f (886-2) 2298-0488 www.tw.sgs.com



6.3. Measurement Procedure:

The EUT was placed on an non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.

During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated.

ERP in frequency band 824.2 –848.80MHz were measured using a substitution method. The EUT was replaced by dipole antenna connected, the S.G. output was recorded and ERP was calculated as follows:

EIRP in frequency band 1850.2 – 1909.8MHz were measured using a substitution method. The EUT was replaced by a horn antenna connected, the S.G. output was recorded and EIRP was calculated as follows:

ERP = S.G. output (dBm) + Antenna Gain (dBd) – Cable Loss (dB)

EIRP = S.G. output (dBm) + Antenna Gain (dBi) – Cable Loss (dB)

6.4. Measurement Equipment Used:

Refer to section 2.4 in this report



6.5. Measurement Result:

EUT Mode	Frequency (MHz)	СН	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBd)	Cable Loss (dB)	ERP (dBm)	Limit (dBm)
	824.20	128		V	118.53	32.14	-7.87	3.62	20.64	38.45
	824.20	120	E2	Н	123.74	37.47	-7.87	3.62	25.97	38.45
GPRS 850	836.60	100	90 F2	V	119.38	33.13	-7.88	3.65	21.60	38.45
UI K5 850	830.00	190	E2	Н	124.93	38.70	-7.88	3.65	27.17	38.45
	848.80	251		V	120.08	33.96	-7.88	3.68	22.40	38.45
848.80	231	E2	Н	125.93	39.74	-7.88	3.68	28.18	38.45	

Remark:

The RBW, VBW of SPA for frequency (1)

RBW=300 KHz, VBW=1MHz

EUT Mode	Frequency (MHz)	СН	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBi)	Cable Loss (dB)	EIRP (dBm)	Limit (dBm)
	1850.20	512		V	119.48	15.09	9.90	5.56	19.43	33.00
1850.20	1650.20	512	E2	Н	123.39	19.21	9.90	5.84	23.27	33.00
GPRS 1900	1880.00	661	661 E2	V	119.99	15.63	9.99	5.61	20.01	33.00
GPK5 1900	1880.00			Н	124.38	20.24	9.99	5.61	24.61	33.00
1909.80	1000.80	910		V	120.13	15.80	10.08	5.66	20.22	33.00
	810	E2	Н	124.53	20.42	10.08	5.66	24.84	33.00	

Remark :

The RBW, VBW of SPA for frequency (1)

RBW=300 KHz, VBW=1MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road, Wuku Industrial 70ne. Taivei (2.114. Na 134. 98 134. 98 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd.



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 28 of 95

EUT Mode	Frequency (MHz)	СН	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBd)	Cable Loss (dB)	ERP (dBm)	Limit (dBm)
	824.20	128		V	113.41	27.02	-7.87	3.62	15.52	38.45
824	824.20	128	E2	Н	118.25	31.98	-7.87	3.62	20.48	38.45
EDGE 850	836.60	190		V	113.16	26.91	-7.88	3.65	15.38	38.45
EDGE 850	830.00	190	E2	Н	118.51	32.28	-7.88	3.65	20.75	38.45
84	848.80	251		V	112.89	26.77	-7.88	3.68	15.21	38.45
	040.00	231	E2	Н	118.70	32.51	-7.88	3.68	20.95	38.45

Remark :

(1)The RBW, VBW of SPA for frequency

RBW=300 KHz, VBW=1MHz

EUT Mode	Frequency (MHz)	СН	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBi)	Cable Loss (dB)	EIRP (dBm)	Limit (dBm)
	1850.20	512		V	117.07	12.68	9.90	5.56	17.02	33.00
	1850.20	512	E2	Н	120.84	16.66	9.90	5.84	20.72	33.00
EDGE 1900	1880.00	661		V	118.68	14.32	9.99	5.61	18.70	33.00
EDGE 1900	1880.00	001	E2	Н	122.70	18.56	9.99	5.61	22.93	33.00
	1909.80	810		V	119.50	15.17	10.08	5.66	19.59	33.00
	1909.80		E2	Н	123.64	19.53	10.08	5.66	23.95	33.00

Remark:

The RBW, VBW of SPA for frequency (1)

RBW=300 KHz, VBW=1MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road, Wuku Industrial 70ne. Taivei (2.14). As 134. Sta No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd.



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 29 of 95

Measurement Result:

EUT Mode	Frequency (MHz)	СН	EUT Pol.		SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBi)	Cable Loss (dB)	EIRP (dBm)	Limit (dBm)
	1050 40	2.40 9262		V	111.77	7.39	9.90	5.56	11.72	33.00
	1852.40		E2	Н	114.86	10.68	9.90	5.84	14.74	33.00
WCDMA	1880.00	0400	E2	V	113.20	8.84	9.99	5.61	13.22	33.00
Band II	1880.00	9400	E2	Н	116.87	12.73	9.99	5.61	17.10	33.00
	1007.60	0529	БО	V	113.15	8.82	10.07	5.66	13.23	33.00
	1907.60 9538	E2	Н	116.56	12.45	10.07	5.66	16.86	33.00	

Remark :

(1)The RBW, VBW of SPA for frequency

RBW = 5MHz, VBW = 8MHz

Measurement Result:

EUT Mode	Frequency (MHz)	СН	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBd)	Cable Loss (dB)	EIRP (dBm)	Limit (dBm)
		0 9262		V	112.45	8.07	9.90	5.56	12.40	33.00
	1852.40		E2	Н	114.95	10.77	9.90	5.84	14.83	33.00
HSUPA	1990.00	0.400		V	114.17	9.81	9.99	5.61	14.19	33.00
Band II	1880.00	9400	E2	Н	116.12	11.98	9.99	5.61	16.35	33.00
	1907.60 9538	0529		V	114.17	9.84	10.07	5.66	14.25	33.00
		8 E2	Н	116.40	12.29	10.07	5.66	16.70	33.00	

Remark:

(1)The RBW, VBW of SPA for frequency

RBW = 5MHz, VBW = 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road, Wuku Industrial 70ne. Taivei (2.114. Na 134. 98 134. 98 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd.



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 30 of 95

Measurement Result:

EUT Mode	Frequency (MHz)	СН	EUT Pol.		SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBi)	Cable Loss (dB)	ERP (dBm)	Limit (dBm)
	00 < 10	4132		V	116.87	30.51	-10.02	3.63	16.86	38.45
	826.40		E2	Н	115.06	28.80	-10.02	3.63	15.16	38.45
WCDMA	836.60	4183	E2	V	112.94	26.68	-10.02	3.65	13.01	38.45
Band V	830.00	4105	E2	Н	115.83	29.60	-10.02	3.65	15.93	38.45
	846.60	1022	E2	V	111.22	25.07	-10.02	3.67	11.38	38.45
	040.00	6.60 4233	EZ	Н	114.43	28.23	-10.02	3.67	14.54	38.45

Remark :

(1)The RBW, VBW of SPA for frequency

RBW = 5MHz, VBW = 8MHz

Measurement Result:

EUT Mode	Frequency (MHz)	СН	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. Output (dBm)	Antenna Gain (dBd)	Cable Loss (dB)	ERP (dBm)	Limit (dBm)
		4100		V	113.45	27.09	-10.02	3.63	13.44	38.45
	826.40	4132	E E2	Н	115.66	29.40	-10.02	3.63	15.76	38.45
HSUPA	836.60	4183		V	113.32	27.06	-10.02	3.65	13.39	38.45
Band V	830.00	4165	E2	Н	115.72	29.49	-10.02	3.65	15.82	38.45
	846.60 4233	4022		V	112.14	25.99	-10.02	3.67	12.30	38.45
		4233	E2	Н	115.28	29.08	-10.02	3.67	15.39	38.45

Remark:

(1)The RBW, VBW of SPA for frequency

RBW = 5MHz, VBW = 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road, Wuku Industrial 70ne. Taivei (2.114. Na 134. 98 134. 98 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd.



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 31 of 95

7. 99% OCCUPIED BANDWIDTH MEASUREMENT

7.1. Standard Applicable:

According to §FCC 2.1049.

7.2. Test Set-up:

Refer to section 5.2 in this report

7.3. Measurement Procedure:

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW (10/30KHz) was set to about 1% of emission BW, VBW= 3 times RBW(30/100KHz), -26dBc display line was placed on the screen (or 99% bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace.

7.4. Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五殿工業區五工路 134 號

f (886-2) 2298-0488



7.5. Measurement Result:

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
	824.20	128	0.2457
GPRS 850	836.60	190	0.2481
	848.80	251	0.2398

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
GPRS 1900	1850.20	512	0.2443
	1880.00	661	0.2437
	1909.80	810	0.2487

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
	824.20	128	0.2451
EDGE 850	836.60	190	0.2500
	848.80	251	0.2418

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
	1850.20	512	0.2450
EDGE 1900	1880.00	661	0.2485
	1909.80	810	0.2418

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
WCDMA II	1852.4	9262	4.1220
	1880.0	9400	4.1307
	1907.6	9538	4.1439

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Inis document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Indukstrial Zone, Taipei County, Taiwan / 6±縣五殿工 紫區五工路 134 號 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 iwan Ltd.



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 33 of 95

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
HSUPA II	1852.4	9296	4.1325
	1880.0	9400	4.1328
	1907.6	9538	4.1389

EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
	826.40	4132	4.1237
WCDMA V	836.60	4183	4.1389
	846.60	4233	4.1336


EUT Mode	Frequency (MHz)	СН	99% Bandwidth (MHz)
HSUPA V	826.40	4132	4.1367
	836.60	4183	4.1359
	846.60	4233	4.1284


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Inis document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Indukstrial Zone, Taipei County, Taiwan / 6±線五殿工 紫區五正路 134 號 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 iwan Ltd.

www.tw.sgs.com




Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 34 of 95









Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan / 6±縣五殿工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 35 of 95







Figure 7-4: GPRS 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan / 6±縣五殿工業區五工路 134 號

f (886-2) 2298-0488 www.tw.sgs.com



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 36 of 95

Figure 7-5 GPRS 1900 Channel Mid





Figure 7-6: GPRS 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan / 6±縣五殿工業區五工路 134 號

f (886-2) 2298-0488 www.tw.sgs.com



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 37 of 95

Figure 7-7: EDGE 850 Channel Low





Figure 7-8 EDGE 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan / 6±縣五殿工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 38 of 95

Figure 7-9 EDGE 850 Channel High





Figure 7-10 EDGE 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan / 6±縣五殿工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 39 of 95

Figure 7-11 EDGE 1900 Channel Mid





Figure 7-12 EDGE 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan / 6±縣五殿工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 40 of 95

Figure 7-13 WCDMA II Channel Low





Figure 7-14 WCDMA II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan / 6±縣五殿工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 41 of 95

Figure 7-15 WCDMA II Channel High





Figure 7-16 HSUPA II Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan / 6±縣五殿工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 42 of 95

Figure 7-17 HSUPA II Channel Mid





Figure 7-18 HSUPA II Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan / 6±縣五殿工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 43 of 95

Figure 7-19 WCDMA V Channel Low





Figure 7-20 WCDMA V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan / 6±縣五殿工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 44 of 95

Figure 7-21 WCDMA V Channel High





Figure 7-22 HSUPA V Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan / 6±縣五殿工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 45 of 95

Figure 7-23 HSUPA V Channel Mid





Figure 7-24 HSUPA V Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taiwan / 6±縣五殿工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 46 of 95

8. OUT OF BAND EMISSION AT ANTENNA TERMINALS


8.1. Standard Applicable:

According to FCC §2.1051.

FCC 22.917(a), 24.238(a) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than $43 + 10 \log$ (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm)

8.2. Test SET-UP:

Out of band emission



台灣檢驗科技股份有限公司 t (886-2) 2299-3279



8.3. Measurement Procedure:

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

For the out of band: Set the RBW, VBW = 1MHz, Start=30MHz, Stop= 10 th harmonic. Limit = -13dBm

Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions. Limit, -13dBm.

8.4. Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


f (886-2) 2298-0488



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 48 of 95

8.5. Measurement Result:

Figure 8-1: Out of Band emission at antenna terminals- GPRS 850 Channel Lowest Agilent Peak Search Т Mkr1 825 MHz Ref 34.8 dBm Atten 30 dB 31.42 dBm Next Peak #Peak Log 10 Next Pk Right dB/ Offst 16.5 dB Next Pk Left DI -13.0 dBm Min Search LgAv Start 30 MHz Stop 2.500 GHz #Res BW 1 MHz VBW 1 MHz Sweep 4.12 ms (601 pts) Pk-Pk Search X Axis 825 MHz Marker Trace (1) Type Freq Amplitude 31.42 dBm Mkr → CF More 1 of 2 Copyright 2000-2005 Agilent Technologies



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipel County, Taiwan / 6±縣五殿工業區五工路 134 號

www.tw.sgs.com



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 49 of 95





Figure 8-2: Out of Band emission at antenna terminals -GPRS 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 50 of 95





Figure 8-3: Out of Band emission at antenna terminals-GPRS 850 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 51 of 95






Figure 8-4: Band edge emission at antenna terminals -GPRS 850 Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 52 of 95

🔆 Agilent				Т	Peak Search
Ref 35 dBm	Atten 30 dB		Mkr1 1.8 19.	850 GHz 49 dBm	Next Peak
#Peak Log 10 dB/					Next Pk Right
0ffst 16.7 dB DI					Next Pk Left
–13.0 dBm LgAv	and with a second and the second and	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			Min Search
Start 30 MHz #Res BW 1 MHz Marker Trace	VBW 1	X Axis	Stop 2.5 ep 4.12 ms (60 Amplit	01 pts) :ude	Pk-Pk Search
1 (1)	Freq	1.850 GHz	19.49	dBm	Mkr → CF
					More 1 of 2

Figure 8-6: Out of Band emission at antenna terminals-GPRS 1900 Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Merchant is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五殿工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 53 of 95





Figure 8-7: Out of Band emission at antenna terminals -GPRS 1900 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/6±縣五殿工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 54 of 95





Figure 8-8: Out of Band emission at antenna terminals-GPRS 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/6±縣五殿工業區五工路 134 號




Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 55 of 95



Figure 8-9: Bad edge emission at antenna terminals -GPRS 1900 Channel Lowest

Figure 8-10: Band edge emission at antenna terminals -GPRS 1900 Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 56 of 95





Figure 8-11: Out of Band emission at antenna terminals-WCDMA II Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/6±縣五殿工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488

www.tw.sgs.com



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 57 of 95





Figure 8-12: Out of Band emission at antenna terminals –WCDMA II Channel Mid





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 58 of 95







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/6±縣五殿工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 59 of 95





Figure 8-14: Bad edge emission at antenna terminals –WCDMA II Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/6±縣五殿工業區五工路 134 號



🔆 Agilent			Т	Peak Search
Ref 35 dBm	Atten 30 dB		Mkr1 829 MHz 22.67 dBm	Next Peak
#Peak Log 10				Next Pk Right
dB/ Offst 16.7				
dB DI -13.0			and the second	Next Pk Left
dBm LgAv				Min Search
Center 1.265 GHz #Res BW 1 MHz Marker Trace	VBW 1	MHz Sweer X Axis	Span 2.47 GHz 5 4.12 ms (601 pts)	Pk-Pk Search
1 (1)	Type Freq	829 MHz	Amplitude 22.67 dBm	Mkr → CF
				More 1 of 2

Figure 8-16: Out of Band emission at antenna terminals-WCDMA V Channel Lowest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Merchant is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五殿工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 61 of 95





Figure 8-17: Out of Band emission at antenna terminals –WCDMA V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 62 of 95





Figure 8-18: Out of Band emission at antenna terminals–WCDMA V Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/6±縣五殿工業區五工路 134 號



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 63 of 95






Figure 8-19: Bad edge emission at antenna terminals –WCDMA V Channel Lowest





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。




9. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

9.1. Standard Applicable:

According to FCC §2.1053,

FCC 22.917(a), 24.238(a) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than $43 + 10 \log$ (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm)

9.2. EUT Setup (Block Diagram of Configuration):




Radiated Emission Test Set-Up, Frequency Below 1000MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 65 of 95



Radiated Emission Test Set-UP Frequency Over 1 GHz

9.3. Measurement Procedure:

The EUT was placed on a non-conductive; The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequency (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP= S.G. output (dBm) + Antenna Gain (dBd) - Cable Loss (dB)

EIRP = S.G. output (dBm) + Antenna Gain(dBi) – Cable Loss (dB)

9.4. Measurement Equipment Used:

Refer to section 2.4 in this report

9.5. Measurement Result:

Refer to attach tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 66 of 95

Radiated Spurious Emission Measurement Result: GPRS 850 Mode

Operation Mode	: TX CH Low Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 824.20 MHz	Test By:	Sky
Temperature	: 25	Pol:	Ver
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
93.05	31.08	V	-71.73	-7.75	1.30	-80.78	-13.00	-67.78
199.75	27.18	V	-74.58	-7.84	1.71	-84.13	-13.00	-71.13
248.25	34.61	V	-65.35	-7.89	1.98	-75.21	-13.00	-62.21
293.84	36.02	V	-62.43	-7.92	2.15	-72.50	-13.00	-59.50
500.45	35.59	V	-58.54	-7.72	2.80	-69.06	-13.00	-56.06
966.05	32.53	V	-51.72	-8.00	3.93	-63.65	-13.00	-50.65
823.98	70.94	V	-15.45	-7.87	3.62	-26.95	-13.00	-13.95
1648.40	31.46	V	-73.12	9.29	5.23	-69.06	-13.00	-56.06
2472.60		V		10.08	6.53		-13.00	
3296.80		V		12.17	7.71		-13.00	
4121.00		V		12.61	8.86		-13.00	
4945.20		V		12.65	9.74		-13.00	
5769.40		V		13.55	10.54		-13.00	
6593.60		V		12.05	11.30		-13.00	
7417.80		V		11.49	12.10		-13.00	
8242.00		V		11.48	12.71		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"---" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 67 of 95

Radiated Spurious Emission Measurement Result: GPRS 850 Mode

Operation Mode	: TX CH Low Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 824.20 MHz	Test By:	Sky
Temperature	: 25	Pol:	Hor
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
158.04	24.21	Н	-74.18	-7.81	1.61	-83.60	-13.00	-70.60
238.55	24.22	Н	-75.56	-7.88	1.93	-85.36	-13.00	-72.36
293.84	24.26	Н	-73.59	-7.92	2.15	-83.66	-13.00	-70.66
544.10	24.82	Н	-67.10	-7.76	2.94	-77.80	-13.00	-64.80
700.27	26.94	Н	-60.74	-7.86	3.29	-71.89	-13.00	-58.89
823.98	77.08	Н	-9.19	-7.87	3.62	-20.69	-13.00	-7.69
1648.40	32.66	Н	-71.74	9.29	5.23	-67.68	-13.00	-54.68
2472.60		Н		10.08	6.53		-13.00	
3296.80		Н		12.17	7.71		-13.00	
4121.00		Н		12.61	8.86		-13.00	
4945.20		Н		12.65	9.74		-13.00	
5769.40		Н		13.55	10.54		-13.00	
6593.60		Н		12.05	11.30		-13.00	
7417.80		Н		11.49	12.10		-13.00	
8242.00		Н		11.48	12.71		-13.00	

	30MHz - 80MHz: 5.04dB		
Measurement uncertainty	80MHz -1000MHz: 3.76dB		
	1GHz - 13GHz: 4.45dB		

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"---" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemplication and jurisdiction issues defined therein. Any collators for Electronic Documents at <u>www.sgs.comments_e-uccantent.tim</u>. Attention is used to the imitation of instantiation of instantiation of instantiation of the company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd. f (886-2) 2298-0488



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 68 of 95

Radiated Spurious Emission Measurement Result: GPRS 850 Mode

Operation Mode	: TX CH Mid Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 836.60 MHz	Test By:	Sky
Temperature	: 25	Pol:	Ver
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
93.05	32.67	V	-70.14	-7.75	1.30	-79.19	-13.00	-66.19
196.84	28.20	V	-73.30	-7.84	1.70	-82.84	-13.00	-69.84
238.55	33.69	V	-66.63	-7.88	1.93	-76.44	-13.00	-63.44
287.05	35.82	V	-62.85	-7.91	2.12	-72.89	-13.00	-59.89
495.60	34.67	V	-59.45	-7.72	2.79	-69.96	-13.00	-56.96
963.14	33.32	V	-51.00	-8.00	3.92	-62.91	-13.00	-49.91
1673.20	32.14	V	-72.42	9.36	5.27	-68.32	-13.00	-55.32
2509.80		V		10.09	6.58		-13.00	
3346.40		V		12.28	7.79		-13.00	
4183.00		V		12.62	8.93		-13.00	
5019.60		V		12.67	9.81		-13.00	
5856.20		V		13.68	10.62		-13.00	
6692.80		V		11.95	11.39		-13.00	
7529.40		V		11.45	12.20		-13.00	
8366.00		V		11.59	12.81		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

1 The emission behaviors belongs to narrowband spurious emission.

2 Remark"---" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road, Wuku Industrial 70ne. Taivei (2.114. Na 134. 98 134. 98 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd. f (886-2) 2298-0488



FCC ID: UZI-C330

Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 69 of 95

Radiated Spurious Emission Measurement Result: GPRS 850 Mode

Operation Mode	: TX CH Mid Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 836.60 MHz	Test By:	Sky
Temperature	: 25	Pol:	Hor
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
107.60	29.76	Н	-72.45	-7.77	1.39	-81.61	-13.00	-68.61
196.84	26.61	Н	-74.79	-7.84	1.70	-84.33	-13.00	-71.33
238.55	29.82	Н	-69.96	-7.88	1.93	-79.76	-13.00	-66.76
287.05	31.29	Н	-66.77	-7.91	2.12	-76.81	-13.00	-63.81
495.60	31.59	Н	-61.90	-7.72	2.79	-72.40	-13.00	-59.40
963.14	33.03	Н	-51.10	-8.00	3.92	-63.02	-13.00	-50.02
1673.20	31.56	Н	-72.82	9.36	5.27	-68.72	-13.00	-55.72
2509.80		Н		10.09	6.58		-13.00	
3346.40		Н		12.28	7.79		-13.00	
4183.00		Н		12.62	8.93		-13.00	
5019.60		Н		12.67	9.81		-13.00	
5856.20		Н		13.68	10.62		-13.00	
6692.80		Н		11.95	11.39		-13.00	
7529.40		Н		11.45	12.20		-13.00	
8366.00		Н		11.59	12.81		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製 This document is issued by the Company subject to its General Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemplication and jurisdiction issues defined therein. Any collators for Electronic Documents at <u>www.sgs.comments_e-uccantent.tim</u>. Attention is used to the imitation of instantiation of instantiation of instantiation of the company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd. f (886-2) 2298-0488



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 70 of 95

Radiated Spurious Emission Measurement Result: GPRS 850 Mode

Operation Mode	: TX CH High Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 848.80 MHz	Test By:	Sky
Temperature	: 25	Pol:	Ver
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
107.60	32.75	V	-68.47	-7.77	1.39	-77.63	-13.00	-64.63
199.75	26.86	V	-74.90	-7.84	1.71	-84.45	-13.00	-71.45
219.15	33.10	V	-67.96	-7.86	1.82	-77.63	-13.00	-64.63
287.05	36.14	V	-62.53	-7.91	2.12	-72.57	-13.00	-59.57
495.60	34.83	V	-59.29	-7.72	2.79	-69.80	-13.00	-56.80
849.00	72.39	V	-13.73	-7.88	3.68	-25.29	-13.00	-12.29
1697.60	30.56	V	-73.98	9.44	5.31	-69.85	-13.00	-56.85
2546.40		V		10.20	6.63		-13.00	
3395.20		V		12.38	7.87		-13.00	
4244.00		V		12.63	9.00		-13.00	
5092.80		V		12.74	9.88		-13.00	
5941.60		V		13.81	10.70		-13.00	
6790.40		V		11.86	11.48		-13.00	
7639.20		V		11.40	12.27		-13.00	
8488.00		V		11.70	12.91		-13.00	

	30MHz - 80MHz: 5.04dB		
Measurement uncertainty	80MHz -1000MHz: 3.76dB		
	1GHz - 13GHz: 4.45dB		

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"---" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road, Wuku Industrial 70ne. Taivei (2.114. Na 134. 98 134. 98 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd. f (886-2) 2298-0488



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 71 of 95

Radiated Spurious Emission Measurement Result: GPRS 850 Mode

Operation Mode	: TX CH High Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 848.80 MHz	Test By:	Sky
Temperature	: 25	Pol:	Hor
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
107.60	30.48	Н	-71.73	-7.77	1.39	-80.89	-13.00	-67.89
165.80	27.17	Н	-71.83	-7.81	1.63	-81.27	-13.00	-68.27
248.25	30.12	Н	-69.19	-7.89	1.98	-79.05	-13.00	-66.05
289.96	31.59	Н	-66.38	-7.91	2.13	-76.43	-13.00	-63.43
495.60	31.09	Н	-62.40	-7.72	2.79	-72.90	-13.00	-59.90
849.00	77.48	Н	-8.71	-7.88	3.68	-20.27	-13.00	-7.27
1697.60	32.49	Н	-71.86	9.44	5.31	-67.73	-13.00	-54.73
2546.40		Н		10.20	6.63		-13.00	
3395.20		Н		12.38	7.87		-13.00	
4244.00		Н		12.63	9.00		-13.00	
5092.80		Н		12.74	9.88		-13.00	
5941.60		Н		13.81	10.70		-13.00	
6790.40		Н		11.86	11.48		-13.00	
7639.20		Н		11.40	12.27		-13.00	
8488.00		Н		11.70	12.91		-13.00	

	30MHz - 80MHz: 5.04dB		
Measurement uncertainty	80MHz -1000MHz: 3.76dB		
	1GHz - 13GHz: 4.45dB		

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"---" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)



FCC ID: UZI-C330

Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 72 of 95

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode	: TX CH Low Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 1850.20MHz	Test By:	Sky
Temperature	: 25	Pol:	Ver
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
93.05	37.82	V	-64.99	-7.75	1.30	-74.04	-13.00	-61.04
199.75	30.90	V	-70.86	-7.84	1.71	-80.41	-13.00	-67.41
241.46	34.39	V	-65.82	-7.88	1.94	-75.65	-13.00	-62.65
287.05	37.55	V	-61.12	-7.91	2.12	-71.16	-13.00	-58.16
495.60	35.43	V	-58.69	-7.72	2.79	-69.20	-13.00	-56.20
949.56	32.19	V	-52.43	-8.00	3.88	-64.31	-13.00	-51.31
1850.00	71.74	V	-32.65	9.90	5.56	-28.31	-13.00	-15.31
3700.40	49.09	V	-48.84	12.61	8.31	-44.54	-13.00	-31.54
5550.60		V		13.23	10.33		-13.00	
7400.80		V		11.50	12.08		-13.00	
9251.00		V		11.92	13.50		-13.00	
11101.20		V		11.66	15.11		-13.00	
12951.40		V		13.63	16.60		-13.00	
14801.60		V		12.76	17.95		-13.00	
16651.80		V		15.92	19.14		-13.00	
18502.00		V		18.75	10.40		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製 This document is issued by the Company subject to its General Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemplication and jurisdiction issues defined therein. Any collators for Electronic Documents at <u>www.sgs.comments_e-uccantent.tim</u>. Attention is used to the imitation of instantiation of instantiation of instantiation of the company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd. f (886-2) 2298-0488

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 73 of 95

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode	: TX CH Low Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 1850.20MHz	Test By:	Sky
Temperature	: 25	Pol:	Hor
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
107.60	31.87	Н	-70.34	-7.77	1.39	-79.50	-13.00	-66.50
160.95	27.44	Н	-71.18	-7.81	1.62	-80.60	-13.00	-67.60
238.55	30.53	Н	-69.25	-7.88	1.93	-79.05	-13.00	-66.05
287.05	33.51	Н	-64.55	-7.91	2.12	-74.59	-13.00	-61.59
500.45	31.41	Н	-62.02	-7.72	2.80	-72.55	-13.00	-59.55
961.20	32.43	Н	-51.71	-8.00	3.91	-63.62	-13.00	-50.62
1850.00	76.18	Н	-28.00	9.90	5.56	-23.66	-13.00	-10.66
3700.40	43.15	Н	-54.89	12.61	8.31	-50.59	-13.00	-37.59
5550.60		Н		13.23	10.33		-13.00	
7400.80		Н		11.50	12.08		-13.00	
9251.00		Н		11.92	13.50		-13.00	
11101.20		Н		11.66	15.11		-13.00	
12951.40		Н		13.63	16.60		-13.00	
14801.60		Н		12.76	17.95		-13.00	
16651.80		Н		15.92	19.14		-13.00	
18502.00		Н		18.75	10.40		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製 This document is issued by the Company subject to its General Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemplication and jurisdiction issues defined therein. Any collators for Electronic Documents at <u>www.sgs.comments_e-uccantent.tim</u>. Attention is used to the imitation of instantiation of instantiation of instantiation of the company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd. f (886-2) 2298-0488

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 74 of 95

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode	: TX CH Mid Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 1880MHz	Test By:	Sky
Temperature	: 25	Pol:	Ver
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
93.05	37.51	V	-65.30	-7.75	1.30	-74.35	-13.00	-61.35
199.75	29.44	v	-72.32	-7.84	1.71	-81.87	-13.00	-68.87
245.34	36.02	V	-64.05	-7.89	1.96	-73.90	-13.00	-60.90
287.05	36.57	V	-62.10	-7.91	2.12	-72.14	-13.00	-59.14
495.60	35.08	v	-59.04	-7.72	2.79	-69.55	-13.00	-56.55
982.54	32.11	V	-51.76	-7.99	3.98	-63.73	-13.00	-50.73
3760.00	46.04	V	-51.62	12.60	8.39	-47.40	-13.00	-34.40
5640.00		v		13.36	10.41		-13.00	
7520.00		V		11.45	12.19		-13.00	
9400.00		V		11.93	13.61		-13.00	
11280.00		V		11.92	15.27		-13.00	
13160.00		V		13.33	16.71		-13.00	
15040.00		V		13.76	18.15		-13.00	
16920.00		V		15.27	19.32		-13.00	
18800.00		V		18.68	16.58		-13.00	

	30MHz - 80MHz: 5.04dB		
Measurement uncertainty	80MHz -1000MHz: 3.76dB		
	1GHz - 13GHz: 4.45dB		

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 75 of 95

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode	: TX CH Mid Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 1880MHz	Test By:	Sky
Temperature	: 25	Pol:	Hor
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
107.60	32.71	Н	-69.50	-7.77	1.39	-78.66	-13.00	-65.66
158.04	27.61	Н	-70.78	-7.81	1.61	-80.20	-13.00	-67.20
250.19	30.39	Н	-68.82	-7.89	1.99	-78.70	-13.00	-65.70
293.84	32.90	Н	-64.95	-7.92	2.15	-75.02	-13.00	-62.02
495.60	31.48	Н	-62.01	-7.72	2.79	-72.51	-13.00	-59.51
970.90	32.02	Н	-52.06	-8.00	3.94	-64.00	-13.00	-51.00
3760.00	38.93	Н	-58.84	12.60	8.39	-54.63	-13.00	-41.63
5640.00		Н		13.36	10.41		-13.00	
7520.00		Н		11.45	12.19		-13.00	
9400.00		Н		11.93	13.61		-13.00	
11280.00		Н		11.92	15.27		-13.00	
13160.00		Н		13.33	16.71		-13.00	
15040.00		Н		13.76	18.15		-13.00	
16920.00		Н		15.27	19.32		-13.00	
18800.00		Н		18.68	16.58		-13.00	

	30MHz - 80MHz: 5.04dB		
Measurement uncertainty	80MHz -1000MHz: 3.76dB		
	1GHz - 13GHz: 4.45dB		

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 76 of 95

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode	: TX CH High Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 1909.8 MHz	Test By:	Sky
Temperature	: 25	Pol:	Ver
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
93.05	36.91	V	-65.90	-7.75	1.30	-74.95	-13.00	-61.95
199.75	29.25	V	-72.51	-7.84	1.71	-82.06	-13.00	-69.06
238.55	34.50	V	-65.82	-7.88	1.93	-75.63	-13.00	-62.63
284.14	37.20	V	-61.57	-7.91	2.11	-71.59	-13.00	-58.59
500.45	34.61	V	-59.52	-7.72	2.80	-70.04	-13.00	-57.04
985.45	32.61	V	-51.19	-7.99	3.99	-63.17	-13.00	-50.17
1910.00	72.15	V	-32.18	10.08	5.66	-27.76	-13.00	-14.76
3819.60	45.26	V	-52.13	12.60	8.47	-48.00	-13.00	-35.00
5729.40		V		13.49	10.50		-13.00	
7639.20		V		11.40	12.27		-13.00	
9549.00		V		11.95	13.74		-13.00	
11458.80		V		12.17	15.43		-13.00	
13368.60		V		12.97	16.82		-13.00	
15278.40		V		15.00	18.29		-13.00	
17188.20		V		14.47	19.52		-13.00	
19098.00		V		18.66	20.78		-13.00	

	30MHz - 80MHz: 5.04dB	
Measurement uncertainty	80MHz -1000MHz: 3.76dB	
	1GHz - 13GHz: 4.45dB	

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 77 of 95

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode	: TX CH High Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	y : 1909.8 MHz	Test By:	Sky
Temperature	: 25	Pol:	Hor
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
107.60	31.45	Н	-70.76	-7.77	1.39	-79.92	-13.00	-66.92
163.86	28.30	Н	-70.55	-7.81	1.62	-79.98	-13.00	-66.98
248.25	31.53	Н	-67.78	-7.89	1.98	-77.64	-13.00	-64.64
287.05	31.05	Н	-67.01	-7.91	2.12	-77.05	-13.00	-64.05
500.45	31.59	Н	-61.84	-7.72	2.80	-72.37	-13.00	-59.37
963.14	32.57	Н	-51.56	-8.00	3.92	-63.48	-13.00	-50.48
1910.01	76.67	Н	-27.44	10.08	5.66	-23.02	-13.00	-10.02
3819.60	37.00	Н	-60.51	12.60	8.47	-56.37	-13.00	-43.37
5729.40		Н		13.49	10.50		-13.00	
7639.20		Н		11.40	12.27		-13.00	
9549.00		Н		11.95	13.74		-13.00	
11458.80		Н		12.17	15.43		-13.00	
13368.60		Н		12.97	16.82		-13.00	
15278.40		Н		15.00	18.29		-13.00	
17188.20		Н		14.47	19.52		-13.00	
19098.00		Н		18.66	20.78		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 78 of 95

Radiated Spurious Emission Measurement Result: WCDMA II Mode

Operation Mode	: TX CH Low Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 1852.4MHz	Test By:	Sky
Temperature	: 25	Pol:	Ver
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
93.05	36.61	V	-66.20	-9.87	1.30	-77.37	-13.00	-64.37
199.75	28.95	V	-72.81	-9.98	1.71	-84.50	-13.00	-71.50
241.46	33.90	V	-66.31	-10.02	1.94	-78.28	-13.00	-65.28
287.05	31.46	V	-67.21	-10.05	2.12	-79.39	-13.00	-66.39
495.60	34.49	V	-59.63	-9.86	2.79	-72.28	-13.00	-59.28
1850.00	65.20	V	-39.19	9.90	5.56	-34.85	-13.00	-21.85
3704.80	38.81	V	-59.10	12.61	8.31	-54.81	-13.00	-41.81
5557.20		V		13.24	10.33		-13.00	
7409.60		V		11.49	12.09		-13.00	
9262.00		V		11.92	13.51		-13.00	
11114.40		V		11.68	15.12		-13.00	
12966.80		V		13.62	16.61		-13.00	
14819.20		V		12.83	17.96		-13.00	
16671.60		V		15.87	19.15		-13.00	
18524.00		V		18.74	10.86		-13.00	

	30MHz - 80MHz: 5.04dB		
Measurement uncertainty	80MHz -1000MHz: 3.76dB		
	1GHz - 13GHz: 4.45dB		

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"---" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road, Wuku Industrial 70ne. Taivei (2.114. Na 134. 98 134. 98 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd. f (886-2) 2298-0488



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 79 of 95

Radiated Spurious Emission Measurement Result: WCDMA II Mode

Operation Mode	: TX CH Low Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 1852.4MHz	Test By:	Sky
Temperature	: 25	Pol:	Hor
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
93.05	31.31	Н	-72.20	-9.87	1.30	-83.37	-13.00	-70.37
163.86	28.14	Н	-70.71	-9.95	1.62	-82.28	-13.00	-69.28
241.46	30.44	Н	-69.20	-10.02	1.94	-81.16	-13.00	-68.16
284.14	28.34	Н	-69.81	-10.05	2.11	-81.98	-13.00	-68.98
500.45	31.87	Н	-61.56	-9.86	2.80	-74.23	-13.00	-61.23
1850.00	67.84	Н	-36.34	9.90	5.56	-32.00	-13.00	-19.00
3704.80	37.34	Н	-60.68	12.61	8.31	-56.39	-13.00	-43.39
5557.20		Н		13.24	10.33		-13.00	
7409.60		Н		11.49	12.09		-13.00	
9262.00		Н		11.92	13.51		-13.00	
11114.40		Н		11.68	15.12		-13.00	
12966.80		Н		13.62	16.61		-13.00	
14819.20		Н		12.83	17.96		-13.00	
16671.60		Н		15.87	19.15		-13.00	
18524.00		Н		18.74	10.86		-13.00	

	30MHz - 80MHz: 5.04dB				
Measurement uncertainty	80MHz -1000MHz: 3.76dB				
	1GHz - 13GHz: 4.45dB				

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road, Wuku Industrial 70ne. Taivei (2.114. Na 134. 98 134. 98 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd.



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 80 of 95

Radiated Spurious Emission Measurement Result: WCDMA II Mode

Operation Mode	: TX CH Mid Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 1880MHz	Test By:	Sky
Temperature	: 25	Pol:	Ver
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
93.05	38.19	V	-64.62	-9.87	1.30	-75.79	-13.00	-62.79
199.75	29.56	V	-72.20	-9.98	1.71	-83.89	-13.00	-70.89
248.25	33.76	V	-66.20	-10.03	1.98	-78.20	-13.00	-65.20
284.14	30.45	V	-68.32	-10.05	2.11	-80.48	-13.00	-67.48
500.45	34.04	V	-60.09	-9.86	2.80	-72.75	-13.00	-59.75
3760.00	37.81	V	-59.85	12.60	8.39	-55.63	-13.00	-42.63
5640.00		V		13.36	10.41		-13.00	
7520.00		V		11.45	12.19		-13.00	
9400.00		V		11.93	13.61		-13.00	
11280.00		V		11.92	15.27		-13.00	
13160.00		V		13.33	16.71		-13.00	
15040.00		V		13.76	18.15		-13.00	
16920.00		V		15.27	19.32		-13.00	
18800.00		V		18.68	16.58		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemplication and jurisdiction issues defined therein. Any collators for Electronic Documents at <u>www.sgs.comments_e-uccantent.tim</u>. Attention is used to the imitation of instantiation of instantiation of instantiation of the company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd.



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 81 of 95

Radiated Spurious Emission Measurement Result: WCDMA II Mode

Operation Mode	: TX CH Mid Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 1880MHz	Test By:	Sky
Temperature	: 25	Pol:	Hor
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
107.60	31.64	Н	-70.57	-9.94	1.39	-81.90	-13.00	-68.90
199.75	29.05	Н	-72.58	-9.98	1.71	-84.27	-13.00	-71.27
238.55	30.16	Н	-69.62	-10.02	1.93	-81.56	-13.00	-68.56
293.84	28.49	Н	-69.36	-10.06	2.15	-81.57	-13.00	-68.57
500.45	31.94	Н	-61.49	-9.86	2.80	-74.16	-13.00	-61.16
3760.00	38.03	Н	-59.74	12.60	8.39	-55.53	-13.00	-42.53
5640.00		Н		13.36	10.41		-13.00	
7520.00		Н		11.45	12.19		-13.00	
9400.00		Н		11.93	13.61		-13.00	
11280.00		Н		11.92	15.27		-13.00	
13160.00		Н		13.33	16.71		-13.00	
15040.00		Н		13.76	18.15		-13.00	
16920.00		Н		15.27	19.32		-13.00	
18800.00		Н		18.68	16.58		-13.00	

	30MHz - 80MHz: 5.04dB		
Measurement uncertainty	80MHz -1000MHz: 3.76dB		
	1GHz - 13GHz: 4.45dB		

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 82 of 95

Radiated Spurious Emission Measurement Result: WCDMA II Mode

Operation Mode	: TX CH High Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 1907.6 MHz	Test By:	Sky
Temperature	: 25	Pol:	Ver
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
93.05	37.50	V	-65.31	-9.87	1.30	-76.48	-13.00	-63.48
199.75	29.36	V	-72.40	-9.98	1.71	-84.09	-13.00	-71.09
243.40	33.90	V	-66.24	-10.02	1.95	-78.22	-13.00	-65.22
284.14	31.29	V	-67.48	-10.05	2.11	-79.64	-13.00	-66.64
495.60	34.49	V	-59.63	-9.86	2.79	-72.28	-13.00	-59.28
1910.00	68.69	V	-35.64	10.08	5.66	-31.22	-13.00	-18.22
3815.20	38.51	V	-58.90	12.60	8.46	-54.76	-13.00	-41.76
5722.80		V		13.48	10.49		-13.00	
7630.40		V		11.41	12.27		-13.00	
9538.00		V		11.95	13.73		-13.00	
11445.60		V		12.15	15.42		-13.00	
13353.20		V		13.00	16.81		-13.00	
15260.80		V		14.91	18.28		-13.00	
17168.40		V		14.53	19.50		-13.00	
19076.00		V		18.65	20.76		-13.00	

	30MHz - 80MHz: 5.04dB		
Measurement uncertainty	80MHz -1000MHz: 3.76dB		
	1GHz - 13GHz: 4.45dB		

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"---" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 83 of 95

Radiated Spurious Emission Measurement Result: WCDMA II Mode

Operation Mode	: TX CH High Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 1907.6MHz	Test By:	Sky
Temperature	: 25	Pol:	Hor
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
107.60	32.08	Н	-70.13	-9.94	1.39	-81.46	-13.00	-68.46
163.86	28.94	Н	-69.91	-9.95	1.62	-81.48	-13.00	-68.48
219.15	30.27	Н	-70.45	-10.00	1.82	-82.27	-13.00	-69.27
291.90	28.28	Н	-69.63	-10.06	2.14	-81.83	-13.00	-68.83
500.45	31.72	Н	-61.71	-9.86	2.80	-74.38	-13.00	-61.38
1910.00	70.24	Н	-33.87	10.08	5.66	-29.45	-13.00	-16.45
3815.20	37.60	Н	-59.93	12.60	8.46	-55.79	-13.00	-42.79
5722.80		Н		13.48	10.49		-13.00	
7630.40		Н		11.41	12.27		-13.00	
9538.00		Н		11.95	13.73		-13.00	
11445.60		Н		12.15	15.42		-13.00	
13353.20		Н		13.00	16.81		-13.00	
15260.80		Н		14.91	18.28		-13.00	
17168.40		Н		14.53	19.50		-13.00	
19076.00		Н		18.65	20.76		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road, Wuku Industrial 70ne. Taivei (2.114. Na 134. 98 134. 98 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd. f (886-2) 2298-0488



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 84 of 95

Radiated Spurious Emission Measurement Result: WCDMA V Mode

Operation Mode	: TX CH Low Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 826.40 MHz	Test By:	Sky
Temperature	: 25	Pol:	Ver
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
107.60	32.62	V	-68.60	-9.94	1.39	-79.93	-13.00	-66.93
156.10	29.11	V	-68.73	-9.94	1.60	-80.28	-13.00	-67.28
241.46	31.40	V	-68.81	-10.02	1.94	-80.78	-13.00	-67.78
301.60	30.20	V	-68.03	-10.05	2.18	-80.26	-13.00	-67.26
500.45	34.23	V	-59.90	-9.86	2.80	-72.56	-13.00	-59.56
825.00	66.73	V	-19.65	-10.02	3.63	-33.29	-13.00	-20.29
1652.80	30.88	V	-73.70	9.30	5.23	-69.63	-13.00	-56.63
2479.20		V		10.07	6.54		-13.00	
3305.60		V		12.19	7.73		-13.00	
4132.00		V		12.62	8.87		-13.00	
4958.40		V		12.65	9.75		-13.00	
5784.80		V		13.58	10.55		-13.00	
6611.20		V		12.03	11.31		-13.00	
7437.60		V		11.48	12.12		-13.00	
8264.00		V		11.50	12.73		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 85 of 95

Radiated Spurious Emission Measurement Result: WCDMA V Mode

Operation Mode	: TX CH Low Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 826.40MHz	Test By:	Sky
Temperature	: 25	Pol:	Hor
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
107.60	30.35	Н	-71.86	-9.94	1.39	-83.19	-13.00	-70.19
163.86	29.18	Н	-69.67	-9.95	1.62	-81.24	-13.00	-68.24
248.25	29.18	Н	-70.13	-10.03	1.98	-82.13	-13.00	-69.13
299.66	28.02	Н	-69.65	-10.06	2.17	-81.88	-13.00	-68.88
500.45	31.13	Н	-62.30	-9.86	2.80	-74.97	-13.00	-61.97
825.00	70.17	Н	-16.10	-10.02	3.63	-29.74	-13.00	-16.74
1652.80	30.48	Н	-73.92	9.30	5.23	-69.85	-13.00	-56.85
2479.20		Н		10.07	6.54		-13.00	
3305.60		Н		12.19	7.73		-13.00	
4132.00		Н		12.62	8.87		-13.00	
4958.40		Н		12.65	9.75		-13.00	
5784.80		Н		13.58	10.55		-13.00	
6611.20		Н		12.03	11.31		-13.00	
7437.60		Н		11.48	12.12		-13.00	
8264.00		Н		11.50	12.73		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"----" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road, Wuku Industrial 70ne. Taivei (2.114. Na 134. 98 134. 98 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd. f (886-2) 2298-0488



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 86 of 95

Radiated Spurious Emission Measurement Result: WCDMA V Mode

Operation Mode	: TX CH Mid Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 836.60MHz	Test By:	Sky
Temperature	: 25	Pol:	Ver
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
107.60	33.53	V	-67.69	-9.94	1.39	-79.02	-13.00	-66.02
180.35	26.98	V	-73.04	-9.96	1.66	-84.66	-13.00	-71.66
238.55	32.39	V	-67.93	-10.02	1.93	-79.88	-13.00	-66.88
303.54	30.27	V	-67.94	-10.04	2.18	-80.16	-13.00	-67.16
500.45	35.40	V	-58.73	-9.86	2.80	-71.39	-13.00	-58.39
1672.00	31.02	V	-73.54	9.36	5.27	-69.45	-13.00	-56.45
2508.00		V		10.08	6.58		-13.00	
3344.00		V		12.27	7.79		-13.00	
4180.00		V		12.62	8.93		-13.00	
5016.00		V		12.67	9.81		-13.00	
5852.00		V		13.68	10.62		-13.00	
6688.00		V		11.96	11.39		-13.00	
7524.00		V		11.45	12.20		-13.00	
8360.00		V		11.58	12.81		-13.00	

	30MHz - 80MHz: 5.04dB		
Measurement uncertainty	80MHz -1000MHz: 3.76dB		
	1GHz - 13GHz: 4.45dB		

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 87 of 95

Radiated Spurious Emission Measurement Result: WCDMA V Mode

Operation Mode	: TX CH Mid Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 836.60MHz	Test By:	Sky
Temperature	: 25	Pol:	Hor
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
107.60	30.01	Н	-72.20	-9.94	1.39	-83.53	-13.00	-70.53
163.86	27.78	Н	-71.07	-9.95	1.62	-82.64	-13.00	-69.64
245.34	30.03	Н	-69.42	-10.03	1.96	-81.41	-13.00	-68.41
284.14	27.74	Н	-70.41	-10.05	2.11	-82.58	-13.00	-69.58
495.60	31.39	Н	-62.10	-9.86	2.79	-74.74	-13.00	-61.74
1672.00	30.97	Н	-73.41	9.36	5.27	-69.31	-13.00	-56.31
2508.00		Н		10.08	6.58		-13.00	
3344.00		Н		12.27	7.79		-13.00	
4180.00		Н		12.62	8.93		-13.00	
5016.00		Н		12.67	9.81		-13.00	
5852.00		Н		13.68	10.62		-13.00	
6688.00		Н		11.96	11.39		-13.00	
7524.00		Н		11.45	12.20		-13.00	
8360.00		Н		11.58	12.81		-13.00	

	30MHz - 80MHz: 5.04dB
Measurement uncertainty	80MHz -1000MHz: 3.76dB
	1GHz - 13GHz: 4.45dB

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 88 of 95

Radiated Spurious Emission Measurement Result: WCDMA V Mode

Operation Mode	: TX CH High Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 846.60 MHz	Test By:	Sky
Temperature	: 25	Pol:	Ver
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
107.60	32.80	V	-68.42	-9.94	1.39	-79.75	-13.00	-66.75
199.75	26.26	V	-75.50	-9.98	1.71	-87.19	-13.00	-74.19
248.25	31.64	V	-68.32	-10.03	1.98	-80.32	-13.00	-67.32
296.75	29.94	V	-68.42	-10.06	2.16	-80.63	-13.00	-67.63
500.45	34.55	V	-59.58	-9.86	2.80	-72.24	-13.00	-59.24
850.00	63.98	V	-22.13	-10.02	3.68	-35.83	-13.00	-22.83
1693.20	30.65	V	-73.89	9.42	5.30	-69.77	-13.00	-56.77
2539.80		V		10.18	6.62		-13.00	
3386.40		V		12.36	7.85		-13.00	
4233.00		V		12.63	8.99		-13.00	
5079.60		V		12.73	9.87		-13.00	
5926.20		V		13.79	10.69		-13.00	
6772.80		V		11.87	11.47		-13.00	
7619.40		V		11.41	12.26		-13.00	
8466.00		V		11.68	12.89		-13.00	

	30MHz - 80MHz: 5.04dB				
Measurement uncertainty	80MHz -1000MHz: 3.76dB				
	1GHz - 13GHz: 4.45dB				

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Report No.: EH/2011/30045 Issue Date: Apr. 08, 2011 Page: 89 of 95

Radiated Spurious Emission Measurement Result: WCDMA V Mode

Operation Mode	: TX CH High Mode	Test Date:	Mar. 29, 2011
Fundamental Frequency	: 846.60 MHz	Test By:	Sky
Temperature	: 25	Pol:	Hor
Humidity	: 65%		

Freq. (MHz)	SPA. Reading (dBuV)	Ant.Pol. H/V	S.G Out- put (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)	ERP/ EIRP (dBm)	Limit (dBm)	Safe Margin (dBm)
158.04	25.57	Н	-72.82	-9.95	1.61	-84.38	-13.00	-71.38
248.25	28.08	Н	-71.23	-10.03	1.98	-83.23	-13.00	-70.23
287.05	28.40	Н	-69.66	-10.05	2.12	-81.84	-13.00	-68.84
384.05	28.10	Н	-68.58	-9.79	2.46	-80.83	-13.00	-67.83
500.45	30.82	Н	-62.61	-9.86	2.80	-75.28	-13.00	-62.28
850.00	66.51	Н	-19.68	-10.02	3.68	-33.38	-13.00	-20.38
1693.20	30.59	Н	-73.76	9.42	5.30	-69.64	-13.00	-56.64
2539.80		Н		10.18	6.62		-13.00	
3386.40		Н		12.36	7.85		-13.00	
4233.00		Н		12.63	8.99		-13.00	
5079.60		Н		12.73	9.87		-13.00	
5926.20		Н		13.79	10.69		-13.00	
6772.80		Н		11.87	11.47		-13.00	
7619.40		Н		11.41	12.26		-13.00	
8466.00		Н		11.68	12.89		-13.00	

	30MHz - 80MHz: 5.04dB	
Measurement uncertainty	80MHz -1000MHz: 3.76dB	
	1GHz - 13GHz: 4.45dB	

Remark:

1 The emission behaviors belong to narrowband spurious emission.

2 Remark"----" means that the emission level is too low to be measured

3 The result basic equation calculation is as follows:

4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dBd/dBi) - Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



10. FREQUENCY STABILITY V.S. TEMPERATURE MEASUREMENT

10.1. Standard Applicable:


According to FCC §2.1055(a) (1)

Frequency Tolerance: +/-2.5ppm for 850MHz band

+/-2.5ppm for 1900MHz band

10.2. Test Set-up:

Temperature Chamber



Variable DC Power Supply

Note : Measurement setup for testing on Antenna connector

10.3. Measurement Procedure:

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30° C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

10.4. Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製 This document is issued by the Company subject to its General Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemplication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 f (886-2) 2298-0488

www.tw.sgs.com



10.5. Measurement Result:

Reference Frequency: GPRS 850 Mid Channel 836.6 MHz @ 25° C						
	Limit: +/- 2.5 ppm = 2091 Hz					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)		
Vdc	Temperature (°C)	(MHz)	Delta (HZ)	Linit (HZ)		
5	-30	836.600018	-12.00	2091		
5	-20	836.600025	-19.00	2091		
5	-10	836.600011	-5.00	2091		
5	0	836.600005	1.00	2091		
5	10	836.600017	-11.00	2091		
5	20	836.600006	0.00	2091		
5	30	836.600015	-9.00	2091		
5	40	836.600001	5.00	2091		
5	50	836.600005	1.00	2091		

Reference Frequency: GPRS 1900 Mid Channel 1880 MHz @ 25°C						
	Limit: +/- 2.5 ppm = 4700 Hz					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)		
Vdc	Temperature (°C)	(MHz)	Delta (IIZ)	Linint (112)		
5	-30	1880.000014	-1.00	4700		
5	-20	1880.000026	-13.00	4700		
5	-10	1880.000042	-29.00	4700		
5	0	1880.000006	7.00	4700		
5	10	1880.000004	9.00	4700		
5	20	1880.000013	0.00	4700		
5	30	1880.000005	8.00	4700		
5	40	1880.000012	1.00	4700		
5	50	1880.000011	2.00	4700		

Note: The battery is rated 5V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Indukstrial Zone, Taipel County, Taiwan / 6±縣五殿工業區五工路 134 號 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Reference Frequency: WCDMA II Mid Channel 1880 MHz				
	Limit	: +/- 2.5 ppm = 470	00 Hz	
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temperature (°C)	(MHz)	Delta (HZ)	Linit (HZ)
5	-30	1879.999990	19.00	4700
5	-20	1879.999987	22.00	4700
5	-10	1879.999990	19.00	4700
5	0	1879.999997	12.00	4700
5	10	1880.000001	8.00	4700
5	20	1880.000009	0.00	4700
5	30	1880.000005	4.00	4700
5	40	1880.000000	9.00	4700
5	50	1879.999996	13.00	4700

Re	Reference Frequency: WCDMA V Mid Channel 836.6 MHz					
Limit: +/- 2.5 ppm = 2091 Hz						
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)		
Vdc	Temperature ($^{\circ}$ C)	(MHz)	Delta (IIZ)	Linit (112)		
5	-30	836.599999	-5.00	2091		
5	-20	836.599996	-2.00	2091		
5	-10	836.599996	-2.00	2091		
5	0	836.599999	-5.00	2091		
5	10	836.599996	-2.00	2091		
5	20	836.599994	0.00	2091		
5	30	836.599995	-1.00	2091		
5	40	836.599988	6.00	2091		
5	50	836.599995	-1.00	2091		

Note: The battery is rated 5V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its instru-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document be not evonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unau-thorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134. Wu Kung Road. Wuku Industrial 70ne. Taive1, 4th & Br at 134 St No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd.



11. FREQUENCY STABILITY V.S. VOLTAGE MEASUREMENT

11.1. Standard Applicable:

According to FCC §2.1055(a) (1)

Frequency Tolerance: +/-2.5ppm for 850MHz band

+/-2.5ppm for 1900MHz band

11.2. Test Set-up:

Refer to section 10.2 in this report

11.3. Measurement Procedure:

Set chamber temperature to 25° C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specified extreme voltage variation (+/- 15%) and endpoint, record the maximum frequency change.

11.4. Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



11.5. Measurement Result:

Reference Frequency: GPRS 850 Mid Channel 836.6 MHz @ 25°C					
	Limit	: +/- 2.5 ppm = 209	91 Hz		
Power Supply	Environment	Frequency			
Vdc	Temperature (°C)	(MHz)	Delta (Hz)	Limit (Hz)	
5.5	25.00	836.600008	-2.00	2091.00	
5.0	25.00	836.600006	0.00	2091.00	
4.5	25.00	836.599998	8.00	2091.00	
3.0	25.00	826 500070	29.00	2001.00	
(End Point)	25.00	836.599978	28.00	2091.00	

Reference Frequency: GPRS 1900 Mid Channel 1880 MHz @ 25°C				
	Limit	: +/- 2.5 ppm = 470)0 Hz	
Power Supply	Environment	Frequency	Dolto (Uz)	Limit (Hz)
Vdc	Temperature (°C)	(MHz)	Delta (Hz)	Liniit (HZ)
5.5	25	1880.000009	4.00	4700
5.0	25	1880.000013	0.00	4700
4.5	25	1880.000004	9.00	4700
3.0	25	1970 000071	42.00	4700
(End Point)	25	1879.999971	42.00	4700

Reference Frequency: WCDMA II Mid Channel 1880 (ARFCN9400) MHz					
	Limit: +/- 2.5 ppm = 4700 Hz				
Power Supply	Environment	Frequency			
Vdc	Temperature (°C)	(MHz)	Delta (Hz)	Limit (Hz)	
5.5	25	1880.000005	4.00	4700	
5.0	25	1880.000009	0.00	4700	
4.5	25	1879.999998	11.00	4700	
3.0	25		45.00	1700	
(Endpoint)	25	1879.999964	45.00	4700	

Note: The battery is rated 5V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Indukstrial Zone, Taipel County, Taiwan / 6±縣五殿工業區五工路 134 號 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Reference Frequency: WCDMA V Mid Channel 836.6 (ARFCN9400) MHz					
	Limit	: +/- 2.5 ppm = 290)1 Hz		
Power Supply	Environment	Frequency			
Vdc	Temperature (°C)	(MHz)	Delta (Hz)	Limit (Hz)	
5.5	25	1880.000005	4.00	2091	
5.0	25	1880.000009	0.00	2091	
4.5	25	1879.999998	11.00	2091	
3.0	25		40.00	2001	
(Endpoint)	25	1879.999969	40.00	2091	

Note: The battery is rated 5V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its inter-vention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Indukstrial Zone, Taipel County, Taiwan / 6±縣五殿工業區五工路 134 號 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 aiwan Ltd.