







ISO/IEC17025 Accredited Lab.

Report No: FCC 0809232 File reference No: 2008-11-15

Applicant: WIN ACCORD LTD.

Product: Digital Photo Frame

Brand Name: N/A

Model No: Df301

Test Standards: FCC Part 15 Subpart B: 2006

Test result:

It is herewith confirmed and found to comply with the requirements

set up by ANSI C63.4&FCC Part 15 regulations for the evaluation of

electromagnetic compatibility

Approved By

Jack Chung

Jack Chung

Manager

Dated: Nov 15. 2008

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD

East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. Chegongmiao, FuTian District, Shenzhen, CHINA.

Tel (755) 83448688 Fax (755) 83442996

Report No: 0809232 Page 2 of 30

Date: 2008-11-15



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

IC-Registration No.: IC5205A-01

The EMC Laboratory has been registered and fully described in a report filed with the (IC) Industry Canada. The acceptance letter from the IC is maintained in our files. Registration IC No.: 5205A-01.

Page 3 of 30

Report No: 0809232 Date: 2008-11-15



Test Report Conclusion Content

1.0	General Details	4
1.1	Test Lab Details	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Test Uncertainty.	4
1.5	Submitted Sample	4
1.6	Test Duration.	4
2.0	List of Measurement Equipment	5
2.1	Conducted Emission Test	5
2.2	Radiated electromagnetic disturbance test.	5
2.3	Auxiliary Equipment	5
2.4	I/O Cable	5
3.0	Technical Details	6
3.1	Investigations Requested	6
3.2	Test Standards	6
4.0	Power line Conducted Emission Test.	7
5.0	Radiated Disturbance Test	13
6.0	FCC ID Label	19
7.0	Photo of testing	20

Date: 2008-11-15



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD

Address: East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. CheGongMiao, FuTian District,

Shenzhen, CHINA.

Telephone: (755) 83448688 Fax: (755) 83442996

1.2 Applicant Details

Applicant: WIN ACCORD LTD.

Address: 12F,NO.225,SEC 5,105 SONG SHAN DIST.,NAN JING EAST

ROAD, TAIPEI, TAIWAN, R.O.C

Telephone: 02-2749 3837 Fax: 02-2749-3918

1.3 Description of EUT

Product: Digital Photo Frame
Manufacturer: WIN ACCORD LTD.

Address: Shatou Section. Zhen'an Road, Chang'an, Town, Dongguan City

Brand Name: N/A Model Number: Df301

Additional Model df3xxx x=(A-Z, a-z, 0-9)

Number:

Rating: Input: DC 5V, 0.5A

1.4 Submitted Sample: 1 Sample

The sample tested by

1.5 Test Duration

2008-09-26 to 2008-11-14

1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB Radiated Emissions Uncertainty =4.7dB

1.7 Test Engineer

12mg 1 ang

Print Name: Terry Tang

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 5 of 30

Report No: 0809232 Date: 2008-11-15



2.0 List of Measurement Equipment

2.1 Conducted Emission Test

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESCS30	830245/009	RS	2008.2.23	1Year
Coaxial Switch	MP59B	M70585	ANRITSU	N/A	N/A
LISN	NTFM8132	8132137	SCHWARZBECK	2008.2.24	1Year
LISN	NTFM8134	8134109	SCHWARZBECK	2008.2.24	1Year
LISN	NTFM8136	8136102	SCHWARZBECK	2008.2.24	1Year

2.2 Radiated electromagnetic disturbance test

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESCS30	830245/009	RS	2008.2.23	1Year
Coaxial Switch	MP59B	M70585	ANRITSU	N/A	N/A
Spectrum Analyzer(with					
Tracking Generator)	MS2661C	MT72089	ANRITSU	2008.2.23	1Year
Amplifier	MH648A	M20494	ANRITSU	2008.2.24	1Year
Bilog Antenna	CBL6101C	2576	CHASE	2008.2.23	1Year

2.3 Auxiliary Equipment

					Calibration
Name	Model No.	Serial No.	Manufacturer	Calibration Date	Cycle
Electronic					
Equipment	MT-20	WNDGDZC-080	Derfu	N/A	N/A
Adaptor	SB3D-040-1MWND	9960641	SUNSHEN	N/A	N/A

2.4 I/O Cable

Cable No.	Port	Connector Type	Cable Type	Cable Length
1	Communication port	N/A	Data communication	1.0

The report refers only to the sample tested and does not apply to the bulk.

Report No: 0809232 Page 6 of 30

Date: 2008-11-15



3.0 **Technical Details**

3.1 **Investigations Requested** Perform Electromagnetic Interference [EMI] tests for FCC Requirement.


3.2 Test Standards

FCC Part 15 Subpart B: 2006



4.0 Conducted Power line Test

4.1 Schematics of the test




EUT: Equipment Under Test

4.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2003. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2003. Cables and peripherals were moved to find the maximum emission levels for each frequency.

Block diagram of Test setup



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No: 0809232 Page 8 of 30

Date: 2008-11-15



4.3 Power line conducted Emission Limit

Fraguency (MHz)	Class A Li	mits $dB(\mu V)$	Class B Limits dB(µV)		
Frequency(MHz)	Quasi-peak Level	Average Level	Quasi-peak Level	Average Level	
$0.15 \sim 0.50$	79.00	66.00	66.00~56.00*	56.00~46.00*	
$0.50 \sim 5.00$	73.00	60.00	56.00	46.00	
5.00 ~ 30.00	73.00	60.00	60.00	50.00	

Notes: 1. *decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

4.4 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.



Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)


EUT set Condition: Charging with Power supply and Play Memory

Working Voltage: 120V~ 60Hz

Results: Pass

Please refer to following diagram for individual

Conducted Emission Measurement



Enaguanav		Reading	Limit			
Frequency (MHz)	Live		Neutral		$(dB \mu V)$	
(MHZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.5409			42.22	27.82	56.00	46.00
0.4254			41.29	22.09	57.34	47.34
0.1815			46.53	25.73	64.42	54.42
1.0712			36.23	15.73	56.00	46.00

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.




Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Charging with Power supply and Play Memory

Working Voltage: 120V~ 60Hz

Results: Pass
Please refer to following diagram for individual

Conducted Emission Measurement



Eraguanav		Reading	Limit			
Frequency (MHz)	Live		Neutral		(dB µ V)	
(WITIZ)	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
0.1815	46.03	23.03			64.42	554.42
0.2430	41.10	17.10			61.99	51.99
0.3651	39.13	17.63			58.61	48.61



Conducted Emission on Neutral Terminal of the power line (150kHz to 30MHz)


EUT set Condition: Connected to PC and reading SD Card

Working Voltage: 120V~ 60Hz

Results: Pass

Please refer to following diagram for individual

Conducted Emission Measurement



Eraguanav	Reading(dB μ V)				Limi	t
Frequency (MHz)	Live		Neutral		(dB µ V)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
4.1533			27.26	14.46	56.00	46.00
14.1500			22.82	19.62	60.00	50.00




Conducted Emission on Live Terminal of the power line (150kHz to 30MHz)

EUT set Condition: Connected to PC and reading SD Card

Working Voltage: 120V~ 60Hz

Results: Pass
Please refer to following diagram for individual

Conducted Emission Measurement



Frequency (MHz)		Reading	Limit			
	Live		Neutral		(dB µ V)	
	Quasi-peak	Average	Quasi-peak	Average	Quasi-peak	Average
3.2112	28.08	22.58			56.00	56.00
8.4190	20.86	14.76			60.00	60.00


Page 13 of 30

Report No: 0809232 Date: 2008-11-15



5.0 Radiated Disturbance Test


5.1 Schematics of the test




5.2 Test Method and test Procedure:

The EUT was tested according to ANSI C63.4 –2003, The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak 0values with a resolution bandwidth of 120KHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.

Block diagram of Test setup







5.3 Radiated Emission Limit

Frequency Range (MHz)	Distance (m)	Field strength (dB µ V/m)
30-88	3	40.00
88-216	3	43.50
216-960	3	46.00
Above 960	3	54.00

Note: The lower limit shall apply at the transition frequencies

5.4 Test result

The frequency spectrum from 30MHz to 1GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120KHz. All readings are above 1GHz, peak values with a resolution bandwidth of 1MHz. Measurements were made at 3 meters.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 15 of 30

Report No: 0809232 Date: 2008-11-15




A: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition: Connected to PC and Reading SD Card

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
96.016	36.47	Н	43.50
215.975	36.97	Н	43.50
768.119	43.74	Н	46.00
384.067	44.00	Н	46.00

Page 16 of 30

Report No: 0809232 Date: 2008-11-15




B: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition: Connected to PC and Reading SD Card

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
96.043	36.90	V	43.50
480.102	39.24	V	46.00
664.824	37.95	V	46.00

Page 17 of 30

Report No: 0809232 Date: 2008-11-15




C: Radiated Disturbance In Horizontal (30MHz----1000MHz)

EUT set Condition: Charging and Play Memory

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
545.844	43.09	Н	46.00
587.852	38.24	Н	46.00
783.818	43.03	Н	46.00

Page 18 of 30

Report No: 0809232 Date: 2008-11-15




D: Radiated Disturbance In Vertical (30MHz---1000MHz)

EUT set Condition: Charging and Play Memory

Level: Class B
Results: PASS

Please refer to following diagram for individual

Picture of the test



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
209.207	19.63	V	43.50
923.761	40.20	V	43.50

Page 19 of 30

Report No: 0809232 Date: 2008-11-15




6.0 FCC ID Label

FCC ID: V37-35INCHMUCHA

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



Page 20 of 30

Report No: 0809232 Date: 2008-11-15



7.0 Photo of testing

7.1 Conducted test View-



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co., Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 21 of 30

Report No: 0809232 Date: 2008-11-15



7.2 Radiated emission test view--



Page 22 of 30

Report No: 0809232 Date: 2008-11-15



Photo for the EUT



Page 23 of 30





Page 24 of 30





Page 25 of 30





Page 26 of 30





Page 27 of 30






Page 28 of 30





Page 29 of 30





Page 30 of 30

Report No: 0809232 Date: 2008-11-15





-End of the report-